



**Koninklijk Nederlands
Meteorologisch Instituut
Ministerie van Verkeer en Waterstaat**

***KNMI and
aviation services***

***EASA
8 sept 2010***

Geert Groen
groen@knmi.nl




- 1.KNMI and aviation services (in operational and research services)
- 2.Research program Knowledge for Climate for aviation (called Hotspot Schiphol)
- 3.Thunderstorm related issues regarding operations and research



***KNMI was founded on 31 January 1854 by
Prof. C.H.D. Buys Ballot (1817-1890)***

KNMI is the National Meteorological Institute in the Netherlands for:

- weather (public, aviation, maritime),
- climate research (climatology and scenarios)
- seismology.



- Amsterdam Flight Information Region,
- airports EHAM, EHRD, EHGG, EHBK
- VFR land and sea (platforms)
- METAR, TAF, SIGMET, LLFC land and sea
- Probability Forecast Schiphol
- Central Forecasting Office, if needed at EHAM/ATC



Knowlegde	Influence	10-30 yr	1-7 yr	3-36 hr	realtime
General		<ul style="list-style-type: none"> • Safety • Environment • Strategy 	<i>Decision strategy</i>	<ul style="list-style-type: none"> • Operations • Maintenance • Handling 	<ul style="list-style-type: none"> • Punctuality • Satisfaction
Wind	<ul style="list-style-type: none"> • Pref.runway • Capacity • Volume yr 	<ul style="list-style-type: none"> • Planning airport • Ruway direction 	<i>Planning capacity</i>	<ul style="list-style-type: none"> • Runway in use • Guidance • Safety 	<i>Capacity and Planning</i> <ul style="list-style-type: none"> • Safety
Precipitation	<ul style="list-style-type: none"> • Runway • Capacity 	<ul style="list-style-type: none"> • Design • Runoff cap 	<i>Planning capacity</i>	<ul style="list-style-type: none"> • Capacity • Operations • Safety 	<i>Capacity and planning</i> <ul style="list-style-type: none"> • Safety
Water	<ul style="list-style-type: none"> • Storage • Runoff • Quality 	<ul style="list-style-type: none"> • Storage cap • Water quality • Drainage 	<i>Model</i>	<i>Red. cap.</i> <ul style="list-style-type: none"> • Safety 	<i>Aquaplane</i> <ul style="list-style-type: none"> • Safety
High temp	<ul style="list-style-type: none"> • Sealevel • Salinity • Capacity 	<ul style="list-style-type: none"> • Storage • Safety • Runway length 	<i>Runway length</i>	<ul style="list-style-type: none"> • Safety • Cooling cap. 	<ul style="list-style-type: none"> • Comfort
Fog and TS	Capacity	<i>Atm. electricity</i>	<i>Forecast RVR/TS (Harmonie)</i>	<ul style="list-style-type: none"> • Operations • Capacity • Safety 	<i>Nowcasting Operations</i> <ul style="list-style-type: none"> • Safety
Low temp	<ul style="list-style-type: none"> • Freezing • Rhime • Snow 	<ul style="list-style-type: none"> • Safety • Runway design 	<ul style="list-style-type: none"> • De-icing • Glycol storage • Design 	<ul style="list-style-type: none"> • Snow red. • Operations • Planning 	<ul style="list-style-type: none"> • Braking action • Capacity • Safety



To develop the scientific and applied knowledge required for climate-proofing the Netherlands
and to create a sustainable knowledge infrastructure for managing climate change



Consortia

Flood risk management

Fresh water supply

Rural areas

Climate Proof Cities

Infrastructure and Networks

Climate Projections

Governance of Adaptation

Decision support tools

Hotspots

Schiphol Mainport

Haaglanden region

Rotterdam region

Major rivers

South-West Netherlands Delta

Shallow waters and peat meadow areas

Dry rural areas

Wadden Sea

Climatology and Climate Scenarios Schiphol

Kennis voor Klimaat

Mission

In the program Kennis voor Klimaat the Amsterdam Airport Schiphol is defined as one of the hotspots in the Netherlands for adaptation to climate change.



The mission of this project is to update climatology of Schiphol and to investigate the impact of climate change.

Click to enlarge



www.kennisvoorklimaat.nl
www.knmi.nl/samenw/kbs

KNMI-Climate services



		G	G+	W	W+
2050	Global temperature rise	+1°C	+1°C	+2°C	+2°C
	Change in air circulation patterns	no	yes	no	yes
Winter	average temperature	+0,9°C	+1,1°C	+1,8°C	+2,3°C
	coldest winter day per year	+1,0°C	+1,5°C	+2,1°C	+2,9°C
	average precipitation amount	+4%	+7%	+7%	+14%
	number of wet days ($\geq 0,1$ mm)	0%	+1%	0%	+2%
	10-day precipitation sum exceeded once in 10 years	+4%	+6%	+8%	+12%
	maximum average daily wind speed per year	0%	+2%	-1%	+4%
Summer	average temperature	+0,9°C	+1,4°C	+1,7°C	+2,8°C
	warmest summer day per year	+1,0°C	+1,9°C	+2,1°C	+3,8°C
	average precipitation amount	+3%	-10%	+6%	-19%
	number of wet days ($\geq 0,1$ mm)	-2%	-10%	-3%	-19%
	daily precipitation sum exceeded once in 10 years	+13%	+5%	+27%	+10%
	potential evaporation	+3%	+8%	+7%	+15%
Sea level	absolute increase	15-25 cm	15-25 cm	20-35 cm	20-35 cm



- A. Windvisions: path measurement wind with scintillometer (WUR)
- B. Impact: Improving capacity with high resolution non hydrostatic model, link to amdar, mode-S
- C. Climatology and scenarios:

Climatology and Climate Scenarios Schiphol

Kennis voor Klimaat

Mission

In the program Kennis voor Klimaat the Amsterdam Airport Schiphol is defined as one of the hotspots in the Netherlands for adaptation to climate change.

The mission of this project is to update climatology of Schiphol and to investigate the impact of climate change.



[Click to enlarge](#)






- Visibility: frequency LVP decreases, local differences identified
- Wind: climatology differences on local scale due to roughness
- Precipitation: return times established, identification sea/land
- Upper air: Reanalysis ERA-I usefull, inversions
- SOME EXAMPLES


Visibility (BZO-phases) #hours per year



Wind measured and potential wind (Up) FFmean (m/s) 2007-2009 and cor.factor for Up



Local winddeviation
EHAM mainly due to
roughness differences





Comparison OWEZ-ERA iul2005-dec2009





Figure 11. Comparing average windspeed per month from Noordzeewind and ERA-Interim. Windspeed in reanalysis is underestimated by 0.7 m/s (about 10%).

Comparison 2003-2005 at 00 and 12 UTC for the four seasons





ERA-HR-RDS-CAB at 5, 50 and 95% windspeed



Precipitation EHAM






Schiphol	minuten				uren				etmalen					
	5	15	30	60	2	4	6	8	12	1	2	4	7	10
10x per jaar	-	3	4	5	7	9	11	12	13	16	21	-	-	-
5x per jaar	-	4	6	7	10	12	14	15	17	23	28	-	-	-
2x per jaar	4	6	8	10	13	16	19	20	23	30	38	49	63	73
1x per jaar	5	9	11	14	17	21	23	24	27	36	44	56	71	86
1x per 2jaar	7	11	14	18	21	25	27	29	32	42	52	65	82	98
1x per 5jaar	9	15	19	23	26	31	34	36	40	51	63	77	95	113
1x per 10jaar	11	18	23	27	31	36	39	41	46	58	70	86	106	123
1x per 20jaar	12	21	27	32	36	41	45	47	52	66	79	96	116	134
1x per 50jaar	15	26	32	38	42	49	53	56	61	77	91	108	129	146
1x per 100jaar	17	29	37	43	48	55	59	62	68	85	99	118	137	154



Lenderink:
Tsea and NW-flow


Upper air results



Thunderstorms



- Observations: sounding, synop/metar, Doppler-radar (hail), lightning
- Model: Hirlam, post-proces KOUW, indices
- Research: Atmospheric electricity (veenvds@knmi.nl)
- Products: Metar, TAF, sigmet, LLFC, AIL, guidance AAS/LVNL



KOUW: % risk > 1, 50 or 200 TS and # in 5 min
In wintertime (CB with low tops) risk AIL




Thunderstorm (TS): Poor climatology

- TS is related to charge distribution (graupel meets ice-chrystral)
- Electric forces can alter dynamincs and precipitation in CB
- But during TS sudden precip-increase (intensity >200 mm/hr during seconds)
- Risk blue jet?
- Atm.electricity charging is computable

Experiment in HARMONIE (non hydrostatic):

- Model electric field, enhance ice christal growth on treshold (200kV/m)
- Compute when TS starts (400kV/m)
- Release of precip.intensity and dynamics
- Optimize TS/GR/FX/microburst-forecast
- Optimize climatology and effect of climate change





	00	03	06
Visibility < 5 km and/or ceiling < 1000 ft (%)	30	40	15
RVR < 1500 m and/or ceiling < 300 ft (%)	0	0	0
RVR < 550 m and/or ceiling < 200 ft (%)	0	0	0
RVR < 350 m (%)	0	0	0
Winddirection (deg)	→ 250	↗ 220	↖ 160
Windspeed (kt)	3	3	3
Gusts (kt)			
Standarddeviation winddirection (deg)	90	90	90
Standarddeviation windspeed (kt)	2	2	2
CB (%)	15	10	10
Thunderstorm (%)	0	0	0
Temperature (C)	20	19	22
Dewpoint (C)	17	18	19
Relative humidity (%)	83	94	83
Snow (%)	0	0	0
Moderate or heavy snow (%)	0	0	0
Freezing precipitation (%)	0	0	0
	00	03	06

	12	13	14
Winddirection (deg)	270	280	290
Windspeed (kt)	10	10	10
Gusts (kt)	15	15	15
Crosswind 18-36 (kt)	15	15	14
Crosswind 22-04 (kt)	11	13	14
Crosswind 24-06 (kt)	7	10	11
Crosswind 27-09 (kt)	0	3	5
Tailwind 18 (kt)	0	3	5
Tailwind 22 (kt)	-10	-8	-5
Tailwind 24 (kt)	-13	-11	-10
Tailwind 27 (kt)	-15	-15	-14
Tailwind 36 (kt)	0	-3	-5
Tailwind 04 (kt)	10	8	5
Tailwind 06 (kt)	13	11	10
Tailwind 09 (kt)	15	15	14

Wintertime: AIL

Summary



- KNMI: NMS in Netherlands, strong relations with aviation
- Operations and research work in close harmony
- Research program: improving capacity, focus on climate(change)-proof decision-support in research Hotspot Schiphol
- Climatology and scenarios for local conditions and upper air
- Aviation needs ongoing research in climate and scenarios
- Thunderstorms: challenge for research
- HARMONIE: high resolution non hydrostatic modelling
- ICAO: stimulate climatology of TS and HR-research

Thank you, time for (some) questions

- groen@knmi.nl

