Sponsors





aams-salvarani









ii SuproFruit 2017





Lowette Agrotechnic NV

LANDBOUW-, FRUITTEELT-, TUINBOUW-& INDUSTRIEMACHINES
Tongersersteenweg 113 3840 Borgloon

C 012-44 09 90 ♣ 012-74 54 70

C lowetteagrotechnic.jd-dealer.be









Table of Contents

Welcome to the symposium
List of participants3
Program5
Oral Session1 Pesticide dosing
Harmonization of pesticide dose expression is a key to dose adjustment10 Greg Doruchowski
Towards a new model of dose expression in viticulture: Presentation of an experimental approach based on deposition measurement to test the relevance of different scenarios
Pesticide dose in persimmon orchards: Bases for adjustment
Adjusting spray volume rates to the canopy vigour from aerial images in a vineyard
Effect of formulation and spray application characteristics on the biological efficacy of a contact fungicide
Adel BAKACHE, Jean-Paul Douzals, Eric Cotteux, Bernard Bonicelli, Alain Normand, Aurélien Pugeaux, Carole Sinfort
Oral Session 2 Spray coverage
Spray deposition and distribution of a cross-flow fan orchard sprayer in spindle apple trees21 <i>J.M.G.P. Michielsen, H. Stallinga, P. van Velde, P. van Dalfsen, M. Wenneker & J.C. van de Zande</i>
First results of a campaign for the optimization of spray patterns of orchard sprayers by a moving test bench23
Ruben Claes, Tessa De Baets, Filip Ghysens, Dany Bylemans, Kris Ruysen
Improving spray deposition in orchard spraying by a Munckhof multiple row sprayer25 M. Wenneker, J.M.G.P. Michielsen, H. Stallinga, P. van Velde, P. van Dalfsen & J.C. van de Zande
Basic experimental investigations of different influencing parameters on the quality of the vertical distribution of sprayers
PulvArbo: a French project to improve spray application in fruit growing28 Florence Verpont, Joël Favareille
Sprayer classification in viticulture according to their performance in terms of deposition and dose rate reduction potential
Spray deposits from a recycling tunnel sprayer in vineyard; effects of the forward speed and the nozzle type

iv SuproFruit 2017

Leaf surface topography affecting the dynamic impact behaviour of spray droplets
Assessment of aerial spray deposition on banana crop based on flight conditions
Oral session 3 Air support of sprayers for three dimensional crops
Lidar vs. test bench for measurement of drift as affected by sprayer type, air flow, nozzle type and density of vine canopy
Javier Campos, Emilio Gil, Montserrat Gallart, Jordi Llorens, Ramón Salcedo, Jordi Llop
Characterization of the air-flow and the liquid distribution of orchard sprayers
2D CFD simulations of the air profile of three sprayers adapted to tomato crops in greenhouse conditions
Ramón Salcedo, Jordi Llop, Patricia Chueca, Cruz Garcerá, Montse Gallart, Javier Campos, Paula Ortega1, Emilio Gil
Adjustment of vertical spray pattern of orchard sprayers with Ve.S.Pa. 2.0 application
Oral session 4 Spray drift / Spray loses
Potential spray drift evaluation of airblast sprayers
Spray drift of a cross-flow fan sprayer with wind-dependent variable air assistance
First assessments of spray drift in poplar plantations
Increasing droplet size in pneumatic cannon-type nozzles to reduce spray drift54 Antonio Miranda-Fuentes, Paolo Marucco, Emilio Gil, Emilio J. González-Sánchez, Marco Grella, Paolo Balsari
Spray quality, droplet velocity and spray drift potential of sprays sprayed with additives through standard and venturi nozzles
João Paulo Arantes Rodrigues da Cunha, Jorge Alfredo Luiz França, Ulisses Rocha Antuniassi
Development of a National Spray Application Work Group
Perceptions on how to reduce the risk of Plant Protection Product (PPP) losses to surface water in fruit production Results from the European TOPPS stakeholder survey 2016
Oral session 5 New technologies on spray applications
Measuring canopy density in orchards and vineyards
Crop characterization by Lidar sensor in different French orchards: preliminary results at early
stages

Variable rate orchard sprayer based on Lidar sensor6 Xiongkui He, Longlong Li, Jianli Song, Xiaonan Wang, Xiaoming Jia, Chaohui Liu
ICT platform for the fruit growing sector in Belgium
Field testing and monitoring of newly designed airblast sprayers in traditional olive orchards74 Antonio Miranda-Fuentes, Andrés Cuenca, Alberto Godoy-Nieto, Emilio J. González-Sánchez, Pedro Miranda de Fuentes, Gregorio L. Blanco-Roldán, Jesús A. Gil-Ribes
Optimization of the fogging application of biological control organisms in fruit cold stores7. Donald Dekeyser, Tanja Vanwalleghem, Mulugeta Admasu Delele, Pieter Verboven, Wendy Van Hemelrijck, David Nuyttens
How to stimulate the installation and use of on farm bioremediation systems to avoid point pollution?
The electronic measurement of spray coverage
CFD modelling of spray applications in cool rooms

vi SuproFruit 2017

Welcome to the symposium

This 14th Workshop on Spray Application in Fruit Growing offers the floor for presenting the scientific results and for discussing the societal context of the application of plant protection products in orchards and vineyards. As science evolves by open minded discussions and by exchanging results and opinions, we hope to offer you in this workshop an optimal scene for fruitful discussions.

The principal organiser of this conference is the Research Station for Fruit npo, mostly abbreviated as 'pcfruit npo'. Pcfruit was started in 1997 as a coordinating structure of three former research institutes and demonstration gardens, all specialized in fruit growing and located in Sint-Truiden, the heart of the fruit growing area of Belgium. The oldest of these comprising institutes was founded in 1943. Pcfruit is recognized as a reliable, neutral and science-based partner active in various domains of fruit growing. Pcfruit covers applied scientific research, demonstration activities to growers, co-development programs with various kinds of industries and services for fruit growers. All these activities are centralized at one central location with suitable infrastructure like labs, greenhouses, storage facilities, plastic tunnels, shelters, warehouses and orchards. High level of specialism and understanding of the fruit practices have over time been developed in areas as crop protection, biological control, IPM, plant nutrition, application technology, variety evaluation, precision agriculture.

Co-organizers of the 14th Workshop are the University of Louvain with a Faculty of Bioengineering and ILVO, the Flemish Institute for Agricultural and Fisheries Research, which both have a specialised research team working on spray application technology.

The Workshop is taking place in the former prison of Hasselt, which serves now as the faculty of Law of the University of Hasselt. Hasselt is the capital of the Belgian province of Limburg, of which the south offers the most suitable soil and climate for fruit production. More than 50% of the Belgian fruit is growing in this area. Hasselt is a relatively small city of about 80.000 inhabitants. Today Hasselt traditionally welcomes a lot of short stay tourists and shoppers.

Inge Moors
Deputy of the Province of Limburg for Agriculture
Chairman of pcfruit

www.pcfruit.be www.ilvo.be http://www.biw.kuleuven.be/m2s/biosyst/mebios www.hasselt.be www.limburg.be







Convener

Kris Ruysen Proefcentrum Fruitteelt vzw Fruittuinweg 1, 3800 Sint-Truiden, Belgium Tel.: +32 11 69 71 34 Fax: +32 11 69 71 10

E-mail: kris.ruysen@pcfruit.be

Local committee

Prof. Dany Bylemans, pcfruit vzw - Proefcentrum Fruitteelt vzw Kris Ruysen, pcfruit vzw - Proefcentrum Fruitteelt vzw dr. David Nuyttens, ILVO – Institute for Agricultural and Fisheries Research dr. Pieter Verboven, KULeuven - MeBioS Manuela Milissen, pcfruit vzw - Proefcentrum Fruitteelt vzw

Scientific committee

Paolo Balsari
Dany Bylemans
Jerry Cross
Grzegorz Doruchowski
Jean-Paul Douzals
Emilio Gil
David Nuyttens
Peter Triloff
Jan Van de Zande
Pieter Verboven
Marcel Wenneker

Picture: pcfruit vzw

List of participants

Name	Institution	Country	Email
Abts, Willem	Bayer CropScience NV	Belgium	willem.abts@bayer.com
Arantes Rodrigues da	Federal University of Uberlândia	Brasil	jpcunha@ufu.br
Cunha, João Paulo			
Bakache, Adel	IRSTEA	France	adel.bakache@irstea.fr
Bals, Edward	Micron Sprayers Ltd	United Kingdom	edward.bals@micron.co.uk
Bals, Thomas	Micron Sprayers Ltd	United Kingdom	tom.bals@micron.co.uk
Balsari, Paolo	DiSAFA/University of Torina	Italy	paolo.balsari@unito.it
Beeston, Michael	Oxford Lasers Ltd	United Kingdom	mike.beeston@oxfordlasers.com
Belien, Tim	Proefcentrum Fruitteelt vzw	Belgium	tim.belien@pcfruit.be
Berger, Lars	Pulverizadores FEDE	Spain	lcubi@fedepulverizadores.com
Bjugstad, Nils	Norwegian University of Life Sciences	Norway	nils.bjugstad@nmbu.no
Bylemans, Dany	Proefcentrum Fruitteelt vzw	Belgium	dany.bylemans@pcfruit.be
Campos, Javier	Universidad Politécnica de Cataluña	Spain	javier.campos@upc.edu
Carra, Mathilde	IRSTEA	France	mathilde.carra@irstea.fr
Chueca, Patricia	Instituto Valenciano de Investigaciones Agrarias	Spain	patriciaadell@hotmail.com
Claes, Ruben	Proefcentrum Fruitteelt vzw	Belgium	ruben.claes@pcfruit.be
Codis, Sebastien	IFV (French Institute for Vine and Wine)	France	sebastien.codis@vignevin.com
Cotteux, Eric	IRSTEA UMR ITAP	France	eric.cotteux@irstea.fr
Cross, Jerry	NIAB EMR	United Kingdom	jerry.cross@emr.ac.uk
De Baets, Tessa	pcfruit vzw	Belgium	tessa.debaets@pcfruit.be
de Hoog, Dirk	Wageningen UR	The Netherlands	dirk.dehoog@wur.nl
Dekeyser, Donald	ILVO	Belgium	donald.dekeyser@ilvo.vlaanderen.be
Delele, Mulugeta Admasu	KULeuven	Belgium	mulugetaadmasu.delele@kuleuven.be
Dieleman, Patrick	Management & Techniek	Belgium	patrick.dieleman@boerenbond.be
Doruchowski, Grzegorz	InHort - Research Institute of Horticulture	Poland	grzegorz.doruchowski@inhort.pl
Douzals, Jean-Paul	IRSTEA	France	jean-paul.douzals@irstea.fr
Everaerts, David	Proefcentrum Fruitteelt vzw	Belgium	david.everaerts@pcfruit.be
Foubert, Herve	ALBUZ-SOLCERA	France	herve.foubert@solcera.com
Freyeisen, Marc	Application Technology Team Syngenta	Switzerland	marc.freyeisen@syngenta.com
Garnodier, Justine	IRSTEA Montpellier	France	justine.garnodier@irstea.fr
Gil, Emilio	Universidad Politécnica de Cataluña	Spain	emilio.gil@upc.edu
Grella, Marco	DiSAFA/University of Torino	Italy	marco.grella@unito.it
Gyesu, Eric	Kwame Nkrumah University of Science and Technology	Ghana	da2ruprince@gmail.com
Hoheisel, Gwen-Alyn	Washington State University	USA	ghoheisel@wsu.edu
Hudebine, Yoan	IRSTEA Montpellier	France	yoan.hudebine@irstea.fr
Jaun, René	Syngenta Crop Protection AG	Switzerland	rene.jaun@syngenta.com

Name	Institution	Country	Email
Koopmans, Kim	Proefcentrum Fruitteelt vzw	Belgium	kim.koopmans@pcfruit.be
Landers, Andrew	Cornell University	USA	ajl31@cornell.edu
Langenakens, Jan	Aams-Salvarani	Belgium	jan.langenakens@aams-salvarani.com
Levesque, Patrick	ALBUZ-SOLCERA	France	patrick.levesque@solcera.com
Marucco, Paolo	DiSAFA/University of Torino	Italy	paolo.marucco@unito.it
Michielsen, Jean-Marie	Wageningen Plant Research	The Netherlands	jean-marie.michielsen@wur.nl
Milissen, Manuela	Proefcentrum Fruitteelt vzw	Belgium	manuela.milissen@pcfruit.be
Miranda-Fuentes, Antonio	University of Córdoba	Spain	antonio.miranda@uco.es
Nuyttens, David	ILVO	Belgium	david.nuyttens@ilvo.vlaanderen.be
Ozkan, Erdal	Ohio State University	USA	ozkan.2@osu.edu
Pelzer, Tanja	Julius Kuehn Institute, Institute for Application Techniques in Plant Protection	Germany	tanja.pelzer@julius-kuehn.de
Perez Salvador, Federico	Pulverizadores FEDE	Spain	lcubi@fedepulverizadores.com
Planas, Santiago	Universitat de Lleida/Generalitat de Catalunya	Spain	santiago.planas@udl.cat
Roettele, Manfred	BetterDecisions	Germany	manfred.roettele@betterdecisions.de
Román, Carla	Universitat de Lleida	Spain	carlaroman@eagrof.udl.cat
Ruysen, Kris	Proefcentrum Fruitteelt vzw	Belgium	kris.ruysen@pcfruit.be
Salcedo, Ramon	Universidad Politécnica de Cataluña	Spain	ramon.salcedo@upc.edu
Shillitoe, James	Fruit Advisory Services Team LLP	United Kingdom	kate.barker@fastllp.com
Stallinga, Hein	Wageningen University & Research	The Netherlands	hein.stallinga@wur.nl
Tamagnone, Mario	DiSAFA/University of Torino	Italy	mario.tamagnone@unito.it
van de Zande, Jan	Wageningen University & Research	The Netherlands	jan.vandezande@wur.nl
Vanderwaeren, Reinaart	BASF Belgium	Belgium	reinaart.vanderwaeren@basf.com
Verboven, Pieter	KULeuven	Belgium	pieter.verboven@kuleuven.be
Vergès, Adrien	IFV (French Institute for Vine and Wine)	France	adrien.verges@vignevin.com
Verpont, Florence	CTIFL	France	verpont@ctifl.fr
Wohlhauser, Ronald	Syngenta Crop Protection AG	Switzerland	ronald.wolhlauser@syngenta.com

Program

Tuesday May 9th, 20 16:30-18:30	
10:30-18:30	Registration
	Hasselt University - Aula Louis Roppe
	Martelarenlaan 42, 3500 Hasselt
19:00-20:00	Welcome reception at the Gouverneurshuis of Hasselt
	(we walk (+/- 15 min) together from the registration desk)

Wednesday May 10tl	h, 2017
Opening Session	Hasselt University - Aula Louis Roppe
	Martelarenlaan 42, 3500 Hasselt
08:00-09:00	Registration
09:00-10:00	Welcome to the Symposium

Oral Session	1 : Pesticide	dosing	Wed May 10
Time	Oral Abstract Number	Title	Presenter
10:00-10:20	1	Harmonization of pesticide dose expression is a key to dose adjustment	Doruchowski, Grzegorz
10:20-10:40	2	Towards a new model of dose expression in viticulture: Presentation of an experimental approach based on deposition measurement to test the relevance of different scenarios	Codis, Sébastien
10:40-11:00		Coffee and snack break	
11:00-11:20	3	Pesticide dose in persimmon orchards: Bases for its adjustments	Chueca, Patricia
11:20-11:40	4	Adjusting spay volume rates to the canopy vigour from aerial images in a vineyard	Román, Carla
11:40-12:00	5	Effect of formulation and spray application characteristics on the biological efficacy of a contact fungicide	Bakache, Adel
12:00-13:30		Lunch	

14th Workshop on Spray Application in Fruit Growing

Oral Session	2 : Spray co	verage	Wed May 10	
Time	Oral Abstract Number	Title	Presenter	
13:30-13:50	6	Spray deposition and distribution of a cross-flow fan orchard sprayer in spindle apple trees	Michielsen, Jean-Marie	
13:50-14:10	7	First results of a campaign for the optimization of spray patterns of orchard sprayers by a moving test bench	Claes, Ruben	
14:10-14:30	8	Improving spray deposition in orchard spraying by a Munckhof multiple row sprayer	Wenneker, Marcel	
14:30-14:50	9	Basic experimental investigations of different influencing parameters on the quality of the vertical distribution of sprayers	Pelzer, Tanja	
14:50-15:10		Coffee and snack break		
15:10-15:30	10	PulvArbo: a French project to improve spray application in fruit growing	Verpont, Florence	
15:30-15:50	11	Sprayer classification in viticulture according to their performance in terms of deposition and dose rate reduction potential	Vergès, Adrien	
15:50-16:10	12	Spray deposits from a recycling tunnel sprayer in vineyard; effects of the forward speed and the nozzle type	Carra, Mathilde	
16:10-16:30	13	Leaf surface topography affecting the dynamic impact behaviour of spray droplets	Delele, Mulugeta Admasu	
16:30-16:50	14	Assessment of aerial spray deposition on banana crop based on flight conditions	Cotteux, Eric	

Oral Session	3 : Air supp crops - l	oort of sprayers for three dimensional Part 1	Wed May 10
Time	Oral Abstract Number	Title	Presenter
16:50-17:10	15	Lidar vs. test bench for measurement of drift as affected by sprayer type, air flow, nozzle type and density of vine canopy	Gil, Emilio
17:10-17:30	16	Characterization of the air-flow and liquid distribution of orchard sprayers	van de Zande, Jan
Thursday Ma	ay 11th, 201	7	
Field da	y		
08:00		Departure in Hasselt by bus Kattegatstraat 1, Hasselt (in front of the H	Ioliday Inn Hotel)
09:00-12:00		Visit Proefcentrum Fruitteelt, SintTruider	1
12:00-13:30		Lunch at Proefcentrum Fruitteelt, Sint-Tr	uiden
13:30-18:30		Visit BAB Bamps, Sint-Truiden Orchard visit, Wamoss bvba, Hakendover Vineyard visit, Kluisberg, Assent	r
19:30-22:30		Symposium dinner at Holiday Inn, Katteg	gatstraat 1, Hasselt
Oral Session	3 : Air supp crops - l	oort of sprayers for three dimensional Part 2	Fri May 12
Time	Oral Abstract Number	Title	Presenter
08:30-08:50	17	2D CFD simulations of the air profile of three sprayers adapted to tomato crops in greenhouse conditions	Salcedo, Ramón
08:50-09:10	18	Adjustment of vertical spray pattern of orchard sprayers with Ve.S.Pa. 2.0 application	Tamagnone, Mario

14th Workshop on Spray Application in Fruit Growing

Oral Session	4 : Spray dı	rift / Spray loses	Fri May 12
Time	Oral Abstract Number	Title	Presenter
09:10-09:30	19	Potential spray drift evaluation of airblast sprayers	Grella, Marco
09:30-09:50	20	Spray drift of a cross-flow fan sprayer with wind-dependent variable air assistance	Stallinga, Hein
09:50-10:10	21	First assessments of spray drift in poplar plantations	Marucco, Paolo
10:10-10:30		Coffee and snack break	
10:30-10:50	22	Increasing droplet size in pneumatic cannon-type nozzles to reduce spray drift	Miranda-Fuentes, Antonio
10:50-11:10	23	Spray quality, droplet velocity and spray drift potential of sprays sprayed with additives through standard and venturi nozzles	Rodrigues da Cunha, João Paulo
11:10-11:30	24	Development of a National Spray Application Work Group	Hoheisel, Gwen-Alyn
11:30-11:50	25	Perceptions on how to reduce the risk of Plant Protection Products (PPP) losses to water in fruit production. Results from the European TOPPS stakeholder survey 2016	Roettele, Manfred
12:00-13:30		Lunch	

	Oral		
Time	Abstract Number	Title	Presenter
13:30-13:50	26	Measuring canopy density in orchards and vineyards	Landers, Andrew
13:50-14:10	27	Crop characterization by Lidar sensor in different French orchards: preliminary results at early stages	Douzals, Jean-Paul
14:10-14:30	28	Variable rate orchard sprayer based on Lidar sensor	Xiongkui, He

14:30-14:50	29	ICT platform for fruit growing sector in Belgium	Ruysen, Kris
14:50-15:10	30	Field testing and monitoring of newly designed airblast sprayers in traditional olive orchards	Miranda-Fuentes, Antonio
15:10-15:30		Coffee and snack break	
15:30-15:50	31	Optimization of the fogging application of biological control organisms in fruit cold stores	Dekeyser, Donald
15:50-16:10	32	How to stimulate the installation and use of on farm bioremediation systems to avoid point pollution?	Koopmans, Kim
16:10-16:30	33	The electronic measurement of spray coverage	Landers, Andrew
16:30-16:50	34	CFD modelling of spray applications in cool rooms	Delele, Mulugeta Admasu
16:50		End of Symposium	

Saturday May 13th, 2017			
Werktuigendagen			
SOLV Tuinbo	uwschool, Diestersteenweg 146, Sint-Truiden		
09:30	Departure in Hasselt by car		
	Kattegatstraat 1, Hasselt (in front of the Holiday Inn Hotel)		
10:00-18:00	Visit Open Field Fair for Fruit Growing Equipment (Werktuigendagen), Sint-Truiden		

Oral Abstract 16 Characterization of the air-flow and the liquid distribution of orchard sprayers

J.C. van de Zande¹⁾, M. Schlepers²⁾, J.W. Hofstee²⁾, J.M.G.P. Michielsen¹⁾, M. Wenneker¹⁾

Wageningen University and Research - Wageningen Plant Research, ²⁾Farm Technology Group, P.O. Box 16, 6700 AA Wageningen, The Netherlands Email address: jan.vandezande@wur.nl

INTRODUCTION

In order to identify and improve the current practice of spray application in fruit crops a research programme was setup assessing air and liquid distribution of nowadays often used orchard sprayers and spray distribution in orchard trees. Potential pathways of improvement are air amount and air distribution and therefore liquid distribution as the spray is transported by the moving air. Improved spray deposition can lead to reduced use of agrochemical and therefore reduced emission to the environment while maintaining high levels of spray drift reduction and biological efficacy. In order to be able to quantify the air and liquid distribution in a 3D space together with AAMS-Salvarani (Maldegem, Belgium) a measuring platform was developed. The setup and first results of these 3D air- and liquid distribution measurement platforms are presented.

MATERIALS AND METHODS

The base part of the measuring device consists of a two-rail traverse system positioned parallel (x-axis) alongside the sprayer on which a measuring platform can move up and down and a two rail traverse system on which the traverse system can manually be positioned at distances up to 5 m from the centre (x) axis of the sprayer. At the traverse system the measuring platform can move stepwise in 10 cm steps over a range of 6 m length or in a continuous way at a set speed up and down the traverse system. The stepwise mode is used for the air-flow distribution measurements. The continuous speed is used for the liquid distribution measurements using an AAMS-Salvarani patternator with discs (4.5 m height) which is moved up and down (x-axis) through the spray fans until measuring tubes are filled for 80%. With a double sided discs distribution also multi-row orchard sprayers



Figure 1. 3-D liquid distribution setup (left) and air-flow distribution setup (right)

can be assessed. The air distribution measurement uses three ultrasonic anemometers (Gill Windmaster) which sample air speed in 3 directions (x,y,z) at 20 Hz positioned above each other at 50 cm spacing (y-axis). The combined three ultrasonic sensors can be positioned manually from 40 cm height (lowest sensor) up to 4.5 m height (highest sensor) in 10 cm steps (z-axis). Through steering and data sampling electronics and software the three sensors are moved through the air flow in 10 cm steps sampling the air flow at each x,z-axis position for 30 sec. In this way a full scan of the air flow at one side of an orchard sprayer can be made. Measurements are repeated for the y distances 1.00 m, 1.25 m, 1.50 m, 2.0 m,

3.0 m and 4.5 m from the centre axis of the sprayer. Results can be presented as a grid (matrix) presentation showing mean vector air speed per grid cell, as interpolated speed distribution charts per y-distance, as speed vector distributions in the x,y or y,z planes.

RESULTS AND DISCUSSION

The average liquid distribution at the left and right hand side of a crossflow fan sprayer is presented in figure 2. Showing that liquid distribution over height is different for both sides and the maximum liquid deposit is climbing with height at further distances.




Figure 2. Liquid distribution in the x,z plane of the left and right handside of a cross-flow fan sprayer

The air distribution, at the right hand side of a cross-flow fan sprayer (figure 3) shows a gap in air speed at 2.0-2.5 m height which widens at larger y-distances from the sprayer. The gap however also rises to higher heights (z) up to 2.5-3.0 m at 3 m y-distance and 3.5 m at 4.5 m y-distance.




Figure 3. Air distribution (m/s) in x,z plane at 1.0 m, 1.5 m, 3.0 m and 4.5 m from the centre axis (x,z plane) of a cross-flow fan orchard sprayer (right hand side)