

Vernacular names of Surinam woody plants

Dr. R.W. den Outer

Department of Plant Cytology and Morphology

Wageningen University

The Netherlands

March 2001

Contents

INTRODUCTION	3
Literature	3
LIST OF VERNACULAR NAMES OF SURINAM WOODY PLANTS	5
INDEX OF SCIENTIFIC NAMES	252

Introduction

This list of Surinam woody plant names (and some herbs) and their botanical equivalents with frequently encountered synonyms is composed from a card-system, made between 1935 and 1950, present in our institute, and from the literature.

11066 Entries are gathered in the database, representing 8361 different vernacular names and 2671 species, belonging to 915 genera, arranged in 148 families. The list is far from complete.

Besides Surinam vernacular names also many names are included used in adjacent countries especially Guyana (British Guiana) but also some used in French Guiana, and Caribbean islands (mainly eastern) like: British West Indies, Caribbean as a whole, Curaçao, Dominican Republic, Dutch West Indies, Grenada, Guadeloupe, Guianas (all), Martinique, Puerto Rico, Tobago, Trinidad, Virgin Islandes and West Indies.

Origins Surinam and Guyana are usually followed by an abbreviation in parenthesis for the language (mostly Amerindian) to which the given name belongs. The following abbreviations have been used:

Ak =Akawaio (in Guyana)	M =Macushi (in Guyana)
An =Arecuna (in Guyana)	P =Patamona (in Guyana)
Ar =Arawak (in Surinam, Guyana)	Pg =Portuguese (in Guyana)
Au =Aukaners (in Surinam)	Sa =Saramaccan (in Surinam)
Bn =Bush negro (in Surinam)	W =Wapisiana (in Guyana)
Cr =Creole (in Surinam, Guyana)	Wr =Warrau (in Guyana)
Du =Dutch (in Surinam)	Ww =Wai-Wai (in Guyana)

The most commonly used vernacular names in Surinam come from Arawak, Creole and Dutch languages.

A short description of many species may be found in Mennega et al. (1948; about 1702 species), Polak (1992; about 115 species), Pulle (1932 - 1957) and Brunner et al. (1974; about 120 species).

Literature

- Amshoff, G.J.H. (1948). Enumeration of the herbarium species of a Surinam wood collection made by Prof. G. Stahel. Nat. Wet. Studiekring voor Suriname en Curacao, Utrecht, nr.2. Martinus Nijhoff, The Hague, The Netherlands.
- Brummitt, R.K. and C.E. Powell (1992). Authors of plant names. Royal Botanic Gardens, Kew, England.
- Brunner, M., L.J. Kucera and E. Zürcher (1974). Major timber trees of Guyana: a lens key. TROPENBOS Series nr. 10. The Tropenbos Foundation, Wageningen, The Netherlands. Krips Repro bv, Meppel.
- Fanshawe, D.B. (1947). Arawak indian plant names. The Caribbean Forester 8 (3); 165 -181.
- Fanshawe, D.B. (1948). Studies of trees of British Guiana III, IV and V. Trop. Woods 93.
- Fanshawe, D.B. (1949). Check-list of the indigenous woody plants of British Guiana. Forestry

- Bull. New Series nr. 3. Forest Department, Georgetown, British Guiana.
- Japing, C.W. and H.W. Japing (1960). Houthandboek Surinaamse houtsoorten. Dienst 's lands Bosbeheer, Suriname. Veenman en Zonen N.V., Wageningen, The Netherlands.
- Lindeman, J.C. (1953). The vegetation of the coastal region of Suriname. Doct. diss. Utrecht, The Netherlands. Kemink en Zoon, Utrecht.
- Lindeman, J.C. and A.M.W. Mennega (1963). Bomenboek voor Suriname. Uitgave Dienst 's lands Bosbeheer Suriname, Paramaribo. Kemink en Zoon, Utrecht, The Netherlands.
- Lindeman, J.C. and S.P. Molenaar (1955). Voorlopig overzicht van de bostypen in het noordelijk deel van Suriname. Dienst 's lands Bosbeheer Suriname.
- Mabberley, D.J. (1993). The plant-book: a portable dictionary of the higher plants. Cambridge Univ. Press.
- Mennega, A.M.W. (1948). Suriname timbers I. Guttiferae, Vochysiaceae, Anacardiaceae, Icacinaceae. Nat. Wet. Studiekring voor Suriname en Curacao, Utrecht, nr. 3. Martinus Nijhoff, The Hague, The Netherlands.
- Mennega, E.A., W.C.M. Tammens-de Rooij and M.J. Jansen-Jacobs (Eds.) (1988). Check-list of woody plants of Guyana. Tropenbos Technical Series nr. 2. The Tropenbos Foundation Wageningen, The Netherlands. Veenman Drukkers, Wageningen.
- Pfeiffer, J.Th. (1926). Houtsoorten van Suriname I. Kol. Inst. Amsterdam, Meded. nr. 22. Afd. Handelsmuseum 6. De Bussy, Amsterdam.
- Polak, A.M. (1992). Major timber trees of Guyana: a field guide. Tropenbos Series nr. 2. The Tropenbos Foundation Wageningen, The Netherlands. Veenman Drukkers, Wageningen.
- Pulle, A.A. (1932 -1957). Flora of Suriname 1 (1,2) - 4 (1,2). De Bussy, Amsterdam.
- Record, S.J. and R.W. Hess (1947). Timbers of the New World ed. 3. New Haven, Yale Univ. Press.
- Reinders-Gouwentak, C.A. and E. Reinders (± 1935 - 1950). Card-collection of vernacular names of Caribbean woody plants. Laboratory of Experimental Plant Morphology and Cell Biology, Wageningen University, The Netherlands (not published).
- Reinders-Gouwentak, C.A. and J.F. Rijsdijk (1968). Hout van Leguminosae uit Suriname. Veenman and Zonen N.V., Wageningen, The Netherlands.
- Rohwer, J.G., H.G. Richter and H. van der Werff (1991). Two new genera of neotropical Lauraceae and critical remarks on the generic delimitation. Ann. Missouri Bot. Gard. 78: 388 - 400.

List of vernacular names of Surinam woody plants

Abejuelo → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico

Abenbele → *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Sa); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*

→ *Richardella trigonosperma* (Eyma) Baehni; SAPOTACEAE; Surinam (Sa); use *Pouteria trigonosperma* Eyma; syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Lucuma*

Abenbele njambokka → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Sa); syn. *Lucuma*

Aberemou → *Perebea* sp.; MORACEAE; French Guiana

Abetredjoeka → *Euphorbia hirta* L.; EUPHORBIACEAE; Surinam

Abo(ho) → *Serjania paucidentata* DC.; SAPINDACEAE; Surinam (Ar)

Abome grassie → *Hymenachne amplexicaulis* (Rudge) Nees; POACEAE; Surinam (Cr); syn. *H. myurus* P.Beauvois

Abongra (abonjera) → *Sesamum indicum* L.; PEDALIACEAE; Surinam (Cr); syn. *S. orientale* L. → *Sesamum orientale* L.; PEDALIACEAE; Surinam (Cr); use *S. indicum* L.

Abonjera (abongra) → *Sesamum indicum* L.; PEDALIACEAE; Surinam (Cr); syn. *S. orientale* L.

Abonkini (aboonkini) → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Bn, Sa)

Aboonkini → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

→ *Inga pedicellare* DC.; LEGUMINOSAE-MIM.; Surinam (Sa); use *Balizia pedicellaris* (DC.)

Barneby & J.W.Grimes; syn. *Macrosamanea pedicellaris* (DC.) Kleinh.; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip

→ *Samanea pedicellaris* (DC.) Killip; LEGUMINOSAE-MIM.; Surinam (Sa); use *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Inga pedicellare* DC.

Aboonkini (abonkini) → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Bn, Sa)

Abrasa → *Clusia grandiflora* Splitg.; GUTTIFERAE; Surinam (Cr); syn. *C. insignis* C.Martius

→ *Clusia platystigma* Eyma; GUTTIFERAE; Surinam (Cr)

→ *Clusia scrobiculata* Benoist; GUTTIFERAE; Surinam (Cr)

Abrasa (-koemoedjoko) → *Clusia palmicida* Rich. ex Planchon & Triana; GUTTIFERAE; Surinam (Cr)

Abre à brai → *Humiria* sp.; HUMIRIACEAE; French Guiana

Abre à suif → *Virola* sp.; MYRISTICACEAE; French Guiana

Abre parasol → *Cordia laevifrons* I.M.Johnston; BORAGINACEAE; French Guiana

Abricot de singe → *Couroupita guianensis* Aublet; LECYTHIDACEAE; French Guiana

Abricotier → *Mammea americana* L.; GUTTIFERAE; Trinidad

Abrikoos, wilde → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Du)

Abuti abud → *Bonafousia tetrastachya* (Kunth) Markgraf; APOCYNACEAE; Surinam; use *Tabernaemontana tetrastachya* Kunth; syn. *T. repanda* E.Meyer

→ *Tabernaemontana repanda* E.Meyer; APOCYNACEAE; Surinam; use *Tabernaemontana tetrastachya* Kunth; syn. *Bonafousia tetrastachya* (Kunth) Markgraf → *Tabernaemontana tetrastachya* Kunth; APOCYNACEAE; Surinam; syn. *T. repanda* E.Meyer; syn. *Bonafousia tetrastachya* (Kunth) Markgraf

Abuya bokoloko → *Paullinia rufescens* Rich. ex Jussieu; SAPINDACEAE; Surinam (Ar)

Abuya mibia → *Barnhartia floribunda* Gleason; POLYGALACEAE; Surinam (Ar)

Acacia bush → *PoPONAX* sp.; LEGUMINOSAE-MIM.; Puerto Rico

Acacia franc → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; French Guiana

Acacia mâle → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; French Guiana; syn. *P. oppositifolia* Spruce ex Benth.

Acacia nudosa → *Senegalia* sp.; LEGUMINOSAE-MIM.; Puerto Rico

Acacia palida → *Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

Acacia, spineless → *Senegalia* sp.; LEGUMINOSAE-MIM.; Puerto Rico

Acajou → *Anacardium occidentale* L.; ANACARDIACEAE; French Guiana; syn. *A.*

occidentale L. var. indicum DC.
→Swietenia mahagoni (L.) Jacq.; MELIACEAE; French Guiana
→Virola surinamensis (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. Myristica surinamensis Rolander ex Rottb.
Acajou amer (-femelle, -rouge) →Cedrela odorata L.; MELIACEAE; French West Indies; syn. C. guianensis Jussieu; syn. C. mexicana Roemer
Acajou blanc →Quassia amara L. ex Blom; SIMAROUBACEAE; French Guiana; syn. Simarouba amara Aublet; syn. Simaruba amara Aublet
Acajou femelle (-amer, -rouge) →Cedrela odorata L.; MELIACEAE; French Guiana; syn. C. guianensis Jussieu; syn. C. mexicana Roemer
Acajou rouge (-amer, -femelle) →Cedrela odorata L.; MELIACEAE; French West Indies; syn. C. guianensis Jussieu; syn. C. mexicana Roemer
Acamât bâtard →Dipholis salicifolia (L.) A.DC.; SAPOTACEAE; French West Indies; use Spondogona sp.
→Spondogona sp.; SAPOTACEAE; French West Indies; syn. Dipholis salicifolia (L.) A.DC.
Acana →Chrysophyllum pomiferum (Eyma) T.D.Penn.; SAPOTACEAE; Puerto Rico; syn. Achrouteria pomifera Eyma
→Manilkara bidentata (A.DC.) A.Chev. ssp. bidentata; SAPOTACEAE; Puerto Rico; syn. M. balata (Pierre) Dubard
→Pouteria izabalensis (Standley) Baehni; SAPOTACEAE; Puerto Rico; syn. Lucuma izabalensis Standley
Acapu (wacapou, wakabu, wakaboe)
→Vouacapoua americana Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)
Aceitillo →Quassia amara L. ex Blom; SIMAROUBACEAE; Puerto Rico; syn. Simarouba amara Aublet; syn. Simaruba amara Aublet
→Zanthoxylum flavum Vahl; RUTACEAE; Puerto Rico; syn. Fagara flava (Vahl) Krug & Urban; syn. Xanthoxylum
Aceito de Maria →Calophyllum brasiliense Cambess.; GUTTIFERAE; Trinidad; syn. C. calaba Jacq.; syn. C. reko Standley
Aceituna →Symplocos martinicensis Jacq.; SYMPLOCACEAE; Puerto Rico
Achedan →Rheedia benthamiana Planchon & Triana; GUTTIFERAE; Guyana (W)
Achewood →Jacaranda obtusifolia Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. rhombifolia (G.Meyer) A.H.Gentry; syn. J. rhombifolia G.Meyer
Achiotillo →Alchornea triplinervia (Sprengel) Müll.Arg.; EUPHORBIACEAE; Puerto Rico; var. laevigata Müll.Arg.
→Colubrina ferruginosa Brongn.; RHAMNACEAE; Puerto Rico
Acoita cavallo →Luehea divaricata Martius & Zucc.; TILIACEAE; Puerto Rico
Acoma →Micropholis guianensis (A.DC.) Pierre; SAPOTACEAE; Trinidad; syn. Sideroxylon guianensis A.DC.
Acoma (-blanc, -sauvage) →Homalium racemosum Jacq.; FLACOURTIACEAE; French West Indies; syn. H. hondurensis Donn.Sm.
Acoma bâtard →Sideroxylon foetidissimum Jacq.; SAPOTACEAE; Guadeloupe
Acouma (acoma), blanc (-sauvage) →Homalium racemosum Jacq.; FLACOURTIACEAE; French West Indies; syn. H. hondurensis Donn.Sm.
Acourie-broot →Licania densiflora Kleinhoonte; CHRYSOBALANACEAE; Guyana (Cr)
Acurel →Trichilia oblanceolata Rusby; MELIACEAE; Trinidad
Adabadan →Ampelocera edentula Kuhlmann; ULMACEAE; Surinam (Ar)
Adamaram →Terminalia sp.; COMBRETACEAE; French Guiana
Adarouna →Catostemma fragrans Benth.; BOMBACACEAE; Surinam (Ar)
Adatima →Tillandsia usneoides (L.) L.; BROMELIACEAE; Surinam (Ar)
Adaurona →Catostemma alstonii Sandwith; BOMBACACEAE; Surinam (Ar)
→Catostemma fragrans Benth.; BOMBACACEAE; Surinam (Ar)
Adda →Brosimum rubescens Taubert; MORACEAE; Surinam; syn. B. paraense Huber; syn. Ferolia guianensis Aublet; syn. Piratinera sp.
Adebero →Paypayrola longifolia Tulasne; VIOLACEAE; Surinam (Ar)
Adjasi →Euphorbia hirta L.; EUPHORBIACEAE; Surinam
Adjawakie →Inga heterophylla Willd.; LEGUMINOSAE-MIM.; Surinam
Adoja →Eugenia patrisii Vahl; MYRTACEAE; Surinam (Sa)
Adokbe matjapan →Swartzia arborescens (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Sa)
Adonisi-do-o →Quassia amara L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. Simarouba amara Aublet; syn. Simaruba amara Aublet
Adonisidora (adonisidoro) →Quassia amara L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. Simarouba amara Aublet; syn. Simaruba amara Aublet
Adonisidoro (adonisidora) →Quassia amara L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. Simarouba amara Aublet; syn. Simaruba amara Aublet
Adonképau →Schefflera decaphylla (Seemann)

Harms; ARALIACEAE; Surinam (Sa); syn. *S. paraensis* Huber apud Ducke

Adoosidero → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Guyana; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

Adroe(n) → *Cyperus distans* L.f.; CYPERACEAE; Surinam
→ *Cyperus rotundus* L.; CYPERACEAE; Surinam

Advocaat → *Persea americana* Miller; LAURACEAE; Surinam (Du); syn. *P. gratissima* Gaertner f.; syn. *P. nubigena* L.I. Williams
→ *Persea gratissima* Gaertner f.; LAURACEAE; Surinam (Du); use *P. americana* Miller; syn. *P. nubigena* L.I. Williams
→ *Persea nubigena* L.I. Williams; LAURACEAE; Surinam (Du); use *P. americana* Miller; syn. *P. gratissima* Gaertner f.

Aetaballi (etaballi, itaballi) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Ar); syn. *V. melinonii* Beckmann

Afoejodo → *Cassia reticulata* Willd.; LEGUMINOSAE-CAES.; Surinam (Au)

Agamoe kamma → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Sa)

Agipau → *Ormosia fastigiata* Tulasne; LEGUMINOSAE-PAP.; Surinam (Sa)
→ *Ormosia melanocarpa* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Sa)
→ *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam (Sa)

Agoston → *Rudgea hostmanniana* Benth.; RUBIACEAE; Surinam (Cr)

Agonzé → *Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Sa)

Agrahoe torman → *Pavonia typhalaea* Cav.; MALVACEAE; Caribbean

Agrobigi → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam; syn. *P. oppositifolia* Spruce ex Benth.

Aguacate cimarrón → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; Puerto Rico

Aguacatillo → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Dominican Republic; var. *laevigata* Müll.Arg.

Aguano → *Swietenia macrophylla* King; MELIACEAE; Surinam; syn. *S. krukovii* Gleason; syn. *S. belizensis* Lundell

Aharu → *Ananas ananassoides* (Baker) Lor.B.Smith; BROMELIACEAE; Surinam (Ar); syn. *ananassoides* Lor.B.Smith

Ahuaca → *Persea americana* Miller; LAURACEAE; French Guiana; syn. *P. gratissima* Gaertner f.; syn. *P. nubigena* L.I. Williams

Ai → *Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Guyana (W); syn. *T. toxicaria* (Swartz) Persoon

Aiaoua → *Connarus* sp.; CONNARACEAE; French Guiana

Aiari → *Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *T. toxicaria* (Swartz) Persoon

Aieoueko → *Dimorphandra polyandra* Benoist; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. hohenkerkii* Sprague & Sandwith

Aima-inu → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Guyana (Ak); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

Aimala mekalale → *Acalypha scandens* Benth.; EUPHORBIACEAE; Caribbean

Aimiala makarale → *Cassia chrysocarpa* Desvoux; LEGUMINOSAE-CAES.; Caribbean
→ *Pithecellobium polycephalum* Benth.; LEGUMINOSAE-MIM.; Caribbean; use *Samanea polycephala* (Benth.) Pittier
→ *Samanea polycephala* (Benth.) Pittier; LEGUMINOSAE-MIM.; Caribbean; syn. *Pithecellobium polycephalum* Benth.

Aimiala mekarale → *Jussiaea leptocarpa* Nuttall; ONAGRACEAE; Caribbean; var. *aluligera* (Miquel) Jonker; use *Ludwigia*
→ *Ludwigia* sp.; ONAGRACEAE; Caribbean; syn. *Jussiaea leptocarpa* Nuttall var. *alluligera* (Miquel) Jonker

Aimiala posowepo → *Posoqueria longiflora* Aublet; RUBIACEAE; Caribbean

Aimiala possewètè → *Duguetia calycina* Benoist; ANNONACEAE; Caribbean

Aiomoradan → *Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Surinam (Ar); syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.

Aiomorakushi → *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Ar); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Aionora-da → *Vandellia diffusa* L.; SCROPHULARIACEAE; Surinam (Ar)

Aipö → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *Coumarouna odorata* Aublet

Aishal weir, red → *Lonchocarpus rariflorus* C.Martius ex Benth.; LEGUMINOSAE-PAP.; Guyana (W)

Aishal, black → *Lonchocarpus chrysophyllus* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Cr)

Aishal, white → *Lonchocarpus martyinii* A.C.Smith; LEGUMINOSAE-PAP.; Guyana (Cr)

Ajakéballi → *Phyllanthus urinaria* L.; EUPHORBIACEAE; Surinam (Ar)

Ajapoekoe → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var.

longifolia Eyma; syn. *Lucuma*

Ajawa → *Protium heptaphyllum* (Aublet) Marchand; BURSERACEAE; Caribbean

→ *Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Surinam (Ar)

→ *Trattinickia rhoifolia* Willd.; BURSERACEAE; Caribbean; ssp. *willdenowii* Engl.

Ajawa (ayawa, hajawa, haiawa, ajawe)

→ *Trattinickia burserifolia* C.Martius; BURSERACEAE; Caribbean

Ajawa tiengimoni → *Hemicrepidospermum rhoifolium* (Benth.) Swart; BURSERACEAE; Surinam (Cr)

Ajawa, apoto (ihoeloe ilanao-) → *Trattinickia demerarae* Sandwith; BURSERACEAE; Caribbean

Ajawa, siwaarwah (tapoekjen-, wootano-)

→ *Trattinickia* sp.; BURSERACEAE; Surinam

Ajawaballi → *Melampodium camphoratum* (L.f.) Baker; ASTERACEAE; Surinam (Ar)

→ *Protium polybotryum* (Turcz.) Engl.; BURSERACEAE; Surinam (Ar)

Ajé wiwirie → *Monstera sagotiana* Engl.; ARACEAE; Surinam (Ar)

Ajeersi → *Brosimum rubescens* Taubert; MORACEAE; Surinam; syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Ajikerai → *Zanthoxylum apiculata* (Sandwith) P.G.Waterman; RUTACEAE; Guyana (Ak); syn. *Fagara apiculata* Sandwith; syn. *Xanthoxylum*

Ajo ajo → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Surinam; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Ajoeroe → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam; syn. *O. glomerata* (Nees) Benth.

→ *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Caribbean

Ajoewa → *Abarema claviflora* (Spruce) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam; use *Archidendron*

→ *Archidendron* sp.; LEGUMINOSAE-MIM.; Surinam; syn. *Abarema claviflora* (Spruce) Kleinhoonte

→ *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Cr, Du); syn. *P. oppositifolia* Spruce ex Benth.

→ *Parkia sylvatica* Pulle; LEGUMINOSAE-MIM.; Surinam

Ajoewa (ajoewi) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Ajoewi (ajoewa) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn.

Acroclidium cannella (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Ajoewoe → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Caribbean

Ajomontho (-diamoro, -hororodikoro)

→ *Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Ar)

Ajono (ajowo) → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Ajouvé → *Aiouea* sp.; LAURACEAE; French Guiana

Ajowo → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Caribbean

→ *Hernandia guianensis* Aublet; HERNANDIACEAE; Caribbean; syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch

→ *Hernandia voyroni* Jumelle; HERNANDIACEAE; Caribbean

Ajowo (ajono) → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Akaaia (akaja) → *Cleome psoraleaefolia* DC.; CAPPARACEAE; Surinam

Akaja (akaaia) → *Cleome gynandra* L.; CAPPARACEAE; Surinam; syn. *Gynandropsis gynandra* (L.) Merrill

→ *Gynandropsis gynandra* (L.) Merrill; CAPPARACEAE; Surinam; use *Cleome gynandra* L.

Akajoe (akoejoe) → *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Caribbean

Akajoeran (akayoran) → *Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Caribbean

Akakarie → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *E. odora* (Poeppig) Miers

→ *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Cr); syn. *E. longipes* (Poiteau) Miers

→ *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Cr)

Akale pomejde → *Unonopsis guatterioides* (A.DC.) R.E.Fries; ANNONACEAE; Caribbean

Akalerowai → *Dalbergia glauca* (Desvaux) Amshoff; LEGUMINOSAE-PAP.; Caribbean

Akami ekoenale → *Psychotria rudgei* Bremek.; RUBIACEAE; Caribbean

Akami enoeloe → *Psychotria barbiflora* A.DC.; RUBIACEAE; Caribbean

Akaotombo wokoroe → *Loreya mespiloides*

Miquel; MELASTOMATACEAE; Caribbean
Akaradan → *Paypayrola guianensis* Aublet; VIOLACEAE; Surinam (Ar)
Akarako → *Marlierea schomburgkiana* O.Berg; MYRTACEAE; Surinam (Ar)
Akarerowai → *Connarus coriaceus* Schellenb.; CONNARACEAE; Caribbean
Akatombe → *Capirona decorticans* Spruce; RUBIACEAE; Caribbean
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean
Akatomno → *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean
Akawa malitele → *Conyza chilensis* Sprengel; ASTERACEAE; Caribbean
Akawai nutmeg → *Licaria* sp.; LAURACEAE; Guyana; syn. *Acroclidium* sp.
Akawaiosope → *Toulicia guianensis* Aublet; SAPINDACEAE; Guyana (Ak)
Akawasiba → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Cr); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
Akayoran (akajoeran) → *Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Caribbean
Akeboemia → *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Ar)
Akee (-apple) → *Blighia sapida* Koenig; SAPINDACEAE; Surinam (Cr)
Akegoemio → *Capirona decorticans* Spruce; RUBIACEAE; Caribbean
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean
Akepemio → *Capirona decorticans* Spruce; RUBIACEAE; Caribbean
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean
Akeserekilio → *Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)
Akhara deboenalet → *Calathea micans* (Klotzsch) Körnicke; MARANTACEAE; Surinam (Ar)
Akhara-mibia → *Rhodospatha venosa* Gleason; ARACEAE; Surinam (Ar)
Akhorok kalidan → *Capirona decorticans* Spruce; RUBIACEAE; Surinam (Ar)
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Ar)
Akiau → *Astrocaryum munbaca* C.Martius; ARECACEAE (PALMAE); Guyana (M)
Akie → *Blighia sapida* Koenig; SAPINDACEAE; Surinam (Cr)
Akikada koeballi → *Capirona decorticans* Spruce; RUBIACEAE; Surinam (Ar)
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Ar)
Akira → *Laguncularia racemosa* (L.) Gaertner f.; COMBRETACEAE; Surinam (Ar)
Akke(ke)ja → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam
Akkria ripari → *Eugenia wulschlaegeliana* Amshoff; MYRTACEAE; Caribbean
Aknon → *Chrysophyllum pomiferum* (Eyma) T.D.Penn.; SAPOTACEAE; Guyana (Ak); syn. *Achrouteria pomifera* Eyma
Akoejali (akoejallie) → *Cedrela guianensis* Jussieu; MELIACEAE; Surinam (Ar); use *C. odorata* L.; syn. *C. mexicana* Roemer
→ *Cedrela mexicana* Roemer; MELIACEAE; Surinam (Ar); use *C. odorata* L.; syn. *C. guianensis* Jussieu
Akoejallie (akoejali) → *Cedrela odorata* L.; MELIACEAE; Surinam (Ar); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
Akoeje → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Ar)
Akoejoe (akajoe) → *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Caribbean
Akoekoeleja amosaitjele → *Uncaria guianensis* (Aublet) J.F.Gmelin; RUBIACEAE; Caribbean
Akoekwairepare → *Pagamea guianensis* Aublet; RUBIACEAE; Caribbean
Akoeli (-kiererie, -tjerere) → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth
Akoeli kiererie (-tjerere) → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Caribbean
Akoeli kjejeré → *Stigmaphyllon hypoleucum* Miquel; MALPIGHIACEAE; Caribbean; syn. *S. fulgens* (Lam.) A.Jussieu
Akoeli tjerere (-kiererie) → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam
Akoema → *Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Caribbean
Akojari → *Cedrela odorata* L.; MELIACEAE; Surinam (Ar); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
Akojoe mála kali → *Stachytarpheta cayennensis* (Rich.) Vahl; VERBENACEAE; Caribbean; means snake rattle
Akoapo → *Psychotria officinalis* (Aublet) Raeusch.; RUBIACEAE; Caribbean; ssp. *officinalis*; syn. *P. involucrata* Swartz
Akolei tjeréra → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Caribbean
Akorakalidan → *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Ar)
→ *Cosmibuena grandiflora* (Ruiz & Pavón) Rusby; RUBIACEAE; Surinam (Ar); var. *grandiflora*; syn. *C. triflora* (Benth.) Klotzsch

→*Cosmibuena triflora* (Benth.) Klotzsch;
RUBIACEAE; Surinam (Ar); use *C. grandiflora*
(Ruiz & Pavón) Rusby var. *grandiflora*
Akosai →*Sloanea echinocarpa* Uittien;
ELAEOCARPACEAE; Caribbean
Aku →*Jacaranda copaia* (Aublet) D. Don;
BIGNONIACEAE; Guyana (Ak); syn. *Bignonia*
copaia Aublet
→*Quassia simarouba* L.f.; SIMAROUBACEAE;
Guyana (Ak); syn. *Simarouba amara* Aublet var.
typica Cronquist
Akumorambo →*Couepia comosa* Benth.;
CHRYSOBALANACEAE; Guyana (Ak)
Akumorombo →*Couepia bracteosa* Benth.;
CHRYSOBALANACEAE; Guyana (Ak)
Akuomu →*Psychotria officinalis* (Aublet)
Raeusch; RUBIACEAE; Guyana (Ak); ssp.
officinalis; syn. *P. involucrata* Swartz
Akurima →*Eschweilera decolorans* Sandwith;
LECYTHIDACEAE; Guyana (Ak)
Akuwakö →*Ocotea wachenheimii* Benoist;
LAURACEAE; Guyana (Ak)
Akuyari →*Cedrela odorata* L.; MELIACEAE;
Surinam (Ar); syn. *C. guianensis* Jussieu; syn. *C.*
mexicana Roemer
Akuyuru →*Astrocaryum aculeatum* G. Meyer;
ARECACEAE (PALMAE); Surinam (Ar); syn. *A.*
tucuma C. Martius
→*Astrocaryum tucuma* C. Martius; ARECACEAE
(PALMAE); Surinam (Ar); use *A. aculeatum*
G. Meyer
Akwa (awha), saandoe (kadjoesi-)
→*Hymenolobium flavum* Kleinhoonte;
LEGUMINOSAE-PAP.; Surinam (Sa)
Akwan siba →*Swartzia tomentosa* DC.;
LEGUMINOSAE-PAP.; Surinam
Akwasiba →*Pouteria cuspidata* (A. DC.) Baehni;
SAPOTACEAE; Surinam (Cr); ssp. *dura* (Eyma)
T. D. Penn.; syn. *P. dura* Eyma; syn. *Neoxythece*
dura (Eyma) Aubrév. & Pellegrin; syn. *Oxythece*
dura (Eyma) Gilly; syn. *Lucuma*
→*Pouteria reticulata* (Engl.) Eyma;
SAPOTACEAE; Surinam (Cr); syn. *Lucuma*
Akwemma →*Alternanthera ficoidea* (L.) R. Brown
ex Griseb.; AMARANTHACEAE; Surinam
Akwoto →*Dimorphandra macrostachya* Benth.;
LEGUMINOSAE-CAES.; Guyana (Ak); ssp.
congestiflora (Sprague & Sandwith) M. F. Silva;
syn. *D. congestiflora* Sprague & Sandwith
Alaabo →*Voyria courulea* Aublet;
GENTIANACEAE; Caribbean
Alaan kopie →*Vochysia tomentosa* (G. Meyer)
DC.; VOCHYSIACEAE; Surinam (Sa)
Alaan kopie (waata-) →*Erisma uncinatum*
Warming; VOCHYSIACEAE; Surinam (Sa); syn.
E. pulverulentum Poeppig
Alabo →*Memora schomburgkii* (DC.) Miers;

BIGNONIACEAE; Caribbean; syn. *M. obovata*
(Bureau & K. Schumann) Sprague & Sandwith
Alacé →*Anthurium scandens* (Aublet) Engl.;
ARACEAE; Caribbean
Alahorré (alaonni, alaoné) →*Tabebuia*
serratifolia (Vahl) Nicholson; BIGNONIACEAE;
Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex
DC.
Alaida →*Duguetia calycina* Benoist;
ANNONACEAE; Caribbean
Alaipoeli katoepoeroe →*Clathrotropis*
brachypetala (Tulasne) Kleinhoonte;
LEGUMINOSAE-PAP.; Caribbean
Alakairoelan →*Connarus coriaceus* Schellenb.;
CONNARACEAE; Caribbean
Alakapoeli →*Tovomita choisyana* Planchon &
Triana; GUTTIFERAE; Caribbean
→*Tovomita grata* Sandwith; GUTTIFERAE;
Caribbean
→*Tovomita schomburgkii* Planchon & Triana;
GUTTIFERAE; Caribbean
Alakapoeli (arakapuri) →*Tovomita obovata*
Engl.; GUTTIFERAE; Caribbean
Alakaseri →*Caraipa densifolia* C. Martius;
GUTTIFERAE; Caribbean
Alakasi(e)ri(e) →*Caraipa densifolia* C. Martius;
GUTTIFERAE; Surinam (Sa)
Alakooseriballi →*Caraipa densifolia* C. Martius;
GUTTIFERAE; Surinam (Ar)
Alamácigo encarnado →*Bursera simaruba* (L.)
Sargent; BURSERACEAE; Puerto Rico; syn. *B.*
gummifera L.; syn. *Elaphrium simaruba* (L.) Rose
Alamiro →*Eugenia cryptadena* Amshoff;
MYRTACEAE; Caribbean; var. *gracilis* Amshoff
Alanjahoedoe →*Swartzia arborescens* (Aublet)
Pittier; LEGUMINOSAE-PAP.; Surinam
Alaoelama →*Sclerolobium melinonii* Harms;
LEGUMINOSAE-CAES.; Caribbean
Alaoné (alaonni, alahorré) →*Tabebuia*
serratifolia (Vahl) Nicholson; BIGNONIACEAE;
Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex
DC.
Alaonni (alaoné, alahorré) →*Tabebuia*
serratifolia (Vahl) Nicholson; BIGNONIACEAE;
Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex
DC.
Alapai →*Macrolobium acaciaefolium* (Benth.)
Benth.; LEGUMINOSAE-CAES.; Caribbean
Alapalli →*Elizabetha coccinea* Benth.;
LEGUMINOSAE-CAES.; Caribbean
Alas waboe →*Tabebuia insignis* (Miquel)
Sandwith; BIGNONIACEAE; Surinam (Ar); var.
monophylla Sandwith
Alasa liban goebaja →*Psidium guianense*
Swartz; MYRTACEAE; Surinam; syn. *P.*
benthamianum O. Berg
Alasoabo →*Citharexylum macrophyllum* Poiret;
VERBENACEAE; Surinam

→*Jacaranda obtusifolia* Humbert & Bonpl.;
BIGNONIACEAE; Surinam (Ar); ssp. *rhombofolia*
(G.Meyer) A.H.Gentry; syn. *J. rhombifolia*
G.Meyer

→*Schlegelia violacea* (Aublet) Griseb.;
BIGNONIACEAE; Surinam (Ar); syn. *S. lilacina*
Miquel

→*Terminalia dichotoma* G.Meyer;
COMBRETACEAE; Surinam (Ar)

→*Vitex compressa* Turcz.; VERBENACEAE;
Surinam (Ar)

→*Vitex stahelii* Moldenke; VERBENACEAE;
Surinam (Ar)

Alasoabo johoto →*Tabebuia insignis* (Miquel)
Sandwith; BIGNONIACEAE; Surinam (Ar); var.
monophylla Sandwith

Alastan (lastan) →*Peltogyne paniculata* Benth.;
LEGUMINOSAE-CAES.; Surinam; ssp.
pubescens (Benth.) M.F.Silva; syn. *P. pubescens*
Benth.

Alastioelan →*Apeiba petoumo* Aublet;
TILIACEAE; Caribbean; syn. *A. echinata* Gaertner

Alasuhabu →*Terminalia dichotoma* G.Meyer;
COMBRETACEAE; Guyana (Ar)

Alata weri (pianalin-) →*Minuartia guianensis*
Aublet; OLACACEAE; Caribbean

Alatahoedoe →*Minuartia guianensis* Aublet;
OLACACEAE; Surinam (Cr)

Alatakoea →*Byrsonima coccolobifolia* Kunth;
MALPIGHIACEAE; Caribbean

Alatoeloeka →*Cordia tetrandra* Aublet;
BORAGINACEAE; Caribbean; syn. *C.*
umbraculifera DC.

Alauna →*Licania macrophylla* Benth.;
CHRYSOBALANACEAE; Caribbean

Alawassa posesoeloe koeloe →*Inga rubiginosa*
(A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam

Alawatta moelerie →*Albizia saman* (Jacq.)
Müll.Arg.; LEGUMINOSAE-MIM.; Surinam; use
Samanea saman (Jacq.) Merrill; syn.
Pithecellobium saman Benth. & Hook.; syn.
Enterolobium saman (Jacq.) Prain & King; syn.
Mimosa saman Jacq.

→*Balizia pedicellaris* (DC.) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; Caribbean;
syn. *Macrosamanea pedicellaris* (DC.)
Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.)
Benth.; syn. *Samanea pedicellaris* (DC.) Killip;
syn. *Inga pedicellare* DC.

→*Enterolobium saman* (Jacq.) Prain & King;
LEGUMINOSAE-MIM.; Surinam; use *Samanea*
saman (Jacq.) Merrill; syn. *Pithecellobium saman*
Benth. & Hook.; syn. *Abizia saman* (Jacq.)
Müll.Arg; syn. *Mimosa saman* Jacq.

→*Mimosa saman* Jacq.; LEGUMINOSAE-MIM.;
Surinam; use *Samanea saman* (Jacq.) Merrill;
syn. *Pithecellobium saman* Benth. & Hook.; syn.
Albizia saman (Jacq.) Müll.Arg.; syn.

Enterolobium saman (Jacq.) Prain & King
→*Pithecellobium saman* Benth. & Hook.;
LEGUMINOSAE-MIM.; Surinam; use *Samanea*
saman (Jacq.) Merrill; syn. *Albizia saman* (Jacq.)
Müll.Arg.; syn. *Enterolobium saman* (Jacq.) Prain
& King; syn. *Mimosa saman* Jacq.

→*Samanea saman* (Jacq.) Merrill;
LEGUMINOSAE-MIM.; Surinam; syn.
Pithecellobium saman Benth. & Hook.; syn.
Albizia saman (Jacq.) Müll.Arg.; syn.
Enterolobium saman (Jacq.) Prain & King; syn.
Mimosa saman Jacq.

Alawatta moereroe →*Casearia javitensis* Kunth;
FLACOURTIACEAE; Caribbean

→*Casearia sylvestris* Swartz;
FLACOURTIACEAE; Caribbean

Alawoné simio →*Arrabidaea inaequalis* (DC. ex
Splitg.) K.Schumann; BIGNONIACEAE;
Caribbean

Alcornoque →*Diploptropis purpurea* (Rich.)
Amshoff; LEGUMINOSAE-PAP.; Curaçao; syn. *D.*
guianensis (Tulasne) Benth.; syn. *Bowdichia*
guianensis Ducke

Alder, yellow →*Turnera* sp.; TURNERACEAE;
Puerto Rico

Aleisie grassie →*Leersia hexandra* Swartz;
POACEAE; Surinam (Cr)

Alejojo →*Pithecellobium huberi* Ducke;
LEGUMINOSAE-MIM.; Surinam (Ar)
→*Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-
MIM.; Surinam (Ar); use *Albizia* ?; syn.
Pithecellobium cauliflorum (Willd.) Martius

Alekosine →*Sapium aubletianum* (Müll.Arg.)
Huber; EUPHORBIACEAE; Caribbean

Alelí (-cimarrón) →*Plumeria rubra* L.;
APOCYNACEAE; Puerto Rico

Alepaipio →*Manihot esculenta* Crantz;
EUPHORBIACEAE; Surinam; syn. *M. utilisissima*
Pohl

Alepawerie →*Alchornea triplinervia* (Sprengel)
Müll.Arg.; EUPHORBIACEAE; Caribbean; var.
laevigata Müll.Arg.

Alesebie →*Manihot esculenta* Crantz;
EUPHORBIACEAE; Surinam; syn. *M. utilisissima*
Pohl

Aletepe (alletepe) →*Laetia procera* (Poeppig &
Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Aleti →*Casearia sylvestris* Swartz;
FLACOURTIACEAE; Surinam (Ar); var. *lingua*
(Cambess.) Eichler

→*Casearia sylvestris* Swartz;
FLACOURTIACEAE; Surinam (Ar); var. *sylvestris*;
syn. *C. sylvestris* Swartz var. *angustifolia* Uittien

Aletopa manganjoloan pomili →*Duguetia*
calycina Benoist; ANNONACEAE; Caribbean

Ali loerang →*Condylocarpon myrtifolium* (Miquel)
Müll.Arg.; APOCYNACEAE; Caribbean

Aliana-oe →*Swartzia bannia* Sandwith;

LEGUMINOSAE-PAP.; Caribbean

Aliana-oeu → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *Bocoa prouacensis* Aublet

Alidikadako → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Surinam (Ar); var. *occidentalis* Niedenzu

Alieskii → *Arthrosamanea multiflora* (Kunth) Kleinhoonte; LEGUMINOSAE-MIM.; Caribbean; use *Pithecellobium multiflorum* (Kunth) Benth.

→ *Pithecellobium adiantifolium* (Kunth) Benth.; LEGUMINOSAE-MIM.; Caribbean; syn. *Macrosamanea discolor* (Humbert & Bonpl.) Britton & Rose

→ *Pithecellobium multiflorum* (Kunth) Benth.; LEGUMINOSAE-MIM.; Caribbean; syn.

Arthrosamanea multiflora (Kunth) Kleinhoonte

Alieskri (-ie-wewe) → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Aliki → *Albizia* sp.; LEGUMINOSAE-MIM.; Guyana; syn. *Zygia latifolia* (L.) Fawcett & Rendle

Aliki (aliky, aliku) → *Zygia latifolia* (L.) Fawcett & Rendle; LEGUMINOSAE-MIM.; Guyana; use *Albizia* ?

Alikiadakoballi → *Byrsonima densa* (Poiret) DC.; MALPIGHIACEAE; Surinam (Ar)

Aliky → *Pithecellobium glomeratum* (DC.) Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)

→ *Pithecellobium latifolium* (L.) Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)

Aliky (aliku, aliki) → *Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-MIM.; Surinam (Ar); use *Albizia* ?; syn. *Pithecellobium cauliflorum* (Willd.) Martius

→ *Zygia latifolia* (L.) Fawcett & Rendle; LEGUMINOSAE-MIM.; Guyana (Ar); use *Albizia* ?

Aliky (aliku, aliki) → *Pithecellobium cauliflorum* (Willd.) Martius; LEGUMINOSAE-MIM.; Surinam (Ar); use *Zygia cauliflora* (Willd.) Killip; use *Albizia* ?

Alipo menango → *Chimarrhis turbinata* DC.; RUBIACEAE; Caribbean

Aliskii sjoewinjani ènèkan → *Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Caribbean

Alksirie → *Caraipa densifolia* C.Martius; GUTTIFERAE; Surinam (Ar)

Allamanda → *Allamanda cathartica* L.; APOCYNACEAE; Guyana (Cr); syn. *A. hendersonii* Bulliard

Allatahout → *Minuartia guianensis* Aublet; OLACACEAE; Surinam (Du)

Allawata andékele → *Cassipourea guianensis* Aublet; RHIZOPHORACEAE; Caribbean

Allelémei → *Hirtella paniculata* Swartz;

CHRYSOBALANACEAE; Caribbean

Alletepe (aletepe) → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Allikoja → *Eugenia racemifera* Sagot; MYRTACEAE; Surinam (Ar)

Alling, white → *Bontia daphnoides* L.; MYOPORACEAE; Puerto Rico

Almácigo (-blanco) → *Bursera simaruba* (L.) Sargent; BURSERACEAE; Puerto Rico; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

Almendrillo → *Trichilia* sp.; MELIACEAE; Dominican Republic

Almendrillo (almendrón) → *Prunus occidentalis* Swartz; ROSACEAE; Puerto Rico

Almendrón → *Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; Puerto Rico; use *Spondogona* sp. → *Spondogona* sp.; SAPOTACEAE; Puerto Rico; syn. *Dipholis salicifolia* (L.) A.DC.

Almendrón (almendrillo) → *Prunus occidentalis* Swartz; ROSACEAE; Puerto Rico

Almond gale → *Aniba citrifolia* (Nees) Mez; LAURACEAE; Guyana (Cr); syn. *A. tritinatis* (Meisner) Mez

→ *Aniba tritinatis* (Meisner) Mez; LAURACEAE; Guyana (Cr); use *A. citrifolia* (Nees) Mez

Aloeko uonoré → *Cordia nodosa* Lam.; BORAGINACEAE; Caribbean

Aloekoeali (aloekoemali) → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Caribbean; syn. *C. riparium* A.C.Smith

Aloekoe pio → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Caribbean

Aloekoejoeroe → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Aloekoemali (aloekoeali) → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Caribbean; syn. *C. riparium* A.C.Smith

Aloekoeseri → *Protium aracouchini* (Aublet) Marchand; BURSERACEAE; Surinam (Ar)

Aloemansingi → *Protium tenuifolium* (Engl.) Engl.; BURSERACEAE; Surinam; syn. *P. neglectum* Swart var. *robustum* Swart

Alokomali → *Caryocar nuciferum* L.; CARYOCARACEAE; Caribbean

Alomie → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Alostiki → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Alurubara → *Tillandsia pulchella* Hook.; BROMELIACEAE; Surinam (Ar)

Alvarillo → *Exostema caribaeum* (Jacq.) Roemer & Schultes; RUBIACEAE; Puerto Rico

Ama-apa (amapa) → *Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Surinam

Amacey → *Bursera simaruba* (L.) Sargent;

BURSERACEAE; Dominican Republic; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

→*Copaifera officinalis* (Jacq.) L.;

LEGUMINOSAE-CAES.; Dominican Republic

→*Tetragastris balsamifera* (Swartz) Kuntze;

BURSERACEAE; Dominican Republic

Amandelboom →*Terminalia catappa* L.;

COMBRETACEAE; Surinam (Du); syn. *T.*

moluccana Lam.; syn. *T. procera* Roxburgh; syn.

T. mauritiana Blanco

→*Terminalia mauritiana* Blanco;

COMBRETACEAE; Surinam (Du); use *T. catappa*

L.; syn. *T. moluccana* Lam.; syn. *T. procera*

Roxburgh

→*Terminalia moluccana* Lam.;

COMBRETACEAE; Surinam (Du); use *T. catappa*

L.; syn. *T. procera* Roxburgh; syn. *T. mauritiana*

Blanco

→*Terminalia procera* Roxburgh;

COMBRETACEAE; Surinam (Du); use *T. catappa*

L.; syn. *T. moluccana* Lam.; syn. *T. mauritiana*

Blanco

Amandelhout →*Prunus myrtifolia* (L.) Urban;

ROSACEAE; Surinam (Du)

Amandier des bois →*Prunus myrtifolia* (L.)

Urban; ROSACEAE; Martinique

Amandra →*Terminalia catappa* L.;

COMBRETACEAE; Surinam (Cr); syn. *T.*

moluccana Lam.; syn. *T. procera* Roxburgh; syn.

T. mauritiana Blanco

Amandrahoedoe →*Prunus myrtifolia* (L.) Urban;

ROSACEAE; Surinam (Cr)

Amanopora →*Sapium montanum* Lanjouw;

EUPHORBIACEAE; Caribbean

Amapa →*Parahancornea fasciculata* (Lam.)

Benoist; APOCYNACEAE; Caribbean; syn. *P.*

amapa (Huber) Ducke; syn. *P. fasciculata* (Poiret)

Benoist

Amapaia →*Hieronima alchorneoides* Allemao;

EUPHORBIACEAE; Caribbean; syn. *H. laxiflora*

(Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides*

Allemao; syn. *Hieronima laxiflora* (Tulasne)

Müll.Arg.

Amapaima →*Aniba canelilla* (Kunth) Mez;

LAURACEAE; Guyana (M)

Amaparjan →*Couma guianensis* (A.Rich.) Aublet;

APOCYNACEAE; Surinam

Amarante (bois d'-) →*Peltogyne venosa* (Vahl)

Benth.; LEGUMINOSAE-CAES.; French Guiana;

syn. *P. confertiflora* Benth.

Amarat →*Senegalia* sp.; LEGUMINOSAE-MIM.;

Puerto Rico

Amarau →*Mouriria huberi* Cogniaux;

MELASTOMATAACEAE; Caribbean

→*Mouriria sideroxylon* Sagot ex Triana;

MELASTOMATAACEAE; Caribbean

Amarelo →*Euxylophora paraensis* Huber;

RUTACEAE; Guyana

Ambaiba (ambaita) →*Cecropia adenopus*

C.Martius ex Miquel; MORACEAE; French Guiana

Ambaita (ambaiba) →*Cecropia adenopus*

C.Martius ex Miquel; MORACEAE; French Guiana

Ambararie →*Ambelania acida* Aublet;

APOCYNACEAE; Caribbean; syn. *A. sagotii*

Müll.Arg.

Ambelani →*Ambelania acida* Aublet;

APOCYNACEAE; French Guiana; syn. *A. sagotii*

Müll.Arg.

→*Ambelania laxa* (Benth.) Müll.Arg.;

APOCYNACEAE; French Guiana

Ambrari →*Ambelania acida* Aublet;

APOCYNACEAE; Caribbean; syn. *A. sagotii*

Müll.Arg.

Ameraé amoeloe →*Mouriria crassifolia* Sagot;

MELASTOMATAACEAE; Surinam

Amerauw →*Mouriria crassifolia* Sagot;

MELASTOMATAACEAE; Caribbean

Amerikaans grenadile →*Brya buxiflora* Urban;

LEGUMINOSAE-PAP.; Caribbean

Amitha →*Pourouma guianensis* Aublet;

MORACEAE; Guyana (M)

Ambose →*Xylopia aromatica* (Lam.) C.Martius;

ANNONACEAE; Caribbean; syn. *X. grandiflora*

A.St.-Hil.; syn. *Uvaria aromatica* Lam.

Amonai →*Bactris oligoclada* Burret;

ARECACEAE (PALMAE); Guyana (Ar)

Amortiguado →*Phyllanthus* sp.;

EUPHORBIACEAE; Puerto Rico

Amosérian →*Unonopsis rufescens* (Baillon)

R.E.Fries; ANNONACEAE; Caribbean

Amoura →*Anaxagorea* sp.; ANNONACEAE;

Guyana

Amourette →*Brosimum guianense* (Aublet)

Huber; MORACEAE; French Guiana; syn.

Piratinera guianensis Aublet; syn. *P. scabridula*

Blake; syn. *P. velutina* Blake; syn. *Brosimum*

rotundatum Standley; syn. *B. velutinum* (Blake)

Ducke

→*Pisonia* sp.; NYCTAGINACEAE; Guadeloupe

Ana →*Omphalea diandra* L.; EUPHORBIACEAE;

Caribbean

Ana akara →*Tapirira guianensis* Aublet;

ANACARDIACEAE; Caribbean

Anacagüite →*Sterculia apetala* (Jacq.) Karsten;

STERCULIACEAE; Puerto Rico

→*Sterculia caribaea* Brown; STERCULIACEAE;

Puerto Rico

→*Sterculia excelsa* C.Martius; STERCULIACEAE;

Puerto Rico

Anacoco →*Swartzia benthamiana* Miquel;

LEGUMINOSAE-PAP.; French Guiana

Anago-switie →*Tabebuia insignis* (Miquel)

Sandwith; BIGNONIACEAE; Surinam (Cr); var.

monophylla Sandwith

Anakara → *Cordia sagotii* I.M. Johnston; BORAGINACEAE; Caribbean
→ *Inga rubiginosa* (A. Rich.) DC.; LEGUMINOSAE-MIM.; Caribbean

Anakin → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. *Myristica surinamensis* Rolander ex Rottb.

Anakoko → *Ormosia costulata* (Miquel) Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean; var. *trifoliata* (Huber) Amshoff
→ *Ormosia melanocarpa* Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

Anakoko (itjoeroe-, wooitjano-) → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam

Analikheballi → *Guzmania minor* Mez; BROMELIACEAE; Surinam (Ar)

Ananas → *Aechmea mertensii* (Meyer) Schultes; BROMELIACEAE; Surinam (Du)

Ananas, wilde → *Aechmea bromeliifolia* (Rudge) Baker; BROMELIACEAE; Surinam (Du)

Anani → *Symphonia globulifera* L.f.; GUTTIFERAE; Caribbean; syn. *S. gabonensis* (Vesque) Pierre

Anareke → *Bromelia karatas* L.; BROMELIACEAE; Surinam (Ar)

Anasillo → *Celtis trinervia* Lam.; ULMACEAE; Dominican Republic

Anatto → *Bixa orellana* L.; BIXACEAE; Surinam (Cr); syn. *B. americana* Poiret

Anaura → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Cr)
→ *Licania heteromorpha* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
→ *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)
→ *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Anaura (sabana-) → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Anaura, hegron → *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Surinam (Cr); syn. *L. grisea* Kleinhoonte

Anaura, hoogland → *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Surinam (Du)

Anaura, hoogland (egron-) → *Couepia caryophylloides* Benoist; CHRYSOBALANACEAE; Surinam (Du)
→ *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Du); syn. *C. versicolor* Benoist

Anauraballi → *Couepia caryophylloides* Benoist; CHRYSOBALANACEAE; Surinam (Ar)
→ *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist
→ *Couepia versicolor* Benoist; CHRYSOBALANACEAE; Surinam (Ar); use *C. guianensis* Aublet

Andiroba → *Carapa guianensis* Aublet; MELIACEAE; West Indies; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Aneisi (boesi-, weti-, oema-) → *Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Aneisi wiwirie → *Piper arboreum* Aublet; PIPERACEAE; Surinam (Cr); var. *arboreum*
→ *Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker
→ *Pothomorphe peltata* (L.) Miquel; PIPERACEAE; Surinam (Cr); syn. *Piper peltatum* L.

Aneisi, man → *Piper arboreum* Aublet; PIPERACEAE; Surinam (Cr); var. *arboreum*

Aneo → *Aniba excelsa* Kosterm.; LAURACEAE; Guyana (Ak)

Anga lampoe → *Hibiscus rosa-sinensis* L.; MALVACEAE; Surinam (Cr); var. *schizopetalus* Masters; use *H. schizopetalus* (Masters) Hook.f.
→ *Hibiscus schizopetalus* (Masters) Hook.f.; MALVACEAE; Surinam (Cr); syn. *H. rosa-sinensis* L. var. *schizopetalus* Masters

Angelica → *Andira inermis* (W. Wright) DC.; LEGUMINOSAE-PAP.; Martinique; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Angelica do Para → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Dominican Republic; syn. *D. paraensis* Benth.

Angelim da mata (-da para, -da terra)
→ *Hymenobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

Angelim da pedra → *Hymenobium petraeum* Ducke; LEGUMINOSAE-PAP.; Surinam

Angelim da terra (-da para, -da mata)
→ *Hymenobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

Angelim pedra → *Dinizia excelsa* Ducke; LEGUMINOSAE-MIM.; Guianas

Angelim rajado → *Zygia racemosum* (Ducke) Barneby & J.W. Grimes; LEGUMINOSAE-MIM.; Surinam; syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Angelim vermelho → *Dinizia excelsa* Ducke; LEGUMINOSAE-MIM.; Guianas

Angelin → *Andira inermis* (W. Wright) DC.; LEGUMINOSAE-PAP.; Puerto Rico; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Angélique (-bâtard, -rouge) → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; French Guiana; syn. *D. paraensis* Benth.

Angélique franc (-gris) → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; French Guiana; syn. *D. paraensis* Benth.

Angomoelé → *Duroia eriopila* L.f.; RUBIACEAE; Surinam (Sa)

Anhuiba →Guazuma ulmifolia Lam.; STERCULIACEAE; French Guiana; syn. G. tomentosa Kunth; syn. Theobroma guazuma L.

Anijs, man →Piper aduncum L.; PIPERACEAE; Surinam (Du)

Anijsblad →Pothomorphe peltata (L.) Miquel; PIPERACEAE; Surinam (Du); syn. Piper peltatum L.

Anijsie wiwirie →Piper marginatum Jacq.; PIPERACEAE; Surinam (Cr); var. clausum Yuncker

Anijsie, man →Piper citrifolium Lam. var. citrifolium; PIPERACEAE; Surinam (Cr); syn. P. anonaefolium Kunth

Anisillo →Piper sp.; PIPERACEAE; Dominican Republic
→Trema micrantha (L.) Blume; ULMACEAE; Dominican Republic

Anjama →Dimorphandra sp.; LEGUMINOSAE-CAES.; Surinam

Anjelier, boesi →Gomphocarpus fruticosus (L.) R. Brown; ASCLEPIADACEAE; Surinam (Du); syn. Asclepias fruticosa L.

Anjoemara koesjilikodo →Passiflora vespertilio L.; PASSIFLORACEAE; Surinam (Ar); i.e. eyes of a kind of fish

Ankira →Laguncularia racemosa (L.) Gaertner f.; COMBRETACEAE; Surinam (Ar)

Anoana mosait jele →Ichthyothere terminalis (Sprengel) Malme; ASTERACEAE; Caribbean

Anoema latti →Cordia sagotii I.M. Johnston; BORAGINACEAE; Surinam (Cr)
→Tapirira guianensis Aublet; ANACARDIACEAE; Surinam (Cr)

Anoewanopo →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam; syn. M. utilisissima Pohl

Anón →Rollinia mucosa (Jacq.) Baillon; ANNONACEAE; Dominican Republic; syn. R. deliciosa Safford; syn. R. orthopetala A. DC.

Anón cillo →Lonchocarpus sp.; LEGUMINOSAE-PAP.; Dominican Republic

Anón de majagua →Lonchocarpus sp.; LEGUMINOSAE-PAP.; Dominican Republic

Anón del rio →Lonchocarpus sp.; LEGUMINOSAE-PAP.; Dominican Republic

Anoniwana →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Surinam (Sa); syn. H. laxiflora (Tulasne) Müll. Arg.; syn. Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll. Arg.

Anoura →Allamanda cathartica L.; APOCYNACEAE; Caribbean; syn. A. hendersonii Bulliard
→Hirtella caudata Kleinhoonte; CHRYSOBALANACEAE; Surinam (Sa)

Anoura (anaura) →Couepia guianensis Aublet; CHRYSOBALANACEAE; Surinam (Cr); syn. C. versicolor Benoist

Ant bush (fever-, nimble-) →Siparuna guianensis Aublet; MONIMIACEAE; Guyana (Cr)

Ant's plant →Tococa sp.; MELASTOMACEAE; Guyana (Cr)

Ant's plant (ant's tree) →Cordia nodosa Lam.; BORAGINACEAE; Guyana (Cr)

Anwana-ehero →Eryngium foetidum L.; APIACEAE; Surinam (Ar)

Aouacate →Persea americana Miller; LAURACEAE; French Guiana; syn. P. gratissima Gaertner f.; syn. P. nubigena L. Williams

Apa akamiran (apa kanilan) →Parkia pendula (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. Inga pendula Willd.

Apa kamierian (apa kaniran) →Zygia racemosum (Ducke) Barneby & J.W. Grimes; LEGUMINOSAE-MIM.; Surinam; syn. Marmaroxylon racemosum (Ducke) Killip; syn. Pithecellobium racemosum Ducke; syn. Abarema racemosa (Ducke) Klein.

Apa kanilan (apa kanirian) →Parkia pendula (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. Inga pendula Willd.

Apa kaniran (apa kamierian) →Zygia racemosum (Ducke) Barneby & J.W. Grimes; LEGUMINOSAE-MIM.; Surinam; syn. Marmaroxylon racemosum (Ducke) Killip; syn. Pithecellobium racemosum Ducke; syn. Abarema racemosa (Ducke) Klein.

Apa kanirian →Sclerolobium melinonii Harms; LEGUMINOSAE-CAES.; Caribbean
→Stryphnodendron flammatum Kleinhoonte; LEGUMINOSAE-MIM.; Caribbean

Apa kanirian (apa kanilan) →Parkia pendula (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. Inga pendula Willd.

Apaa-kani →Phaeosphaerion persicariaefolius (DC.) Clarke; COMMELINACEAE; Caribbean; syn. Athyrocarpus persicariaefolius (DC.) Hemsley

Apaaali →Turnera ulmifolia L.; TURNERACEAE; Caribbean; var. surinamensis Urban

Apakanipio →Jacaranda obtusifolia Humbert & Bonpl.; BIGNONIACEAE; Caribbean; ssp. rhombifolia (G. Meyer) A.H. Gentry; syn. J. rhombifolia G. Meyer

Apakwi, weti →Pouteria robusta (C. Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Sa); var. longifolia Eyma; syn. Neoxythece robusta (C. Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma

Apakwie(-ie) →Platonina insignis C. Martius; GUTTIFERAE; Surinam (Sa); syn. P. esculenta (Arruda) Rickett & Stafleu
→Rheedia acuminata (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Sa); syn. R. kappleri Eyma

Apakwie-ie, witte →Chaetocarpus schomburgkianus (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Sa)

Apalan →Couma guianensis (A.Rich.) Aublet; APOCYNACEAE; Surinam

Apaliëlang →Sida serrata Willd.; MALVACEAE; Caribbean

Apalioe →Avicennia germinans (L.) Stearn; VERBENACEAE; Caribbean; syn. A. marina (Forsskal) Vierhapper; syn. A. nitida Jacq.; syn. A. mindanaense Elmer; syn. A. africana Toml.; syn. A. intermedia Griffith

Apalitano →Comolia vernicosa (Benth.) Triana; MELASTOMATACEAE; Caribbean

Apan →Miconia guianensis (Aublet) Cogniaux; MELASTOMATACEAE; Guyana (Ak)

Apaewea →Copaifera guianensis Desf.; LEGUMINOSAE-CAES.; Caribbean

Apareibo →Rhizophora mangle L.; RHIZOPHORACEAE; French Guiana; syn. R. racemosa G.Meyer

Apario →Avicennia germinans (L.) Stearn; VERBENACEAE; Caribbean; syn. A. marina (Forsskal) Vierhapper; syn. A. nitida Jacq.; syn. A. mindanaense Elmer; syn. A. africana Toml.; syn. A. intermedia Griffith

Apauwa →Copaifera pubiflora Benth.; LEGUMINOSAE-CAES.; Caribbean

Aperemoe →Anaxagorea dolichocarpa Sprague & Sandwith; ANNONACEAE; Caribbean

Apesia →Sacoglottis guianensis Benth. var. guianensis; HUMIRIACEAE; Surinam (Cr); syn. S. guianensis Benth. var. dolichocarpa Ducke

Apesie →Couepia guianensis Aublet; CHRYSOBALANACEAE; Caribbean; syn. C. versicolor Benoist

Apezoeloe →Quararibea guianensis Aublet; BOMBACACEAE; Caribbean

Api api →Avicennia germinans (L.) Stearn; VERBENACEAE; Surinam (Ar); syn. A. marina (Forsskal) Vierhapper; syn. A. nitida Jacq.; syn. A. mindanaense Elmer; syn. A. africana Toml.; syn. A. intermedia Griffith

Apikara →Campsandra comosa Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); var. laurifolia (Benth.) Cowan; syn. C. laurifolia Benth. →Campsandra comosa Benth. var. comosa; LEGUMINOSAE-CAES.; Surinam (Ar) →Campsandra laurifolia Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); use C. comosa Benth. var. laurifolia (Benth.) Cowan

Apiritjalopo →Dendrobangia boliviana Rusby; ICACINACEAE; Surinam; syn. Clavipetalum surinamense Pulle

Apisie-a-blaak-man →Ocotea glomerata (Nees) Mez; LAURACEAE; Surinam (Sa); syn. O. glomerata (Nees) Benth.

Apisie-ie →Acroclidium itauba (Meisner) Taubert; LAURACEAE; Surinam (Sa); use Licaria →Endlicheria endlicheriopsis (Mez) Kosterm.; LAURACEAE; Surinam (Sa) →Licaria martiniana (Mez) Kosterm.; LAURACEAE; Surinam (Sa); syn. Acroclidium martinianum Mez →Mezilaurus itauba (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Sa) →Ocotea caudata (Meisner) Mez; LAURACEAE; Surinam (Sa) →Persea nivea Mez; LAURACEAE; Surinam (Sa); syn. P. benthamiana Meisner

Apisie-ie (bana-) →Aniba hostmanniana (Nees) Mez; LAURACEAE; Surinam (Sa)

Apisie-ie (banba-) →Licaria cannella (Meisner) Kosterm.; LAURACEAE; Surinam (Sa); syn. Acroclidium cannella (Meisner) Mez; syn. A. cayennensis (Meisner) Mez; syn. Licaria cayennensis (Meisner) Kosterm.

Apisie-ie (banba-, bosoho-) →Licaria sp.; LAURACEAE; Surinam (Sa); syn. Acroclidium itauba (Meisner) Taubert; syn. A. aubletii Kosterm.; syn. A. martinianum Mez

Apisie-ie (blaka-) →Ocotea schomburgkiana (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Sa); syn. O. schomburgkiana (Nees) Mez

Apisie-ie, banba- (bosoho-) →Acroclidium aubletii Kosterm.; LAURACEAE; Surinam (Sa); use Licaria

Apisie-ie, witte →Aniba taubertiana Mez; LAURACEAE; Surinam (Sa)

Apiwenai →Eugenia wulfschlaegeliana Amshoff; MYRTACEAE; Surinam (Cr)

Apoekoetja →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Cr); syn. A. nitidum Benth. ex Müll.Arg.

Apoeroekoeni →Inga capitata Desvaux; LEGUMINOSAE-MIM.; Caribbean

Apoeroekoni →Inga alba (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam

Apoetoe →Swartzia tomentosa DC.; LEGUMINOSAE-PAP.; Surinam

Aphita, witte →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Du); syn. A. nitidum Benth. ex Müll.Arg.

Apokita, witte →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Du); syn. A. nitidum Benth. ex Müll.Arg.

Apokojita →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Cr); syn. A. nitidum Benth. ex Müll.Arg.

Apokotja →Vitex compressa Turcz.; VERBENACEAE; Caribbean

Apokuita →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Caribbean; syn. A. nitidum Benth. ex Müll.Arg. →Chamaecrista apoucouita (Aublet) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr);

syn. *Cassia apoucouita* Aublet

Apolo-uokomollo-kotele → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Aporoena → *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Caribbean

Aporuma → *Satyria panurensis* (Benth.) Benth. & Hook.f.; ERICACEAE; Guyana (Ak)

Apotai → *Strychnos tomentosa* Benth.; LOGANIACEAE; Caribbean

Apotai wéwé → *Unonopsis rufescens* (Baillon) R.E.Fries; ANNONACEAE; Caribbean

Apotanare koenapolan → *Clusia nemorosa* G.Meyer; GUTTIFERAE; Caribbean

Apoto ajawa → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam

Apotona pereka → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Caribbean

Apoucouita → *Cassia apoucouita* Aublet; LEGUMINOSAE-CAES.; French Guiana; use *Chamaecrista apoucouita* (Aublet) Irwin & Barneby

→ *Chamaecrista apoucouita* (Aublet) Irwin & Barneby; LEGUMINOSAE-CAES.; French Guiana; syn. *Cassia apoucouita* Aublet

Appel kwarie (ceder-) → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Du)

Appel, Curaçaosche → *Syzygium samaragnense* (Blume) Merrill & Perry; MYRTACEAE; Surinam (Du)

Appelroos → *Syzygium jambos* (L.) Alston; MYRTACEAE; Surinam (Du); syn. *Eugenia jambos* L.

Apple monkey → *Palicourea guianensis* Aublet; RUBIACEAE; Surinam (Cr)

Apple, bel → *Passiflora nitida* Kunth; PASSIFLORACEAE; Guyana (Cr)

Apple, mamee → *Pouteria sapota* (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; British West Indies; syn. *Calocarpum sapota* (Jacq.) Merrill; syn. *Lucuma*

Apple, mess → *Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Guyana (Cr); syn. *B. aubletii* Naudin

Apple, monkey → *Annona muricata* L.; ANNONACEAE; Guyana (Cr)

Apple, pitch → *Clusia rosea* Jacq.; GUTTIFERAE; British West Indies

Apple, wild mammee → *Platonia insignis* C.Martius; GUTTIFERAE; Guyana (Cr); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Apple, wild star → *Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Guyana (Cr)

→ *Couma macrocarpa* Barb.Rodr.; APOCYNACEAE; Guyana (Cr)

→ *Couma rigida* Müll.Arg.; APOCYNACEAE;

Guyana (Cr)

Apple, wild star (bos-) → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Surinam (Cr); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

Apra (star-) → *Chrysophyllum cainito* L.; SAPOTACEAE; Surinam (Cr)

Apra kwari → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Cr)

Aprahodoe → *Eremoluma sagotiana* Baillon; SAPOTACEAE; Surinam (Cr); use *Pouteria sagotiana* (Baillon) Eyma

→ *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*

→ *Pouteria sagotiana* (Baillon) Eyma; SAPOTACEAE; Surinam (Cr); syn. *Eremoluma sagotiana* Baillon; syn. *Lucuma*

Aprokoni(e) → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam

Aquilón → *Antirrhoea* sp.; RUBIACEAE; Puerto Rico; syn. *Stenostomum* sp. ?

Ara → *Typha angustifolia* L.; TYPHACEAE; Surinam (Cr)

Ara(u)matta → *Diploptropis brachypetalum* Tulasne; LEGUMINOSAE-PAP.; Guyana

Arabaima → *Aniba canelilla* (Kunth) Mez; LAURACEAE; Guyana

Arada-kwaiko → *Pouteria minutiflora* (Britton) Sandwith; SAPOTACEAE; Guyana (Ak); syn. *Lucuma*

Arahoné (arahoni) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxylo* (L.) Martius ex DC.

Arahani (arahoné) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxylo* (L.) Martius ex DC.

Araida → *Duguetia megalophylla* R.E.Fries; ANNONACEAE; Guyana (Ak)

Araidja → *Eugenia coffeifolia* DC.; MYRTACEAE; Caribbean

Araidja (azaida) → *Unonopsis rufescens* (Baillon) R.E.Fries; ANNONACEAE; Caribbean

Araira → *Duguetia quitarensis* Benth.; ANNONACEAE; Guyana (M)

Arakaka(-yek) → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Arakapuri (alakapoeli) → *Tovomita obovata* Engl.; GUTTIFERAE; Caribbean

Arakarri wadilikoro → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Aralee → *Clusia rosea* Jacq.; GUTTIFERAE; Trinidad

Arali → *Clusia rosea* Jacq.; GUTTIFERAE; French West Indies

Aramiloerang → *Pithecellobium adiantifolium*

(Kunth) Benth.; LEGUMINOSAE-MIM.; Caribbean; syn. *Macrosamanea discolor* (Humbert & Bonpl.) Britton & Rose
Araña gato → *Bauhinia* sp.; LEGUMINOSAE-CAES.; Puerto Rico

Arancio (-dulce) → *Citrus sinensis* (L.) Osbeck; RUTACEAE; Surinam (Ar)

Aranso → *Citrus sinensis* (L.) Osbeck; RUTACEAE; Surinam (Ar)

Aranydja → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Arapipi → *Astrocaryum aculeatum* G.Meyer; ARECACEAE (PALMAE); Surinam (Ar); syn. *A. tucuma* C.Martius

Arapori → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Caribbean

Arara → *Anaxagorea* sp.; ANNONACEAE; Guyana (Ar)
 → *Bocageopsis multiflora* (C.Martius) R.E.Fries; ANNONACEAE; Surinam (Ar)
 → *Guatteria atra* Sandwith; ANNONACEAE; Guyana (Ar)
 → *Guatteria brachypoda* R.E.Fries; ANNONACEAE; Guyana (Ar)
 → *Guatteria chrysopetala* (Steudel) Miquel; ANNONACEAE; Guyana (Ar); use *G. punctata* (Aublet) R.Howard
 → *Guatteria ovalifolia* R.E.Fries; ANNONACEAE; Guyana (Ar)
 → *Guatteria procera* R.E.Fries; ANNONACEAE; Guyana (Ar)
 → *Guatteria punctata* (Aublet) R.Howard; ANNONACEAE; Guyana (Ar); syn. *G. chrysopetala* (Steudel) Miquel
 → *Guatteria sandwithii* R.E.Fries; ANNONACEAE; Guyana (Ar)
 → *Unonopsis glaucopetala* R.E.Fries; ANNONACEAE; Surinam (Ar)
 → *Xylopia discreta* (L.f.) Sprague & Hutch.; ANNONACEAE; Surinam (Ar)

Arara(-balli) → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Surinam (Ar); var. *schomburgkiana*

Arara, koereroe → *Xylopia surinamensis* R.E.Fries; ANNONACEAE; Surinam (Ar)

Ararama (ararama) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam

Arare (-koléro, koereroe-, koerroe-) → *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries

Ararout → *Maranta arundinacea* L.; MARANTACEAE; Surinam (Cr)

Arasaloe → *Gardenia genipa* Swartz; RUBIACEAE; Surinam (Ar); use *Genipa americana* L.; syn. *Genipa caruto* Kunth
 → *Genipa americana* L.; RUBIACEAE; Surinam (Ar); syn. *G. caruto* Kunth; syn. *Gardenia genipa*

Swartz
 → *Genipa caruto* Kunth; RUBIACEAE; Surinam (Ar); use *G. americana* L.; syn. *Gardenia genipa* Swartz

Arasaru (arisoeroe, arisauro) → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Guyana (Ar); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Araskioerian → *Apeiba petoumo* Aublet; TILIACEAE; Caribbean; syn. *A. echinata* Gaertner

Arataballi → *Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Caribbean

Aratabana → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; Guyana (M)

Aratahoehoe → *Minguartia guianensis* Aublet; OLACACEAE; Surinam (Cr)

Aratapari → *Macrolobium multijugum* (DC.) Benth.; LEGUMINOSAE-CAES.; Caribbean

Aratawere → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Caribbean

Arataweri (pianalin-) → *Minguartia guianensis* Aublet; OLACACEAE; Caribbean

Aratroeka (aratroekoe) → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Caribbean

Aratroekoe (aratroeka) → *Cordia tetrandra* Aublet; BORAGINACEAE; Caribbean; syn. *C. umbraculifera* DC.

Aratta (arrata, arata) → *Minguartia guianensis* Aublet; OLACACEAE; Surinam (Cr)

Arauin (aruain) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (Ak)
 → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (Ak); syn. *Tecoma leucoxydon* (L.) Martius ex DC.
 → *Tabebuia subtilis* Sprague & Sandwith; BIGNONIACEAE; Guyana (Ak)

Aurama → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Caribbean
 → *Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Caribbean

Aurama (tamoené-) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam

Arawata boesoeroe koeroe → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam

Arawata moerere → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Arawené (arawoné) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Caribbean; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Arawindru → *Rheedia benthamiana* Planchon & Triana; GUTTIFERAE; Guyana (M)

Arawne → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Caribbean; syn. *Tecoma*

leucoxydon (L.) Martius ex DC.

Arawnig → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (Ak)

Arawnig(-yek) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (Ak); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Arawoné (arawené) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Caribbean; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Arawoné (arowoné, arraoné) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Caribbean

Arbol de caucho → *Hevea brasiliensis* (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Caribbean; syn. *Siphonia brasiliensis* Willd. ex A.Jussieu

Arbre à beurre → *Caryocar villosum* (Aublet) Persoon; CARYOCARACEAE; French Guiana

Arbre à bombes → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Trinidad

Arbre à coton → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; French West Indies; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Arbre à pain → *Zanthoxylum* sp.; RUTACEAE; French West Indies; syn. *Xanthoxylum* sp.

Arbre du diable → *Hura crepitans* L.; EUPHORBIACEAE; French Guiana

Archipén → *Bursera simaruba* (L.) Sargent; BURSERACEAE; French West Indies; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose → *Elaphrium simaruba* (L.) Rose; BURSERACEAE; French West Indies; use *Bursera simaruba* (L.) Sargent; syn. *B. gummifera* L.

Arcwood → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Ardormida → *Croton* sp.; EUPHORBIACEAE; Virgin Islands

Aremenango wéwé → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Caribbean

Aremie kieran → *Randia armata* (Swartz) DC.; RUBIACEAE; Caribbean; syn. *Basanacantha spinosa* (Jacq.) K.Schumann

Arepawana → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Caribbean

→ *Lecythis simiorum* Benoist; LECYTHIDACEAE; Caribbean; syn. *Eschweilera simiorum* (Benoist) Eyma

Arepawana enekan (-waton) → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Arepawana wato tapoeropo → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Aresamoènè → *Manihot esculenta* Crantz;

EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl

Areskiere wèwè → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Caribbean; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Aretoboma → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Aretopo mangan → *Duguetia calycina* Benoist; ANNONACEAE; Caribbean

Arieshie-ie → *Ormosiopsis flava* Ducke; LEGUMINOSAE-PAP.; Caribbean

Arikadako → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Surinam (Ar); var. *occidentalis* Niedenzu

→ *Byrsonima gymnocalycina* A.Jussieu; MALPIGHIACEAE; Surinam (Ar)

Arikadakoeballi → *Miconia aplostachya* (Bonpl.) DC.; MELASTOMATACEAE; Surinam (Ar)

Arimaka → *Combretum rotundifolium* A.Rich.; COMBRETACEAE; Caribbean

Arisa → *Psidium aquaticum* Benth.; MYRTACEAE; Surinam (Ar)

→ *Psidium ovatifolium* O.Berg var. *glabrum* Amshoff; MYRTACEAE; Surinam (Ar)

→ *Psidium parviflorum* Benth.; MYRTACEAE; Surinam (Ar); use *P. striatulum* DC.

→ *Psidium striatulum* DC.; MYRTACEAE; Surinam (Ar); syn. *P. parviflorum* Benth.

Arisauro (arisoeroe, arasaru) → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

→ *Vatairea surinamensis* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar); use *V. guianensis* Aublet; syn. *Vataireopsis speciosa* Ducke

Arisauroballi → *Dimorphandra davisii* Sprague & Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)

Arisoeroe (arisauro, arasaru) → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Arisower (arisoeroe, arisauro, arasaru) → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Ariwa → *Cespedesia amazonica* Huber; OCHNACEAE; Surinam (Ar)

Arnatto → *Bixa orellana* L.; BIXACEAE; Surinam (Cr); syn. *B. americana* Poiret

Aroba → *Erythroxylum areolatum* L.; ERYTHROXYLACEAE; Dominican Republic

Aroekoe joeroe → *Swartzia apetala* Raddi var. *acuminata* Amshoff; LEGUMINOSAE-PAP.; Caribbean

Aroekoejoeroe (arokojoeroe, arokojoeroe) → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Aroemata → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Surinam (Ar)

Aroematta → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Arokojoeroe (arokojoeroe, aroekoejoeroe) → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Aromata → *Clathrotropis macrocarpa* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)

Aromata (-kharemeroe) → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Aroomé → *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Caribbean; syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma* → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Caribbean; syn. *R. kappleri* Eyma

Aroumata → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Aroumé → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Arowoné (arawoné, arraoné) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam

Arowtroeka → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Ar)

Arraijan → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Dominican Republic

Arrakalan → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Caribbean

Arraoné (arawoné, arowoné) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam

Arratawerie → *Minquartia guianensis* Aublet; OLACACEAE; Surinam (Cr)

Arrawerie → *Chimarrhis turbinata* DC.; RUBIACEAE; Caribbean

Array(c)án → *Blepharocalyx cisplatensis* Griseb.; MYRTACEAE; Dominican Republic

Arrayán → *Calyptanthus* sp.; MYRTACEAE; Dominican Republic

→ *Eugenia uniflora* L.; MYRTACEAE; Dominican Republic

→ *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Dominican Republic

→ *Myrica cerifera* L.; MYRICACEAE; Puerto Rico

Arrayán bobo → *Rapanea* sp.; MYRSINACEAE; Puerto Rico

Arreunoe → *Cordia nodosa* Lam.; BORAGINACEAE; Caribbean

Arrokra → *Uvaria aromatica* Lam.; ANNONACEAE; Surinam (Ar); use *Xylopia aromatica* (Lam.) C.Martius; syn. *X. grandiflora* A.St.-Hil.

→ *Xylopia aromatica* (Lam.) C.Martius; ANNONACEAE; Surinam (Ar); syn. *X. grandiflora* A.St.-Hil.; syn. *Uvaria aromatica* Lam.

→ *Xylopia grandiflora* A.St.-Hil.; ANNONACEAE; Surinam (Ar); use *X. aromatica* (Lam.) C.Martius; syn. *Uvaria aromatica* Lam.

Arromatta belero → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Surinam (Ar)

Arrowroot → *Maranta arundinacea* L.; MARANTACEAE; Surinam (Cr)

Aruadan → *Couepia bracteosa* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

→ *Couepia exflexa* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana (Ar)

→ *Sloanea bracteosa* Ducke; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea brevipes* Benth.; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea eichleri* K.Schumann; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea guianensis* Benth.; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea trichosticha* R.O.Williams & Sandwith; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea usurpatrix* Sprague & Riley; ELAEOCARPACEAE; Surinam (Ar)

Aruadanni → *Licania* sp.; CHRYSOBALANACEAE; Guyana

Aruain (arauin) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (Ak)

→ *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (Ak); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

→ *Tabebuia subtilis* Sprague & Sandwith; BIGNONIACEAE; Guyana (Ak)

Aruakabo → *Marcgravia coriacea* Vahl; MARCGRAVIACEAE; Surinam (Ar)

→ *Marcgravia parviflora* Rich. ex Wittmack; MARCGRAVIACEAE; Surinam (Ar)

→ *Marcgravia umbellata* L.; MARCGRAVIACEAE; Surinam (Ar)

Aruba → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Guyana; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

→ *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana; syn. *Simarouba amara* Aublet var. *typica* Cronquist

Asakaimo malakale → *Cassia cultrifolia* Kunth;

LEGUMINOSAE-CAES.; Surinam (Ar)
Asare → *Bombax flaviflorum* Pulle;
 BOMBACACEAE; Guyana (Ak)
Asari → *Bombax globosum* Aublet;
 BOMBACACEAE; Guyana (M)
 → *Bombax surinamensis* Uittien;
 BOMBACACEAE; Guyana (M)
Asashi → *Rheedia benthamiana* Planchon &
 Triana; GUTTIFERAE; Surinam (Ar)
 → *Rheedia macrophylla* (C.Martius) Planchon &
 Triana; GUTTIFERAE; Surinam (Ar)
Asashi (-hororodikoro) → *Rheedia kappleri*
 Eyma; GUTTIFERAE; Surinam (Ar); use *R.*
acuminata (Ruiz & Pavón) Planchon & Triana
Asasiballi → *Caraipa densiflora* C.Martius;
 GUTTIFERAE; Surinam (Ar)
 → *Caraipa punctulata* Ducke; GUTTIFERAE;
 Surinam (Ar)
Asasie (-hororodikoro) → *Rheedia acuminata*
 (Ruiz & Pavón) Planchon & Triana;
 GUTTIFERAE; Surinam (Ar); syn. *R. kappleri*
 Eyma
Asau → *Balizia pedicellaris* (DC.) Barneby &
 J.W.Grimes; LEGUMINOSAE-MIM.; Surinam
 (Sa); syn. *Macrosamanea pedicellaris* (DC.)
 Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.)
 Benth.; syn. *Samanea pedicellaris* (DC.) Killip;
 syn. *Inga pedicellare* DC.
 → *Hydrochorea gonggrijpii* (Kleinh.) Barneby &
 Grimes; LEGUMINOSAE-MIM.; Surinam (Sa);
 syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte;
 syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn.
Pithecellobium gonggrijpii Kleinh.
 → *Tetragastris altissima* (Aublet) Swart;
 BURSERACEAE; Guyana (W)
Asé poekoe (asse-, wassé-) → *Pouteria*
guianensis Aublet; SAPOTACEAE; Surinam (Ar);
 syn. *Lucuma*
Asepatono → *Coutoubea ramosa* Aublet;
 GENTIANACEAE; Caribbean; var. *racemosa*
 Benth.
Asepo(e)koe, hariraro → *Pouteria melanopoda*
 Eyma; SAPOTACEAE; Surinam (Ar); syn.
Lucuma
Asepoko → *Pouteria multiflora* (A.DC.) Eyma;
 SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
multiflora A.DC.
Asepoko (-balli, -moraballi) → *Pouteria jenmanii*
 (Pittier) Sandwith; SAPOTACEAE; Surinam (Ar);
 syn. *Lucuma*
Asepoko (-moraballi) → *Pouteria gonggrijpii*
 Eyma; SAPOTACEAE; Surinam (Ar); syn.
Franchetella gonggrijpii (Eyma) Aubrév.; syn.
Lucuma
Asepoko (hariraro-, common-) → *Pouteria*
guianensis Aublet; SAPOTACEAE; Surinam (Ar);
 syn. *Lucuma*
Asepoko konoko → *Pouteria engleri* Eyma;
 SAPOTACEAE; Surinam (Ar); syn. *Nemaluma*
engleri (Eyma) Aubrév.; syn. *Lucuma*
Asepoko, common → *Pouteria guianensis*
 Aublet; SAPOTACEAE; Guyana (Cr); syn.
Lucuma
Asepokoballi → *Micropholis guianensis* (A.DC.)
 Pierre; SAPOTACEAE; Surinam (Ar); syn.
Sideroxylon guianensis A.DC.
 → *Pouteria caimito* (Ruiz & Pavón) Radlk.;
 SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
Ash, bitter → *Aeschron excelsa* Swartz;
 SIMAROUBACEAE; British West Indies; use
Picrasma excelsa (Swartz) Planchon
 → *Quassia simarouba* L.f.; SIMAROUBACEAE;
 Guyana (Cr); syn. *Simarouba amara* Aublet var.
typica Cronquist
Ash, poison → *Comocladia* sp.;
 ANACARDIACEAE; Puerto Rico
Ashmud → *Aniba canelilla* (Kunth) Mez;
 LAURACEAE; Guyana (W)
Asier à l'asthme → *Psychotria* sp.; RUBIACEAE;
 French Guiana
Asijupé → *Philodendron acutatum* Schott;
 ARACEAE; Caribbean
Asimalapi → *Memora schomburgkii* (DC.) Miers;
 BIGNONIACEAE; Caribbean; syn. *M. obovata*
 (Bureau & K.Schumann) Sprague & Sandwith
Asjikoeni → *Tephrosia sinapou* (Buc'hoz)
 A.Chev.; LEGUMINOSAE-PAP.; Caribbean; syn.
T. toxicaria (Swartz) Persoon
Asrika tité → *Davilla alata* (Ventenat) Briquet;
 DILLENIACEAE; Surinam (Cr)
 → *Davilla vaginata* Eichler; DILLENIACEAE;
 Surinam (Cr)
Assasi koeleroe (asashi) → *Rheedia acuminata*
 (Ruiz & Pavón) Planchon & Triana;
 GUTTIFERAE; Surinam (Ar); syn. *R. kappleri*
 Eyma
 → *Rheedia benthamiana* Planchon & Triana;
 GUTTIFERAE; Surinam (Ar)
Assé poekoe → *Pouteria melanopoda* Eyma;
 SAPOTACEAE; Caribbean; syn. *Lucuma*
Assepoekoe (hariraro-) → *Pouteria guianensis*
 Aublet; SAPOTACEAE; Surinam (Ar); syn.
Lucuma
Assiwakara → *Hura crepitans* L.;
 EUPHORBIACEAE; Surinam (Ar)
Assiwakaran → *Erythrina fusca* Loureiro;
 LEGUMINOSAE-PAP.; Caribbean; syn. *E. glauca*
 Willd.; syn. *E. atrosanguinea* Ridley; syn. *E.*
ovalifolia Roxburgh
Assoita → *Luehea divaricata* Martius & Zucc.;
 TILIACEAE; Surinam
Assokarri → *Duroia eriopila* L.f.; RUBIACEAE;
 Caribbean
Assopokoballi → *Pouteria guianensis* Aublet;
 SAPOTACEAE; Guyana (Ar); syn. *Lucuma*
Ata-apa (atapa) → *Macrolobium angustifolium*

(Benth.) Cowan; LEGUMINOSAE-CAES.; Caribbean; syn. *M. chrysostachyum* (Miquel) Benth.

Atakalli → *Duroia eriopila* L.f.; RUBIACEAE; Caribbean

Atakamara → *Ecclinusa cuneifolia* (Rudge) Aubrév.; SAPOTACEAE; Surinam (Ar); syn. *Chrysophyllum cuneifolium* (Rudge) A.DC.

Atakamara(-balli) → *Pouteria caimito* (Ruiz & Pavón) Radlk.; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*

Atakara → *Duroia eriopila* L.f.; RUBIACEAE; Surinam

Atakari → *Duroia eriopila* L.f.; RUBIACEAE; Caribbean

Atakasere → *Eugenia egensis* DC.; MYRTACEAE; Caribbean

Atakrorib → *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Guyana (M); syn. *I. scabriuscula* Benth.

Atalitjaka → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Caribbean

Atapa → *Macrobium angustifolium* (Benth.) Cowan; LEGUMINOSAE-CAES.; Caribbean; syn. *M. chrysostachyum* (Miquel) Benth.

Atapa (ata-apa) → *Macrobium angustifolium* (Benth.) Cowan; LEGUMINOSAE-CAES.; Caribbean; syn. *M. chrysostachyum* (Miquel) Benth.

Atapa (attapa) → *Macrobium bifolium* (Aublet) Persoon; LEGUMINOSAE-CAES.; Caribbean

Ataparang → *Crudia glaberrima* (Steudel) Macbride; LEGUMINOSAE-CAES.; Caribbean

Atapé → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam (Sa); syn. *S. paraensis* Huber apud Ducke

Atapilio → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Caribbean

Atapiripio → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Caribbean

Atapiriri (tapiriri) → *Tapirira marchandii* Engl.; ANACARDIACEAE; Caribbean

Atapiriri (tapiriri, ata apiriri) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Caribbean

Atarno → *Brownea latifolia* Jacq. sensu Griseb.; LEGUMINOSAE-CAES.; Guyana (Wr)

Atieta wi(wi)rie → *Oldenlandia herbacea* (L.) DC.; RUBIACEAE; Surinam

Atjantesie → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Au)

Atjarie (-kjanari, -tjanarie) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Atjarie kanarie → *Acrodiclidium aubletii* Kosterm.; LAURACEAE; Caribbean; use *Licaria*

Atoelia → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Caribbean; syn. *Drepanocarpus lunatus* (L.f.) G.Meyer

Atoelialang → *Dalbergia monetaria* L.f.; LEGUMINOSAE-PAP.; Caribbean

Atoetoe ito → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Sa)

Atolikun → *Lonchocarpus martynii* A.C.Smith; LEGUMINOSAE-PAP.; Guyana (W)

Atopale → *Pera bicolor* (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Guyana (Ak)

Atoreb → *Cedrela odorata* L.; MELIACEAE; Guyana (W); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Atoria → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Caribbean; syn. *Drepanocarpus lunatus* (L.f.) G.Meyer

Atoritan → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Ak, W)

Atotoito → *Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera simiorum* (Benoist) Eyma

Attak(k)amara → *Pouteria caimito* (Ruiz & Pavón) Radlk.; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*

Attapa (atapa) → *Macrobium bifolium* (Aublet) Persoon; LEGUMINOSAE-CAES.; Caribbean

Atuba → *Dicymbe alstonii* Sandwith; LEGUMINOSAE-CAES.; Guyana (P)

Auarraballi → *Sacoglottis cydonioides* Cuatrec.; HUMIRIACEAE; Surinam (Ar); syn. *S. guianensis* Benth. var. *sphaerocarpa* Ducke

Aumanabana → *Monotagma parkeri* (Roscoe) Schumann; MARANTACEAE; Guyana (Ar); use *M. spicatum* (Aublet) Macbr. → *Monotagma spicatum* (Aublet) Macbr.; MARANTACEAE; Guyana (Ar); syn. *M. parkeri* (Roscoe) K.Schumann

Aupar → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Guyana (W)

Auraurama → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Caribbean

Aurosauri → *Alchorneopsis floribunda* (Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Ak)

Ausú → *Myrcia* sp.; MYRTACEAE; Puerto Rico

Ausú (ausú) → *Amomis caryophyllata* (Jacq.) Krug & Urban; MYRTACEAE; Puerto Rico; use *Pimenta* → *Pimenta racemosa* (Miller) Moore; MYRTACEAE; Puerto Rico; syn. *Amomis caryophyllata* (Jacq.) Krug & Urban

Ausubo → *Manilkara* sp.; SAPOTACEAE; Puerto Rico

Autoletri → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Caribbean

Auzú (ausú) → *Amomis caryophyllata* (Jacq.) Krug & Urban; MYRTACEAE; Puerto Rico; use *Pimenta* → *Pimenta racemosa* (Miller) Moore;

MYRTACEAE; Puerto Rico; syn. *Amomis caryophyllata* (Jacq.) Krug & Urban
Avelluelo → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico
Avispillo → *Chionanthus* sp.; OLEACEAE; Puerto Rico; syn. *Linociera domingensis* (Lam.) Knoblauch
→ *Linociera domingensis* (Lam.) Knoblauch; OLEACEAE; Puerto Rico; use *Chionanthus* sp.
→ *Phoebe elongata* Nees; LAURACEAE; Puerto Rico
→ *Phoebe montana* (Swartz) Griseb.; LAURACEAE; Puerto Rico
Avououyra → *Ouratea* sp.; OCHNACEAE; Guianas
Awai-emo → *Stemmadenia cerea* Woodson; APOCYNACEAE; Guyana (Ak)
→ *Tabernaemontana undulata* Vahl; APOCYNACEAE; Guyana (Ak); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers
Awakoko (anakoko) → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Caribbean
Awakonda → *Nonatelia racemosa* Aublet; RUBIACEAE; Caribbean
Awali emoele → *Cordia nodosa* Lam.; BORAGINACEAE; Caribbean
Awaloe pisi (awaloe-ie) → *Trattinickia rhoifolia* Willd.; BURSERACEAE; Surinam (Cr); ssp. *willdenowii* Engl.
Awaloe pisi (awaloe-oe) → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam
→ *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Cr)
Awaloe-oe (awaloe pisi) → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam
→ *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Cr)
Awapa → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam
Awapau → *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Sa); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
Awapau (awapan) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Sa); syn. *Sideroxylon guianensis* A.DC.
Awara → *Astrocaryum jauari* C.Martius; ARECACEAE (PALMAE); Surinam (Ar)
→ *Astrocaryum tucumoides* Drude; ARECACEAE (PALMAE); Surinam (Ar); use *A. vulgare* C.Martius
→ *Astrocaryum vulgare* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. *A. tucumoides* Drude
Awaragaik → *Pentaclethra macroloba* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Guyana (P); syn. *P. filamentosa* Benth.
Awarahoedoe → *Jacaratia spinosa* (Aublet) A.DC.; CARICACEAE; Surinam (Cr)
Awaratalla → *Lacmellea aculeata* (Ducke) Monachino; APOCYNACEAE; Caribbean; syn. *Zschokkea aculeata* Ducke
Awaratarra (awaratarra, awaratala)
→ *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*
Awarepolang → *Dieffenbachia seguina* (L.) Schott; ARACEAE; Caribbean; var. *lingulata* (Martius ex Schott) Engl
Awarintaru → *Rheedia benthamiana* Planchon & Triana; GUTTIFERAE; Guyana (An)
Awariston → *Diospyros cauliflora* Blume; EBENACEAE; Surinam
Awarraballi → *Sacoglottis guianensis* Benth. var. *guianensis*; HUMIRIACEAE; Surinam (Ar); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke
Awarraballi djamaro → *Chaunochiton kappleri* (Sagot ex Engl.) Ducke; OLACACEAE; Surinam (Ar)
Awarratalla (awaratarra, awaratarra)
→ *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*
Awartu → *Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; Guyana (M)
Awasakole (awasokule) → *Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Ar)
Awasakuli (awasokule) → *Tovomita guianensis* Aublet; GUTTIFERAE; Surinam (Ar)
Awasokule → *Tovomita albiflora* A.C.Smith; GUTTIFERAE; Surinam (Ar)
→ *Tovomita brasiliensis* (C.Martius) Walpers; GUTTIFERAE; Surinam (Ar)
→ *Tovomita brevistaminea* Engl.; GUTTIFERAE; Surinam (Ar)
→ *Tovomita calodictyos* Sandwith; GUTTIFERAE; Surinam (Ar)
→ *Tovomita caloneura* A.C.Smith; GUTTIFERAE; Surinam (Ar)
→ *Tovomita cephalostigma* Vesque; GUTTIFERAE; Surinam (Ar)
→ *Tovomita divaricata* Maguire; GUTTIFERAE; Guyana (Ar)
→ *Tovomita fanshawei* Maguire; GUTTIFERAE; Surinam (Ar)
→ *Tovomita grata* Sandwith; GUTTIFERAE; Surinam (Ar)
→ *Tovomita macrophylla* (Poeppig & Endl.) Walpers; GUTTIFERAE; Surinam (Ar)
→ *Tovomita obovata* Engl.; GUTTIFERAE; Surinam (Ar)
→ *Tovomita obscura* Sandwith; GUTTIFERAE; Surinam (Ar)
Awasokule (awasakole) → *Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE;

Surinam (Ar)

Awasokule (awasakuli) →Tovomita guianensis Aublet; GUTTIFERAE; Surinam (Ar)

Awasokule (awassokoele) →Tovomita choisyana Planchon & Triana; GUTTIFERAE; Surinam (Ar)

Awassokoele (awasokule) →Tovomita choisyana Planchon & Triana; GUTTIFERAE; Surinam (Ar)

Awati →Inga uruguayensis Hook. & Arnott; LEGUMINOSAE-MIM.; Guyana (Ar)

Awati(e) →Maprounea guianensis Aublet; EUPHORBIACEAE; Surinam (Ar)

Aweja →Ipomoea phillomega (Vell.) House; CONVOLVULACEAE; Caribbean

Awejoen (awiejo) →Xylopia aromatica (Lam.) C.Martius; ANNONACEAE; Caribbean; syn. X. grandiflora A.St.-Hil.; syn. Uvaria aromatica Lam.

Awelemoeloe →Cordia nodosa Lam.; BORAGINACEAE; Caribbean

Awha (akwa), kadjoesi (saandoe-) →Hymenolobium flavum Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Sa)

Awiejo (awiejoen) →Xylopia benthamii R.E.Fries; ANNONACEAE; Caribbean

Awiejo (awijoen, awieoe, awioe) →Xylopia frutescens Aublet; ANNONACEAE; Caribbean; var. ferruginea R.E.Fries

Awieoe (awioe), itjoetano →Xylopia frutescens Aublet; ANNONACEAE; Surinam (Ar); var. ferruginea R.E.Fries

Awijoen (awiejo, awieoe, awioe) →Xylopia frutescens Aublet; ANNONACEAE; Caribbean; var. ferruginea R.E.Fries

Awioe (awiwoe, awijoen, awiejoen) →Xylopia nitida Dunal; ANNONACEAE; Caribbean

Awioe, itjanoe (itjoetana-) →Xylopia surinamensis R.E.Fries; ANNONACEAE; Caribbean

Aya →Lonchocarpus chrysophyllus Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (P)

→Lonchocarpus martyni A.C.Smith; LEGUMINOSAE-PAP.; Guyana (P)

Ayari →Cybianthus fulvopulverulentus (Mez) Agostini; MYRSINACEAE; Caribbean; ssp. magnoliifolius (Mez) Pipoly; syn. Conomorpha magnoliifolia Mez

Ayawa (ajawa, ajawe) →Trattinickia burserifolia C.Martius; BURSERACEAE; French Guiana

Aymoutabou →Moutabea guianensis Aublet; POLYGALACEAE; Surinam

Ayou-cut →Aniba sp.; LAURACEAE; French Guiana

Ayua →Fagara martinicense Lam.; RUTACEAE; Puerto Rico; use Zanthoxylum martinicense (Lam.) DC.

→Zanthoxylum martinicense (Lam.) DC.;

RUTACEAE; Puerto Rico; syn. Fagara martinicense Lam.; syn. Xanthoxylum

Ayua amarilla →Zanthoxylum flavum Vahl; RUTACEAE; Puerto Rico; syn. Fagara flava

(Vahl) Krug & Urban; syn. Xanthoxylum

Ayua varia →Zanthoxylum elephantiasis Macfad.; RUTACEAE; Puerto Rico; syn. Xanthoxylum

Azafrán →Hedyosmum brasiliensis C.Martius; CHLORANTHACEAE; Puerto Rico

Azaida (araidja) →Unonopsis rufescens (Baillon) R.E.Fries; ANNONACEAE; Caribbean

Azijblad →Aciotis purpurascens (Aublet) Triana; MELASTOMACEAE; Surinam (Du)

Azonhoedoe →Unonopsis rufescens (Baillon) R.E.Fries; ANNONACEAE; Surinam (Sa)

Azonzé →Bombax nervosum Uittien; BOMBACACEAE; Surinam (Sa)

Azota caballo →Duranta sp.; VERBENACEAE; Puerto Rico

→Luehea divaricata Martius & Zucc.; TILIACEAE; Puerto Rico

→Malpighia sp.; MALPIGHIACEAE; Puerto Rico

Azota criollo →Randia sp.; RUBIACEAE; Dominican Republic

Azouhoedoe →Anaxagorea dolichocarpa Sprague & Sandwith; ANNONACEAE; Surinam (Sa)

→Duguetia calycina Benoist; ANNONACEAE; Surinam (Sa)

Azucare →Jacquinia revoluta Jacq.; THEOPHRASTACEAE; Puerto Rico

Azufaifo →Celtis sp.; ULMACEAE; Puerto Rico; syn. Momisia iguanaea (Jacq.) Rose & Standley ?

→Momisia iguanaea (Jacq.) Rose & Standley; ULMACEAE; Puerto Rico; use Celtis ?

Baaha manie pau →Rheedia acuminata (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Sa); syn. R. kappleri Eyma

Baaha pau →Rollinia exsucca (DC. ex Dunal) A.DC.; ANNONACEAE; Surinam (Sa); syn. R. broadwayi R.E.Fries

Baaha(an) koengé →Guatteria schomburgkiana C.Martius; ANNONACEAE; Surinam (Sa)

Baäka tjabisie →Diplotropis purpurea (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. D. guianensis (Tulasne) Benth.; syn. Bowdichia guianensis Ducke

Baakalaka →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Sa); syn. E. longipes (Poiteau) Miers

Baaklaka →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Sa); syn. E. longipes (Poiteau) Miers

Baauwlifi →Coccoloba mollis Casar.; POLYGONACEAE; Surinam (Sa)

Babadoea →Ischnosiphon arauma (Aublet) Körnicke; MARANTACEAE; Surinam (Au)

Baboen → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Du); syn. *Myristica surinamensis* Rolander ex Rottb.

Baboen banjie → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Baboen gras (-nefi) → *Paspalum virgatum* L.; POACEAE; Surinam (Du)

Baboen nefi → *Scleria microcarpa* Nees; CYPERACEAE; Surinam (Cr)

Baboen nefi (-gras) → *Paspalum virgatum* L.; POACEAE; Surinam (Cr)

Baboen nefi kwasië → *Rhynchospora cephalotes* Vahl; CYPERACEAE; Surinam (Cr); syn. *Dichromena*

Baboen swietieboontje → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Du)

Baboen wallaba → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Du)

→ *Eperua grandiflora* (Aublet) Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Baboen, hoogland (egron-) → *Virola michelii* Heckel; MYRISTICACEAE; Surinam (Du); syn. *V. melinonii* (Benoist) A.C.Smith

Baboen, hoogland (egron-, bastaard-) → *Virola sebifera* Aublet; MYRISTICACEAE; Surinam (Du); syn. *V. boliviensis* Warburg

Baboenhoedoe → *Virola mycetis* Pulle; MYRISTICACEAE; Surinam (Cr)

→ *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Surinam (Cr)

Baboenhoedoe (-wood, -trie, -hout) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Cr); syn. *Myristica surinamensis* Rolander ex Rottb.

Baboenhout → *Virola boliviensis* Warburg; MYRISTICACEAE; Surinam (Du); use *V. sebifera* Aublet

→ *Virola sebifera* Aublet; MYRISTICACEAE; Surinam (Du); syn. *V. boliviensis* Warburg

→ *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Surinam (Du)

Baboenoot → *Omphalea diandra* L.; EUPHORBIACEAE; Surinam (Du)

Baboenotto → *Omphalea diandra* L.; EUPHORBIACEAE; Surinam (Cr)

Baboentrie → *Myristica surinamensis* Rolander ex Rottb.; MYRISTICACEAE; Surinam (Du); use *Virola surinamensis* (Rolander ex Rottb.) Warburg

Baboenwood (-hoedoe, -trie, -hout) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Cr); syn. *Myristica surinamensis* Rolander ex Rottb.

Baboncillo → *Gymnanthes lucida* Swartz; EUPHORBIACEAE; Puerto Rico; syn. *Sebastiana lucida* Müll.Arg.

Babunhudu → *Virola sebifera* Aublet; MYRISTICACEAE; Guianas; syn. *V. boliviensis* Warburg

Baby kers → *Flacourtia jangomas* (Loureiro) Rauschel; FLACOURTIACEAE; Surinam (Du)

Bacury → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Bad bolletrie → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

Badagos (bois de rose) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Sa); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Badakasai → *Tibouchina aspera* Aublet; MELASTOMATACEAE; Surinam (Ar)

Badkorinina → *Pourouma guianensis* Aublet; MORACEAE; Guyana (W)

Badula → *Rapanea laetevirens* Mez; MYRSINACEAE; Puerto Rico

Badwood → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

→ *Mimusops* sp.; SAPOTACEAE; Surinam (Cr)

Bagasse jaune (bois jaune) → *Bagassa guianensis* Aublet; MORACEAE; French Guiana; syn. *B. tiliifolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Bagasse, gele → *Bagassa guianensis* Aublet; MORACEAE; Surinam (Du); syn. *B. tiliifolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Baggie-baggie → *Minuartia guianensis* Aublet; OLACACEAE; Surinam

Baibaiba → *Wallenia* sp.; MYRSINACEAE; Martinique

Baikaaki → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; French Guiana; syn. *E. longipes* (Poiteau) Miers

Bair → *Chytroma praeclara* (Sandwith) Kunth; LECYTHIDACEAE; Guyana (W); syn. *Eschweilera praeclara* Sandwith

→ *Lecythis holcogyne* (Sandwith) S.A.Mori; LECYTHIDACEAE; Guyana (W); syn. *Eschweilera holcogyne* Sandwith

Baito(a) → *Phyllostylon brasiliensis* Capanema; ULMACEAE; West Indies

Baka poeirenga → *Mabea ferruginea* Benth.; EUPHORBIACEAE; Surinam (Sa); use *M. piriri* Aublet

→ *Mabea piriri* Aublet; EUPHORBIACEAE; Surinam (Sa); syn. *M. ferruginea* Benth.

Baka wana (blaka wana) → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Sa); syn. *Ocotea rubra* Mez

Bakabakaro → *Pisonia glabra* Heimerl; NYCTAGINACEAE; Surinam (Cr); use *Guapira*

Bakabe-ie → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Sa)

Bakalaka → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Sa); syn. *E. odora* (Poeppig) Miers
→ *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Sa)

Bakaradanballi → *Miconia myriantha* Benth.; MELASTOMATACEAE; Surinam (Ar)

Bakhie bakhie → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Sa); syn. *Aparisthium cordatum* (Jussieu) Baillon ?

Bakioe wiwirie → *Palicourea crocea* (Swartz) DC.; RUBIACEAE; Surinam (Cr)

Bakoeri → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Bakrabakaaro → *Ilex ovalifolia* Meyer; AQUIFOLIACEAE; Surinam (Ar)

Bakroe wiwirie → *Aphelandra deppeana* Schltld. & Chamisso; ACANTHACEAE; Caribbean; syn. *A. pectinata* Willd. ex Nees
→ *Justicia acuminatissima* (Miquel) Bremek.; ACANTHACEAE; Caribbean

Baksi warimbo → *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)

Bakupar → *Lucuma sericea* (R.Brown) Benth. & Hook.f.; SAPOTACEAE; Guyana (W); use *Pouteria sericea* (Aiton) Baehni
→ *Pouteria grandis* Eyma; SAPOTACEAE; Guyana (W); syn. *Lucuma*
→ *Pouteria sericea* (Aiton) Baehni; SAPOTACEAE; Guyana (W); syn. *Lucuma sericea* (R.Brown) Benth. & Hook.f.

Bakwe broomtje → *Aphelandra deppeana* Schltld. & Chamisso; ACANTHACEAE; Surinam (Cr); syn. *A. pectinata* Willd. ex Nees
→ *Aphelandra pectinata* Willd. ex Nees; ACANTHACEAE; Surinam (Cr); use *A. deppeana* Schltld. & Chamisso

Balala tokolo → *Acisanthera tetraptera* Gleason; MELASTOMATACEAE; Surinam (Ar)

Balalabouá → *Couratari guianensis* Aublet; LECYTHIDACEAE; French Guiana; syn. *C. pulchra* Sandwith

Balata → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Surinam (Ar)

Balata (-tree) → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (P); syn. *M. balata* (Pierre) Dubard

Balata bâtard → *Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; French West Indies; use *Spondogona* sp.
→ *Spondogona* sp.; SAPOTACEAE; French West Indies; syn. *Dipholis salicifolia* (L.) A.DC.

Balata blanc → *Himatanthus articulatus* (Vahl)

Woodson; APOCYNACEAE; French Guiana; syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce

Balata blanc (-moiré) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; French Guiana; syn. *Sideroxylon guianensis* A.DC.

Balata burue → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Ar); syn. *M. balata* (Pierre) Dubard

Balata indien → *Ecclinusa prieurii* (A.DC.) Aubrév.; SAPOTACEAE; French Guiana; syn. *Chrysophyllum prieurii* A.DC.
→ *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.
→ *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; French Guiana
→ *Pouteria* sp.; SAPOTACEAE; French Guiana; syn. *Lucuma* sp.

Balata jaune d'oeuf → *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; French Guiana

Balata jaune d'oeuf (faux balata) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; French Guiana; syn. *Sideroxylon guianensis* A.DC.

Balata moiré → *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; French Guiana

Balata moiré (-blanc) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; French Guiana; syn. *Sideroxylon guianensis* A.DC.

Balata rouge (-franc) → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; French Guiana; syn. *M. balata* (Pierre) Dubard

Balata singe, rouge → *Pouteria* sp.; SAPOTACEAE; French Guiana; syn. *Lucuma* sp.

Balata, black (brosse-) → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

Balataboom → *Manilkara balata* (Pierre) Dubard; SAPOTACEAE; Surinam (Du); use *M. bidentata* (A.DC.) A.Chev. ssp. *bidentata*
→ *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam (Du); syn. *M. balata* (Pierre) Dubard

Balsa → *Ochroma bicolor* Rowlee; BOMBACACEAE; Puerto Rico; use *O. lagopus* Swartz; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. grandiflora* Rowlee
→ *Ochroma grandiflora* Rowlee; BOMBACACEAE; Puerto Rico; use *O. lagopus* Swartz; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee
→ *Ochroma lagopus* Swartz; BOMBACACEAE; Puerto Rico; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee; syn. *O. grandiflora* Rowlee
→ *Ochroma pyramidale* (Cav. ex Lam.) Urban; BOMBACACEAE; Puerto Rico; use *O. lagopus* Swartz; syn. *O. bicolor* Rowlee; syn. *O.*

grandiflora Rowlee

Balsam fig (-tree) → *Clusia amazonica* Planchon & Triana; GUTTIFERAE; British West Indies

Balsam of Peru → *Myroxylon peruiferum* L.f.; LEGUMINOSAE-PAP.; Guyana (Cr)

Balsam tree (-fig) → *Clusia amazonica* Planchon & Triana; GUTTIFERAE; Guyana (Cr)

Balsam, yellow → *Croton* sp.; EUPHORBIACEAE; Virgin Islands

Balsamillo → *Hamelia* sp.; RUBIACEAE; Puerto Rico

Balsamo → *Hamelia* sp.; RUBIACEAE; Puerto Rico

Balsamo, real → *Palicourea* sp.; RUBIACEAE; Puerto Rico

Bamba pisi → *Ocotea barcellensis* (Meisner) Mez; LAURACEAE; Surinam (Cr)

Bamboe (bamboo) → *Bambusa vulgaris* Schrader apud Wendl.; POACEAE; Surinam (Du); syn. *Guadua glomerata* Munro; syn. *G. angustifolia* Kunth

Bamboe guava → *Calycolpus goetheanus* (DC.) O.Berg; MYRTACEAE; Trinidad; syn. *C. glaber* (Benth.) O.Berg

Bamboe, wilde → *Olyra latifolia* L.; POACEAE; Surinam (Du)

Bamboesi gras → *Lasiacis ligulata* Hitchcock & Chase; POACEAE; Surinam (Du)

Bamboesi grassie → *Acroceras oryzoides* (Swartz) Stapf; POACEAE; Surinam (Cr); use *A. zizanioides* (Kunth) Dandy

→ *Acroceras zizanioides* (Kunth) Dandy; POACEAE; Surinam (Cr); syn. *A. oryzoides* (Swartz) Stapf

Bamboo guava → *Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Du); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley

Bana faja dja → *Leonurus sibiricus* L.; LAMIACEAE; Surinam

Bana louisa wiwirie → *Ludwigia hyssopifolia* (G.Don) Exell; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea linifolia* Vahl

Bana wetie édé → *Synedrella nodiflora* (L.) Gaertner; ASTERACEAE; Surinam

Banak → *Virola koschnyi* Warburg; MYRISTICACEAE; Surinam; syn. *V. merendonis* Pittier

→ *Virola merendonis* Pittier; MYRISTICACEAE; Surinam; use *V. koschnyi* Warburg

Banba (-apisie-ie) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Sa); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Banba apisie-ie → *Acrodiclidium aubletii* Kosterm.; LAURACEAE; Surinam (Sa); use *Licaria*

→ *Aniba hostmanniana* (Nees) Mez;

LAURACEAE; Surinam (Sa)

→ *Licaria* sp.; LAURACEAE; Surinam (Sa); syn. *Acrodiclidium aubletii* Kosterm.

Banda → *Aulomyrcia pyrifolia* (Desvaux ex Ham.) O.Berg; MYRTACEAE; Surinam (Au)

→ *Myrcia fallax* (Rich.) DC.; MYRTACEAE; Surinam (Au); syn. *M. kegeliana* O.Berg

Banda (basra-) → *Aulomyrcia tetramera* Amshoff; MYRTACEAE; Surinam (Au); use *Myrcia*

Banda, basra → *Myrcia* sp.; MYRTACEAE; Surinam (Au); syn. *Aulomyrcia tetramera* Amshoff

Bande (bois-) → *Ptychopetalum olacoides* Benth.; OLACACEAE; French Guiana

Banja (banja, banya, bannia) → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Guyana (Ar)

→ *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Guyana (Ar)

Banja (banya, bania, bannia) → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

Banjabo → *Guarea concinna* Sandwith; MELIACEAE; Surinam (Ar); use *G. pubescens* (Rich.) A.Jussieu ssp. *pubescens*

→ *Guarea davisii* Sandwith; MELIACEAE; Surinam (Ar); use *G. pubescens* (Rich.) A.Jussieu ssp. *pubescens*

→ *Guarea pubescens* (Rich.) A.Jussieu ssp. *pubescens*; MELIACEAE; Surinam (Ar); syn. *G. concinna* Sandwith; syn. *G. davisii* Sandwith

Banjabo djamaro → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Bannia (banja, bania, banya) → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Guyana (Ar)

Banya (banja, bania, bannia) → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

Banyaballi → *Eugenia arawakorum* Sandwith; MYRTACEAE; Surinam (Ar)

→ *Eugenia essequiboensis* Sandwith; MYRTACEAE; Guyana (Ar)

Baoko (bosoho, bosoko) → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Sa)

Bapjaballi → *Crudia aromatica* (Aublet) Willd.; LEGUMINOSAE-CAES.; Surinam (Ar)

Baquiña → *Piper* sp.; PIPERACEAE; Puerto Rico

Bara karo korero ibibero iwi → *Ormosia melanocarpa* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Barabakoro → *Ilex jenmanii* Loesener; AQUIFOLIACEAE; Surinam (Ar)

Barabara → *Diospyros akaraiensis* A.C.Smith; EBENACEAE; Surinam (Ar); use *D. guianensis* (Aublet) Gürke ssp. *akaraiensis* (A.C.Smith) F.White

→ *Diospyros guianensis* (Aublet) Gürke; EBENACEAE; Surinam (Ar); ssp. *akaraiensis* (A.C.Smith) F.White; syn. *D. akaraiensis* A.C.Smith

→ *Diospyros guianensis* (Aublet) Gürke;

EBENACEAE; Guyana (Ar); ssp. *guianensis*
→*Diospyros ierensis* Britton; EBENACEAE;
Guyana (Ar)
→*Diospyros lissocarpoides* Sandwith;
EBENACEAE; Guyana (Ar)
→*Diospyros matheriana* A.C.Smith;
EBENACEAE; Guyana (Ar)
→*Lissocarpa guianensis* Gleason;
LISSOCARPACEAE; Surinam (Ar)
Baracara →*Ormosia paraensis* Ducke;
LEGUMINOSAE-PAP.; Guyana (Ar)
→*Swartzia tomentosa* DC.; LEGUMINOSAE-
PAP.; Guyana
Baradaballi →*Protium* sp.; BURSERACEAE;
Guyana
Baradan →*Ocotea tomentella* Sandwith;
LAURACEAE; Surinam (Ar)
→*Vochysia densiflora* Spruce ex Warming;
VOCHYSIACEAE; Surinam (Ar)
Barakaro →*Ormosia coarctata* B.D.Jackson;
LEGUMINOSAE-PAP.; Surinam (Ar)
→*Ormosia coccinea* (Aublet) B.D.Jackson;
LEGUMINOSAE-PAP.; Surinam (Ar)
Barakaro (-ibiberoe) →*Ormosia costulata*
(Miquel) Kleinhoonte; LEGUMINOSAE-PAP.;
Surinam (Ar); var. *trifoliata* (Huber) Amshoff
Barakaro (-ibikoro) →*Ormosia paraensis* Ducke;
LEGUMINOSAE-PAP.; Surinam (Ar)
Barakaro firiberobana ibikoro iwi →*Ormosia*
paraensis Ducke; LEGUMINOSAE-PAP.; Surinam
(Ar)
Barakaroe →*Ormosia costulata* (Miquel)
Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar);
var. *costulata*
Barakaroe (-firiberoe, -fieboreroe) →*Ormosia*
fastigiata Tulasne; LEGUMINOSAE-PAP.;
Surinam (Ar)
Barakaroe (-korero ibibero iwi) →*Ormosia*
paraensis Ducke; LEGUMINOSAE-PAP.; Surinam
(Ar)
Baramanni →*Catostemma alstonii* Sandwith;
BOMBACACEAE; Surinam (Cr)
→*Catostemma commune* Sandwith;
BOMBACACEAE; Surinam (Cr)
→*Catostemma fragrans* Benth.;
BOMBACACEAE; Surinam (Cr)
Barata →*Lucuma izabalensis* Standley;
SAPOTACEAE; Guyana (Ar); use *Pouteria*
izabalensis (Standley) Baehni
→*Pouteria izabalensis* (Standley) Baehni;
SAPOTACEAE; Guyana (Ar); syn. *Lucuma*
izabalensis Standley
Barata(-balli) →*Ecclinusa guianensis* Eyma;
SAPOTACEAE; Surinam (Ar)
→*Ecclinusa psilophylla* Sandwith; SAPOTACEAE;
Surinam (Ar)
Barataballi →*Chrysophyllum sanguinolentum*
(Pierre) Monachino; SAPOTACEAE; Surinam
(Ar); use *Ecclinusa sanguinolenta* (Pierre) Engl.
→*Ecclinusa sanguinolenta* (Pierre) Aubrév.;
SAPOTACEAE; Surinam (Ar); syn. *E.*
sanguinolenta (Pierre) Engl. ?; syn.
Chrysophyllum sanguinolentum (Pierre)
Monachino
Barawad →*Peltogyne porphyrocardia* Griseb. ex
Benth.; LEGUMINOSAE-CAES.; Guyana (W)
Barawakashi →*Pentaclethra macroloba* (Willd.)
Kuntze; LEGUMINOSAE-MIM.; Guyana (Ak); syn.
P. filamentosa Benth.
Barbados pride (-flower) →*Caesalpinia*
pulcherrima (L.) Swartz; LEGUMINOSAE-CAES.;
Dutch West Indies
Barbasco →*Canella winterana* (L.) Gaertner;
CANELLACEAE; Puerto Rico
→*Jacquinia* sp.; THEOPHRASTACEAE; Puerto
Rico
Bardaballi (barredaballi) →*Apeiba petoumo*
Aublet; TILIACEAE; Surinam (Ar); syn. *A.*
echinata Gaertner
Baredaballi →*Combretum rotundifolium* A.Rich.;
COMBRETACEAE; Surinam (Ar)
Baredi koeti khakekoro →*Mabea piriri* Aublet;
EUPHORBIACEAE; Surinam (Ar); syn. *M.*
ferruginea Benth.
Baria →*Calophyllum brasiliense* Cambess.;
GUTTIFERAE; Dominican Republic; syn. *C.*
calaba Jacq.; syn. *C. rekoii* Standley
Bariaco →*Krugiodendron ferreum* (Vahl) Urban;
RHAMNACEAE; Puerto Rico
Baridikutshi →*Rinorea flavescens* (Aublet)
Kuntze; VIOLACEAE; Guyana
Bariri koli (-kakkekoro) →*Mabea piriri* Aublet;
EUPHORBIACEAE; Surinam (Ar); syn. *M.*
ferruginea Benth.
Bariri koti →*Rinorea flavescens* (Aublet) Kuntze;
VIOLACEAE; Surinam (Ar)
Bariri kuti →*Mabea piriri* Aublet;
EUPHORBIACEAE; Surinam (Ar); syn. *M.*
ferruginea Benth.
Barkaro(e)balli →*Dicorynia guianensis* Amshoff;
LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D.*
paraensis Benth.
Barklak →*Eschweilera coriacea* (A.DC.)
C.Martius ex O.Berg; LECYTHIDACEAE; Surinam
(Du); syn. *E. odora* (Poeppig) Miers
→*Eschweilera labriculata* Eyma;
LECYTHIDACEAE; Surinam (Du)
→*Eschweilera subglandulosa* (Steudel) Miers;
LECYTHIDACEAE; Surinam (Du)
Barklak (barkraki) →*Eschweilera pedicellata*
(L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam
(Du); syn. *E. longipes* (Poiteau) Miers
→*Lecythis simiorum* Benoist; LECYTHIDACEAE;
Surinam (Du); syn. *Eschweilera simiorum*
(Benoist) Eyma var. *latifolia* Eyma

Barkraki (barklak) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Cr); syn. *E. longipes* (Poiteau) Miers → *Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera simiorum* (Benoist) Eyma var. *latifolia* Eyma
Baro → *Licania leptostachya* Benth.; CHRYSOBALANACEAE; Surinam; syn. *L. incana* Aublet var. *axilliflora* Sagot

Baromalli → *Catostemma alstonii* Sandwith; BOMBACACEAE; Surinam (Ar)

→ *Scleronema guianense* Sandwith; BOMBACACEAE; Surinam (Ar)

Baromalli, sand → *Catostemma fragrans* Benth.; BOMBACACEAE; Surinam (Ar)

Baromalli, swamp (common-) → *Catostemma commune* Sandwith; BOMBACACEAE; Surinam (Ar)

Barredaballi (bardaballi) → *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Ar); syn. *A. echinata* Gaertner

Barroedaballi → *Rollinia elliptica* R.E.Fries; ANNONACEAE; Surinam (Ar)

Bartabalieballi → *Micrandra brownsbergensis* Lanjouw; EUPHORBIACEAE; Surinam (Ar) → *Micrandra spruceana* (Baillon) R.E.Schultes; EUPHORBIACEAE; Surinam (Ar); syn. *Cunuria spruceana* Baillon

Bartaballi → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Surinam (Ar)

Bartara silverballi → *Bellucia grossularioides* (L.) Triana; MELASTOMACEAE; Surinam (Ar); syn. *B. aubletii* Naudin

Barudaballi → *Allamanda cathartica* L.; APOCYNACEAE; Surinam (Ar); syn. *A. hendersonii* Bulliard

→ *Allamanda hendersonii* Bulliard; APOCYNACEAE; Surinam (Ar); use *A. cathartica* L.

→ *Apeiba echinata* Gaertner; TILIACEAE; Surinam (Ar); use *A. petoumo* Aublet

→ *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Ar); syn. *A. echinata* Gaertner

→ *Pithecellobium crucigerum* (L.) A.H.Gentry; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. echinatum* (Jacq.) Baillon

→ *Pithecellobium echinatum* (Jacq.) Baillon; LEGUMINOSAE-MIM.; Surinam (Ar); use *P. crucigerum* (L.) A.H.Gentry

Basa botie-ie → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Sa); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Basa mopé → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Sa)

Basakanda (basikanda) → *Ormosia fastigiata*

Tulasne; LEGUMINOSAE-PAP.; Surinam (Sa)

Basau botie-ie → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Sa)

Basie prinsie merie → *Sacoglottis guianensis* Benth. var. *guianensis*; HUMIRIACEAE; Surinam (Cr); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke

Basikanda (basakanda) → *Ormosia fastigiata* Tulasne; LEGUMINOSAE-PAP.; Surinam (Sa)

Basiloko → *Ocimum micranthum* Willd.; LAMIACEAE; Surinam (Au)

Basketwood → *Serjania* sp.; SAPINDACEAE; Puerto Rico

Basoka (tjuwa-) → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Sa)

Basokapau → *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Surinam (Sa); syn. *L. grisea* Kleinhoonte

Basora → *Cordia* sp.; BORAGINACEAE; Puerto Rico

Basora prieta → *Waltheria americana* L.; STERCULIACEAE; Puerto Rico; syn. *W. indica* L.

Basquiña → *Piper* sp.; PIPERACEAE; Puerto Rico

Basra ajoewa → *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Cr); var. *surinamensis* Kleinhoonte

Basra banda → *Aulomyrcia tetramera* Amshoff; MYRTACEAE; Surinam (Au); use *Myrcia* → *Myrcia* sp.; MYRTACEAE; Surinam (Au); syn. *Aulomyrcia tetramera* Amshoff

Basra bebe → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Cr); var. *laevigata* Müll.Arg.

Basra bolletrie (-botrie) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Du); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban

Basra botrie (-bolletrie) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban

Basra bruinhart → *Trichilia cuneifolia* Pulle; MELIACEAE; Surinam (Du)

Basra kokonihoedoe → *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Sa); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Basra kopie → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Basra loksi → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Cr); syn. *D. paraensis* Benth.

Basra mirahoedoe → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Cr)

Basra pisi (bastard-) → *Persea benthamiana* Meisner; LAURACEAE; Surinam (Cr); use *P.*

nivea Mez

→Persea nivea Mez; LAURACEAE; Surinam (Cr);
syn. *P. benthamiana* Meisner

Basra salie →Conceveiba guianensis Aublet;
EUPHORBIACEAE; Surinam (Du); syn.
Aparisthmium cordatum (Jussieu) Baillon ?

→Conceveiba hostmannii Benth.;
EUPHORBIACEAE; Surinam (Du)

Basra tontoawha →Parkia ulei (Harms)
Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Sa);
var. *surinamensis* Kleinhoonte

Basralokus (basralocus) →Dicorynia guianensis
Amshoff; LEGUMINOSAE-CAES.; Surinam (Cr);
syn. *D. paraensis* Benth.

→Dicorynia paraensis Benth.; LEGUMINOSAE-
CAES.; Surinam (Cr); use *D. guianensis* Amshoff

Basralokus, nickerie →Lonchocarpus
hedyosmus Miquel; LEGUMINOSAE-PAP.;
Surinam (Du)

Basri (-letri, -pauletoe) →Helicostylis tomentosa
(Poeppig & Endl.) Rusby; MORACEAE; Surinam
(Cr); syn. *H. poeppigiana* (C.Martius) Trécul

Basri letri →Brosimum guianense (Aublet)
Huber; MORACEAE; Surinam (Cr); syn. *Piratinera*
guianensis Aublet; syn. *P. scabridula* Blake; syn.
P. velutina Blake; syn. *Brosimum rotundatum*
Standley; syn. *B. velutinum* (Blake) Ducke

Bassakandra →Casearia combaymensis
Tulasne; FLACOURTIACEAE; Surinam (Cr); syn.
C. subopaca Triana & Planchon

→Casearia sylvestris Swartz;
FLACOURTIACEAE; Surinam (Cr)

Bastaard (basterd-) mispel →Miconia
guianensis (Aublet) Cogniaux;
MELASTOMATACEAE; Surinam (Du)

Bastaard baboen →Virola sebifera Aublet;
MYRISTICACEAE; Surinam (Du); syn. *V.*
boliviensis Warburg

Bastaard bolletrie (basra-, basterd-) →Humiria
balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE;
Surinam (Du); var. *floribunda* (C.Martius)
Cuatrec.; syn. *H. floribunda* C.Martius

Bastaard ijerhart →Swartzia tomentosa DC.;
LEGUMINOSAE-PAP.; Surinam (Du); var.
polyanthera (Steudel) Sandwith

Bastaard paloeloe →Calathea elliptica (Roscoe)
K.Schumann; MARANTACEAE; Surinam (Cr)

Bastaard slangenhout →Loxopterygium sagotii
Hook.f.; ANACARDIACEAE; Surinam (Du)

Bastard bulletwood →Humiria balsamifera
(Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr);
var. *balsamifera*; syn. *H. floribunda* C.Martius

Bastard cabbage bark →Andira inermis
(W.Wright) DC.; LEGUMINOSAE-PAP.; Trinidad;
syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Bastard cedar →Guazuma ulmifolia Lam.;
STERCULIACEAE; British West Indies; syn. *G.*
tomentosa Kunth; syn. *Theobroma guazuma* L.

→Trattinickia burserifolia C.Martius;
BURSERACEAE; Guyana (Cr)

Bastard cocoa →Pachira aquatica Aublet;
BOMBACACEAE; Surinam (Cr); syn. *Bombax*
aquatica (Aublet) K.Schumann

→Pachira insignis (Swartz) Savatier;
BOMBACACEAE; Surinam (Cr); syn. *Bombax*
spectabile Ulbrich

Bastard kabukalli →Laetia procera (Poeppig &
Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Bastard kokoritiballi →Pouteria cuspidata
(A.DC.) Baehni; SAPOTACEAE; Surinam (Cr);
spp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma;
syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin;
syn. *Oxythece dura* (Eyma) Gilly; syn. *Lucuma*

Bastard kopie →Casearia sylvestris Swartz;
FLACOURTIACEAE; Surinam (Cr)

Bastard kurokai (-koeroekai) →Trattinickia
rhoifolia Willd.; BURSERACEAE; Guyana (Cr)

Bastard pisi →Ocotea wachenheimii Benoist;
LAURACEAE; Surinam (Cr)

→Persea nivea Mez; LAURACEAE; Surinam (Cr);
syn. *P. benthamiana* Meisner

Bastard purpleheart →Astronium ulei Mattick;
ANACARDIACEAE; Surinam (Cr)

→Peltogyne paniculata Benth.; LEGUMINOSAE-
CAES.; Guyana (Cr); ssp. *pubescens* (Benth.)
M.F.Silva; syn. *P. pubescens* Benth.

Bastard silverballi →Aniba hypoglauca
Sandwith; LAURACEAE; Guyana (Cr); syn. *A.*
ovalifolia Kosterm. non Mez

→Endlicheria multiflora (Miquel) Mez;
LAURACEAE; Guyana (Cr)

Bastard stopper →Petitia domingensis Jacq.;
VERBENACEAE; British West Indies

Bastard torch (black-) →Ocotea sp.;
LAURACEAE; British West Indies

Bastard yaruru →Swartzia tomentosa DC.;
LEGUMINOSAE-PAP.; Guyana

Basterd bolletrie →Humiria balsamifera (Aublet)
A.St.-Hil.; HUMIRIACEAE; Surinam (Du); var.
floribunda (C.Martius) Cuatrec.; syn. *H. floribunda*
C.Martius

→Manilkara huberi (Ducke) A.Chev.;
SAPOTACEAE; Surinam (Du)

Basterd bolletrie (djoe-) →Pouteria robusta
(C.Martius & Eichler) Eyma; SAPOTACEAE;
Surinam (Du); var. *longifolia* Eyma; syn.
Neoxythece robusta (C.Martius & Eichler) Aubrév.
& Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Basterd ipecacuanha →Asclepias curassavica
L.; ASCLEPIADACEAE; Surinam (Du)

Basterd kopie →Casearia arguta Kunth;
FLACOURTIACEAE; Surinam (Du)

Basterd locus (zand-) →Dicorynia guianensis
Amshoff; LEGUMINOSAE-CAES.; Surinam (Du);
syn. *D. paraensis* Benth.

Basterd mispel (-mispel) →Miconia guianensis

(Aublet) Cogniaux; MELASTOMATACEAE; Surinam (Du)

Basterd mispel (-mespel) → *Miconia tomentosa* (Rich.) D. Don; MELASTOMATACEAE; Surinam (Du)

Bat seed → *Andira inermis* (W. Wright) DC.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Guyana (Cr)

Bat souari → *Caryocar villosum* (Aublet) Persoon; CARYOCARACEAE; Guyana (Cr)

Bataballi → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Surinam (Ar)

Bataballi (batabaly) → *Chrysophyllum pomiferum* (Eyma) T. D. Penn.; SAPOTACEAE; Surinam (Ar); syn. *Achrouteria pomifera* Eyma

Batata tetei → *Pomoea alba* L.; CONVOLVULACEAE; Surinam

Batbat(t)i → *Ambelania acida* Aublet; APOCYNACEAE; Surinam; syn. *A. sagotii* Müll. Arg.

Bati bati → *Ambelania acida* Aublet; APOCYNACEAE; Caribbean; syn. *A. sagotii* Müll. Arg.

Bats sawari → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Cr); syn. *C. riparium* A. C. Smith

Battamballi → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Surinam (Sa)

Batti batti → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam (Ar); syn. *T. meyeri* G. Don; syn. *Bonafousia undulata* (Vahl) A. DC.; syn. *B. attenuata* Miers

Bauka mapa → *Couma guianensis* (A. Rich.) Aublet; APOCYNACEAE; Surinam

Baumortel → *Erythrina* sp.; LEGUMINOSAE-PAP.; Puerto Rico

Bauwana → *Astronium ulei* Mattick; ANACARDIACEAE; Guyana (W)

Bauwaua → *Astronium graveolens* Jacq.; ANACARDIACEAE; Guyana

→ *Astronium ulei* Mattick; ANACARDIACEAE; Guyana (M)

Bay berry → *Myrica cerifera* L.; MYRICACEAE; Puerto Rico

Bay rum → *Pimenta racemosa* (Miller) Moore; MYRTACEAE; Surinam (Cr); syn. *Amomis caryophyllata* (Jacq.) Krug & Urban

Bayahonda → *Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Dominican Republic; syn. *P. chilensis* (Molina) Stuntz

Bayboom → *Amomis caryophyllata* (Jacq.) Krug & Urban; MYRTACEAE; Surinam (Du); use *Pimenta* → *Pimenta racemosa* (Miller) Moore; MYRTACEAE; Surinam (Du); syn. *Amomis caryophyllata* (Jacq.) Krug & Urban

Baywood → *Swietenia macrophylla* King; MELIACEAE; Guyana; syn. *S. krukovii* Gleason; syn. *S. belizensis* Lundell

Be kwai → *Qualea rosea* Aublet; VOCHYSIACEAE; Surinam (Sa)

Be kwai(-ie) → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Sa)

Bé kwaie (bé kwa-ie) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Sa); syn. *V. melinonii* Beckmann

Bebe (djoeka-, egron-, hegron-) → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Cr)

Bebe teke → *Calopogonium mucunoides* Desvoux; LEGUMINOSAE-PAP.; Surinam (Cr)

Bebe(-hoedoe) → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *P. draco* L.

Bebe, bergi → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Cr)

Bebe, hoogland → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Du)

Bébé, hoogland (egron-) → *Pterocarpus santalinoides* L'Héritier ex DC.; LEGUMINOSAE-PAP.; Surinam (Du)

Bebe, man (hoogland-, hegron-)

→ *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Cr)

Bebe, water (watra-) → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Cr, Du); syn. *P. draco* L.

Bebeere → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v. d. W.; LAURACEAE; Guyana (Cr); syn. *Ocotea rodiei* (R. H. Schomb.) Mez; syn. *Nectandra rodiei* R. H. Schomb.

Bebehout → *Pterocarpus draco* L.; LEGUMINOSAE-PAP.; Surinam (Du); use *P. officinalis* Jacq.

→ *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *P. draco* L.

Beberoe → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v. d. W.; LAURACEAE; Surinam (Cr); syn. *Ocotea rodiei* (R. H. Schomb.) Mez; syn. *Nectandra rodiei* R. H. Schomb.

Beberuboom → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v. d. W.; LAURACEAE; Surinam (Du); syn. *Ocotea rodiei* (R. H. Schomb.) Mez; syn. *Nectandra rodiei* R. H. Schomb.

Beefwood → *Manilkara bidentata* (A. DC.) A. Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Cr); syn. *M. balata* (Pierre) Dubard

→ *Roupala montana* Aublet; PROTEACEAE; Trinidad

Beefwood (cork-, pigeon-, pork-) → *Torrubia* sp.; NYCTAGINACEAE; British West Indies

Beerum → *Amomis caryophyllata* (Jacq.) Krug & Urban; MYRTACEAE; Surinam (Cr); use *Pimenta* → *Pimenta racemosa* (Miller) Moore; MYRTACEAE; Surinam (Cr); syn. *Amomis*

caryophyllata (Jacq.) Krug & Urban

Beherada (behoerada) →Parinari campestre Aublet; CHRYSOBALANACEAE; Surinam (Ar); use *P. campestris* Aublet

→Parinari campestris Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?

Beherie kotton →Andira surinamensis (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Ar)

Behie →Sacoglottis guianensis Benth. var. guianensis; HUMIRIACEAE; Surinam (Sa); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke

Bejuco (-de nigua, -masa) →Tournefortia argentea L.f.; BORAGINACEAE; Puerto Rico

Bejuco de agua →Dolioscarpus major J.F.Gmelin; DILLENACEAE; Puerto Rico; syn. *D. rolandri* J.F.Gmelin; syn. *D. scandens* Poiret

Bejuco de buey →Banisteria sp.; MALPIGHIACEAE; Puerto Rico

Bejuco de corrales →Serjania sp.; SAPINDACEAE; Puerto Rico

Bejuco de costella →Serjania sp.; SAPINDACEAE; Dominican Republic

Bejuco de costilla →Paullinia sp.; SAPINDACEAE; Puerto Rico

Bejuco de sople →Securidaca sp.; POLYGALACEAE; Puerto Rico

Bejuco zalzilla →Securidaca sp.; POLYGALACEAE; Puerto Rico

Bel apple →Passiflora nitida Kunth; PASSIFLORACEAE; Guyana (Cr)

Beletere, kaboanama →Henriettea multiflora Naudin; MELASTOMACEAE; Surinam (Ar)

Beletere, koloeanama →Henriettea succosa (Aublet) DC.; MELASTOMACEAE; Surinam (Ar)

Beletere, selele →Miconia acinodendron (L.) Sweet; MELASTOMACEAE; Surinam (Ar)

→Miconia prasina (Swartz) DC.; MELASTOMACEAE; Surinam (Ar); syn. *M. pteropoda* Benth.

Bellbird's heart →Gnetum nodiflorum Brong.; GNETACEAE; Guyana (Cr)

→Gnetum paniculatum Spruce ex Benth.; GNETACEAE; Guyana (Cr)

Beloekoro →Trymatococcus oligandrus (Benoist) Lanjouw; MORACEAE; Surinam (Ar)

Belokoro →Brosimum guianense (Aublet) Huber; MORACEAE; Surinam (Ar); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Bémoonba →Iryanthera sagotiana (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

Benda →Pithecellobium glomeratum (DC.) Benth.; LEGUMINOSAE-MIM.; Guyana (Wr)

→Pithecellobium latifolium (L.) Benth.;

LEGUMINOSAE-MIM.; Guyana (Wr)

→*Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-MIM.; Guyana (Wr); use *Albizia* ?; syn.

Pithecellobium cauliflorum (Willd.) Martius

→*Zygia latifolia* (L.) Fawcett & Rendle; LEGUMINOSAE-MIM.; Guyana (Wr); use *Albizia* ?

Bendy tree →Thespesia populnea (L.) Solander ex M.N.Correa; MALVACEAE; Puerto Rico; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster

Bepaulétoe →Brosimum guianense (Aublet) Huber; MORACEAE; Surinam; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Bera →Bulnesia arborea (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean

Beradié (beradije, beradye) →Ocotea guianensis Aublet; LAURACEAE; Surinam (Ar)

Beradije hororodikoro (beradye-) →Ocotea guianensis Aublet; LAURACEAE; Surinam (Ar)

Beradye hororodikoro →Endlicheria endlicheriopsis (Mez) Kosterm.; LAURACEAE; Surinam (Ar)

Beradye hororodikoro (beradije-) →Ocotea guianensis Aublet; LAURACEAE; Surinam (Ar)

Berekoro →Helicostylis tomentosa (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Ar); syn. *H. poeppigiana* (C.Martius) Trécul

Berg gronfoelo →Qualea albiflora Warming; VOCHYSIACEAE; Surinam (Du); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Berg gronfoeloe →Qualea paraensis Ducke; VOCHYSIACEAE; Surinam (Du)

Berg gronfoeloe (-gronfolo) →Qualea rosea Aublet; VOCHYSIACEAE; Surinam (Du)

Berg kwarie →Qualea rosea Aublet; VOCHYSIACEAE; Surinam (Du)

Berg manbarklak →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Du); syn. *E. longipes* (Poiteau) Miers

Berg tafraboom →Cordia panicularis Rudge; BORAGINACEAE; Surinam (Cr)

Berg(i)-oemanbarklak(i) →Eschweilera amara (Aublet) Niedenzu; LECYTHIDACEAE; Surinam (Cr)

Bergi bebe →Swartzia benthamiana Miquel; LEGUMINOSAE-PAP.; Surinam (Cr)

Bergi bita (birgi-) →Geissospermum sericeum (Sagot) Benth.; APOCYNACEAE; Surinam (Cr)

Bergi gronfoeloe (birgi-) →Qualea rosea Aublet; VOCHYSIACEAE; Surinam (Cr)

Bergi iria kopi →Qualea rosea Aublet; VOCHYSIACEAE; Surinam (Cr)

Bergi manbarklaki →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam

(Cr); syn. *E. longipes* (Poiteau) Miers
Beri (berrie, bene), blaka → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban
Beri manbatibati → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam (Ar); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers
Berihoe DOE (birihoe DOE) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Berihoe DOE, watra → *Crudia glaberrima* (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Cr)
Berry, bay → *Myrica cerifolia* L.; MYRICACEAE; Puerto Rico
Berry, birch → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Puerto Rico
Berry, black → *Eugenia schomburgkii* Benth.; MYRTACEAE; Surinam (Cr)
→ *Guettarda* sp.; RUBIACEAE; Puerto Rico
Berry, candle (guana-, pigeon-) → *Byrsonima* sp.; MALPIGHIACEAE; British West Indies
Berry, dog (marl-) → *Ardisia* sp.; MYRSINACEAE; British West Indies
Berry, hog → *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; British West Indies; syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu
Berry, ink → *Randia aculeata* L.; RUBIACEAE; Puerto Rico
→ *Renealmia floribunda* K.Schumann; ZINGIBERACEAE; Guyana (Cr); syn. *R. pedicellaris* Gleason
Berry, locus(t) → *Byrsonima* sp.; MALPIGHIACEAE; British West Indies
Berry, pigeon → *Byrsonima* sp.; MALPIGHIACEAE; British West Indies
→ *Duranta erecta* L.; VERBENACEAE; Puerto Rico
Berry, punch → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Puerto Rico
Berry, turkey → *Cordia sericicalyx* A.DC.; BORAGINACEAE; Guyana (Cr)
→ *Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Cr); syn. *C. umbraculifera* DC.
Berry, turtle → *Eugenia patrisii* Vahl; MYRTACEAE; Guyana (Cr)
Berry, velvet → *Guettarda scabra* (L.) Ventenat; RUBIACEAE; Puerto Rico; syn. *G. scabra* Lam. ?
Berry, wax → *Myrica cerifera* L.; MYRICACEAE; Puerto Rico
Beschuit gras → *Axonopus compressus* (Swartz) P.Beauvois; POACEAE; Surinam (Du)
Besseroe edan → *Miconia rufescens* (Aublet) DC.; MELASTOMATACEAE; Surinam (Ar)
Bethabara → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
Beurata (buirata, boeirata) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?
Bewana → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Sa); syn. *Ocotea rubra* Mez
Bhoso → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Sa)
Biajama → *Lonchocarpus* sp.; LEGUMINOSAE-PAP.; Dominican Republic
Bibero (bibiri, bibira, bibiro, biburu)
→ *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Caribbean; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Bibir(i) → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Ar); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Bibira → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Ar); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Bibiro → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Surinam (Ar); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Biburu → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Ar); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Biesatokon → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
Biezen → *Typha angustifolia* L.; TYPHACEAE; Surinam (Du)
Bigbe → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam
Bigi boesi (-papajahoedoe) → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam (Cr); syn. *S. paraensis* Huber apud Ducke
Bigi boesi papajahoedoe → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Cr); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
Bigi boesi(e) pakoeri(e) → *Rheedia macrophylla* (C.Martius) Planchon & Triana; GUTTIFERAE; Surinam (Cr)
Bigi tiengimonnje → *Vouarana guianensis* Aublet; SAPINDACEAE; Surinam (Au)
Bijlhout → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Du)
Bijlhout, wit → *Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)
Bijo → *Bixa orellana* L.; BIXACEAE; Dominican Republic; syn. *B. americana* Poiret

Bikiti → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Ar); use *Ruizterania albiflora* (Warming) Marcano-Berti ?

Bilambi → *Averrhoa bilimbi* L.; OXALIDACEAE; Surinam (Cr)

Billy-goat weed → *Ageratum conyzoides* L.; ASTERACEAE; Guyana (Cr)

Biltere, kaboanama → *Henriettea multiflora* Naudin; MELASTOMATACEAE; Surinam (Ar)

Biltere, koloeanama → *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Surinam (Ar)

Bimiti joelèkoko → *Banara bernardinensis* Briquet; FLACOURTIACEAE; Surinam (Ar)
→ *Banara guianensis* Aublet; FLACOURTIACEAE; Surinam (Ar)

Bimiti joreleko → *Casearia grandiflora* Cambess.; FLACOURTIACEAE; Surinam (Ar)

Bimiti jorelsko → *Casearia arborea* (A.Rich.) Urban; FLACOURTIACEAE; Surinam (Ar)

Bimititokon → *Passiflora glandulosa* Cav.; PASSIFLORACEAE; Surinam (Ar)
→ *Passiflora quadriglandulosa* Rodschied; PASSIFLORACEAE; Surinam (Ar)

Bimititopong → *Brownea latifolia* Jacq. sensu Griseb.; LEGUMINOSAE-CAES.; Guyana (Ar)

Bimitiwalaban → *Brownea latifolia* Jacq. sensu Griseb.; LEGUMINOSAE-CAES.; Surinam (Ar)

Bina → *Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam (Ar)

Bintoela → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam

Bioro → *Eleocharis geniculata* R.Brown; CYPERACEAE; Surinam (Ar)
→ *Eleocharis interstincta* (Vahl) Roemer & Schultes; CYPERACEAE; Surinam (Ar)
→ *Eleocharis punctata* Boeck; CYPERACEAE; Surinam (Ar)

Birambi → *Averrhoa bilimbi* L.; OXALIDACEAE; Surinam (Cr)

Birambi, Franse → *Averrhoa carambola* L.; OXALIDACEAE; Surinam (Du)

Birch berry → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Puerto Rico

Bird seed → *Randia* sp.; RUBIACEAE; Guyana (Cr)

Bird-lime tree → *Sapium hippomane* G.Meyer; EUPHORBIACEAE; Guyana (Cr)

Bird-of-paradise flower → *Caesalpinia pulcherrima* (L.) Swartz; LEGUMINOSAE-CAES.; Dutch West Indies

Birgi gronfoeloe (bergi-) → *Qualea rosea* Aublet; VOCHYSIACEAE; Surinam (Cr)

Biri-biri → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Ar); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Birihodoe (berihodoe) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Birihodoe, witte (tete-) → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Cr); var. *grandiflora* Pulle

Bisatokon → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.

Bitá wiwirie → *Phyllanthus niruri* L.; EUPHORBIACEAE; Caribbean

Bitá, bergi (birgi-) → *Geissospermum sericeum* (Sagot) Benth.; APOCYNACEAE; Surinam (Cr)

Bitá, djari (man-) → *Phyllanthus* sp.; EUPHORBIACEAE; Surinam (Cr)

Bitá, finie → *Phyllanthus niruri* L.; EUPHORBIACEAE; Caribbean

Bitá, koni koni → *Strychnos* sp.; LOGANIACEAE; Surinam (Cr)

Bitá, snekie → *Elephantopus carolinianus* Willd.; ASTERACEAE; Surinam (Cr)
→ *Elephantopus mollis* Kunth; ASTERACEAE; Surinam (Cr); syn. *E. tomentosus* L.

Bitá, snekie (seneki-) → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma

Bitahoedoe → *Homalium guianense* (Aublet) Warburg; FLACOURTIACEAE; Surinam (Cr)
→ *Homalium hondurense* Donn.Sm.; FLACOURTIACEAE; Surinam (Cr); use *H. racemosum* Jacq.
→ *Homalium racemosum* Jacq.; FLACOURTIACEAE; Surinam (Cr); syn. *H. hondurense* Donn.Sm.

Bitter ash → *Aeschrion excelsa* Swartz; SIMAROUBACEAE; British West Indies; use *Picrasma excelsa* (Swartz) Planchon
→ *Picrasma excelsa* (Swartz) Planchon; SIMAROUBACEAE; British West Indies; syn. *Aeschrion excelsa* Swartz

Bitter ash (-bark) → *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet var. *typica* Cronquist

Bitter ash (-bush, -wood) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

Bitter bark (-ash) → *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet var. *typica* Cronquist

Bitter bush → *Castela* sp.; SIMAROUBACEAE; Puerto Rico; syn. *Holacantha emoryi* A.Gray
→ *Holacantha emoryi* A.Gray; SIMAROUBACEAE; Puerto Rico; use *Castela*

Bitter bush (-ash, -wood) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

Bitter tally → *Mikania hookeriana* DC.; ASTERACEAE; Guyana (Cr)

Bitterhout → *Aspidosperma desmanthum* Benth. ex Müll.Arg.; APOCYNACEAE; Surinam (Du)
→ *Geissospermum sericeum* (Sagot) Benth.; APOCYNACEAE; Surinam (Du)

Bitterwood → *Picrasma excelsa* (Swartz) Planchon; SIMAROUBACEAE; Guyana (Cr); syn. *Aeschron excelsa* Swartz
→ *Quassia amara* L. ex Blom; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet
→ *Quassia glauca* DC.; SIMAROUBACEAE; Guyana (Cr)
→ *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (Cr); syn. *Simarouba amara* Aublet var. *typica* Cronquist

Black aishal → *Lonchocarpus chrysophyllus* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Cr)

Black balata → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

Black berry → *Eugenia schomburgkii* Benth.; MYRTACEAE; Surinam (Cr)
→ *Guettarda* sp.; RUBIACEAE; Puerto Rico

Black calabash → *Amphitecna* sp.; BIGNONIACEAE; British West Indies; syn. *Dendrosicus* sp.; syn. *Enallagma latifolia* (Miller) Small
→ *Dendrosicus* sp.; BIGNONIACEAE; British West Indies; use *Amphitecna* sp.; syn. *Enallagma latifolia* (Miller) Small
→ *Enallagma latifolia* (Miller) Small; BIGNONIACEAE; British West Indies; syn. *Dendrosicus* sp.; use *Amphitecna* sp.

Black candlewood → *Ocotea* sp.; LAURACEAE; British West Indies

Black fiddlewood → *Vitex divaricata* Swartz; VERBENACEAE; British West Indies

Black grape → *Coccoloba latifolia* Lam.; POLYGONACEAE; British West Indies

Black haiari → *Lonchocarpus chrysophyllus* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Cr)

Black jointer → *Piper* sp.; PIPERACEAE; British West Indies

Black kakaralli → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. *E. longipes* (Poiteau) Miers
→ *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Ar)

Black kakaralli (common-) → *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (Cr)

Black kulishiri → *Cupania hirsuta* Radlk.; SAPINDACEAE; Guyana (Ar)
→ *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk.

Black kuyama → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Guyana (Cr)

Black maho → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Guyana (Cr); syn. *R. broadwayi* R.E.Fries

Black mampoo → *Torrubia* sp.; NYCTAGINACEAE; Puerto Rico

Black manariballi → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. oppositifolia* Spruce ex Benth.

Black mangrove (white-) → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Guyana (Cr); syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Black manwood → *Minuartia guianensis* Aublet; OLACACEAE; Surinam (Cr)

Black moroballi → *Talisia squarrosa* Radlk.; SAPINDACEAE; Guyana (Ar)

Black olive → *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Black paddlewood → *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Guyana (Cr)

Black poui (white-, vert-, yellow-) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Trinidad; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Black sage → *Cordia lomitoloba* I.M.Johnston; BORAGINACEAE; Guyana (Cr)
→ *Cordia macrostachya* (Jacq.) Roemer & Schultes; BORAGINACEAE; Guyana (Cr)
→ *Cordia polycephala* (Lam.) I.M.Johnston; BORAGINACEAE; Guyana (Cr)
→ *Cordia schomburgkii* DC.; BORAGINACEAE; Guyana (Cr)

Black sweetwood → *Ocotea* sp.; LAURACEAE; British West Indies

Black torch → *Erithalis fruticosa* L.; RUBIACEAE; Puerto Rico

Black torch (bastard-) → *Ocotea* sp.; LAURACEAE; British West Indies

Black wattle → *Acacia decurrens* (Wendl.) Willd.; LEGUMINOSAE-MIM.; British West Indies
→ *Eugenia* sp.; MYRTACEAE; British West Indies

Black withe → *Serjania* sp.; SAPINDACEAE; Puerto Rico

Black yariyari → *Guatteria atra* Sandwith; ANNONACEAE; Guyana (Cr)
→ *Guatteria brachypoda* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria ovalifolia* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria procera* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria punctata* (Aublet) R.Howard; ANNONACEAE; Guyana (Cr); syn. *G. chrysopetala* (Steudel) Miquel

- Guatteria sandwithii R.E.Fries; ANNONACEAE; Guyana (Cr)
- Guatteria schomburgkiana C.Martius; ANNONACEAE; Guyana (Cr); var. schomburgkiana
- Unonopsis sp.; ANNONACEAE; Guyana (Cr)
- Blackberie** →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. floribunda (C.Martius) Cuatrec.; syn. H. floribunda C.Martius
- Blackheart** →Acosmium praeclarum (Sandwith) Yakovlev; LEGUMINOSAE-PAP.; Guyana (Cr); syn. Sweetia praeclara Sandwith
- Chamaecrista adiantifolia (Benth.) Irwin & Barneby; LEGUMINOSAE-CAES.; Guyana (Cr); var. pteridophylla (Sandwith) Irwin & Barneby; syn. Cassia pteridophylla Sandwith
- Quiina sp.; QUIINACEAE; Guyana (Cr)
- Sweetia praeclara Sandwith; LEGUMINOSAE-PAP.; Guyana (Cr); use Acosmium praeclarum (Sandwith) Yakovlev
- Blak'beri** →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. guianensis (Benth.) Cuatrec.; syn. H. floribunda C.Martius var. guianensis Urban
- Blaka (harde-, kras-, zwarte-) pisi** →Ocotea glomerata (Nees) Mez; LAURACEAE; Surinam (Cr); syn. O. glomerata (Nees) Benth.
- Blaka (sabana) trangahoedoe** →Matayba opaca Radlk. var. fallax (Radlk.) Uittien; SAPINDACEAE; Surinam (Cr)
- Blaka apisie-ie** →Ocotea schomburgkiana (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Sa); syn. O. schomburgkiana (Nees) Mez
- Blaka beri (-berrie, -bene)** →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. guianensis (Benth.) Cuatrec.; syn. H. floribunda C.Martius var. guianensis Urban
- Blaka foengoe (witte-)** →Licania micrantha Miquel; CHRYSOBALANACEAE; Surinam (Cr)
- Blaka ingipipa (brakka-)** →Couratari guianensis Aublet; LECYTHIDACEAE; Surinam (Cr); syn. C. pulchra Sandwith
- Blaka ivintje** →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Cr)
- Blaka kabisie** →Diploptropis purpurea (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. D. guianensis (Tulasne) Benth.; syn. Bowdichia guianensis Ducke
- Blaka lohoedoe** →Pouteria engleri Eyma; SAPOTACEAE; Surinam (Cr); syn. Nemaluma engleri (Eyma) Aubrév.; syn. Lucuma
- Blaka lohoedoe (weti-)** →Micropholis guianensis (A.DC.) Pierre; SAPOTACEAE; Surinam (Cr); var. commixta Lindeman; syn. Sideroxylon guianensis A.DC.
- Blaka markoesa** →Passiflora vespertilio L.; PASSIFLORACEAE; Surinam (Cr)
- Blaka oema** →Cordia macrostachya (Jacq.) Roemer & Schultes; BORAGINACEAE; Surinam (Cr)
- Diospyros guianensis (Aublet) Gürke; EBENACEAE; Surinam (Cr); ssp. akaraiensis (A.C.Smith) F.White; syn. D. akaraiensis A.C.Smith
- Diospyros melinonii (Hiern) A.C.Smith; EBENACEAE; Surinam (Cr)
- Struchium sparganophora (L.) Kuntze; ASTERACEAE; Surinam (Au)
- Blaka oema (blakka hoema)** →Cordia schomburgkii DC.; BORAGINACEAE; Surinam (Cr)
- Blaka oema (manblaka-)** →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Cr)
- Blaka parihoeoe** →Aspidosperma oblongum A.DC.; APOCYNACEAE; Surinam (Cr)
- Swartzia arborescens (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Cr)
- Swartzia remiger Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr)
- Swartzia schomburgkii Benth. var. schomburgkii; LEGUMINOSAE-PAP.; Surinam (Cr)
- Blaka pisi (zwarte-)** →Nectandra grandis (Mez) Kosterm.; LAURACEAE; Surinam (Cr)
- Blaka prit'jari** →Lacmellea aculeata (Ducke) Monachino; APOCYNACEAE; Surinam (Cr); syn. Zschokkea aculeata Ducke
- Blaka tjabisie** →Diploptropis purpurea (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. D. guianensis (Tulasne) Benth.; syn. Bowdichia guianensis Ducke
- Blaka toriman** →Cyathula achyranthoides (Kunth) Moq.; AMARANTHACEAE; Surinam (Cr)
- Blaka wana (baka wana)** →Nectandra rubra (Mez) Allen; LAURACEAE; Surinam (Sa); syn. Ocotea rubra Mez
- Blaka wintje** →Cordia schomburgkii DC.; BORAGINACEAE; Surinam (Cr)
- Blaka wiwirie** →Phytolacca rivinoides Kunth & Bouché; PHYTOLACCACEAE; Surinam (Cr)
- Blauw-bloem kalebashout** →Vitex orinocensis Kunth var. multiflora (Miq.) Huber; VERBENACEAE; Surinam (Du)
- Blauwhout** →Haematoxylon campechianum L.; LEGUMINOSAE-CAES.; Surinam (Du)
- Blockwood** →Haematoxylon campechianum L.; LEGUMINOSAE-CAES.; Guyana (Cr)
- Blolly** →Pisonia zapallo Griseb.; NYCTAGINACEAE; British West Indies
- Torrubia sp.; NYCTAGINACEAE; British West Indies
- Bloodwood** →Vismia cayennensis (Jacq.) Persoon; GUTTIFERAE; Guyana (Cr)
- Vismia confertiflora Spruce ex Reichardt; GUTTIFERAE; Guyana (Cr)
- Vismia falcata Rusby; GUTTIFERAE; Guyana

(Cr)
 →*Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Guyana (Cr)
 →*Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Guyana (Cr)
 →*Vismia macrophylla* Kunth; GUTTIFERAE; Guyana (Cr); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth
 →*Vismia sessilifolia* (Aublet) DC.; GUTTIFERAE; Guyana (Cr); syn. *V. rufescens* (Lam.) Persoon var. *sessilifolia* (Aublet) Persoon
Blunt-leaf karohoro →*Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Guyana (Cr); syn. *S. paraensis* Huber apud Ducke
Boaka vienga →*Amaioua guianensis* Aublet; RUBIACEAE; Surinam (Sa); syn. *Amajoua guianensis* Aublet
Boarwood →*Symphonia globulifera* L.f.; GUTTIFERAE; British West Indies; syn. *S. gabonensis* (Vesque) Pierre
Boba →*Iriartea exorrhiza* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. *Socratea exorrhiza* (C.Martius) H.Wendland
 →*Socratea exorrhiza* (C.Martius) H.Wendland; ARECACEAE (PALMAE); Surinam (Ar); use *Iriartea exorrhiza* C.Martius
Bobbie manja →*Mangifera indica* L.; ANACARDIACEAE; Surinam (Cr)
Bobi waata →*Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Sa); syn. *Sideroxylon guianensis* A.DC.
 →*Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Sa); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
 →*Pouteria melanopoda* Eyma; SAPOTACEAE; Surinam (Sa); syn. *Lucuma*
Boboeraballi →*Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist
Boboro →*Solanum brevopilosum* Dunal; SOLANACEAE; Surinam (Ar)
 →*Solanum crinatum* Lam.; SOLANACEAE; Surinam (Ar)
 →*Solanum demerarensis* Dunal; SOLANACEAE; Surinam (Ar)
 →*Solanum jamaicense* Miller; SOLANACEAE; Surinam (Ar)
 →*Solanum macranthum* Dunal; SOLANACEAE; Surinam (Ar)
Boboroballi →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)
Boco →*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; French Guiana
Bodorie →*Drepanocarpus lunatus* (L.f.) G.Meyer; LEGUMINOSAE-PAP.; Surinam (Ar); use *Machaerium lunatum* (L.f.) Ducke
 →*Machaerium lunatum* (L.f.) Ducke;
 LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Drepanocarpus lunatus* (L.f.) G.Meyer
Boeboeraballi →*Lacmellea aculeata* (Ducke) Monachino; APOCYNACEAE; Surinam (Ar); syn. *Zschokkea aculeata* Ducke
Boeboeraballi (boeroeraballi) →*Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Ar); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*
Boegoe boegoe →*Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa)
 →*Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Surinam (Sa)
Boehoerada (buhurada, boehoerodoe)
 →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?
Boehoerodoe (boehoerada, buhurada)
 →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?
Boeirata (buirata, beurata) →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?
Boeka, witti →*Miconia acinodendron* (L.) Sweet; MELASTOMATACEAE; Surinam (Au)
Boelekollé →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
Boeletrie →*Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam (Cr); syn. *M. balata* (Pierre) Dubard
Boelewé →*Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam (Ar); syn. *M. balata* (Pierre) Dubard
Boelikoro →*Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. *H. poeppigiana* (C.Martius) Trécul
Boelinali oeneberadikoro →*Psychotria officinalis* (Aublet) Raeusch.; RUBIACEAE; Surinam (Ar); ssp. *officinalis*; syn. *P. involucrata* Swartz
Boeloekoro →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Ar); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
Boeloewé →*Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam (Ar); syn. *M. balata* (Pierre) Dubard
Boeloewéballi →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)
 →*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius &

Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Boentaflaboom → *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Cr); syn. *A. echinata* Gaertner

Boeradie(-è) → *Persea nivea* Mez; LAURACEAE; Surinam (Ar); syn. *P. benthamiana* Meisner

Boerio bada → *Uncaria guianensis* (Aublet) J.F.Gmelin; RUBIACEAE; Surinam (Ar)

Boeroeballi (boeroeraballi) → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Ar); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Boeroeballi broborelli → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Boeroema(tta) → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Ar)

Boeroeraballi (boeboeraballi) → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Ar); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Boeroewé → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam (Ar); syn. *M. balata* (Pierre) Dubard

Boerowin, selele (serere-) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.

Boerwin (borwin), seloeloe → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.

Boes'amandra → *Terminalia dichotoma* G.Meyer; COMBRETACEAE; Surinam (Cr)

Boes'apra → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Surinam (Cr); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

Boesi aneisi → *Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Boesi anjelier → *Asclepias fruticosa* L.; ASCLEPIADACEAE; Surinam (Du); use *Gomphocarpus fruticosus* (L.) R.Brown → *Gomphocarpus fruticosus* (L.) R.Brown; ASCLEPIADACEAE; Surinam (Du); syn. *Asclepias fruticosa* L.

Boesi bisi → *Curatella americana* L.; DILLENACEAE; Surinam (Cr)

Boesi dontje → *Dieffenbachia picta* Schott; ARACEAE; Surinam (Cr)

Boesi droifi → *Basanacantha spinosa* (Jacq.) K.Schumann; RUBIACEAE; Surinam (Cr); use *Randia armata* (Swartz) DC.

→ *Clerodendrum aculeatum* (L.) Schlechter; VERBENACEAE; Surinam (Cr)

→ *Randia armata* (Swartz) DC.; RUBIACEAE; Surinam (Cr); syn. *Basanacantha spinosa* (Jacq.) K.Schumann

Boesi goejaba → *Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Cr); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifera* Riley

Boesi goejaba, redi → *Myrcia amazonica* DC.; MYRTACEAE; Surinam (Cr); syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg

Boesi kalabasi (-krabasi) → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr)

Boesi kasjoe → *Anacardium spruceanum* Benth.; ANACARDIACEAE; Surinam (Cr)

→ *Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Surinam (Cr)

Boesi kasjoe (bos-, sabana-) → *Curatella americana* L.; DILLENACEAE; Surinam (Cr)

Boesi kasjoe(n) → *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Surinam (Cr)

Boesi katoen → *Bombax crassum* Uittien; BOMBACACEAE; Surinam (Cr)

→ *Bombax globosum* Aublet; BOMBACACEAE; Surinam (Cr)

→ *Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Cr)

→ *Bombax surinamensis* Uittien; BOMBACACEAE; Surinam (Cr)

Boesi kersi → *Eugenia coffeifolia* DC.; MYRTACEAE; Surinam (Cr)

→ *Eugenia patrisii* Vahl; MYRTACEAE; Surinam (Cr)

→ *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Surinam (Cr)

Boesi knepa → *Talisia pedicellaris* (Sagot) Radlk.; SAPINDACEAE; Surinam (Cr)

Boesi koesoewé → *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*

→ *Sloanea acutifolia* Uittien; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam (Ar); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

Boesi koffie → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Cr)

Boesi kofi → *Tapura guianensis* Aublet; DICHAPETALACEAE; Surinam (Cr)

Boesi kofi tiki → *Phyllanthus nobilis* (L.f.) Müll.Arg.; EUPHORBIACEAE; Surinam (Cr)

Boesi krabasi (-kalabasi) → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr)

Boesi mahoni → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Sa)

→ *Martiodendron parviflorum* (Amshoff) Koeppen; LEGUMINOSAE-CAES.; Surinam (Cr)

→*Martiusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Cr)

Boesi mammi →*Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Cr)

Boesi mangro →*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Cr)

→*Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Cr)

→*Tovomita secunda* Poeppig; GUTTIFERAE; Surinam (Cr)

Boesi momow →*Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Cr); syn. *Bombax spectabile* Ulbrich

Boesi nanassi →*Ananas ananassoides* (Baker) Lor.B.Smith; BROMELIACEAE; Surinam (Cr); syn. *ananassoides* Lor.B.Smith

Boesi papaja →*Cecropia palmata* Willd.; MORACEAE; Surinam (Cr)

→*Cecropia surinamensis* Miquel; MORACEAE; Surinam (Cr)

→*Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Cr)

Boesi pepre →*Pothomorphe peltata* (L.) Miquel; PIPERACEAE; Surinam (Cr); syn. *Piper peltatum* L.

Boesi smeri wiwirie →*Miconia lateriflora* Cogniaux; MELASTOMATACEAE; Surinam (Cr); syn. *M. disparilis* (Standley) R.O.Williams

Boesi soersaka →*Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Cr)

Boesi soersakka →*Apeiba glabra* Aublet; TILIACEAE; Surinam (Cr)

Boesi speldekop →*Nepsera aquatica* (Aublet) Naudin; MELASTOMATACEAE; Surinam (Cr)

Boesi tafrabon →*Cordia panicularis* Rudge; BORAGINACEAE; Surinam (Cr)

Boesi tafraboom →*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Cr)

Boesi tamalin →*Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Surinam (Cr); var. *acaciaefolium*

→*Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Cr)

Boesi tamaren →*Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Arthrosamanea corymbosa* (Rich.) Kleinhoonte; syn. *Pithecellobium corymbosum* (Rich.) Benth.

Boesi tetei →*Thunbergia alata* Bojer ex Sims; ACANTHACEAE; Surinam (Cr); sometimes family Thunbergiaceae

Boesi vergeet-mij-niet →*Nepsera aquatica* (Aublet) Naudin; MELASTOMATACEAE; Surinam (Cr)

Boessi thee →*Caperonia palustris* (L.) A.St.-Hil.; EUPHORBIACEAE; Surinam (Cr)

Bofroe kosabatiekie →*Palicourea guianensis*

Aublet; RUBIACEAE; Surinam (Cr)

Bofroe marmadosoe →*Duroia eriopila* L.f.; RUBIACEAE; Surinam (Sa)

Bofroehoedoe →*Sacoglottis cydonioides* Cuatrec.; HUMIRIACEAE; Surinam (Cr); syn. *S. guianensis* Benth. var. *sphaerocarpa* Ducke

→*Sacoglottis guianensis* Benth.; HUMIRIACEAE; Surinam (Cr); var. *sphaerocarpa* Ducke; use *S. cydonioides* Cuatrec.

→*Sacoglottis guianensis* Benth.; HUMIRIACEAE; Surinam (Cr); var. *dolichocarpa* Ducke; use *S. guianensis* Benth. var. *guianensis*

→*Sacoglottis guianensis* Benth. var. *guianensis*; HUMIRIACEAE; Surinam (Cr); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke

Bofrofoetoe →*Xanthosoma sagittifolium* (L.) Schott; ARACEAE; Surinam (Cr)

Bofrohoedoe →*Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Cr)

Boggi lobbi →*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Sa)

→*Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Sa); syn. *C. umbraculifera* DC.

Bohahonda →*Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Dominican Republic; syn. *P. chilensis* (Molina) Stuntz

Bohoribada →*Machaerium floribundum* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); syn.

Drepanocarpus

→*Machaerium inundatum* (Benth.) Ducke; LEGUMINOSAE-PAP.; Surinam (Ar); syn.

Drepanocarpus

→*Machaerium kegelii* Meisner; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Drepanocarpus*

→*Machaerium leiophyllum* (DC.) Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); syn.

Drepanocarpus

→*Machaerium quinata* (Aublet) Sandwith; LEGUMINOSAE-PAP.; Guyana (Ar); syn.

Drepanocarpus

→*Machaerium* spp.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Drepanocarpus* spp.

→*Machaerium trifoliatum* Ducke; LEGUMINOSAE-PAP.; Guyana (Ar); syn.

Drepanocarpus

Bohowoda →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?

Bois (à) balles →*Guarea guidonia* (L.) Sleumer; MELIACEAE; French Guiana; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Bois à éni vrer →*Piscidia piscipula* (L.) Sargent; LEGUMINOSAE-PAP.; Guadeloupe

Bois à flambeau →*Humiria* sp.; HUMIRIACEAE; French Guiana

Bois à flêches →*Swartzia* sp.; LEGUMINOSAE-PAP.; French Guiana

Bois à pian →*Jacaranda copaia* (Aublet) D.Don;

BIGNONIACEAE; French Guiana; syn. *Bignonia copaia* Aublet

Bois agouti → *Minquartia guianensis* Aublet; OLACACEAE; French Guiana
→ *Vochysia* sp.; VOCHYSIACEAE; French Guiana

Bois amandou → *Apeiba glabra* Aublet; TILIACEAE; French Guiana

Bois amer → *Picrasma excelsa* (Swartz) Planchon; SIMAROUBACEAE; French Guiana; syn. *Aeschrion excelsa* Swartz
→ *Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet
→ *Quassia glauca* DC.; SIMAROUBACEAE; French Guiana

Bois ara → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Bois arf → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Bois babtiste → *Vismia* sp.; GUTTIFERAE; French Guiana

Bois bagasse → *Bagassa guianensis* Aublet; MORACEAE; French Guiana; syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Bois baguette → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; French West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Bois baroit → *Brosimum rubescens* Taubert; MORACEAE; French Guiana; syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Bois blanc → *Phyllostylon brasiliensis* Capanema; ULMACEAE; Dominican Republic
→ *Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Bois blanchet → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; French Guiana; var. *monophylla* Sandwith

Bois bleu → *Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

Bois brésil → *Euxylophora paraensis* Huber; RUTACEAE; French Guiana

Bois cabril → *Aegiphila* sp.; VERBENACEAE; French West Indies

Bois cagne → *Cornutia* sp.; VERBENACEAE; French West Indies

Bois caille → *Carapa guianensis* Aublet; MELIACEAE; French Guiana; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Bois canari → *Hirtella* sp.; CHRYSOBALANACEAE; Trinidad

Bois canelle → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; French Guiana; syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Bois canne → *Byrsonima* sp.; MALPIGHIACEAE; French Guiana

Bois canon → *Cecropia peltata* L.; MORACEAE; French Guiana

Bois canon bâtard → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; French Guiana; syn. *S. paraensis* Huber apud Ducke

Bois Caraibe → *Campomanesia grandiflora* (Aublet) Sagot; MYRTACEAE; Trinidad

Bois care → *Cornutia* sp.; VERBENACEAE; French West Indies

Bois cassau → *Cornutia* sp.; VERBENACEAE; French West Indies

Bois cassave → *Cornutia* sp.; VERBENACEAE; French West Indies

Bois cayan → *Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Bois cerf → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Bois chandelle → *Erithalis fruticosa* L.; RUBIACEAE; French West Indies

Bois chapelle → *Aspidosperma desmanthum* Benth. ex Müll.Arg.; APOCYNACEAE; French Guiana

Bois charbon → *Diospyros* sp.; EBENACEAE; Trinidad

Bois chatousieux → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; French Guiana

Bois chique → *Cordia alba* (Jacq.) Roemer & Schultes; BORAGINACEAE; French Guiana
→ *Licaria* sp.; LAURACEAE; French West Indies; syn. *Acrodictidium* sp.

Bois cochon → *Ecclinusa* sp.; SAPOTACEAE; French Guiana
→ *Pouteria guianensis* Aublet; SAPOTACEAE; French Guiana; syn. *Lucuma*
→ *Symphonia globulifera* L.f.; GUTTIFERAE; French Guiana; syn. *S. gabonensis* (Vesque) Pierre
→ *Tetragastris balsamifera* (Swartz) Kuntze; BURSERACEAE; French Guiana

Bois colique → *Licaria* sp.; LAURACEAE; French

West Indies; syn. *Acrodictidium* sp.

Bois conleuvre (-de fer, -de serpent)

→*Colubrina ferruginosa* Brongn.; RHAMNACEAE; Martinique

Bois cossais →*Vismia* sp.; GUTTIFERAE; French Guiana

Bois cotelet quarré →*Cornutia* sp.; VERBENACEAE; French West Indies

Bois couche →*Dodonaea viscosa* (L.) Jacq.; SAPINDACEAE; Guadeloupe; syn. *D. angustifolia* L.f.; syn. *D. dioica* Roxburgh

Bois crabe →*Dicypellium caryophyllatum* Nees & C. Martius; LAURACEAE; French Guiana

Bois crapaud →*Micropholis melinoniana* Pierre; SAPOTACEAE; French Guiana

Bois d'acossais →*Vismia* sp.; GUTTIFERAE; French Guiana

Bois d'acouma →*Homalium racemosum* Jacq.; FLACOURTIACEAE; French West Indies; syn. *H. hondurensis* Donn.Sm.

Bois d'amarante →*Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; French Guiana; syn. *P. confertiflora* Benth.

Bois d'amarante rouge →*Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; French Guiana

Bois d'amourette moucheté →*Brosimum guianense* (Aublet) Huber; MORACEAE; French Guiana; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Bois d'anis →*Persea americana* Miller; LAURACEAE; French Guiana; syn. *P. gratissima* Gaertner f.; syn. *P. nubigena* L. Williams

Bois d'arte →*Vismia* sp.; GUTTIFERAE; French Guiana

Bois d'ébène verte →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Bois d'encens →*Humiria* sp.; HUMIRIACEAE; French Guiana

Bois d'evilasse →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Bois d'Inde →*Pimenta dioica* (L.) Merrill; MYRTACEAE; Guadeloupe; syn. *P. officinalis* (Lindley) Berg

Bois d'olive →*Capparis cynophallophora* L.; CAPPARACEAE; Trinidad

Bois d'orange →*Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Trinidad

Bois d'orne →*Guazuma ulmifolia* Lam.; STERCULIACEAE; Grenada; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

Bois de bouc →*Aegiphila* sp.; VERBENACEAE; French West Indies

Bois de buis →*Bumelia obtusifolia* Roemer &

Schultes; SAPOTACEAE; French West Indies

Bois de caca →*Sterculia* sp.; STERCULIACEAE; French West Indies

Bois de campêche →*Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

Bois de Cayenne →*Brosimum rubescens* Taubert; MORACEAE; French Guiana; syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Bois de cèdre →*Aniba* sp.; LAURACEAE; French Guiana

→*Cedrela odorata* L.; MELIACEAE; French Guiana; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Bois de chat →*Brosimum guianense* (Aublet) Huber; MORACEAE; French Guiana; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Bois de cipre →*Cordia trichotoma* (Vell.) Arráb. ex Steudel; BORAGINACEAE; Martinique

Bois de corail tendre →*Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Guadeloupe; syn. *P. draco* L.

Bois de couleuvre →*Brosimum guianense* (Aublet) Huber; MORACEAE; French Guiana; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Bois de coumarue →*Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. *Coumarouna odorata* Aublet

Bois de fer →*Aegiphila* sp.; VERBENACEAE; French West Indies

→*Isertia* sp.; RUBIACEAE; Trinidad
→*Krugiodendron ferreum* (Vahl) Urban; RHAMNACEAE; Guadeloupe

→*Mouriria crassifolia* Sagot; MELASTOMACEAE; French Guiana

→*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; French Guiana

Bois de fer (-de serpent, -conleuvre)

→*Colubrina ferruginosa* Brongn.; RHAMNACEAE; Martinique

Bois de fer blanc →*Bumelia obtusifolia* Roemer & Schultes; SAPOTACEAE; French West Indies

Bois de féroles →*Brosimum rubescens* Taubert; MORACEAE; French Guiana; syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Bois de frêne →*Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Bois de gaïac (-saint) →*Guaiacum officinale* L.;

ZYGOPHYLLACEAE; French Guiana
Bois de gaulette → *Hirtella* sp.;
 CHRYSOBALANACEAE; French Guiana
Bois de golette → *Aegiphila* sp.;
 VERBENACEAE; French Guiana
Bois de la fièvre → *Vismia* sp.; GUTTIFERAE;
 French Guiana
Bois de la Jamaïque → *Haematoxylon*
campechianum L.; LEGUMINOSAE-CAES.;
 French Guiana
Bois de lance → *Oxandra lanceolata* (Swartz)
 Baillon; ANNONACEAE; French Guiana

Bois de lettre gris → *Brosimum guianense*
 (Aublet) Huber; MORACEAE; French Guiana;
 syn. *Piratinera guianensis* Aublet; syn. *P.*
scabridula Blake; syn. *P. velutina* Blake; syn.
Brosimum rotundatum Standley; syn. *B. velutinum*
 (Blake) Ducke
Bois de lettre moucheté → *Brosimum guianense*
 (Aublet) Huber; MORACEAE; French Guiana;
 syn. *Piratinera guianensis* Aublet; syn. *P.*
scabridula Blake; syn. *P. velutina* Blake; syn.
Brosimum rotundatum Standley; syn. *B. velutinum*
 (Blake) Ducke
Bois de lettre rouge → *Brosimum rubescens*
 Taubert; MORACEAE; French Guiana; syn. *B.*
paraense Huber; syn. *Ferolia guianensis* Aublet;
 syn. *Piratinera* sp.
Bois de licari → *Licaria* sp.; LAURACEAE;
 French Guiana; syn. *Acrodiclidium* sp.
Bois de Mai → *Schefflera decaphylla* (Seemann)
 Harms; ARALIACEAE; French Guiana; syn. *S.*
paraensis Huber apud Ducke
Bois de meche → *Apeiba glabra* Aublet;
 TILIACEAE; French Guiana
Bois de pagai blanc → *Swartzia tomentosa* DC.;
 LEGUMINOSAE-PAP.; French Guiana
Bois de perdix → *Swartzia tomentosa* DC.;
 LEGUMINOSAE-PAP.; French Guiana
Bois de quassie → *Quassia amara* L. ex Blom;
 SIMAROUBACEAE; French Guiana; syn.
Simarouba amara Aublet; syn. *Simarouba amara*
 Aublet
Bois de rose → *Dalbergia decipularis* Rizzini &
 A.Mattos; LEGUMINOSAE-PAP.; French Guiana
Bois de rose (-de Cayenne) → *Aniba rosaeodora*
 Ducke; LAURACEAE; French Guiana
Bois de rose (badagos) → *Licaria cannella*
 (Meisner) Kosterm.; LAURACEAE; French
 Guiana; syn. *Acrodiclidium cannella* (Meisner)
 Mez; syn. *A. cayennensis* (Meisner) Mez; syn.
Licaria cayennensis (Meisner) Kosterm.
Bois de rose femelle → *Aniba rosaeodora* Ducke;
 LAURACEAE; French Guiana
Bois de rose male → *Aniba mas* Kosterm.;
 LAURACEAE; French Guiana
Bois de rose noir → *Ehretia aspera* Roxburgh;

BORAGINACEAE; Guadeloupe; use *E. laevis*
 Roxburgh; syn. *E. floribunda* Benth.
 → *Ehretia floribunda* Benth.; BORAGINACEAE;
 Guadeloupe; use *E. laevis* Roxburgh; syn. *E.*
aspera Roxburgh
 → *Ehretia laevis* Roxburgh; BORAGINACEAE;
 Guadeloupe; syn. *E. floribunda* Benth.; syn. *E.*
aspera Roxburgh
Bois de saban → *Cornutia* sp.; VERBENACEAE;
 French West Indies
Bois de sabre → *Eperua falcata* Aublet;
 LEGUMINOSAE-CAES.; French Guiana
 → *Eperua jenmani* Oliver; LEGUMINOSAE-
 CAES.; French Guiana
Bois de Saint Martin → *Picrasma excelsa*
 (Swartz) Planchon; SIMAROUBACEAE; French
 West Indies; syn. *Aeschron excelsa* Swartz
Bois de sang → *Haematoxylon campechianum*
 L.; LEGUMINOSAE-CAES.; French Guiana
 → *Vismia latifolia* (Aublet) Choisy; GUTTIFERAE;
 French Guiana
Bois de savane → *Cornutia* sp.; VERBENACEAE;
 French West Indies
Bois de serpent → *Brosimum guianense* (Aublet)
 Huber; MORACEAE; French Guiana; syn.
Piratinera guianensis Aublet; syn. *P. scabridula*
 Blake; syn. *P. velutina* Blake; syn. *Brosimum*
rotundatum Standley; syn. *B. velutinum* (Blake)
 Ducke
Bois de serpent (-de fer, -conleuvre)
 → *Colubrina ferruginosa* Brongn.; RHAMNACEAE;
 Martinique
Bois de St. Jean → *Schefflera decaphylla*
 (Seemann) Harms; ARALIACEAE; French
 Guiana; syn. *S. paraensis* Huber apud Ducke
Bois de tan(i) → *Byrsonima spicata* A.Richard;
 MALPIGHIACEAE; French Guiana
Bois de tigre → *Brosimum guianense* (Aublet)
 Huber; MORACEAE; French Guiana; syn.
Piratinera guianensis Aublet; syn. *P. scabridula*
 Blake; syn. *P. velutina* Blake; syn. *Brosimum*
rotundatum Standley; syn. *B. velutinum* (Blake)
 Ducke
Bois de vert → *Beilschmiedia pendula* (Swartz)
 Benth. & Hook.f.; LAURACEAE; French West
 Indies
Bois decree → *Morisonia americana* L.;
 CAPPARACEAE; Dominican Republic
Bois doré → *Morisonia americana* L.;
 CAPPARACEAE; Dominican Republic
Bois doux → *Phoebe elongata* Nees;
 LAURACEAE; French Guiana
 → *Phoebe montana* (Swartz) Griseb.;
 LAURACEAE; Guadeloupe
Bois doux blanc → *Endlicheria* sp.;
 LAURACEAE; French West Indies
Bois doux grand-feuille → *Endlicheria* sp.;
 LAURACEAE; French West Indies

- Bois doux muscadier** → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; French West Indies
- Bois du diable** → *Hura crepitans* L.; EUPHORBIACEAE; French West Indies
- Bois dysentérique** → *Byrsonima* sp.; MALPIGHIACEAE; French Guiana
- Bois encens** → *Protium decandrum* (Aublet) Marchand; BURSERACEAE; French Guiana
→ *Trattinickia demerarae* Sandwith; BURSERACEAE; French Guiana
- Bois épineux blanc** → *Zanthoxylum* sp.; RUTACEAE; French West Indies; syn. *Xanthoxylum* sp.
- Bois épineux jaune** → *Zanthoxylum caribaea* Lam.; RUTACEAE; French West Indies; syn. *Fagara caribaea* (Lam.) Krug & Urban; syn. *Xanthoxylum*
- Bois flambeau** → *Toulicia guianensis* Aublet; SAPINDACEAE; French Guiana
- Bois flament** → *Maytenus* sp.; CELASTRACEAE; Puerto Rico
- Bois flot** → *Ochroma lagopus* Swartz; BOMBACACEAE; Martinique; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee; syn. *O. grandiflora* Rowlee
- Bois fourmi** → *Symmeria paniculata* Benth.; POLYGONACEAE; French Guiana
→ *Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; French Guiana; syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet
- Bois gamelle** → *Dussia martinicensis* Krug & Urban ex Taubert; LEGUMINOSAE-PAP.; Martinique
- Bois gli-gli** → *Bucida buceras* L.; COMBRETACEAE; Guadeloupe; syn. *B. angustifolia* DC.
- Bois gommier** → *Protium* sp.; BURSERACEAE; French West Indies
- Bois gommier rouge** → *Tetragastris* sp.; BURSERACEAE; French Guiana
- Bois goyave** → *Eugenia mato* Griseb.; MYRTACEAE; French Guiana
→ *Myrcia amazonica* DC.; MYRTACEAE; French Guiana; syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg
- Bois graine bleue** → *Symplocos martinicensis* Jacq.; SYMPLOCACEAE; Dominican Republic
- Bois gris** → *Licania ternatensis* Hook.f.; CHRYSOBALANACEAE; Grenada
- Bois gris-gris** → *Bucida buceras* L.; COMBRETACEAE; Guadeloupe; syn. *B. angustifolia* DC.
- Bois incorruptible** → *Minuartia guianensis* Aublet; OLACACEAE; French Guiana
- Bois Jacquot** → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; French Guiana
- Bois jaune** → *Aniba* sp.; LAURACEAE; Martinique
→ *Zanthoxylum flavum* Vahl; RUTACEAE; French West Indies; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*
- Bois jaune (bagasse jaune)** → *Bagassa guianensis* Aublet; MORACEAE; French Guiana; syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?
- Bois l'ail** → *Cassipourea latifolia* Alston; RHIZOPHORACEAE; Trinidad
- Bois l'étang** → *Pterocarpus* sp.; LEGUMINOSAE-PAP.; Trinidad
- Bois la morue** → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.
- Bois lait** → *Sapium caribaeum*; EUPHORBIACEAE; Grenada
- Bois lamende** → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; French Guiana
- Bois lay-lay** → *Cordia colecocea* L.; BORAGINACEAE; Trinidad; syn. *C. collocca* L. ?; syn. *C. collococca* L. ?
- Bois lézard** → *Brosimum guianense* (Aublet) Huber; MORACEAE; French Guiana; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
→ *Vitex capitata* Vahl; VERBENACEAE; French West Indies
→ *Vitex divaricata* Swartz; VERBENACEAE; French West Indies
- Bois lisette** → *Mouriria parvifolia* Benth.; MELASTOMATACEAE; Trinidad
- Bois macaque rouge** → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.
- Bois madam** → *Dodonaea viscosa* (L.) Jacq.; SAPINDACEAE; Guadeloupe; syn. *D. angustifolia* L.f.; syn. *D. dioica* Roxburgh
- Bois Marie** → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; French Guiana
- Bois Martinique** → *Symplocos martinicensis* Jacq.; SYMPLOCACEAE; Dominican Republic
- Bois medong** → *Licaria* sp.; LAURACEAE; French West Indies; syn. *Acroclidium* sp.
- Bois mêle** → *Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; French Guiana; syn. *B. aubletii* Naudin
- Bois montagne** → *Endlicheria* sp.; LAURACEAE; French West Indies
- Bois mulatre** → *Pentaclethra macroloba* (Willd.)

Kuntze; LEGUMINOSAE-MIM.; French Guiana; syn. *P. filamentosa* Benth.

Bois négresse → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; French West Indies

Bois noir → *Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

Bois pagaie → *Aspidosperma curranii* Standley; APOCYNACEAE; French Guiana

Bois pagode → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

→ *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; French Guiana; syn. *I. scabriuscula* Benth.

Bois piant → *Licaria* sp.; LAURACEAE; French West Indies; syn. *Acrodiclidium* sp.

Bois pignette → *Ixora* sp.; RUBIACEAE; Dominican Republic

Bois pin → *Magnolia* sp.; MAGNOLIACEAE; Martinique; syn. *Talauma dodecapetala* (Lam.) Urban

→ *Talauma dodecapetala* (Lam.) Urban; MAGNOLIACEAE; Martinique; use *Magnolia*

Bois piquant → *Zanthoxylum caribaea* Lam.; RUTACEAE; French Guiana; syn. *Fagara caribaea* (Lam.) Krug & Urban; syn. *Xanthoxylum*

Bois pistolet → *Guarea guidonia* (L.) Sleumer; MELIACEAE; French West Indies; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Bois pois → *Swartzia* sp.; LEGUMINOSAE-PAP.; Trinidad

Bois pourpre → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; French Guiana; syn. *P. confertiflora* Benth.

Bois préfontaine → *Vochysia* sp.; VOCHYSIACEAE; French Guiana

Bois puant → *Guazuma ulmifolia* Lam.; STERCULIACEAE; Martinique; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

→ *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; French Guiana

Bois rivière → *Chimarrhis turbinata* DC.; RUBIACEAE; French West Indies

Bois roi → *Clusia rosea* Jacq.; GUTTIFERAE; French Guiana

Bois rouge (-tisane) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius

Bois rouge carapat → *Carapa guianensis* Aublet; MELIACEAE; Guadeloupe; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Bois rouge de Dominique → *Guarea guidonia* (L.) Sleumer; MELIACEAE; French West Indies; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G.*

trichilioides L.

Bois rouge montagne → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; French West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Bois saint (-de gaiac) → *Guaiacum officinale* L.; ZYGOPHYLLACEAE; French Guiana

Bois sanglant → *Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

→ *Vismia* sp.; GUTTIFERAE; French Guiana

Bois sendu → *Aegiphila* sp.; VERBENACEAE; French West Indies

Bois serpent → *Clusia* sp.; GUTTIFERAE; French Guiana

→ *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Bois sucré → *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; French Guiana; syn. *I. scabriuscula* Benth.

Bois tabac → *Exostema caribaeum* (Jacq.) Roemer & Schultes; RUBIACEAE; French West Indies

Bois tabaco → *Aegiphila* sp.; VERBENACEAE; French Guiana

Bois tapiré (-tapiriri) → *Tapirira guianensis* Aublet; ANACARDIACEAE; French Guiana

Bois toucan → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; French Guiana

Bois trompette → *Cecropia sciadophylla* C.Martius; MORACEAE; French Guiana; syn. *C. juranyiana* V.A.Richter

Bois vert → *Gymnanthes lucida* Swartz; EUPHORBIACEAE; French West Indies; syn. *Sebastiania lucida* Müll.Arg.

→ *Rochefortia* sp.; BORAGINACEAE; Guadeloupe

Bois violet → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; French Guiana; syn. *P. confertiflora* Benth.

Bois zebra → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Bois zombre → *Guazuma ulmifolia* Lam.; STERCULIACEAE; Grenada; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

Boje → *Antirrhoea* sp.; RUBIACEAE; Puerto Rico; syn. *Stenostomum* sp. ?

Bojohodoe → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Surinam; var. *occidentalis* Niedenzu

Bokkenhout (bokkennoot) → *Caryocar tomentosum* Willd.; CARYOCARACEAE; Surinam (Du)

Bokki boontje → *Ageratum conyzoides* L.;

ASTERACEAE; Surinam (Cr)
Bokko bokko tokon →Casearia javitensis Kunth;
 FLACOURTIACEAE; Surinam (Ar)
 →Chaetocarpus schomburgkianus (Kuntze) Pax
 & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)
 →Hirtella angustissima Sandwith;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella caudata Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella paniculata Swartz;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella racemosa Lam.;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella strigulosa Steudel;
 CHRYSOBALANACEAE; Surinam (Ar)
Bokkolille →Talinum fruticosum (L.) Jussieu;
 PORTULACACEAE; Surinam; syn. T. triangulare
 (Jacq.) Willd.
 →Talinum triangulare (Jacq.) Willd.;
 PORTULACACEAE; Surinam; use T. fruticosum
 (L.) Jussieu
Boko boko wiwirie →Croton hirtus L'Héritier;
 EUPHORBIACEAE; Surinam (Ar)
Boko bokoton djamaro →Licania poeppigii
 Fritsch; CHRYSOBALANACEAE; Surinam (Ar)
Boko bokoton kandiamaroe →Licania
 hostmannii Fritsch; CHRYSOBALANACEAE;
 Surinam (Ar)
Bokohoton →Atuna racemosa Raf. ssp. excelsa
 (Jack) Prance; CHRYSOBALANACEAE; Surinam
 (Ar); syn. Parinari excelsa Sabine; syn. Atuna
 elata (King) Kosterm.; syn. A. excelsa (Jack)
 Kosterm.
Bokokosoe →Rolandra fruticosa (L.) Kuntze;
 ASTERACEAE; Surinam
Bokoromana →Capsicum frutescens L.;
 SOLANACEAE; Surinam (Ar)
Bokota fieroberoe →Adenocalymma bilabiatum
 (Sprague) Sandwith; BIGNONIACEAE; Surinam
 (Ar)
Bokothaballi →Adenocalymma bilabiatum
 (Sprague) Sandwith; BIGNONIACEAE; Surinam
 (Ar)
Bokotokon →Hirtella angustissima Sandwith;
 CHRYSOBALANACEAE; Guyana (Ar)
 →Hirtella cadaca Fanshawe & Maguire;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella caudata Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella davisii Sandwith;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella glandulosa Sprengel;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella guianensis (Fritsch) Sandwith;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella hispidula Miquel;
 CHRYSOBALANACEAE; Surinam (Ar); syn. H.
 subsetosa Fanshawe & Maguire
 →Hirtella macrosepala Sandwith;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella obidensis Ducke;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella paniculata Swartz;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella racemosa Lam.;
 CHRYSOBALANACEAE; Surinam (Ar)
 →Hirtella subsetosa Fanshawe & Maguire;
 CHRYSOBALANACEAE; Surinam (Ar); use H.
 hispidula Miquel
 →Hirtella triandra Swartz ssp. triandra;
 CHRYSOBALANACEAE; Surinam (Ar)
Bol →Caperonia palustris (L.) A.St.-Hil.;
 EUPHORBIACEAE; Surinam (Cr)
Bolletrie →Manilkara bidentata (A.DC.) A.Chev.
 ssp. bidentata; SAPOTACEAE; Surinam (Du);
 syn. M. balata (Pierre) Dubard
Bolletrie (valse-, basterd-) →Manilkara huberi
 (Ducke) A.Chev.; SAPOTACEAE; Surinam (Du)
Bolletrie, bad (brosse-) →Manilkara huberi
 (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)
Bolletrie, bastaard (basterd-, basra-) →Humiria
 balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE;
 Surinam (Du); var. floribunda (C.Martius)
 Cuatrec.; syn. H. floribunda C.Martius
Bolletrie, djoe (pepre-) →Ecclinusa prieurii
 (A.DC.) Aubrév.; SAPOTACEAE; Surinam (Cr);
 syn. Chrysophyllum prieurii A.DC.
Bolletrie, piento →Chrysophyllum argenteum
 Jacq.; SAPOTACEAE; Surinam (Cr); ssp.
 auratum (Miquel) T.D.Penn.; syn. C. auratum
 Miquel; syn. C. sericeum A.DC.
 →Hyeronima alchorneoides Allemao;
 EUPHORBIACEAE; Surinam (Cr); syn. H. laxiflora
 (Tulasne) Müll.Arg.; syn. Hieronima alchorneoides
 Allemao; syn. Hieronima laxiflora (Tulasne)
 Müll.Arg.
Bolletrie, piento (basterd-, witte djoe-)
 →Pouteria robusta (C.Martius & Eichler) Eyma;
 SAPOTACEAE; Surinam (Du); var. longifolia
 Eyma; syn. Neoxythece robusta (C.Martius &
 Eichler) Aubrév. & Pellegrin var. longifolia Eyma;
 syn. Lucuma
Bolletrie, savanne →Himatanthus articulatus
 (Vahl) Woodson; APOCYNACEAE; Surinam (Du);
 syn. Plumeria articulata Vahl; syn. P. sucuuba
 Spruce
Bolokaro →Dioscorea trifida L.f.;
 DIOSCOREACEAE; Surinam (Ar)
Bonduc →Guilandina echinata (Lam.) Sprengel;
 LEGUMINOSAE-CAES.; British West Indies; syn.
 Caesalpinia echinata Lam.
Bongoma →Spigelia anthelmia L.;
 SPIGELIACEAE; Surinam (Cr); sometimes in
 family Loganiaceae
Bongro →Licania micrantha Miquel;

CHRYSOBALANACEAE; Surinam (Cr)
→*Licania robusta* Sagot;
CHRYSOBALANACEAE; Surinam (Cr)
Bonyunia →*Bonyunia* sp.; LOGANIACEAE;
Guyana
Boohorada →*Parinari campestris* Aublet;
CHRYSOBALANACEAE; Guyana (Cr); syn. *P.*
campestre Aublet ?
→*Parinari parvifolia* Sandwith;
CHRYSOBALANACEAE; Guyana (Cr)
Booka →*Lecythis chartacea* O.Berg;
LECYTHIDACEAE; Surinam (Sa); syn.
Eschweilera chartacea (O.Berg) Eyma
Booka-booka →*Hirtella angustissima* Sandwith;
CHRYSOBALANACEAE; Guyana (Ar)
Boontje krere krere →*Caesalpinia pulcherrima*
(L.) Swartz; LEGUMINOSAE-CAES.; Surinam
(Du)
Boontsji die paaloe →*Erythrina crista-galli* L.;
LEGUMINOSAE-PAP.; Dutch West Indies
Boontsji karta →*Erythrina* sp.; LEGUMINOSAE-
PAP.; Dutch West Indies
Borache →*Peschiera* sp.; APOCYNACEAE;
Trinidad; use *Tabernaemontana psychotrifolia*
Kunth; syn. *Bonafousia sananho* (Ruiz & Pavón)
Markgraf
→*Tabernaemontana psychotrifolia* Kunth;
APOCYNACEAE; Trinidad; syn. *Bonafousia*
sananho (Ruiz & Pavón) Markgraf; syn. *Peschiera*
sp.
Boradiea →*Aiouea demerarensis* Kosterm.;
LAURACEAE; Guyana; use *A. guianensis* Aublet;
syn. *A. schomburgkii* Meisner
→*Aiouea guianensis* Aublet; LAURACEAE;
Guyana; syn. *A. demerarensis* Kosterm.; syn. *A.*
schomburgkii Meisner
→*Aiouea schomburgkii* Meisner; LAURACEAE;
Guyana; use *A. guianensis* Aublet; syn. *A.*
demerarensis Kosterm.
Bordaballi →*Apeiba petoumo* Aublet;
TILIACEAE; Surinam; syn. *A. echinata* Gaertner
Boroborelli →*Licania divaricata* Benth.;
CHRYSOBALANACEAE; Surinam (Ar)
Boroborolia djamaro →*Ouratea decagyna*
Maguire; OCHNACEAE; Surinam (Ar)
Boroma →*Hebepetalum humiriifolium* (Planch.)
Benth. ex Jacks.; LINACEAE; Surinam (Ar)
Boroma (buruma) →*Pourouma digitata* Trécul;
MORACEAE; Surinam (Ar)
Borótobon →*Artocarpus camansi* Blanco;
MORACEAE; Surinam (Ar); use *A. altilis*
(Parkinson) Fosberg; syn. *A. incisus* L.; syn. *A.*
communis J.R. & G.Forster; syn. *A. incisus*
(Thunberg) L.f.
→*Artocarpus communis* J.R. & G.Forster;
MORACEAE; Surinam (Ar); use *A. altilis*
(Parkinson) Fosberg; syn. *A. incisus* L.; syn. *A.*
camansi Blanco; syn. *A. incisus* (Thunberg) L.f.
→*Artocarpus incisus* (Thunberg) L.f.; MORACEAE;
Surinam (Ar); use *A. altilis* (Parkinson) Fosberg;
syn. *A. incisus* L.; syn. *A. communis* J.R. &
G.Forster; syn. *A. camansi* Blanco
→*Artocarpus incisus* L.; MORACEAE; Surinam
(Ar); use *A. altilis* (Parkinson) Fosberg; syn. *A.*
communis J.R. & G.Forster; syn. *A. camansi*
Blanco; syn. *A. incisus* (Thunberg) L.f.
Borótobon (-mashibero) →*Artocarpus altilis*
(Parkinson) Fosberg; MORACEAE; Surinam (Ar);
syn. *A. incisus* L.; syn. *A. communis* J.R. &
G.Forster; syn. *A. camansi* Blanco; syn. *A. incisus*
(Thunberg) L.f.
Borowé →*Manilkara bidentata* (A.DC.) A.Chev.
ssp. *bidentata*; SAPOTACEAE; Surinam (Ar); syn.
M. balata (Pierre) Dubard
Borowéballi →*Chrysophyllum argenteum* Jacq.;
SAPOTACEAE; Surinam (Ar); ssp. *auratum*
(Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn.
C. sericeum A.DC.
→*Pouteria robusta* (C.Martius & Eichler) Eyma;
SAPOTACEAE; Surinam (Ar); var. *longifolia*
Eyma; syn. *Neoxythece robusta* (C.Martius &
Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma;
syn. *Lucuma*
Borowin, sererö →*Micropholis guianensis*
(A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn.
Sideroxylon guianensis A.DC.
Bortri, sabana →*Himatanthus articulatus* (Vahl)
Woodson; APOCYNACEAE; Surinam (Cr); syn.
Plumeria articulata Vahl; syn. *P. sucuuba* Spruce
Bortrie →*Manilkara bidentata* (A.DC.) A.Chev.
ssp. *bidentata*; SAPOTACEAE; Surinam (Cr); syn.
M. balata (Pierre) Dubard
Borwin (boerwin), seloeloe →*Micropholis*
guianensis (A.DC.) Pierre; SAPOTACEAE;
Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.
Bosamandel →*Terminalia dichotoma* G.Meyer;
COMBRETACEAE; Surinam (Du)
→*Terminalia lucida* Hoffmann ex Martius;
COMBRETACEAE; Surinam (Du)
Bosanas →*Ananas ananassoides* (Baker)
Lor.B.Smith; BROMELIACEAE; Surinam (Du) ;
syn. *ananassoides* Lor.B.Smith
→*Araeococcus micranthus* Brongniart;
BROMELIACEAE; Surinam (Du)
→*Bromelia alta* Lor.B.Smith; BROMELIACEAE;
Surinam (Du)
→*Gravisia aquilega* (Salisbury) Mez;
BROMELIACEAE; Surinam (Du)
Bosappel →*Chrysophyllum argenteum* Jacq.;
SAPOTACEAE; Surinam (Du); ssp. *auratum*
(Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn.
C. sericeum A.DC.
Boscacao →*Herrania kanukuensis* R.E.Schultes;
STERCULIACEAE; Surinam (Du)
Boscacao (water-) →*Pachira aquatica* Aublet;
BOMBACACEAE; Surinam (Du); syn. *Bombax*

aquatica (Aublet) K.Schumann
Boscachon → *Curatella americana* L.;
 DILLENACEAE; Surinam (Cr)
Bosfilsie → *Calopogonium mucunoides* Desvaux;
 LEGUMINOSAE-PAP.; Surinam (Cr)
Bosguave → *Campomanesia grandiflora* (Aublet)
 Sagot; MYRTACEAE; Surinam (Du)
 → *Eugenia wentti* Amshoff; MYRTACEAE;
 Surinam (Du)
 → *Myrcia sylvatica* (G.Meyer) DC.; MYRTACEAE;
 Surinam (Du)
 → *Psidium guajava* L.; MYRTACEAE; Surinam
 (Du)
Bosguave (water-) → *Psidium aquaticum* Benth.;
 MYRTACEAE; Surinam (Du)
Bosguave, kleine → *Calyptanthus fasciculata*
 O.Berg; MYRTACEAE; Surinam (Du)
Bosguave, rode → *Myrciaria floribunda* (West ex
 Willd.) O.Berg; MYRTACEAE; Surinam (Du); syn.
M. verticillata O.Berg
Bosgujave, grijze (witte-) → *Calycolpus revolutus*
 (Schauer) O.Berg; MYRTACEAE; Surinam (Du);
 syn. *C. chnoiophyllus* Riley; syn. *C. pyrifera* Riley
Bosgujave, rode → *Myrcia amazonica* DC.;
 MYRTACEAE; Surinam (Du); syn. *Aulomyrcia*
hostmanniana O.Berg var. *robustior* O.Berg
Boskalebas → *Couroupita guianensis* Aublet;
 LECYTHIDACEAE; Surinam (Du)
 → *Vitex compressa* Turcz.; VERBENACEAE;
 Surinam (Du)
 → *Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-
 MIM.; Surinam (Du); use *Albizia* ?; syn.
Pithecellobium cauliflorum (Willd.) Martius
Boskapok → *Bombax surinamensis* Uittien;
 BOMBACACEAE; Surinam (Du)
Boskapok, grote → *Bombax nervosum* Uittien;
 BOMBACACEAE; Surinam (Du)
Boskasjoe → *Anacardium giganteum* W.Hancock
 ex Engl.; ANACARDIACEAE; Surinam (Du)
 → *Anacardium occidentale* L.; ANACARDIACEAE;
 Surinam (Cr, Du); syn. *A. occidentale* L. var.
indicum DC.
 → *Anacardium occidentale* L. var. *indicum* DC.;
 ANACARDIACEAE; Surinam (Du); use *A.*
occidentale L.
 → *Anacardium spruceanum* Benth.;
 ANACARDIACEAE; Surinam (Du)
 → *Curatella americana* L.; DILLENACEAE;
 Surinam (Du)
 → *Dimorphandra conjugata* (Splitg.) Sandwith;
 LEGUMINOSAE-CAES.; Surinam (Du)
Boskatoen → *Bombax crassum* Uittien;
 BOMBACACEAE; Surinam (Du)
 → *Bombax globosum* Aublet; BOMBACACEAE;
 Surinam (Du)
 → *Bombax nervosum* Uittien; BOMBACACEAE;
 Surinam (Du)

→ *Bombax surinamensis* Uittien;
 BOMBACACEAE; Surinam (Du)
 → *Hibiscus bacciferus* Forster; MALVACEAE;
 Surinam (Du); use *Thespesia populnea* (L.)
 Solander ex M.N.Correa; syn. *Malvaviscus*
populneus (L.) Gaertner; syn. *Hibiscus populneus*
 Willd.
 → *Hibiscus populneus* Willd.; MALVACEAE;
 Surinam (Du); use *Thespesia populnea* (L.)
 Solander ex M.N.Correa; syn. *Malvaviscus*
populneus (L.) Gaertner; syn. *Hibiscus bacciferus*
 Forster
 → *Malvaviscus populneus* (L.) Gaertner;
 MALVACEAE; Surinam (Du); use *Thespesia*
populnea (L.) Solander ex M.N.Correa; syn.
Hibiscus populneus Willd.; syn. *H. bacciferus*
 Forster
 → *Thespesia populnea* (L.) Solander ex
 M.N.Correa; MALVACEAE; Surinam (Du); syn.
Malvaviscus populneus (L.) Gaertner; syn.
Hibiscus populneus Willd.; syn. *H. bacciferus*
 Forster
Boskers → *Eugenia coffeifolia* DC.;
 MYRTACEAE; Surinam (Du)
 → *Eugenia patrisii* Vahl; MYRTACEAE; Surinam
 (Du)
 → *Henriettea succosa* (Aublet) DC.;
 MELASTOMACEAE; Surinam (Du)
Bosknippa → *Talisia pedicellaris* (Sagot) Radlk.;
 SAPINDACEAE; Surinam (Du)
Boskoesoewé → *Bixa americana* Poiré;
 BIXACEAE; Surinam (Cr); use *B. orellana* L.
 → *Bixa orellana* L.; BIXACEAE; Surinam (Cr); syn.
B. americana Poiré
 → *Pouteria trigonosperma* Eyma; SAPOTACEAE;
 Surinam (Du); syn. *Radlkoferella trigonosperma*
 (Eyma) Aubrév.; syn. *Richardella trigonosperma*
 (Eyma) Baehni; syn. *Lucuma*
 → *Sloanea dentata* L.; ELAEOCARPACEAE;
 Surinam (Cr); use *S. grandiflora* Smith; syn. *S.*
amplifrons Johnston
 → *Sloanea eichleri* K.Schumann;
 ELAEOCARPACEAE; Surinam (Cr)
 → *Sloanea grandiflora* Smith;
 ELAEOCARPACEAE; Surinam (Cr); syn. *S.*
amplifrons Johnston; syn. *S. dentata* L.
Boskoffie → *Casearia macrophylla* Vahl;
 FLACOURTIACEAE; Surinam (Du); use *C.*
pitumba Sleumer
 → *Casearia pitumba* Sleumer;
 FLACOURTIACEAE; Surinam (Du); syn. *C.*
macrophylla Vahl
 → *Casearia sylvestris* Swartz;
 FLACOURTIACEAE; Surinam (Du)
 → *Chrysophyllum argenteum* Jacq.;
 SAPOTACEAE; Surinam (Du); ssp. *auratum*
 (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn.
C. sericeum A.DC.

→*Ibetrulia surinamensis* Bremek.; RUBIACEAE; Surinam (Du)

Bosmahonie →*Martiodendron parviflorum* (Amshoff) Koeppen; LEGUMINOSAE-CAES.; Surinam (Du)

→*Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Du)

Bosmam(m)i →*Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Du)

Bosmangro →*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Du)

→*Tovomita grata* Sandwith; GUTTIFERAE; Surinam (Du)

→*Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Du)

→*Tovomita secunda* Poeppig; GUTTIFERAE; Surinam (Du)

Bosmarkoesa →*Passiflora glandulosa* Cav.; PASSIFLORACEAE; Surinam (Du)

Bosmarmeldoos →*Duroia eriopila* L.f.; RUBIACEAE; Surinam (Du)

Bosmispel →*Bellucia aubletii* Naudin; MELASTOMATACEAE; Surinam (Du); use *B. grossularioides* (L.) Triana

→*Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Surinam (Du); syn. *B. aubletii* Naudin

Bosmomouw →*Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Du); syn. *Bombax spectabile* Ulbrich

Bosoho →*Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera chartacea* (O.Berg) Eyma

Bosoho (bosoko, baoko) →*Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Sa)

Bosoho apisie-ie →*Acroclidium aubletii* Kosterm.; LAURACEAE; Surinam (Sa); use *Licaria*

→*Licaria* sp.; LAURACEAE; Surinam (Sa); syn. *Acroclidium aubletii* Kosterm.

Bosoko (bosoho, baoko) →*Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Sa)

Bosoli →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam (Ar); syn. *M. utilissima* Pohl

Bosoo →*Zanthoxylum* sp.; RUTACEAE; Trinidad; syn. *Xanthoxylum* sp.

Bospapaja →*Cecropia palmata* Willd.; MORACEAE; Surinam (Du)

→*Cecropia surinamensis* Miquel; MORACEAE; Surinam (Du)

Bospapaja, hoogland (man-) →*Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Du); var. *decurrens* Sneathl.; syn. *C. juranyiana* V.A.Richter

Bospegrekoe →*Xylopia surinamensis* R.E.Fries; ANNONACEAE; Surinam (Cr)

Bosroe →*Combretum rotundifolium* A.Rich.; COMBRETACEAE; Surinam (Cr)

Bossaparra →*Olyra caudata* Trinius; POACEAE; Surinam (Cr)

Bosso →*Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera chartacea* (O.Berg) Eyma

Bossoea →*Amyris balsamifera* L.; RUTACEAE; Caribbean

Bostafelboom →*Cordia panicularis* Rudge; BORAGINACEAE; Surinam (Du)

→*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Du)

Bostafraboom →*Cordia hirta* I.M.Johnston; BORAGINACEAE; Surinam (Du)

Bostamarinde →*Arthrosamanea corymbosa* (Rich.) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); use *Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes; syn. *Pithecellobium corymbosum* (Rich.) Benth.

→*Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Arthrosamanea corymbosa* (Rich.) Kleinhoonte; syn. *Pithecellobium corymbosum* (Rich.) Benth.

→*Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

→*Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Surinam (Du); var. *acaciaefolium*

→*Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Du); syn. *P. oppositifolia* Spruce ex Benth.

→*Pithecellobium corymbosum* (Rich.) Benth.; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Arthrosamanea corymbosa* (Rich.) Kleinhoonte; use *Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes

→*Stryphnodendron angustum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du)

→*Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du)

→*Stryphnodendron polystachyum* (Miquel) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Piptadenia polystachya* Miquel

Bostamarinde (gevlamde-) →*Abarema racemosa* (Ducke) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); use *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke

→*Marmaroxylon racemosum* (Ducke) Killip; LEGUMINOSAE-MIM.; Surinam (Du); use *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema*

racemosa (Ducke) Kleinhoonte
→*Pithecellobium racemosum* Ducke;
LEGUMINOSAE-MIM.; Surinam (Du); use *Zygia*
racemosum (Ducke) Barneby & J.W.Grimes; syn.
Marmaroxylon racemosum (Ducke) Killip; syn.
Abarema racemosa (Ducke) Kleinhoonte
→*Zygia racemosum* (Ducke) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; Surinam
(Du); syn. *Marmaroxylon racemosum* (Ducke)
Killip; syn. *Pithecellobium racemosum* Ducke; syn.
Abarema racemosa (Ducke) Kleinh.
Bosvergeet-mij-nietjes →*Nepsera aquatica*
(Aublet) Audin; MELASTOMATACEAE; Surinam
(Du)
Bosvlier →*Palicourea crocea* (Swartz) DC.;
RUBIACEAE; Surinam (Du)
→*Psychotria cuspidata* Bredem. ex Roemer &
Schultes; RUBIACEAE; Surinam (Du)
Boszuurzak →*Annona hypoglauca* Martius;
ANNONACEAE; Surinam (Du)
→*Annona montana* Macfarlane; ANNONACEAE;
Surinam (Du)
→*Duguetia calycina* Benoist; ANNONACEAE;
Surinam (Du)
→*Duguetia pycnastera* Sandwith;
ANNONACEAE; Surinam (Du)
→*Guatteria schomburgkiana* C.Martius;
ANNONACEAE; Surinam (Du)
→*Rollinia elliptica* R.E.Fries; ANNONACEAE;
Surinam (Du)
Botie-ie →*Manilkara bidentata* (A.DC.) A.Chev.
ssp. *bidentata*; SAPOTACEAE; Surinam (Sa);
syn. *M. balata* (Pierre) Dubard
Botie-ie, mannie →*Rapanea guianensis* Aublet;
MYRSINACEAE; Surinam (Sa)
Botonellare →*Vouacapoua americana* Aublet;
LEGUMINOSAE-CAES.; Caribbean
Botri, pepre →*Ecclinusa prieurii* (A.DC.) Aubr v.;
SAPOTACEAE; Surinam (Cr); syn.
Chrysophyllum prieurii A.DC.
Botrie(-ie) →*Manilkara bidentata* (A.DC.) A.Chev.
ssp. *bidentata*; SAPOTACEAE; Surinam (Sa);
syn. *M. balata* (Pierre) Dubard
Botrie, pinto (witti djoe-) →*Pouteria robusta*
(C.Martius & Eichler) Eyma; SAPOTACEAE;
Surinam (Cr); var. *longifolia* Eyma; syn.
Neoxythece robusta (C.Martius & Eichler) Aubr v.
& Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
Botrohoedoe →*Gustavia hexapetala* (Aublet)
A.C.Smith; LECYTHIDACEAE; Surinam (Cr)
Bottlebrush →*Combretum rotundifolium* A.Rich.;
COMBRETACEAE; Guyana (Cr)
Boucara →*Swartzia tomentosa* DC.;
LEGUMINOSAE-PAP.; Surinam
Bouchi cajouz →*Anacardium excelsum* (Bert. &
Balbis) Skeels; ANACARDIACEAE; French
Guiana
Bougarie →*Nectandra grandis* (Mez) Kosterm.;
LAURACEAE; Surinam (Ar)
Bougouni →*Balizia pedicellaris* (DC.) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; French
Guiana; syn. *Macrosamanea pedicellaris* (DC.)
Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.)
Benth.; syn. *Samanea pedicellaris* (DC.) Killip;
syn. *Inga pedicellare* DC.
→*Inga edulis* C.Martius; LEGUMINOSAE-MIM.;
French Guiana; syn. *I. scabriuscula* Benth.
Boulanger, wild →*Solanum macranthum* Dunal;
SOLANACEAE; Guyana (Cr)
Boulet de canon →*Couroupita guianensis*
Aublet; LECYTHIDACEAE; French Guiana
Boume houmiri →*Humiria* sp.; HUMIRIACEAE;
French Guiana
Bouragie →*Nectandra* sp.; LAURACEAE;
Guyana
→*Ocotea* sp.; LAURACEAE; Guyana
Bourrac →*Couratari panamensis* Standley;
LECYTHIDACEAE; French Guiana
Bourracourra →*Brosimum guianense* (Aublet)
Huber; MORACEAE; Guyana; syn. *Piratinera*
guianensis Aublet; syn. *P. scabridula* Blake; syn.
P. velutina Blake; syn. *Brosimum rotundatum*
Standley; syn. *B. velutinum* (Blake) Ducke
Bousi soursakki →*Annona glabra* L.;
ANNONACEAE; Surinam (Cr); syn. *A. palustris* L.
Bousi tamarin (-tamaren, -tamalin) →*Zygia*
racemosum (Ducke) Barneby & J.W.Grimes;
LEGUMINOSAE-MIM.; Surinam (Cr); syn.
Marmaroxylon racemosum (Ducke) Killip; syn.
Pithecellobium racemosum Ducke; syn. *Abarema*
racemosa (Ducke) Kleinh.
Boutous →*Brosimum guianense* (Aublet) Huber;
MORACEAE; Guyana; syn. *Piratinera guianensis*
Aublet; syn. *P. scabridula* Blake; syn. *P. velutina*
Blake; syn. *Brosimum rotundatum* Standley; syn.
B. velutinum (Blake) Ducke
Bow pigeon →*Coccoloba uvifera* (L.) Jacq.;
POLYGONACEAE; British West Indies; syn. *C.*
uvifera (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
Bowhanti (broinharti, broin-ati) →*Vouacapoua*
americana Aublet; LEGUMINOSAE-CAES.;
Surinam (Cr)
Bowi waata →*Micropholis guianensis* (A.DC.)
Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon*
guianensis A.DC.
Bowiwi papantie →*Hebepetalum humirifolium*
(Planch.) Benth. ex Jacks.; LINACEAE; Surinam
(Sa)
Bowwood →*Amanoa guianensis* Aublet;
EUPHORBIACEAE; Surinam (Cr)
→*Tabebuia serratifolia* (Vahl) Nicholson;
BIGNONIACEAE; Guyana (Cr); syn. *Tecoma*
leucoxylon (L.) Martius ex DC.
Box brier →*Randia aculeata* L.; RUBIACEAE;
Puerto Rico
Boxwood →*Bumelia* sp.; SAPOTACEAE; British

West Indies

Boxwood (maracaibo) → *Casearia praecox* Griseb.; FLACOURTIACEAE; West Indies; syn. *Gossypiospermum praecox* (Griseb.) P.Wilson → *Gossypiospermum praecox* (Griseb.) P.Wilson; FLACOURTIACEAE; West Indies; use *Casearia praecox* Griseb.

Boxwood, San Domingo → *Phyllostylon brasiliensis* Capanema; ULMACEAE; West Indies

Boyari → *Aristolochia daemonioxia* Masters; ARISTOLOCHIACEAE; Surinam (Ar)

Bradelifie (bradeliefi) → *Coccoloba mollis* Casar.; POLYGONACEAE; Surinam (Cr)

Bradi bita → *Leonotis nepetaefolia* (L.) R.Brown; LAMIACEAE; Surinam

Bradilifi (brailifi, bredlief) → *Coccoloba latifolia* Lam.; POLYGONACEAE; Surinam (Cr)

→ *Coccoloba mollis* Casar.; POLYGONACEAE; Surinam (Cr)

Brailifi → *Coccoloba mollis* Casar.; POLYGONACEAE; Surinam (Cr)

Brakka hattii → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Brakka ingipia (-iengipipa) → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *C. pulchra* Sandwith

Branti maka → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Drepanocarpus lunatus* (L.f.) G.Meyer

Brazieja → *Haematoxylon brasiletto* Karsten; LEGUMINOSAE-CAES.; Curaçao

Brazilwood → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Guyana (Cr); syn. *Caesalpinia echinata* Lam.

Brazil → *Caesalpinia barahonensis* Urban; LEGUMINOSAE-CAES.; Dominican Republic

Brazil nut → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Cr); syn. *B. nobilis* Miers

Braziliaans rozenhout → *Dalbergia decipularis* Rizzini & A.Mattos; LEGUMINOSAE-PAP.; Surinam (Du)

Braziliaans slangenhout → *Myrocarpus frondosus* Allemao; LEGUMINOSAE-PAP.; Surinam (Du)

Braziliaanse noot → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Du); syn. *B. nobilis* Miers

Brazilian guava → *Psidium benthamianum* O.Berg; MYRTACEAE; Guyana (Cr); use *P. guineense* Swartz

→ *Psidium guineense* Swartz; MYRTACEAE; Guyana (Cr); syn. *P. benthamianum* O.Berg

Brazilian redwood → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Cr); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Brazilian rosewood → *Dalbergia nigra* Allemao ex Benth.; LEGUMINOSAE-PAP.; Guyana (Cr)

Brazilian satinwood → *Euxylophora paraensis* Huber; RUTACEAE; Surinam (Cr)

Brazilwood → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Cr); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Bread-and-cheese → *Paullinia* sp.; SAPINDACEAE; British West Indies

Breakbill → *Bumelia* sp.; SAPOTACEAE; British West Indies

Bredlief (bradilifi, brailifi) → *Coccoloba latifolia* Lam.; POLYGONACEAE; Surinam (Cr)

Breebee → *Cereus repandus* (L.) Miller; CACTACEAE; Curaçao

Breebee die poesjie → *Cephalocereus lanuginosus* (L.) Britton & Rose; CACTACEAE; Curaçao

Breedbladige pienja → *Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Du); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Brickwax tree → *Symphonia globulifera* L.f.; GUTTIFERAE; Guyana (Cr); syn. *S. gabonensis* (Vesque) Pierre

Brier → *Guilandina* sp.; LEGUMINOSAE-CAES.; Puerto Rico

Brinari → *Bonafousia attenuata* Miers; APOCYNACEAE; Surinam (Ar); use *Tabernaemontana undulata* Vahl; syn. *B. undulata* (Vahl) A.DC.; syn. *T. meyeri* G.Don → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam (Ar); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers

Brinarieballi → *Mapouria opaca* Bremek.; RUBIACEAE; Surinam (Ar)

Brisselet → *Erythroxyllum* sp.; ERYTHROXYLACEAE; Virgin Islands

Broad-leaved burada → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Guyana (Cr); syn. *P. campestre* Aublet ?

Broad-leaved silverballi → *Nectandra* sp.; LAURACEAE; Guyana (Cr)

Broedoe nahatti → *Clerodendrum thomsonae* Balfour f.; VERBENACEAE; Surinam (Cr); means bleeding heart

Broedoehoedoe → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Cr); syn. *C. versicolor* Benoist

→ *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Surinam (Cr)

→ *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Surinam

Broin-ati (broinharti, bowhanti) → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Broinharti (bowhanti, broin-ati) → *Vouacapoua*

americana Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Brokobaka → *Mikania cordifolia* (L.f.) Willd.; ASTERACEAE; Surinam (Cr)

Broodboom → *Artocarpus altilis* (Parkinson) Fosberg; MORACEAE; Surinam (Du); syn. *A. incisus* L.; syn. *A. communis* J.R. & G.Forster; syn. *A. camansi* Blanco; syn. *A. incisa* (Thunberg) L.f.

Broomstick → *Trichilia* sp.; MELIACEAE; Puerto Rico

Brosse balata → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

Brosse bolletrie → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Cr)

Brown ebony → *Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; Guyana (Cr)

Brown silverballi → *Acrodictidium cannella* (Meisner) Mez; LAURACEAE; Surinam (Cr); use *Licaria cannella* (Meisner) Kosterm.; syn. *L. cayennensis* (Meisner) Kosterm.; syn. *Acrodictidium cayennensis* (Meisner) Mez
→ *Acrodictidium cayennensis* (Meisner) Mez; LAURACEAE; Surinam (Cr); use *Licaria cannella* (Meisner) Kosterm.; syn. *L. cayennensis* (Meisner) Kosterm.; syn. *Acrodictidium cannella* (Meisner) Mez
→ *Cordia alliodora* (Ruiz & Pavón) Oken; BORAGINACEAE; Surinam (Cr)
→ *Cordia trichotoma* (Vell.) Arráb. ex Steudel; BORAGINACEAE; Guyana (Cr)
→ *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
→ *Licaria cayennensis* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); use *L. cannella* (Meisner) Kosterm.; syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez
→ *Ocotea* sp.; LAURACEAE; Guyana (Cr)

Brown uya → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)

Brucal → *Erythrina poeppigiana* (Walpers) O.F.Cook; LEGUMINOSAE-PAP.; Dominican Republic; syn. *E. micropteryx* Poeppig; syn. *E. darienensis* Standley; syn. *E. pisamo* Posada-Ar.

Bruine cabreuva → *Myrcarpus frondosus* Allemao; LEGUMINOSAE-PAP.; Surinam (Du)

Bruinhart (broinharti, bowhanti, broin-ati) → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr, Du)

Bruinhart, basra → *Trichilia cuneifolia* Pulle; MELIACEAE; Surinam (Du)

Bu → *Rhizophora mangle* L.; RHIZOPHORACEAE; Guyana (Wr); syn. *R. racemosa* G.Meyer

Bucago → *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Puerto Rico; syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

Bucare → *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Trinidad; syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

Bucaro → *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Buck varnish → *Loreya acutifolia* O.Berg ex Triana; MELASTOMACEAE; Guyana (Cr)
→ *Loreya mespiloides* Miquel; MELASTOMACEAE; Guyana (Cr)

Buckwax tree → *Symphonia globulifera* L.f.; GUTTIFERAE; Guyana (Cr); syn. *S. gabonensis* (Vesque) Pierre

Buckwood → *Palicourea guianensis* Aublet; RUBIACEAE; Surinam (Ar)

Buffelhout → *Abuta concolor* Poeppig & Endl.; MENISPERMACEAE; Surinam (Du)

Buffelzaad → *Abuta concolor* Poeppig & Endl.; MENISPERMACEAE; Surinam (Du)

Buhurada (boehoerada, boehoerodoe) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?

Buhurada (burada) → *Parinari parvifolia* Sandwith; CHRYSOBALANACEAE; Surinam (Ar)

Buirata (boeirata, beurata) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?

Buis brésil → *Euxylophora paraensis* Huber; RUTACEAE; French Guiana

Buke → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Guyana (Ak)

Bukotori → *Eschweilera conduplicata* A.C.Smith; LECYTHIDACEAE; Guyana (W)

Buku-buku → *Hirtella* sp.; CHRYSOBALANACEAE; Guyana

Bullet tree (male-) → *Pouteria guianensis* Aublet; SAPOTACEAE; Guyana (Cr); syn. *Lucuma*

Bullet tree, male → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Guyana (Cr); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

Bulletwood → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Cr); syn. *M. balata* (Pierre) Dubard

Bulletwood, bastard → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. *balsamifera*; syn. *H. floribunda* C.Martius

Bully tree → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Cr); syn. *M. balata* (Pierre) Dubard

Bultatakubia → *Schlegelia lilacina* Miquel; BIGNONIACEAE; Surinam (Ar); use *S. violacea* (Aublet) Griseb.

→Schlegelia violacea (Aublet) Griseb.;
BIGNONIACEAE; Surinam (Ar); syn. S. lilacina
Miquel

Bulukush →Mauritia martiana Spruce;
ARECACEAE (PALMAE); Guyana (W); syn. M.
aculeata auct. non Kunth

Bunduri pimpla →Machaerium lunatum (L.f.)
Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn.
Drepanocarpus lunatus (L.f.) G.Meyer

Bunyashiri →Bactris monticola Barb.Rodr.;
ARECACEAE (PALMAE); Surinam (Ar); syn. B.
trichospatha Trail

→Bactris trichospatha Trail; ARECACEAE
(PALMAE); Surinam (Ar); use B. monticola
Barb.Rodr.

Burada →Exellodendron barbatum (Ducke)
Prance; CHRYSOBALANACEAE; Guyana (Ar);
syn. Parinari barbatum Ducke

→Licania sp.; CHRYSOBALANACEAE; Guyana
(Ar)

→Parinari barbatum Ducke;
CHRYSOBALANACEAE; Guyana (Ar); use
Exellodendron barbatum (Ducke) Prance

Burada (broad-leaved-) →Parinari campestris
Aublet; CHRYSOBALANACEAE; Surinam (Ar);
syn. P. campestre Aublet ?

Burada (buhurada) →Parinari montana Aublet;
CHRYSOBALANACEAE; Surinam (Ar)

→Parinari parvifolia Sandwith;
CHRYSOBALANACEAE; Surinam (Ar)

→Parinari rodolphii Huber;
CHRYSOBALANACEAE; Surinam (Ar)

Buradiye →Nectandra grandis (Mez) Kosterm.;
LAURACEAE; Guyana (Ar)

Burajie →Nectandra grandis (Mez) Kosterm.;
LAURACEAE; Surinam (Ar)

Burhuda →Endlicheria multiflora (Miquel) Mez;
LAURACEAE; Guyana

Buri →Bonafousia undulata (Vahl) A.DC.;
APOCYNACEAE; Surinam (Ar); use
Tabernaemontana undulata Vahl; syn. T. meyeri
G.Don; syn. Bonafousia attenuata Miers

→Stemmadenia cerea Woodson;
APOCYNACEAE; Guyana (Ar)

Buri (beri) →Tabernaemontana meyeri G.Don;
APOCYNACEAE; Surinam (Ar); use T. undulata
Vahl; syn. Bonafousia undulata (Vahl) A.DC.; syn.
Bonafousia attenuata Miers

→Tabernaemontana undulata Vahl;
APOCYNACEAE; Surinam (Ar); syn. T. meyeri
G.Don; syn. Bonafousia undulata (Vahl) A.DC.;
syn. B. attenuata Miers

Burokoro →Brosimum guianense (Aublet) Huber;
MORACEAE; Guyana (Ar); syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Burracurra →Brosimum guianense (Aublet)

Huber; MORACEAE; Guyana; syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Buruburuli →Licania divaricata Benth.;
CHRYSOBALANACEAE; Surinam (Ar)

→Licania heteromorpha Benth. var.
heteromorpha; CHRYSOBALANACEAE; Surinam
(Ar)

Burué(h) →Manilkara bidentata (A.DC.) A.Chev.
ssp. bidentata; SAPOTACEAE; Surinam (Ar); syn.
M. balata (Pierre) Dubard

Burueballi →Hieronima oblonga (Tulasne)
Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); use
Hyeronima oblonga (Tulasne) Müll.Arg.; syn.
Hieronyma oblonga (Tulasne) Müll.Arg.; syn.
Stilaginella oblonga Tulasne

→Hieronyma oblonga (Tulasne) Müll.Arg.;
EUPHORBIACEAE; Surinam (Ar); use Hyeronima
oblonga (Tulasne) Müll.Arg.; syn. Hieronima
oblonga (Tulasne) Müll.Arg.; syn. Stilaginella
oblonga Tulasne

→Hyeronima oblonga (Tulasne) Müll.Arg.;
EUPHORBIACEAE; Surinam (Ar); syn. Hieronima
oblonga (Tulasne) Müll.Arg.; syn. Hieronyma
oblonga (Tulasne) Müll.Arg.; syn. Stilaginella
oblonga Tulasne

→Stilaginella oblonga Tulasne;
EUPHORBIACEAE; Surinam (Ar); use Hyeronima
oblonga (Tulasne) Müll.Arg.; syn. Hieronima
oblonga (Tulasne) Müll.Arg.; syn. Hieronyma
oblonga (Tulasne) Müll.Arg.

Burukoro (-koba) →Brosimum guianense
(Aublet) Huber; MORACEAE; Surinam (Ar); syn.
Piratinera guianensis Aublet; syn. P. scabridula
Blake; syn. P. velutina Blake; syn. Brosimum
rotundatum Standley; syn. B. velutinum (Blake)
Ducke

Buruma →Pourouma essequiboensis Standley;
MORACEAE; Surinam (Ar); use P. tomentosa
ssp. essequiboensis (Standley) C.C.Berg &
Heusden

→Pourouma guianensis Aublet; MORACEAE;
Surinam (Ar)

→Pourouma tomentosa Miquel; MORACEAE;
Surinam (Ar); ssp. essequiboensis (Standley)
C.C. Berg & Heusden; syn. P. essequiboensis
Standley

Buruma (boroma) →Pourouma digitata Trécul;
MORACEAE; Surinam (Ar)

Bush orange →Hortia regia Sandwith;
RUTACEAE; Guyana (Cr)

Bustic →Dipholis salicifolia (L.) A.DC.;
SAPOTACEAE; Puerto Rico; use Spondogona sp.
→Spondogona sp.; SAPOTACEAE; Puerto Rico;
syn. Dipholis salicifolia (L.) A.DC.

Buttercup →Allamanda cathartica L.;
APOCYNACEAE; Guyana (Cr); syn. A.

hendersonii Bulliard

Butterfly pea →Centrosema triquetrum Spruce ex Benth.; LEGUMINOSAE-PAP.; Surinam (Cr)

Butternut →Caryocar nuciferum L.; CARYOCARACEAE; Surinam (Cr)

Butterwood →Diospyros concolor Moench; EBENACEAE; Trinidad; use D. virginiana L. →Diospyros virginiana L.; EBENACEAE; Trinidad; syn. D. concolor Moench

Button mangrove (-tree) →Conocarpus erectus L.; COMBRETACEAE; British West Indies

Button tree (-mangrove) →Conocarpus erectus L.; COMBRETACEAE; British West Indies

Buttonwood →Conocarpus erectus L.; COMBRETACEAE; British West Indies

Buzunuco →Hamelia sp.; RUBIACEAE; Dominican Republic

Cabacalli →Goupia glabra Aublet; CELASTRACEAE; Guianas; syn. G. tomentosa Aublet; sometimes family Goupiaceae used

Cabai nagte →Randia sp.; RUBIACEAE; Puerto Rico

Caballón →Thevetia peruviana (Persoon) K.Schumann; APOCYNACEAE; Puerto Rico; syn. T. neriifolia Jussieu ex steudel

Cabalonga →Thevetia peruviana (Persoon) K.Schumann; APOCYNACEAE; Puerto Rico; syn. T. neriifolia Jussieu ex Steudel

Cabbage bark (bastard-) →Andira inermis (W.Wright) DC.; LEGUMINOSAE-PAP.; Puerto Rico; syn. A. jamaicensis Urban; syn. A. excelsa Kunth

Cabbage bark, red →Andira coriacea Pulle; LEGUMINOSAE-PAP.; Guyana (Cr)

Cabbage tree, red →Andira inermis (W.Wright) DC.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. A. jamaicensis Urban; syn. A. excelsa Kunth

Cabilma →Guarea guidonia (L.) Sleumer; MELIACEAE; Dominican Republic; syn. G. guara (Jacq.) Paul G.Wilson; syn. G. trichilioides L.

Cabirma →Guarea guidonia (L.) Sleumer; MELIACEAE; West Indies; syn. G. guara (Jacq.) Paul G.Wilson; syn. G. trichilioides L.

Cabirma de Guiana →Carapa guianensis Aublet; MELIACEAE; Dominican Republic; syn. C. nicaraguensis DC.; syn. C. slateri Standley

Cabo de hacha →Trichilia sp.; MELIACEAE; Puerto Rico

Cabra →Rapanea sp.; MYRSINACEAE; Puerto Rico

→Schaefferia frutescens Jacq.; CELASTRACEAE; Dominican Republic

Cabra hedionda →Bunchosia sp.; MALPIGHIACEAE; Dominican Republic

Cabradanni, warra →Hirtella sp.; CHRYSOBALANACEAE; Guyana

Cabreuva parda →Myrocarpus frondosus Allemao; LEGUMINOSAE-PAP.; Surinam

Cabreuva vermelha →Myroxyton balsamum (L.) Harms; LEGUMINOSAE-PAP.; Surinam; syn. M. toluiferum Kunth

Cabreuva, bruine (-parda) →Myrocarpus frondosus Allemao; LEGUMINOSAE-PAP.; Surinam (Du)

Cabreuva, rode (-vermelha) →Myroxyton balsamum (L.) Harms; LEGUMINOSAE-PAP.; Surinam (Du); syn. M. toluiferum Kunth

Cabrita →Bunchosia sp.; MALPIGHIACEAE; Dominican Republic

Cacachien →Hymenaea courbaril L.; LEGUMINOSAE-CAES.; French Guiana

Cacaillo →Sloanea berteriana Choisy; ELAEOCARPACEAE; Puerto Rico

Cacao →Theobroma cacao L.; STERCULIACEAE; Surinam (Du)

Cacao (-motillo, -roseto) →Sloanea berteriana Choisy; ELAEOCARPACEAE; Puerto Rico

Cacao mangua →Marila sp.; GUTTIFERAE; Trinidad

Cacao rojo →Sarcomphalus reticulatus (Vahl) Urban; RHAMNACEAE; Puerto Rico

Cacao, bos (bastard-, water-) →Pachira aquatica Aublet; BOMBACACEAE; Surinam (Du); syn. Bombax aquatica (Aublet) K.Schumann

Cacao, wild →Theobroma bicolor Humbert & Bonpland; STERCULIACEAE; Surinam (Cr)

Cacao-oelie →Quararibea guianensis Aublet; BOMBACACEAE; Caribbean

Cacaoballi →Sagotia racemosa Baillon; EUPHORBIACEAE; Surinam (Ar)

Cacatier →Zanthoxylum sp.; RUTACEAE; French Guiana; syn. Xanthoxylum sp.

Cachibou →Bursera simaruba (L.) Sargent; BURSERACEAE; French West Indies; syn. B. gummifera L.; syn. Elaphrium simaruba (L.) Rose

Cachiman de montagne →Magnolia sp.; MAGNOLIACEAE; Martinique; syn. Talauma sp.

→Talauma sp.; MAGNOLIACEAE; Martinique; use Magnolia sp.

Cachimbo →Palicourea sp.; RUBIACEAE; Puerto Rico

→Psychotria sp.; RUBIACEAE; Puerto Rico

Cachimbo (cachinho) →Rauwolfia nitida Jacq.; APOCYNACEAE; Puerto Rico; syn. Rauwolfia nitida Jacq.

Cachinho (cachimbo) →Rauwolfia nitida Jacq.; APOCYNACEAE; Puerto Rico; syn. Rauwolfia nitida Jacq.

Cachipou →Carapa guianensis Aublet; MELIACEAE; French Guiana; syn. C. nicaraguensis DC.; syn. C. slateri Standley

Cachon, wilde →Curatella americana L.; DILLENIACEAE; Surinam (Du)

Café cimarrón (de gallina) →Casearia sylvestris Swartz; FLACOURTIACEAE; Dominican Republic

Café de gallina (-cimarrón) →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Dominican Republic

Café forastero →*Bunchosia* sp.; MALPIGHIACEAE; Puerto Rico

Café marron →*Faramea* sp.; RUBIACEAE; Dominican Republic

Cafecillo cimarrón →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Puerto Rico

Cafeillo →*Drypetes variabilis* Uittien; EUPHORBIACEAE; Puerto Rico

Cafetillo →*Faramea* sp.; RUBIACEAE; Puerto Rico

Cafetillo (-cimarrón) →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Puerto Rico

Caimitier →*Chrysophyllum cainito* L.; SAPOTACEAE; French Guiana

Caimitillo →*Chrysophyllum monopyrenum* Swartz; SAPOTACEAE; Puerto Rico; use *C. oliviforme* L.

→*Chrysophyllum oliviforme* L.; SAPOTACEAE; Puerto Rico; syn. *C. monopyrenum* Swartz

→*Mouriria* sp.; MELASTOMATAACEAE; Puerto Rico

Caimito (-cimarrón, -de perro) →*Chrysophyllum oliviforme* L.; SAPOTACEAE; Puerto Rico; syn. *C. monopyrenum* Swartz

Caimito cimarrón →*Chrysophyllum cainito* L.; SAPOTACEAE; Dominican Republic

Caimito verde →*Chrysophyllum* sp.; SAPOTACEAE; Puerto Rico

Caimon(í) →*Wallenia* sp.; MYRSINACEAE; Dominican Republic

Cainit →*Chrysophyllum cainito* L.; SAPOTACEAE; Puerto Rico

Cajoba →*Anadenanthera peregrina* (L.) Speng.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

Cajou senti →*Cedrela odorata* L.; MELIACEAE; French West Indies; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cajuco (cayuco) →*Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. *Myristica surinamensis* Rolander ex Rottb.

Cajuil →*Anacardium occidentale* L.; ANACARDIACEAE; Puerto Rico; syn. *A. occidentale* L. var. *indicum* DC.

Calabash →*Crescentia cujete* L.; BIGNONIACEAE; British West Indies

Calabash, black →*Amphitecna* sp.; BIGNONIACEAE; British West Indies; syn. *Dendrosicus* sp.; syn. *Enallagma latifolia* (Miller) Small

Calabash, wild →*Aiouea* sp.; LAURACEAE; Guyana (Cr)

→*Calophyllum brasiliense* Cambess.;

GUTTIFERAE; Guyana (Cr); syn. *C. calaba* Jacq.; syn. *C. reko* Standley

→*Crescentia cujete* L.; BIGNONIACEAE; British West Indies

Calabasse (-maron) →*Crescentia cujete* L.; BIGNONIACEAE; French West Indies

Calabasse colin →*Couroupita guianensis* Aublet; LECYTHIDACEAE; French Guiana

Calambreña →*Coccoloba* sp.; POLYGONACEAE; Puerto Rico

Calibori →*Chloroxylon swietenia* DC.; RUTACEAE; Curaçao

Caligni →*Licania* sp.; CHRYSOBALANACEAE; French Guiana

Camacey (-peludo) →*Clidemia* sp.; MELASTOMATAACEAE; Puerto Rico

Camache →*Thevetia peruviana* (Persoon) K. Schumann; APOCYNACEAE; Guyana; syn. *T. neriifolia* Jussieu ex Steudel

Camacou →*Licaria* sp.; LAURACEAE; Guyana; syn. *Acroclidium* sp.

Camasey →*Heterotrichum* sp.; MELASTOMATAACEAE; Puerto Rico

Camasey (-de paloma) →*Miconia* sp.; MELASTOMATAACEAE; Puerto Rico

Camasey jusillo →*Calycogonium squamulosum* Cogniaux; MELASTOMATAACEAE; Puerto Rico

Cambara de cheiro →*Licaria* sp.; LAURACEAE; Guyana; syn. *Acroclidium* sp.

Cambrón →*Parkinsonia aculeata* L.; LEGUMINOSAE-CAES.; Dominican Republic

→*Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *P. chilensis* (Molina) Stuntz

Campêche (bois de -) →*Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

Campêchehout →*Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; Surinam (Du)

Campechywood →*Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; Guyana (Cr)

Cañafístula cimarrón →*Cassia grandis* L.f.; LEGUMINOSAE-CAES.; Puerto Rico

Candle berry →*Byrsonima* sp.; MALPIGHIACEAE; British West Indies

Candle tree →*Dacryodes excelsa* Vahl; BURSERACEAE; Puerto Rico

Candlewood →*Amyris balsamifera* L.; RUTACEAE; Caribbean

→*Emmotum fagifolium* Desvaux; ICACINACEAE; Surinam (Cr)

→*Parinari campestris* Aublet; CHRYSOBALANACEAE; Guyana (Cr); syn. *P. campestre* Aublet ?

→*Parinari montana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

- Parinari parvifolia* Sandwith;
CHRYSOBALANACEAE; Surinam (Cr)
- Talisia squarrosa* Radlk.; SAPINDACEAE;
Surinam (Cr)
- Candlewood, black** →*Ocotea* sp.; LAURACEAE;
British West Indies
- Candongo** →*Rollinia deliciosa* Safford;
ANNONACEAE; Dominican Republic; use *R.*
mucosa (Jacq.) Baillon; syn. *R. orthopetala* A.DC.
→*Rollinia mucosa* (Jacq.) Baillon;
ANNONACEAE; Dominican Republic; syn. *R.*
deliciosa Safford; syn. *R. orthopetala* A.DC.
→*Rollinia orthopetala* A.DC.; ANNONACEAE;
Dominican Republic; use *R. mucosa* (Jacq.)
Baillon; syn. *R. deliciosa* Safford
- Canel(a)** →*Licaria cannella* (Meisner) Kosterm.;
LAURACEAE; Puerto Rico; syn. *Acroclidium*
cannella (Meisner) Mez; syn. *A. cayennensis*
(Meisner) Mez; syn. *Licaria cayennensis*
(Meisner) Kosterm.
- Canela** →*Persea nivea* Mez; LAURACEAE;
Puerto Rico; syn. *P. benthamiana* Meisner
- Canela bicha** →*Ocotea catharinensis* Mez;
LAURACEAE; Surinam
- Canelilla** →*Aniba canelilla* (Kunth) Mez;
LAURACEAE; Puerto Rico
- Canelillo** →*Canella winterana* (L.) Gaertner;
CANELLACEAE; Dominican Republic
→*Licaria cannella* (Meisner) Kosterm.;
LAURACEAE; Puerto Rico; syn. *Acroclidium*
cannella (Meisner) Mez; syn. *A. cayennensis*
(Meisner) Mez; syn. *Licaria cayennensis*
(Meisner) Kosterm.
- Canella** →*Canella winterana* (L.) Gaertner;
CANELLACEAE; Puerto Rico
- Canelle giroflée** →*Dicypellium caryophyllum*
Nees & C. Martius; LAURACEAE; French Guiana
- Canelón** →*Ocotea* sp.; LAURACEAE; Puerto
Rico
- Cangica** →*Brosimum guianense* (Aublet) Huber;
MORACEAE; Guyana; syn. *Piratinera guianensis*
Aublet; syn. *P. scabridula* Blake; syn. *P. velutina*
Blake; syn. *Brosimum rotundatum* Standley; syn.
B. velutinum (Blake) Ducke
- Canique gris** →*Caesalpinia crista* L.;
LEGUMINOSAE-CAES.; French West Indies
→*Guilandina* sp.; LEGUMINOSAE-CAES.; French
West Indies
- Cannon ball** →*Couroupita guianensis* Aublet;
LECYTHIDACEAE; Trinidad
- Caourouballi** →*Hymenaea courbaril* L.;
LEGUMINOSAE-CAES.; Guyana
- Caouroubara** →*Couratari panamensis* Standley;
LECYTHIDACEAE; French Guiana
- Capá amarillo** →*Petitita domingensis* Jacq.;
VERBENACEAE; Puerto Rico
- Capá blanco** →*Petitita domingensis* Jacq.;
VERBENACEAE; Dominican Republic
- Capá cimarrón** →*Cordia* sp.; BORAGINACEAE;
Puerto Rico
- Capá prieto (-sabana)** →*Cordia alliodora* (Ruiz &
Pavón) Oken; BORAGINACEAE; Dominican
Republic
- Capá rosa** →*Callicarpa* sp.; VERBENACEAE;
Puerto Rico
- Capá sabana** →*Petitita domingensis* Jacq.;
VERBENACEAE; Puerto Rico
- Capá sabana (-prieto)** →*Cordia alliodora* (Ruiz &
Pavón) Oken; BORAGINACEAE; Puerto Rico
- Capa(w)** →*Cordia trichotoma* (Vell.) Arráb. ex
Steudel; BORAGINACEAE; Puerto Rico
- Capaíllo** →*Aegiphila* sp.; VERBENACEAE;
Puerto Rico
- Cape weed** →*Lippia* sp.; VERBENACEAE;
Puerto Rico
- Caraba** →*Carapa guianensis* Aublet;
MELIACEAE; Guyana (Ak); syn. *C. nicaraguensis*
DC.; syn. *C. slateri* Standley
- Carabali** →*Samanea saman* (Jacq.) Merrill;
LEGUMINOSAE-MIM.; Caribbean; syn.
Pithecellobium saman Benth. & Hook.; syn.
Albizia saman (Jacq.) Müll.Arg.; syn.
Enterolobium saman (Jacq.) Prain & King; syn.
Mimosa saman Jacq.
- Carabana** →*Chrysophyllum argenteum* Jacq.;
SAPOTACEAE; Dominican Republic; ssp.
auratum (Miquel) T.D.Penn.; syn. *C. auratum*
Miquel; syn. *C. sericeum* A.DC.
- Caracalla** →*Norantea guianensis* Aublet;
MARCGRAVIACEAE; Surinam (Ar)
- Caracoli** →*Pithecellobium jupunba* (Willd.) Urban;
LEGUMINOSAE-MIM.; Dominican Republic; syn.
Abarema jupunba (Willd.) Britton & Killip
- Caracoli de Puerto Rico** →*Bucida buceras* L.;
COMBRETACEAE; Dominican Republic; syn. *B.*
angustifolia DC.
- Caracolillo** →*Homalium racemosum* Jacq.;
FLACOURTIACEAE; Puerto Rico; syn. *H.*
hondurense Donn.Sm.
→*Moutabea* sp.; POLYGALACEAE; Puerto Rico
→*Sabinea florida* (Vahl) DC.; LEGUMINOSAE-
PAP.; Puerto Rico
→*Trichilia* sp.; MELIACEAE; Puerto Rico
- Caramate** →*Hymenolobium flavum* Kleinhoonte;
LEGUMINOSAE-PAP.; Caribbean
- Caramura** →*Humiria* sp.; HUMIRIACEAE; French
Guiana
- Carange blanc** →*Protium* sp.; BURSERACEAE;
French Guiana
- Carapa rouge** →*Carapa guianensis* Aublet;
MELIACEAE; French Guiana; syn. *C.*
nicaraguensis DC.; syn. *C. slateri* Standley
- Cardinalwood** →*Brosimum rubescens* Taubert;
MORACEAE; Surinam (Cr); syn. *B. paraense*
Huber; syn. *Ferolia guianensis* Aublet; syn.
Piratinera sp.

Carga agua →Coccoloba sp.; POLYGONACEAE; Dominican Republic

→Peirania biflora (L.) Pittier; LEGUMINOSAE-CAES.; Dominican Republic; syn. Cassia biflora L.

Caribwood →Campomanesia grandiflora (Aublet) Sagot; MYRTACEAE; Trinidad

Caroubier →Hymenaea courbaril L.; LEGUMINOSAE-CAES.; French Guiana

Carpel, wild →Palicourea sp.; RUBIACEAE; Puerto Rico

Carrasbesu →Pictetia aculeata (Vahl) Urban; LEGUMINOSAE-PAP.; Puerto Rico

Carrasco →Comocladia glabra (Schultes) Sprengel; ANACARDIACEAE; Puerto Rico

Carrasqueno →Beilschmiedia pendula (Swartz) Benth. & Hook.f.; LAURACEAE; Dominican Republic

Carreto →Samanea saman (Jacq.) Merrill; LEGUMINOSAE-MIM.; West Indies; syn. Pithecellobium saman Benth. & Hook.; syn. Albizia saman (Jacq.) Müll.Arg.; syn. Enterolobium saman (Jacq.) Prain & King; syn. Mimosa saman Jacq.

Caruache →Thevetia peruviana (Persoon) K.Schumann; APOCYNACEAE; Guyana; syn. T. neriifolia Jussieu ex Steudel

Carubia →Fagara monophylla Lam.; RUTACEAE; Puerto Rico; use Zanthoxylum monophyllum (Lam.) P.Wilson

Carubia (carubio) →Zanthoxylum monophyllum (Lam.) P.Wilson; RUTACEAE; Puerto Rico; syn. Fagara monophylla Lam.; syn. Xanthoxylum

Carzazo →Caesalpinia pulcherrima (L.) Swartz; LEGUMINOSAE-CAES.; Dominican Republic

Casca preciosa →Aniba canelilla (Kunth) Mez; LAURACEAE; Guyana (Cr)

Caschou →Anacardium excelsum (Bert. & Balbis) Skeels; ANACARDIACEAE; French Guiana

Case →Licania sp.; CHRYSOBALANACEAE; Trinidad

Casha →Acacia farnesiana (L.) Willd.; LEGUMINOSAE-MIM.; Puerto Rico

Casha, stink →Poponax sp.; LEGUMINOSAE-MIM.; Puerto Rico

Cashew nut →Anacardium occidentale L.; ANACARDIACEAE; Guyana (Cr); syn. A. occidentale L. var. indicum DC.

Cashew, wild →Anacardium giganteum W.Hancock ex Engl.; ANACARDIACEAE; Guyana (Cr)

Cassave tree →Alchorneopsis floribunda (Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Cr)

→Cochlospermum orinocense (Kunth) Steudel; COCHLOSPERMACEAE; Surinam (Cr); syn. C. parkeri Planchon; sometimes family Bixaceae used

Cassave, konijnen →Stigmaphyllon convolvulifolium (Cav.) A.Jussieu; MALPIGHIACEAE; Surinam (Du)

Cassave, zoete →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam (Du); syn. M. utilisissima Pohl

Cassavehout →Alchornea triplinervia (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Du); var. laevigata Müll.Arg.

→Alchorneopsis trimera Lanjouw; EUPHORBIACEAE; Surinam (Du)

→Schefflera morototoni (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Du); syn. Didymopanax morototoni (Aublet) Decaisne & Planchon

Cassavewood →Alchornea triplinervia (Sprengel) Müll.Arg.; EUPHORBIACEAE; Guyana (Cr); var. laevigata Müll.Arg.

Casse hache →Gymnanthes lucida Swartz; EUPHORBIACEAE; French West Indies; syn. Sebastiana lucida Müll.Arg.

→Sebastiana lucida Müll.Arg.; EUPHORBIACEAE; French West Indies; use Gymnanthes lucida Swartz

Cassicus bloem →Chomelia tenuiflora Benth.; RUBIACEAE; Surinam (Du); syn. Anisomeris tenuiflora (Benth.) Pulle; syn. Tarenna sp.

Cat claw →Pisonia zapallo Griseb.; NYCTAGINACEAE; British West Indies

Cat's claw →Senegalia greggii (Gray) Britton & Rose; LEGUMINOSAE-MIM.; Puerto Rico; syn. Calliandra sp.

Catalpa →Thespesia populnea (L.) Solander ex M.N.Correa; MALVACEAE; French West Indies; syn. Malvaviscus populneus (L.) Gaertner; syn. Hibiscus populneus Willd.; syn. H. bacciferus Forster

Catch-and-keep →Senegalia sp.; LEGUMINOSAE-MIM.; Puerto Rico

Cauto →Hirtella sp.; CHRYSOBALANACEAE; Trinidad

Cautoro →Parinari campestris Aublet; CHRYSOBALANACEAE; Trinidad; syn. P. campestre Aublet ?

Cauturo →Parinari campestris Aublet; CHRYSOBALANACEAE; Trinidad; syn. P. campestre Aublet ?

Caya amarillo →Sideroxylon foetidissimum Jacq.; SAPOTACEAE; Dominican Republic

Caya colorado →Dipholis salicifolia (L.) A.DC.; SAPOTACEAE; Dominican Republic; use Spondogona sp.

→Spondogona sp.; SAPOTACEAE; Dominican Republic; syn. Dipholis salicifolia (L.) A.DC.

Caya de loma (-rubia) →Dipholis salicifolia (L.) A.DC.; SAPOTACEAE; Dominican Republic; use Spondogona sp.

→Spondogona sp.; SAPOTACEAE; Dominican

Republic; syn. *Dipholis salicifolia* (L.) A.DC.

Caya rubia (-de loma) → *Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; Dominican Republic; use *Spondogona* sp.

→ *Spondogona* sp.; SAPOTACEAE; Dominican Republic; syn. *Dipholis salicifolia* (L.) A.DC.

Cayali (cayari) → *Endlicheria* sp.; LAURACEAE; French West Indies

Cayari (cayali) → *Endlicheria* sp.; LAURACEAE; French West Indies

Cayennehout → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Du); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Cayuco (cajuco) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. *Myristica surinamensis* Rolander ex Rottb.

Ceboroquillo → *Thouinia striata* Radlk.; SAPINDACEAE; Puerto Rico

Cedar, bastard → *Guazuma ulmifolia* Lam.; STERCULIACEAE; British West Indies; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

→ *Trattinickia burserifolia* C.Martius; BURSERACEAE; Guyana (Cr)

Cedar, red (Spanish-) → *Cedrela odorata* L.; MELIACEAE; Surinam (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cedar, Spanish (red-) → *Cedrela odorata* L.; MELIACEAE; Guyana (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cedar, white → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Guyana (Cr); var. *monophylla* Sandwith

→ *Tabebuia pentaphylla* (L.) Hemsley; BIGNONIACEAE; Puerto Rico

→ *Tabebuia stenocalyx* Sprague & Stapf; BIGNONIACEAE; Guyana (Cr)

→ *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Cr)

Cedar, yellow → *Tecoma stans* (L.) Kunth; BIGNONIACEAE; British West Indies; syn. *Stenolobium stans* (L.) Seemann

Ceder (loofhout-, Surinaams-, zwamp-) → *Cedrela odorata* L.; MELIACEAE; Surinam (Du); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Ceder kwarie (appel-) → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Du)

Ceder, witte → *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Du)

Cédrat → *Cedrela odorata* L.; MELIACEAE; French Guiana; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cèdre (-acajou, -odorant) → *Cedrela odorata* L.; MELIACEAE; French Guiana; syn. *C. guianensis*

Jussieu; syn. *C. mexicana* Roemer

Cèdre blanc → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; French Guiana; var. *monophylla* Sandwith

→ *Trattinickia demerarae* Sandwith; BURSERACEAE; French Guiana

Cèdre canelle → *Cryptocarya guianensis* Meisner; LAURACEAE; French Guiana

Cèdre d'argent → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; French Guiana; syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Cèdre flibustier → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; French Guiana; syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Cèdre gris → *Nectandra* sp.; LAURACEAE; French Guiana

→ *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; French Guiana; syn. *O. schomburgkiana* (Nees) Mez

Cèdre gris (couari-) → *Qualea rosea* Aublet; VOCHYSIACEAE; French Guiana

Cèdre jaune → *Qualea rosea* Aublet; VOCHYSIACEAE; French Guiana

Cèdre jaune de marécage → *Cryptocarya* sp.; LAURACEAE; French Guiana

Cèdre noir → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; French Guiana; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

→ *Nectandra rubra* (Mez) Allen; LAURACEAE; French Guiana; syn. *Ocotea rubra* Mez

Cèdre odorant (-acajou) → *Cedrela odorata* L.; MELIACEAE; French Guiana; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cedrela odorant → *Cedrela odorata* L.; MELIACEAE; French Guiana; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cedro (-hembra) → *Cedrela odorata* L.; MELIACEAE; Puerto Rico; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Cedro macho → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; Puerto Rico

→ *Carapa guianensis* Aublet; MELIACEAE; Caribbean; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

→ *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Puerto Rico; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Cedro prieto → *Metopium toxiferum* (L.) Krug & Urban; ANACARDIACEAE; Puerto Rico

Cedroe → *Cedrela odorata* L.; MELIACEAE;

Surinam (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Ceiba (-yuca) →*Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Curaçao; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.

Celandine →*Bocconia frutescens* L.; PAPAVERACEAE; Puerto Rico

Cenizo →*Tetrazygia pallens* Cogniaux; MELASTOMATACEAE; Puerto Rico
→*Zanthoxylum caribaea* Lam.; RUTACEAE; Puerto Rico; syn. *Fagara caribaea* (Lam.) Krug & Urban; syn. *Xanthoxylum*

→*Zanthoxylum martinicense* (Lam.) DC.; RUTACEAE; Puerto Rico; syn. *Fagara martinicense* Lam.; syn. *Xanthoxylum*

Cerero →*Myrica cerifera* L.; MYRICACEAE; Puerto Rico

Ceresa del monte →*Byrsonima* sp.; MALPIGHIACEAE; Trinidad

Ceretle →*Byrsonima* sp.; MALPIGHIACEAE; Trinidad

Cereza →*Malpighia glabra* L.; MALPIGHIACEAE; Puerto Rico

Cereza blanca →*Cordia alba* (Jacq.) Roemer & Schultes; BORAGINACEAE; Puerto Rico

Cereza cimarrona →*Cordia colecocea* L.; BORAGINACEAE; Puerto Rico; syn. *C. collocca* L. ?; syn. *C. collococca* L. ?

Cerezo →*Homalium racemosum* Jacq.; FLACOURTIACEAE; Puerto Rico; syn. *H. hondurense* Donn.Sm.

Cerezo (-colorado) →*Malpighia glabra* L.; MALPIGHIACEAE; Puerto Rico

Cerezo blanco →*Cordia alba* (Jacq.) Roemer & Schultes; BORAGINACEAE; Puerto Rico

Cerise carée →*Eugenia uniflora* L.; MYRTACEAE; French Guiana

Chamiso →*Dodonaea angustifolia* L.f.; SAPINDACEAE; Puerto Rico; use *D. viscosa* (L.) Jacq.; syn. *D. dioica* Roxburgh

→*Dodonaea dioica* Roxburgh; SAPINDACEAE; Puerto Rico; use *D. viscosa* (L.) Jacq.; syn. *D. angustifolia* L.f.

→*Dodonaea viscosa* (L.) Jacq.; SAPINDACEAE; Puerto Rico; syn. *D. angustifolia* L.f.; syn. *D. dioica* Roxburgh

Chanul →*Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius

Chataigne, wild →*Pachira aquatica* Aublet; BOMBACACEAE; Trinidad; syn. *Bombax aquatica* (Aublet) K.Schumann

Châtaignier →*Pachira aquatica* Aublet; BOMBACACEAE; French Guiana; syn. *Bombax aquatica* (Aublet) K.Schumann

Châtaignier (-franc) →*Sloanea* sp.; ELAEOCARPACEAE; French Guiana

Châtaignier (-petit) coco →*Sloanea berteriana* Choisy; ELAEOCARPACEAE; French West Indies

Chêne de Antilles →*Macrocatalpa punctata* (Griseb.) Britton; BIGNONIACEAE; Martinique

Chereese →*Malpighia glabra* L.; MALPIGHIACEAE; Puerto Rico

Cherry, clammy →*Cordia sericicalyx* A.DC.; BORAGINACEAE; Surinam (Cr)

→*Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Cr); syn. *C. umbraculifera* DC.

Cherry, cowage →*Malpighia* sp.; MALPIGHIACEAE; Puerto Rico

Cherry, guava →*Eugenia* sp.; MYRTACEAE; Trinidad

Cherry, poison (wild-) →*Rhacoma latifolia* Swartz; CELASTRACEAE; Puerto Rico

Cherry, Surinam →*Eugenia uniflora* L.; MYRTACEAE; British West Indies

Cherry, West Indian →*Malpighia glabra* L.; MALPIGHIACEAE; Puerto Rico

Cherry, wild →*Eugenia patrisii* Vahl; MYRTACEAE; Guyana (Cr)

Cherry, wild (poison-) →*Rhacoma latifolia* Swartz; CELASTRACEAE; Puerto Rico

Chibou →*Bursera simaruba* (L.) Sargent; BURSERACEAE; French West Indies; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

Chicharrón →*Comocladia glabra* (Schultes) Sprengel; ANACARDIACEAE; Dominican Republic

→*Hirtella triandra* Swartz; CHRYSOBALANACEAE; Dominican Republic

→*Reynosia* sp.; RHAMNACEAE; Puerto Rico

→*Sloanea* sp.; ELAEOCARPACEAE; Dominican Republic

→*Trichilia* sp.; MELIACEAE; Dominican Republic

Chichipate →*Brya buxifolia* Urban; LEGUMINOSAE-PAP.; Caribbean

Chifle de vaca →*Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Chiggernit →*Tournefortia bicolor* Swartz var. *calycosa* J.D.Smith; BORAGINACEAE; Puerto Rico

Chigoe plant →*Tournefortia bicolor* Swartz var. *calycosa* J.D.Smith; BORAGINACEAE; Guyana (Cr)

Chigonit →*Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Guyana (Cr); syn. *B. aubletii* Naudin

Chikö-eno →*Miconia marginata* Triana; MELASTOMATACEAE; Guyana (Ak)

Chimarrón (café-) →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Dominican Republic

Chimidida →*Hymenaea courbaril* L.;

LEGUMINOSAE-CAES.; French Guiana
Chimmy-chimmy →Byrsonima aerugo Sagot;
MALPIGHIACEAE; Surinam (Cr); var. occidentalis
Nieden zu

Chinese earring →Machaerium lunatum (L.f.)
Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn.
Drepanocarpus lunatus (L.f.) G.Meyer

Chirchirkadana →Myroxylon peruiferum L.f.;
LEGUMINOSAE-PAP.; Guyana (W)

Chirriador →Jacquinia sp.;
THEOPHRASTACEAE; Puerto Rico

Chiti →Balizia pedicellaris (DC.) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (M);
syn. Macrosamanea pedicellaris (DC.)
Kleinhoonte; syn. Pithecellobium pedicellare (DC.)
Benth.; syn. Samanea pedicellaris (DC.) Killip;
syn. Inga pedicellare DC.

→Hydrochorea corymbosa (Rich.) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (M);
syn. Arthrosamanea corymbosa (Rich.)
Kleinhoonte; syn. Pithecellobium corymbosum
(Rich.) Benth.

→Hydrochorea gonggrijpii (Kleinh.) Barneby
& Grimes; LEGUMINOSAE-MIM.; Guyana (M);
syn. Arthrosamanea pullei (Kleinh.) Kleinhoonte;
syn. A. gonggrijpii (Kleinh.) Kleinhoonte; syn.
Pithecellobium gonggrijpii Kleinh.

Chocolate palm (zwarte-) →Jessenia bataua
(C.Martius) Burret; ARECACEAE (PALMAE);
Guyana (Cr); syn. Oenocarpus bataua C.Martius

Chon →Bombax globosum Aublet;
BOMBACACEAE; Guyana (W)

→Bombax surinamensis Uittien;
BOMBACACEAE; Guyana (W)

Christmas candle →Triplaris weigeltiana (Rchb.)
Kuntze; POLYGONACEAE; Guyana (Cr); syn. T.
surinamensis Chamisso; syn. T. americana Aublet

Chuwirikia →Guettarda acreana Krause;
RUBIACEAE; Guyana (W)

Chuya →Pouteria speciosa (Ducke) Baehni;
SAPOTACEAE; Guyana (M); syn. Englerella
speciosa (Ducke) Ducke; syn. Lucuma

Cidrón →Lippia sp.; VERBENACEAE; Puerto
Rico

Cieneguillo →Daphnopsis sp.;
THYMELAEACEAE; Puerto Rico

→Gomidesia lindeniana O.Berg; MYRTACEAE;
Puerto Rico; use Myrcia

→Myrcia sp.; MYRTACEAE; Puerto Rico; syn.
Gomidesia lindeniana O.Berg

Cigua →Hypelate trifoliata Swartz;
SAPINDACEAE; Puerto Rico

Cigua (-gorrita, -prieta) →Licaria triandra
(Swartz) Kosterm.; LAURACEAE; Dominican
Republic; syn. Acrodiclidium

Cimarron →Calophyllum brasiliense Cambess.;
GUTTIFERAE; Surinam; syn. C. calaba Jacq.;
syn. C. rekoii Standley

Cimarrón, rosa →Samyda sp.;
FLACOURTIACEAE; Dominican Republic

Cimarrona →Jatropha curcas L.;
EUPHORBIACEAE; Puerto Rico; syn. J.
moluccana Wallich

Cimbomasra →Aulomyrcia pyrifolia (Desvaux ex
Ham.) O.Berg; MYRTACEAE; Surinam (Au)

Cimiri (simiri) →Hymenaea courbaril L.;
LEGUMINOSAE-CAES.; Caribbean

Cinnamon, pepper (wild-) →Canella winterana
(L.) Gaertner; CANNELACEAE; Puerto Rico

Ciruelo del país →Spondias mombin L.;
ANACARDIACEAE; Puerto Rico; syn. S. lutea L.

Citroengras →Cymbopogon citratus (DC.) Stapf;
POACEAE; Surinam (Du)

Clammy cherry →Cordia sericicalyx A.DC.;
BORAGINACEAE; Surinam (Cr)

→Cordia tetrandra Aublet; BORAGINACEAE;
Guyana (Cr); syn. C. umbraculifera DC.

Clavaliere d'amerique →Zanthoxylum
americanum Miller; RUTACEAE; French Guiana;
syn. Xanthoxylum

Clavaliere des Antilles →Zanthoxylum sp.;
RUTACEAE; French Guiana; syn. Xanthoxylum
sp.

Clavellina →Caesalpinia pulcherrima (L.) Swartz;
LEGUMINOSAE-CAES.; Puerto Rico

Clubwood →Swartzia leiocalycina Benth.;
LEGUMINOSAE-PAP.; Guyana (Cr)

Clump wallaba →Dicymbe alstonii Sandwith;
LEGUMINOSAE-CAES.; Guyana (Cr)

→Dicymbe corymbosa Spruce ex Benth.;
LEGUMINOSAE-CAES.; Guyana (Cr)

Coache (coachi) →Quassia amara L. ex Blom;
SIMAROUBACEAE; French Guiana; syn.
Simarouba amara Aublet; syn. Simarouba amara
Aublet

Coachi (coache) →Quassia amara L. ex Blom;
SIMAROUBACEAE; French Guiana; syn.
Simarouba amara Aublet; syn. Simarouba amara
Aublet

Coaopia →Vismia sp.; GUTTIFERAE; French
Guiana

Coca ravet →Rapanea sp.; MYRSINACEAE;
French West Indies

Cocaine tree →Erythroxylum amazonicum
Peyritsch; ERYTHROXYLACEAE; Guyana (Cr)

→Erythroxylum citrifolium A.St.-Hil.;
ERYTHROXYLACEAE; Guyana (Cr)

→Erythroxylum coca Lam.;
ERYTHROXYLACEAE; Guyana (Cr)

→Erythroxylum macrophyllum Cav.;
ERYTHROXYLACEAE; Guyana (Cr)

→Erythroxylum squamatum Swartz;
ERYTHROXYLACEAE; Guyana (Cr)

→Erythroxylum vernicosum O.E.Schulz;
ERYTHROXYLACEAE; Guyana (Cr)

Cochinillo →*Metopium toxiferum* (L.) Krug & Urban; ANACARDIACEAE; Dominican Republic

Cockspur →*Erythrina crista-galli* L.; LEGUMINOSAE-PAP.; British West Indies

→*Momisia iguanaea* (Jacq.) Rose & Standley; ULMACEAE; Puerto Rico; use *Celtis* ?

→*Pisonia* sp.; NYCTAGINACEAE; British West Indies

Coco de mono →*Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers

Cocoa, water (bastard-) →*Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Cr); syn. *Bombax spectabile* Ulbrich

Cocoa, water (bastard-, bos-) →*Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Cr); syn. *Bombax aquatica* (Aublet) K.Schumann

Cocoa, wild →*Theobroma bicolor* Humbert & Bonpland; STERCULIACEAE; Surinam (Cr)

Coconut palm →*Cocos nucifera* L.; ARECACEAE (PALMAE); Surinam (Cr)

Cocorroncito →*Rhacoma latifolia* Swartz; CELASTRACEAE; Puerto Rico

Cocos palm →*Cocos nucifera* L.; ARECACEAE (PALMAE); Surinam (Du)

Cocus →*Brya buxifolia* Urban; LEGUMINOSAE-PAP.; Caribbean

Coenami (kumani) →*Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *T. toxicaria* (Swartz) Persoon

Coenatapi (koenatapi) →*Platymiscium trinitatis* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); var. *durum* Ducke

Coeur de cachiment →*Magnolia* sp.; MAGNOLIACEAE; Guadeloupe; syn. *Talauma* sp.

Coeur dehors →*Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; French Guiana; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Coeur rouge →*Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; French Guiana

Coffee →*Eugenia* sp.; MYRTACEAE; Trinidad

Coffee mortar →*Terminalia dichotoma* G.Meyer; COMBRETACEAE; Guyana (Cr)

Cogwood →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Cr); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

→*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Tobago; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Coji →*Prosopis* sp.; LEGUMINOSAE-MIM.; Curaçao

Cojoba(na) →*Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.)

Britton & Rose

→*Cojoba arborea* (L.) Britton & Rose; LEGUMINOSAE-MIM.; Puerto Rico; use *Pithecellobium arboreum* (L.) Urban; syn. *Samanea arborea* (L.) Ricker

→*Pithecellobium arboreum* (L.) Urban; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Cojoba arborea* (L.) Britton & Rose; syn. *Samanea arborea* (L.) Ricker

→*Samanea arborea* (L.) Ricker; LEGUMINOSAE-MIM.; Puerto Rico; use *Pithecellobium arboreum* (L.) Urban; syn. *Cojoba* (L.) Britton & Rose

Cojobilla (cojobillo) →*Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

Cojobillo →*Calliandra* sp.; LEGUMINOSAE-MIM.; Puerto Rico; use *Anadenanthera peregrina* (L.) Speg.; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

→*Niopa peregrina* (L.) Britton & Rose; LEGUMINOSAE-MIM.; Puerto Rico; use *Anadenanthera peregrina* (L.) Speg.; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Calliandra* sp.

Cojobo →*Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

Coker, sand →*Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

Cokerwood →*Terminalia dichotoma* G.Meyer; COMBRETACEAE; Guyana (Cr)

Cola (kola, kula, koela) →*Caryocar microcarpum* Ducke; CARYOCARACEAE; Guyana (Ar); syn. *C. riparium* A.C.Smith

Colas →*Gymnanthes lucida* Swartz; EUPHORBIACEAE; French West Indies; syn. *Sebastiana lucida* Müll.Arg.

Colorado →*Cyrilla racemiflora* L.; CYRILLACEAE; Puerto Rico; syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown

Cometure →*Campomanesia grandiflora* (Aublet) Sagot; MYRTACEAE; Trinidad

Common asepo (hariraro-) →*Pouteria guianensis* Aublet; SAPOTACEAE; Guyana (Cr); syn. *Lucuma*

Common baromalli →*Catostemma commune* Sandwith; BOMBACACEAE; Surinam (Cr)

Common black kakaralli →*Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (Ar)

Common kurokai →*Protium decandrum* (Aublet) Marchand; BURSERACEAE; Guyana (Cr)

Conageddiballi →*Homalium* sp.;

FLACOURTIACEAE; Guyana
Conaparoo →Phyllanthus acuminatus Vahl;
EUPHORBIACEAE; Surinam
Congo pump →Cecropia angulata I.W.Bailey;
MORACEAE; Surinam (Cr)
→Cecropia sciadophylla C.Martius; MORACEAE;
Surinam (Cr); syn. C. juranyiana V.A.Richter
→Pourouma asperata Benoist; MORACEAE;
Guyana (Cr)
Conohorié →Rinorea sp.; VIOLACEAE; French
Guiana
Consulita →Galphimia sp.; MALPIGHIACEAE;
Puerto Rico; syn. Thryallis sp.
→Thryallis sp.; MALPIGHIACEAE; Puerto Rico;
use Galphimia sp.
Cooper →Clusia amazonica Planchon & Triana;
GUTTIFERAE; Guyana (Cr)
Coopey →Micropholis guianensis (A.DC.) Pierre;
SAPOTACEAE; Trinidad; syn. Sideroxylon
guianensis A.DC.

Copaia (-de chantiers) →Jacaranda copaia
(Aublet) D.Don; BIGNONIACEAE; French Guiana;
syn. Bignonia copaia Aublet
Copaiba →Copaifera officinalis (Jacq.) L.;
LEGUMINOSAE-CAES.; Dominican Republic
Copaiba balsam →Copaifera pubiflora Benth.;
LEGUMINOSAE-CAES.; Guyana (Cr)
Copalier →Hymenaea courbaril L.;
LEGUMINOSAE-CAES.; French Guiana
Cope(y) grande →Clusia rosea Jacq.;
GUTTIFERAE; Trinidad
Copillo →Cordia alliodora (Ruiz & Pavón) Oken;
BORAGINACEAE; Puerto Rico
Coracolillo →Homalium sp.;
FLACOURTIACEAE; Puerto Rico
Coral →Rhacoma latifolia Swartz;
CELASTRACEAE; Puerto Rico
Coral tree →Erythrina corallodendron L.;
LEGUMINOSAE-PAP.; Puerto Rico
→Erythrina poeppigiana (Walpers) O.F.Cook;
LEGUMINOSAE-PAP.; Puerto Rico; syn. E.
micropteryx Poeppig; syn. E. darienensis
Standley; syn. E. pisamo Posada-Ar.
Corantijns mahonie →Tetragastris sp.;
BURSERACEAE; Surinam (Du)
Corazón de paloma →Colubrina ferruginosa
Brongn.; RHAMNACEAE; Dominican Republic
→Homalium racemosum Jacq.;
FLACOURTIACEAE; Dominican Republic; syn. H.
hondurense Donn.Sm.
Corcho →Croton sp.; EUPHORBIACEAE; Puerto
Rico
→Ficus sp.; MORACEAE; Puerto Rico
→Pisonia sp.; NYCTAGINACEAE; Puerto Rico
→Torrubia sp.; NYCTAGINACEAE; Puerto Rico
Corcho blanco →Dendropanax arboreus (L.)
Decaisne & Planchon; ARALIACEAE; Puerto
Rico; syn. Gilibertia arborea (L.) Marchal
→Gilibertia arborea (L.) Marchal; ARALIACEAE;
Puerto Rico; use Dendropanax arboreus (L.)
Decaisne & Planchon
Corcorrón →Cassine sp.; CELASTRACEAE;
Puerto Rico; syn. Elaeodendron xylocarpum
(Ventenat) DC.
→Elaeodendron xylocarpum (Ventenat) DC.;
CELASTRACEAE; Puerto Rico; use Cassine
Cordobancillo →Rondeletia sp.; RUBIACEAE;
Puerto Rico
Coriaquillo (-de Santa Maria) →Lantana camara
L.; VERBENACEAE; Puerto Rico
Cork tree →Thespesia populnea (L.) Solander ex
M.N.Correa; MALVACEAE; Puerto Rico; syn.
Malvaviscus populneus (L.) Gaertner; syn.
Hibiscus populneus Willd.; syn. H. bacciferus
Forster
Corkwood →Ceiba pentandra (L.) Gaertner;
BOMBACACEAE; British West Indies; syn. C.
occidentalis (Sprengel) Burkill; syn. C. thoningii
Chevalier; syn. Bombax pentandrum L.
→Ochroma lagopus Swartz; BOMBACACEAE;
Puerto Rico; syn. O. pyramidale (Cav. ex Lam.)
Urban; syn. O. bicolor Rowlee; syn. O. grandiflora
Rowlee
→Pterocarpus rufescens Benth.;
LEGUMINOSAE-PAP.; Guyana (Cr)
→Pterocarpus santalinoides L'Héritier ex DC.;
LEGUMINOSAE-PAP.; Guyana (Cr)
Corkwood (beef-, pigeon-, pork-) →Torrubia
sp.; NYCTAGINACEAE; British West Indies
Corkwood, hill →Pterocarpus rohrii Vahl;
LEGUMINOSAE-PAP.; Guyana (Cr)
Corkwood, swamp →Pterocarpus officinalis
Jacq.; LEGUMINOSAE-PAP.; Guyana (Cr); syn.
P. draco L.
Coscorrán →Cassine sp.; CELASTRACEAE;
Puerto Rico; syn. Elaeodendron xylocarpum
(Ventenat) DC.
→Elaeodendron xylocarpum (Ventenat) DC.;
CELASTRACEAE; Puerto Rico; use Cassine
Cotelette →Citharexylum sp.; VERBENACEAE;
French West Indies
Cotonnier grand bois →Ceiba pentandra (L.)
Gaertner; BOMBACACEAE; French Guiana; syn.
C. occidentalis (Sprengel) Burkill; syn. C.
thoningii Chevalier; syn. Bombax pentandrum L.
Cotton →Ceiba pentandra (L.) Gaertner;
BOMBACACEAE; Surinam (Cr); syn. C.
occidentalis (Sprengel) Burkill; syn. C. thoningii
Chevalier; syn. Bombax pentandrum L.
Cotton, wild silk →Bombax flaviflorum Pulle;
BOMBACACEAE; Guyana (Cr)
→Bombax globosum Aublet; BOMBACACEAE;
Guyana (Cr)
→Bombax surinamensis Uittien;

BOMBACACEAE; Guyana (Cr)
Couaie →*Qualea coerulea* Aublet;
VOCHYSIACEAE; French Guiana
→*Viola surinamensis* (Rolander ex Rottb.)
Warburg; MYRISTICACEAE; French Guiana; syn.
Myristica surinamensis Rolander ex Rottb.
Couari cèdre gris →*Qualea albiflora* Warming;
VOCHYSIACEAE; French Guiana; use
Ruizterania albiflora (Warming) Marcono-Berti ?
→*Qualea coerulea* Aublet; VOCHYSIACEAE;
French Guiana
→*Qualea rosea* Aublet; VOCHYSIACEAE; French
Guiana
Couépi →*Goupia glabra* Aublet;
CELASTRACEAE; Guianas; syn. *G. tomentosa*
Aublet; sometimes family Goupiaceae used
→*Licania octandra* (Hoffsgg. ex Roemer & Sch.)
Kuntze; CHRYSOBALANACEAE; French Guiana;
ssp. *octandra*; syn. *Moquilea utilis* Hook.f.; syn. *L.*
takutuensis Standley; syn. *L. utilis* (Hook.f.)
Fritsch
→*Moquilea surinamensis*;
CHRYSOBALANACEAE; Surinam; use *Licania*
Coulekin (coulequin) →*Cecropia peltata* L.;
MORACEAE; French Guiana
Coulequin →*Cecropia peltata* L.; MORACEAE;
French Guiana
→*Pourouma guianensis* Aublet; MORACEAE;
French Guiana
Couma →*Couma guianensis* (A.Rich.) Aublet;
APOCYNACEAE; French Guiana
Coumété →*Myrcia* sp.; MYRTACEAE; Surinam
Counta →*Licania guianensis* (Aublet) Griseb.;
CHRYSOBALANACEAE; Guyana (Cr)
→*Licania laxiflora* Fritsch;
CHRYSOBALANACEAE; Guyana (Cr); syn.
Moquilea pallida Hook.f.
→*Licania persaudii* Fanshawe & Maguire;
CHRYSOBALANACEAE; Guyana (Cr)
Countaballi →*Licania alba* (Bernoulli) Cuatrec.;
CHRYSOBALANACEAE; Guyana (Cr); syn. *L.*
venosa Rusby
→*Licania majuscula* Sagot;
CHRYSOBALANACEAE; Surinam (Cr)
Counter →*Licania alba* (Bernoulli) Cuatrec.;
CHRYSOBALANACEAE; Guyana (Cr); syn. *L.*
venosa Rusby
Courali →*Tabebuia aquatilis* (E.Meyer) Sprague
& Sandwith; BIGNONIACEAE; Surinam
→*Tabebuia insignis* (Miquel) Sandwith;
BIGNONIACEAE; Surinam; var. *monophylla*
Sandwith
Couranoura →*Humiria* sp.; HUMIRIACEAE;
French Guiana
Couratari →*Couratari* sp.; LECYTHIDACEAE;
French Guiana
Courbaril (-de montagne, -de savanne)
→*Hymenaea courbaril* L.; LEGUMINOSAE-
CAES.; French Guiana
Courida →*Avicennia germinans* (L.) Stearn;
VERBENACEAE; Guyana (Cr); syn. *A. marina*
(Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A.*
mindanaense Elmer; syn. *A. africana* Toml.; syn.
A. intermedia Griffith
Couroupitoumou →*Couroupita guianensis*
Aublet; LECYTHIDACEAE; French Guiana
Coussapoa →*Coussapoa* sp.; MORACEAE;
French Guiana
Cow bush →*Leucaena glauca* auct. non Benth.;
LEGUMINOSAE-MIM.; British West Indies; use *L.*
leucocephala (Lam.) de Wit; syn. *L. glauca* (L.)
Benth.; syn. *L. latisiliqua* (L.) Gillis
→*Leucaena glauca* (L.) Benth.; LEGUMINOSAE-
MIM.; British West Indies; use *L. leucocephala*
(Lam.) de Wit; syn. *L. glauca* auct. non Benth.;
syn. *L. latisiliqua* (L.) Gillis
→*Leucaena latisiliqua* (L.) Gillis; LEGUMINOSAE-
MIM.; British West Indies; use *L. leucocephala*
(Lam.) de Wit; syn. *L. glauca* (L.) Benth.; syn. *L.*
glauca auct. non Benth.
→*Leucaena leucocephala* (Lam.) de Wit;
LEGUMINOSAE-MIM.; British West Indies; syn. *L.*
glauca (L.) Benth.; syn. *L. glauca* auct. non
Benth.; syn. *L. latisiliqua* (L.) Gillis
Cow eye (kau ai) →*Clitoria arborescens*
R.Brown; LEGUMINOSAE-PAP.; Surinam (Cr)
→*Dioclea elliptica* Maxwell; LEGUMINOSAE-
PAP.; Surinam (Cr); syn. *D. glabra* Benth.
Cow foot (-hoof) →*Pothomorphe peltata* (L.)
Miquel; PIPERACEAE; Guyana (Cr); syn. *Piper*
peltatum L.
Cow hoof (-foot) →*Pothomorphe peltata* (L.)
Miquel; PIPERACEAE; Guyana (Cr); syn. *Piper*
peltatum L.
Cow itch →*Mucuna urens* (L.) DC.;
LEGUMINOSAE-PAP.; Surinam (Cr)
Cow tamarind →*Samanea saman* (Jacq.) Merrill;
LEGUMINOSAE-MIM.; Trinidad; syn.
Pithecellobium saman Benth. & Hook.; syn.
Albizia saman (Jacq.) Müll.Arg.; syn.
Enterolobium saman (Jacq.) Prain & King; syn.
Mimosa saman Jacq.
Cow-eye (kau ai) →*Mucuna sloanei* Fawcett &
Rendle; LEGUMINOSAE-PAP.; Surinam (Cr)
Cowage cherry →*Malpighia* sp.;
MALPIGHIACEAE; Puerto Rico
Cowwood →*Bagassa guianensis* Aublet;
MORACEAE; Guyana (Cr); syn. *B. tiliifolia*
(Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist
?
Crabwood →*Calophyllum brasiliense* Cambess.;
GUTTIFERAE; Trinidad; syn. *C. calaba* Jacq.;
syn. *C. rekoi* Standley
→*Carapa guianensis* Aublet; MELIACEAE;
Surinam (Cr); syn. *C. nicaraguensis* DC.; syn. *C.*

- slateri Standley
→Carapa nicaraguensis DC.; MELIACEAE; Surinam (Cr); use *C. guianensis* Aublet; syn. *C. slateri* Standley
- Carapa procera A.DC.; MELIACEAE; Surinam (Cr); syn. *C. guineensis* Sweet ex Jussieu; syn. *C. surinamensis* Miquel
- Carapa slateri Standley; MELIACEAE; Surinam (Cr); use *C. guianensis* Aublet; syn. *C. nicaraguensis* DC.
- Coccoloba sp.; POLYGONACEAE; British West Indies
- Crapaud** →Carapa guianensis Aublet; MELIACEAE; French Guiana; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
- Crappo** →Carapa guianensis Aublet; MELIACEAE; Trinidad; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
- Croc** →Ximenia americana L. var. americana; OLACACEAE; Dominican Republic
- Croc-à-chien** →Pisonia sp.; NYCTAGINACEAE; Guadeloupe
- Randia aculeata L.; RUBIACEAE; Guadeloupe
- Crook** →Alexa imperatricis (Schomb.) Baillon; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *A. imperatricis* (Schomb.) Baker or *A. imperatricis* (Schomb.) Britton ?
- Alexa leiopetala Sandwith; LEGUMINOSAE-PAP.; Guyana (Cr)
- Alexa wachenheimii Benoist; LEGUMINOSAE-PAP.; Guyana (Cr)
- Ormosia coutinhoi Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Macroule coutinhoi* (Ducke) Pierce
- Crossman** →Lundia erionema DC.; BIGNONIACEAE; Guyana (Cr)
- Cuba mahonie** →Swietenia mahagoni (L.) Jacq.; MELIACEAE; Surinam (Du)
- Cuban mahogany** →Swietenia mahagoni (L.) Jacq.; MELIACEAE; West Indies
- Cuchape** →Coccoloba latifolia Lam.; POLYGONACEAE; Trinidad
- Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Trinidad; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
- Cucharita prieta** →Allophylus occidentalis (Swartz) Radlk.; SAPINDACEAE; Dominican Republic
- Cuchivaro** →Bulnesia arborea (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean
- Cucubano** →Citharexylum sp.; VERBENACEAE; Puerto Rico
- Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Puerto Rico; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
- Guettarda laevis Urban; RUBIACEAE; Puerto Rico
- Guettarda scabra (L.) Ventenat; RUBIACEAE; Puerto Rico; syn. *G. scabra* Lam. ?
- Rapanea sp.; MYRSINACEAE; Puerto Rico
- Cuento de oro** →Duranta sp.; VERBENACEAE; Puerto Rico
- Cuernecillo** →Helicteres sp.; STERCULIACEAE; Puerto Rico
- Cuerno de buey** →Exothea paniculata (Jussieu) Radlk.; SAPINDACEAE; Dominican Republic
- Cuero de puercos** →Paralabatia fuertesii Urban; SAPOTACEAE; Dominican Republic
- Cuero de sapo** →Casearia sylvestris Swartz; FLACOURTIACEAE; Puerto Rico
- Exostema caribaeum (Jacq.) Roemer & Schultes; RUBIACEAE; Puerto Rico
- Maytenus obtusifolia Martius; CELASTRACEAE; Puerto Rico
- Cumaru (kumar, koemarae)** →Dipteryx odorata (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Coumarouna odorata* Aublet
- Cumaru, rode** →Dipteryx magnifica Ducke; LEGUMINOSAE-PAP.; Surinam (Du)
- Cunami kunan** →Clibadium surinamense L.; ASTERACEAE; Guyana (W)
- Clibadium sylvestre (Aublet) Baillon; ASTERACEAE; Guyana (W)
- Cupey** →Clusia rosea Jacq.; GUTTIFERAE; Trinidad
- Cupillo** →Cordia alliodora (Ruiz & Pavón) Oken; BORAGINACEAE; Puerto Rico
- Cupiuba** →Goupia glabra Aublet; CELASTRACEAE; Surinam; syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used
- Curaçao smeroe wiwirie** →Ocimum sanctum L.; LAMIACEAE; Surinam (Cr); use *O. tenuiflorum* L.
- Ocimum tenuiflorum L.; LAMIACEAE; Surinam (Cr); syn. *O. sanctum* L.
- Curaçaosche appel** →Syzygium samaragnense (Blume) Merrill & Perry; MYRTACEAE; Surinam (Du)
- Curare** →Strychnos toxifera M.R.Schomb. ex Benth.; LOGANIACEAE; Guyana (Cr)
- Curatahie** →Curatella americana L.; DILLENIACEAE; Surinam
- Curia** →Eupatorium sp.; ASTERACEAE; Puerto Rico
- Curry tree** →Pogonophora schomburgkiana Miers ex Benth.; EUPHORBIACEAE; Guyana (Cr)
- Currywood** →Aspidosperma vargasii A.DC.; APOCYNACEAE; Guyana (Cr)
- Cutlet** →Citharexylum macrophyllum Poir.; VERBENACEAE; Trinidad
- Cuyá** →Paralabatia fuertesii Urban; SAPOTACEAE; Dominican Republic
- Cyp(re)** →Cordia trichotoma (Vell.) Arráb. ex Steudel; BORAGINACEAE; Trinidad
- Daba** →Peltogyne paniculata Benth.;

LEGUMINOSAE-CAES.; Guyana (W); ssp. pubescens (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
→*Peltogyne porphyrocardia* Griseb. ex Benth.; LEGUMINOSAE-CAES.; Guyana (W)
→*Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Guyana (W); ssp. densiflora (Spruce ex Benth.) M.F.Silva
Dabarouida →*Pithecellobium* sp.; LEGUMINOSAE-MIM.; Dutch West Indies
Dadamar →*Passiflora coccinea* Aublet; PASSIFLORACEAE; Guyana (W)
Dagoekoko →*Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Cr)
Dagoeston →*Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Cr)
Daguillo →*Quassia amara* L. ex Blom; SIMAROUBACEAE; Dominican Republic; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet
→*Quassia simarouba* L.f.; SIMAROUBACEAE; Dominican Republic; syn. *Simarouba amara* Aublet var. *typica* Cronquist
Dajao →*Ixora* sp.; RUBIACEAE; Puerto Rico
Dakama →*Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)
→*Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
Dakamaballi →*Aldina insignis* (Benth.) Endl.; LEGUMINOSAE-PAP.; Surinam (Ar)
→*Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Ar)
Dakara →*Rapanea guianensis* Aublet; MYRSINACEAE; Surinam (Ar)
Dalina →*Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Guyana; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.
→*Hymenolobium petraeum* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)
Dalli →*Virola elongata* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
→*Virola melinonii* (Benoist) A.C.Smith; MYRISTICACEAE; Surinam (Ar); use *V. michelii* Heckel
Dalli (dari), hill →*Virola michelii* Heckel; MYRISTICACEAE; Guyana (Cr); syn. *V. melinonii* (Benoist) A.C.Smith
Dalli (swamp-) →*Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Ar); syn. *Myristica surinamensis* Rolander ex Rottb.
Dalli, man (hill-) →*Virola sebifera* Aublet; MYRISTICACEAE; Guyana (Cr); syn. *V. boliviensis* Warburg
Dam maatsjoe →*Clusia rosea* Jacq.; GUTTIFERAE; Dutch West Indies
Damoestoelalali →*Melampodium camphoratum* (L.f.) Baker; ASTERACEAE; Caribbean
Dan lieba →*Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Sa)
Danish flag →*Clerodendrum* sp.; VERBENACEAE; Puerto Rico
Danlieba →*Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Sa)
→*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Sa)
→*Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Sa)
Danstan (dastan) →*Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *P. confertiflora* Benth.
Dara-shiri →*Lagenocarpus kunthii* (Miquel) Uittien; CYPERACEAE; Surinam (Ar)
→*Lagenocarpus martii* Nees; CYPERACEAE; Surinam (Ar)
Dari (dalli) →*Virola michelii* Heckel; MYRISTICACEAE; Surinam (Ar); syn. *V. melinonii* (Benoist) A.C.Smith
Darina →*Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)
→*Hymenolobium petraeum* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)
→*Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Inga pendula* Willd.
Darinaballi →*Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Ar)
→*Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
Dasini →*Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam
Dastan →*Martiodendron parviflorum* (Amshoff) Koeppen; LEGUMINOSAE-CAES.; Surinam (Sa)
→*Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Sa)
→*Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Sa); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
Dastan (danstan) →*Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *P. confertiflora* Benth.
Datoe →*Lemaireocereus griseus* (Haworth) Britton & Rose; CACTACEAE; Curaçao
Dayopa →*Virola* sp.; MYRISTICACEAE; Guianas
Debasse →*Calyptanthus* sp.; MYRTACEAE; Trinidad
Dede a wiwirie →*Dichorisandra hexandra* (Aublet) Standley; COMMELINACEAE; Surinam (Au)

Dedehoedoe → *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam

Dekie hatti → *Maprounea guianensis* Aublet; EUPHORBIACEAE; Surinam (Cr)

Demerara greenheart (-groen-ati)

→ *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Surinam (Cr); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Demerara groenhart → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Surinam (Du); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

→ *Nectandra rodiei* R.H.Schomb.; LAURACEAE; Surinam (Du); use *Chlorocardium rodiei* (R.H.Schomb.) Rohwer, Richter & van der Werff; syn. *Ocotea rodiei* (R.H.Schomb.) Mez

→ *Ocotea rodiei* (R.H.Schomb.) Mez; LAURACEAE; Surinam (Du); use *Chlorocardium rodiei* (R.H.Schomb.) Rohwer, Richter & van der Werff; syn. *Nectandra rodiei* R.H.Schomb.

Demerara mahonie → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Du); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Demma mata indold → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea rubra* Mez

Deokunud → *Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Guyana (W)

Depiaratan → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Guyana (W); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

→ *Micropholis burchelliana* Pierre; SAPOTACEAE; Guyana (W); use *Pouteria burchelliana* (Pierre) Baehni

→ *Micropholis porphyrocarpa* (Baehni) Monach.; SAPOTACEAE; Guyana (W)

→ *Pouteria burchelliana* (Pierre) Baehni; SAPOTACEAE; Guyana (W); syn. *Micropholis burchelliana* Pierre; syn. *Lucuma*

Determa → *Bucida buceras* L.; COMBRETACEAE; French Guiana; syn. *B. angustifolia* DC.

→ *Nectandra rubra* (Mez) Allen; LAURACEAE; Guyana (Cr); syn. *Ocotea rubra* Mez

Devil's ear → *Enterolobium cyclocarpum* (Jacq.) Griseb.; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *Mimosa cyclocarpa* Jacq.; syn. *Prosopis dubia* Kunth

→ *Mimosa cyclocarpa* Jacq.; LEGUMINOSAE-MIM.; Guyana (Cr); use *Enterolobium cyclocarpum* (Jacq.) Griseb.; syn. *Prosopis dubia* Kunth

→ *Prosopis dubia* Kunth; LEGUMINOSAE-MIM.; Guyana (Cr); use *Enterolobium cyclocarpum* (Jacq.) Griseb.; syn. *Mimosa cyclocarpa* Jacq.

Devil's tree → *Bagassa guianensis* Aublet;

MORACEAE; Surinam (Cr); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tilifolia* (Desv.) Benoist ?

Devildoer → *Strychnos bredemeyeri* (Schultes) Sprague & Sandwith; LOGANIACEAE; Surinam (Cr); syn. *S. pedunculata* (A.DC.) Benth.

→ *Strychnos cogens* Benth.; LOGANIACEAE; Surinam (Cr)

→ *Strychnos darinensis* Seemann; LOGANIACEAE; Surinam (Cr)

→ *Strychnos diaboli* Sandwith; LOGANIACEAE; Surinam (Cr)

→ *Strychnos erichsonii* M.R.Schomb.; LOGANIACEAE; Surinam (Cr)

→ *Strychnos guianensis* (Aublet) C.Martius; LOGANIACEAE; Surinam (Cr)

→ *Strychnos melinoniana* Baillon; LOGANIACEAE; Surinam (Cr)

→ *Strychnos mitscherlichii* M.R.Schomb.; LOGANIACEAE; Surinam (Cr); var. *mitscherlichii*

→ *Strychnos peckii* Robinson; LOGANIACEAE; Surinam (Cr)

→ *Strychnos tomentosa* Benth.; LOGANIACEAE; Surinam (Cr)

Dhalebana → *Geonoma acaulis* C.Martius; ARECACEAE (PALMAE); Surinam (Ar)

→ *Geonoma baculifera* (Poiteau) Kunth; ARECACEAE (PALMAE); Surinam (Ar)

→ *Geonoma deversa* (Poiteau) Kunth; ARECACEAE (PALMAE); Surinam (Ar); syn. *G. paniculigera* C.Martius; syn. *G. paniculigera* C.Martius var. *microspatha* (Spruce) Trail

→ *Geonoma leptospadix* Trail; ARECACEAE (PALMAE); Surinam (Ar)

→ *Geonoma paniculigera* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); use *G. deversa* (Poiteau) Kunth; syn. *G. paniculigera* C.Martius var. *microspatha* (Spruce) Trail

→ *Geonoma pycnostachys* C.Martius; ARECACEAE (PALMAE); Surinam (Ar)

Dia krakroe → *Acnida cuspidata* Bert. ex Sprengel; AMARANTHACEAE; Surinam (Cr)

Dia tetee → *Doliocarpus dentatus* (Aublet) Standley; DILLENIACEAE; Surinam (Cr)

Diabitta → *Palicourea crocea* (Swartz) DC.; RUBIACEAE; Surinam (Cr)

Diakraroe → *Centropogon surinamensis* (L.) Presl; CAMPANULACEAE; Caribbean

Dialoppoe (-tité) → *Davilla alata* (Ventenat) Briquet; DILLENIACEAE; Surinam (Cr)

Dialoppoe tité → *Davilla vaginata* Eichler; DILLENIACEAE; Surinam (Cr)

Diamalieki → *Jacaranda filicifolia* (Anderson) D.Don; BIGNONIACEAE; Surinam (Cr)

→ *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Diavoetoe → *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma engleri* (Eyma) Aubrév.; syn. *Lucuma engleri* (Eyma) Aubrév.; syn. *Lucuma engleri* (Eyma) Aubrév.

Diega klaroen → *Amaranthus caudatus* L.; AMARANTHACEAE; Surinam (Cr)

Dija tetee → *Doliocarpus major* J.F.Gmelin; DILLENACEAE; Surinam (Cr); syn. *D. rolandri* J.F.Gmelin; syn. *D. scandens* Poiret

Dijoelano → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Diomolieki → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Dirik → *Apeiba schomburgkii* Szyszyl.; TILIACEAE; Guyana (W)

Divi-divi → *Caesalpinia coriaria* (Jacq.) Willd.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Libidibia coriaria* (Jacq.) Schltr. → *Libidibia coriaria* (Jacq.) Schltr.; LEGUMINOSAE-CAES.; Puerto Rico; use *Caesalpinia coriaria* (Jacq.) Willd.

Djabra tere → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Surinam (Au)

Djadidja (djakidja) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam

Djakali → *Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Surinam

Djakidja → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam

Djamaro, banjabo → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Djamaro, meniridan → *Siparuna cuspidata* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Djamaro, sirada → *Matayba miquelli* Uttien; SAPINDACEAE; Surinam (Ar)

Djamoe → *Syzygium cumini* (L.) Skeels; MYRTACEAE; Surinam (Du); syn. *Eugenia jambolana* Lam.

Djari bita → *Phyllanthus* sp.; EUPHORBIACEAE; Surinam (Cr)

Djari pesie → *Vigna unguiculata* (L.) Walpers; LEGUMINOSAE-PAP.; Surinam (Cr)

Djedoe → *Cupania hirsuta* Radlk.; SAPINDACEAE; Surinam (Sa) → *Inga leiocalycina* Benth.; LEGUMINOSAE-MIM.; Surinam (Sa) → *Sclerolobium paniculatum* Vogel; LEGUMINOSAE-CAES.; Surinam (Sa) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Cr) → *Thyrsodium guianense* Sagot ex Marchal; ANACARDIACEAE; Surinam (Sa) → *Thyrsodium schomburgkianum* Benth.; ANACARDIACEAE; Surinam (Sa)

Djedoe (witte-, witti-) → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Djedoe, mieren → *Tachigali paniculata* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr); syn. *Tachigalia paniculata* Aublet

Djedoe, redi (mattawari ninge-) → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam (Cr)

Djedoe, savanne (sabana-, witte-) → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Djedoe, witte (rode-) → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam (Du) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam (Du)

Djedoe, zwarte (blaka-) → *Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Surinam (Du)

Djemoe, wata → *Couratari panamensis* Standley; LECYTHIDACEAE; Surinam (Sa)

Djiendjahoedoe → *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Surinam (Cr) → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Surinam (Cr); syn. *T. obovata* (Ruiz & Pavón) Steudel

Djoe bo(lle)trie, witte → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Du)

Djoe bolletrie (pepre-) → *Ecclinusa prieurii* (A.DC.) Aubrév.; SAPOTACEAE; Surinam (Cr); syn. *Chrysophyllum prieurii* A.DC.

Djoe bolletrie, witte → *Neoxythece robusta* (Mart. & E.) Aubrév. & Pellegr.; SAPOTACEAE; Surinam (Du); var. *longifolia* Eyma; use *Pouteria robusta* (C.Martius & Eichler) Eyma var. *longifolia* Eyma → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Du); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Djoe botrie (witti-) → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Cr); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Djoe(moe), watra → *Couratari panamensis* Standley; LECYTHIDACEAE; Surinam (Cr)

Djoeka → *Psidium guianense* Swartz; MYRTACEAE; Surinam (Cr); syn. *P. benthamianum* O.Berg

Djoeka bebe → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Cr)

Djoemoe → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Sa); syn. *C. pulchra* Sandwith

Djoemoe, water (kabba matjauw-) → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Cr); syn. *C. fagifolia* (Miquel) Eyma

Djoendjoe-oeba → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam; var. *frondosa* (Benth.) Radlk.

Djoewet → *Eugenia jambolana* Lam.; MYRTACEAE; Surinam (Du); use *Syzygium cumini* (L.) Skeels
→ *Syzygium cumini* (L.) Skeels; MYRTACEAE; Surinam (Du); syn. *Eugenia jambolana* Lam.

Dloemoe → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma

Dobberdoewa (dobberdoea) → *Strychnos melinoniana* Baillon; LOGANIACEAE; Surinam (Cr)

Dobberdoea (dobberdoewa) → *Strychnos melinoniana* Baillon; LOGANIACEAE; Surinam (Cr)

Dobori-yurite → *Sporobolus virginicus* (L.) Kunth; POACEAE; Surinam (Ar)

Doboribanaro → *Piper peltatum* L.; PIPERACEAE; Surinam (Ar); use *Pothomorphe peltata* (L.) Miquel
→ *Pothomorphe peltata* (L.) Miquel; PIPERACEAE; Surinam (Ar); syn. *Piper peltatum* L.

Doctor gum → *Symphonia globulifera* L.f.; GUTTIFERAE; British West Indies; syn. *S. gabonensis* (Vesque) Pierre

Doeka, zwarte (witte-) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Du)

Doekali (dukali, dokali) → *Parahancornea fasciculata* (Lam.) Benoist; APOCYNACEAE; Surinam (Ar); syn. *P. amapa* (Huber) Ducke; syn. *P. fasciculata* (Poiret) Benoist

Doekali(e) → *Brosimum parinarioides* Ducke; MORACEAE; Surinam

Doekaliballi → *Platymiscium polystachyum* Benth.; LEGUMINOSAE-PAP.; Surinam

Doekoelia → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist
→ *Ficus* sp.; MORACEAE; Surinam (Ar)
→ *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Doekoelia (dukuria) → *Sacoglottis guianensis* Benth. var. *guianensis*; HUMIRIACEAE; Surinam (Ar); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke

Doeroe (duru, doru) → *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Ar); syn. *A. echinata* Gaertner

Dog berry → *Ardisia* sp.; MYRSINACEAE; British West Indies

Dog seed → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Guyana (Cr); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers

Dogwood → *Piscidia piscipula* (L.) Sargent;

LEGUMINOSAE-PAP.; Puerto Rico
→ *Randia* sp.; RUBIACEAE; Puerto Rico

Dohiva → *Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Guyana; syn. *B. aubletii* Naudin

Doi → *Attalea regia* (C.Martius) Wess.Boer; ARECACEAE (PALMAE); Guyana (Wr); syn. *Maximiliana regia* C.Martius; syn. *M. maripa* (M.N.Correa) Drude

Doifie njan-njan → *Pagamea guianensis* Aublet; RUBIACEAE; Surinam (Cr)

Doifie wiwirie → *Vernonia cinera* (L.) Lesson; ASTERACEAE; Surinam (Cr)

Doifisiri → *Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam (Cr); syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.
→ *Guarea kunthiana* A.Jussieu; MELIACEAE; Surinam (Cr)

Doka (duka, doeka) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Ar)

Dokalli → *Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Surinam (Ar)

Dokalli (doekali, dukali) → *Parahancornea fasciculata* (Lam.) Benoist; APOCYNACEAE; Surinam (Ar); syn. *P. amapa* (Huber) Ducke; syn. *P. fasciculata* (Poiret) Benoist

Dokka (doka, doeka, duka) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Caribbean

Dokka (dokoa) → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Ar)

Dokoa (dokka) → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Ar)

Dokolia diamoroe → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist

Dollypear silverballi → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Guyana (Cr); syn. *O. glomerata* (Nees) Benth.

Dollywood → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guyana (Cr); syn. *Myristica surinamensis* Rolander ex Rottb.

Dolobona → *Philodendron acutatum* Schott; ARACEAE; Surinam (Ar)

Domkeen (donkeen) → *Dieffenbachia seguina* (L.) Schott; ARACEAE; Surinam (Cr); var. *lingulata* (Martius ex Schott) Engl.

Domkin → *Dieffenbachia seguina* (L.) Schott; ARACEAE; Surinam (Cr); var. *lingulata* (Martius ex Schott) Engl.

Doncella → *Matayba domingensis* (DC.) Radlk.; SAPINDACEAE; Puerto Rico

Donhoedoe → *Symmeria paniculata* Benth.; POLYGONACEAE; Surinam (Sa)
→ *Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Sa); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet

Donkè → *Dieffenbachia seguina* (L.) Schott; ARACEAE; Surinam (Cr); var. *ventenatiana*

(Schott) Engl.

Donkeen (domkeen) →Dieffenbachia seguina (L.) Schott; ARACEAE; Surinam (Cr); var. lingulata (Martius ex Schott) Engl.

Donking →Dieffenbachia seguina (L.) Schott; ARACEAE; Surinam (Cr); var. ventenatiana (Schott) Engl.

Donkon, watra →Dieffenbachia paludicola N.E.Brown ex Gleason; ARACEAE; Surinam (Cr)

Dontje →Dieffenbachia seguina (L.) Schott; ARACEAE; Surinam (Cr); var. ventenatiana (Schott) Engl.

Dontje, boesi →Dieffenbachia picta Schott; ARACEAE; Surinam (Cr)

Doodle-doo →Caesalpinia pulcherrima (L.) Swartz; LEGUMINOSAE-CAES.; Puerto Rico

Doro (duru, doeroe) →Apeiba petoumo Aublet; TILIACEAE; Surinam (Ar); syn. A. echinata Gaertner

Dorobana →Anthurium hookeri Kunth; ARACEAE; Surinam (Ar)

Dorokwaro-pimpla →Smilax schomburgkiana Kunth; SMILACACEAE; Surinam (Cr)

Dorokwaro-yuruwan →Smilax syphilitica Willd.; SMILACACEAE; Surinam (Ar)

Doux cypre →Phoebe montana (Swartz) Griseb.; LAURACEAE; Guadeloupe

Dra tabakka →Lisianthus alatus Aublet; GENTIANACEAE; Surinam (Cr)

Dreifi →Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Surinam (Cr); syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?

Dreitin →Symmeria paniculata Benth.; POLYGONACEAE; Surinam (Cr)

→Triplaris weigeltiana (Rchb.) Kuntze; POLYGONACEAE; Surinam (Cr); syn. T. surinamensis Chamisso; syn. T. americana Aublet

Dréten (drytimehout) →Triplaris weigeltiana (Rchb.) Kuntze; POLYGONACEAE; Surinam (Cr, Du); syn. T. surinamensis Chamisso; syn. T. americana Aublet

Driekantie →Serjania paucidentata DC.; SAPINDACEAE; Surinam (Cr)

Droengeman →Spigelia anthelmia L.; SPIGELIACEAE; Surinam (Cr); sometimes in family Loganiaceae

Droifi →Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Surinam (Cr); syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?

Droifi, boesi →Randia armata (Swartz) DC.; RUBIACEAE; Surinam (Cr); syn. Basanacantha spinosa (Jacq.) K.Schumann

Druif (zee-) →Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Surinam (Du); syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?

Drytimehout →Symmeria paniculata Benth.; POLYGONACEAE; Surinam (Du)

Drytimehout (dréten) →Triplaris weigeltiana (Rchb.) Kuntze; POLYGONACEAE; Surinam (Cr, Du); syn. T. surinamensis Chamisso; syn. T. americana Aublet

Duivelsnaaigaren →Ipomoea quamoclit L.; CONVOLVULACEAE; Surinam (Du)

Duizendbeenboom →Rhizophora mangle L.; RHIZOPHORACEAE; Surinam (Du); syn. R. racemosa G.Meyer

Duka (doeka, doka) →Tapirira guianensis Aublet; ANACARDIACEAE; Surinam (Ar)

→Tapirira marchandii Engl.; ANACARDIACEAE; Surinam (Ar)

Dukalaballi →Ficus sp.; MORACEAE; Guyana →Platymiscium polystachyum Benth.; LEGUMINOSAE-PAP.; Guyana

Dukali (doekali, dokali) →Parahancornea amapa (Huber) Ducke; APOCYNACEAE; Surinam (Ar); use P. fasciculata (Lam.) Benoist; syn. P. fasciculata (Poiret) Benoist

→Parahancornea fasciculata (Lam.) Benoist; APOCYNACEAE; Surinam (Ar); syn. P. amapa (Huber) Ducke; syn. P. fasciculata (Poiret) Benoist →Parahancornea fasciculata (Poiret) Benoist; APOCYNACEAE; Surinam (Ar); use P. fasciculata (Lam.) Benoist; syn. P. amapa (Huber) Ducke

Dukaliballi (-ibeberoebana) →Brosimum paraense Huber; MORACEAE; Surinam (Ar); use B. rubescens Taubert

→Brosimum rubescens Taubert; MORACEAE; Surinam (Ar); syn. B. paraense Huber; syn. Ferolia guianensis Aublet; syn. Piratinera sp.

Dukaliballi (dukataballi) →Couma guianensis (A.Rich.) Aublet; APOCYNACEAE; Guyana (Ar)

Dukataballi (dukaliballi) →Couma guianensis (A.Rich.) Aublet; APOCYNACEAE; Guyana (Ar)

Dukuria →Sacoglottis cydonioides Cuatrec.; HUMIRIACEAE; Surinam (Ar); syn. S. guianensis Benth. var. sphaerocarpa Ducke

→Sacoglottis densiflora (Benth.) Urban; HUMIRIACEAE; Surinam (Ar); use Schistostemon densiflorum (Benth.) Cuatrec.

→Schistostemon densiflorum (Benth.) Cuatrec.; HUMIRIACEAE; Surinam (Ar); syn. Sacoglottis densiflora (Benth.) Urban

Dukuria (doekoelia) →Sacoglottis guianensis Benth. var. guianensis; HUMIRIACEAE; Surinam (Ar); syn. S. guianensis Benth. var. dolichocarpa Ducke

Dukuria (sand-) →Sacoglottis guianensis Benth.; HUMIRIACEAE; Surinam (Ar)

Dul-dul →Caesalpinia pulcherrima (L.) Swartz; LEGUMINOSAE-CAES.; Puerto Rico

Durban pine →Pouteria speciosa (Ducke) Baehni; SAPOTACEAE; Guyana (Cr); syn. Englerella speciosa (Ducke) Ducke; syn. Lucuma

Duru →Annona symphyocarpa Sandwith; ANNONACEAE; Surinam (Ar)

→Apeiba membranacea Spruce ex Benth.; TILIACEAE; Surinam (Ar)
 →Apeiba schomburgkii Szyszyl.; TILIACEAE; Surinam (Ar)
 →Apeiba tibourbou Aublet; TILIACEAE; Surinam (Ar)
Duru (doeroe, doró) →Apeiba petoumo Aublet; TILIACEAE; Surinam (Ar); syn. *A. echinata* Gaertner
Ebecoro kula →Caryocar microcarpum Ducke; CARYOCARACEAE; Surinam (Ar); syn. *C. riparium* A.C.Smith
Ebène (-jaune, -verte) →Tabebuia serratifolia (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
Ebène pernambouc →Guilandina echinata (Lam.) Sprengel; LEGUMINOSAE-CAES.; French Guiana; syn. *Caesalpinia echinata* Lam.
Ebène verte →Gymnanthes lucida Swartz; EUPHORBIACEAE; French West Indies; syn. *Sebastiana lucida* Müll.Arg.
Ebéséré →Elephantopus carolinianus Willd.; ASTERACEAE; Surinam (Ar)

Ebony →Swartzia bannia Sandwith; LEGUMINOSAE-PAP.; Surinam (Cr)
Ebony, brown →Swartzia leiocalycina Benth.; LEGUMINOSAE-PAP.; Guyana (Cr)
Echt rozenhout →Aniba rosaeodora Ducke; LAURACEAE; Surinam (Du)
Echte foengoe →Parinari campestris Aublet; CHRYSOBALANACEAE; Surinam (Du); syn. *P. campestre* Aublet ?
Echte kwarie →Vochysia tomentosa (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Du)
Echte pikapika →Oxandra asbeckii (Pulle) R.E.Fries; ANNONACEAE; Surinam (Du)
Edaballi →Calophyllum brasiliense Cambess.; GUTTIFERAE; Guyana; syn. *C. calaba* Jacq.; syn. *C. rekoii* Standley
Eekwa →Guettarda acreana Krause; RUBIACEAE; Guyana (M)
Egg, wild →Morinda sp.; RUBIACEAE; Guyana (Cr); syn. *Appunia* sp.
Egron anaura (-anawra) →Couepia caryophylloides Benoist; CHRYSOBALANACEAE; Surinam
Egron anawra →Couepia caryophylloides Benoist; CHRYSOBALANACEAE; Surinam
 →Couepia guianensis Aublet; CHRYSOBALANACEAE; Surinam; syn. *C. versicolor* Benoist
Egron baboen →Virola michelii Heckel; MYRISTICACEAE; Surinam (Du); syn. *V. melinonii* (Benoist) A.C.Smith
 →Virola sebifera Aublet; MYRISTICACEAE; Surinam (Du); syn. *V. boliviensis* Warburg

Egron bebe →Pterocarpus rohrii Vahl; LEGUMINOSAE-PAP.; Surinam (Cr)
Egron bebe (hoogland-) →Pterocarpus santalinoides L'Héritier ex DC.; LEGUMINOSAE-PAP.; Surinam (Du)
Egron gronfoelo (hoogland-) →Qualea albiflora Warming; VOCHYSIACEAE; Surinam (Du); use *Ruizterania albiflora* (Warming) Marcono-Berti ?
Egron kokriki →Ormosia coccinea (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.; Surinam (Cr)
Egron manbarklaki →Eschweilera coriacea (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Cr, Du); syn. *E. odora* (Poeppig) Miers
Egron watramamabobbi →Gustavia hexapetala (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Cr)
Ekekewai →Rollinia exsucca (DC. ex Dunal) A.DC.; ANNONACEAE; Guyana (Ak); syn. *R. broadwayi* R.E.Fries
Ekesjioe →Diplasia kerataefolia L.C.Rich.; CYPERACEAE; Caribbean
Ekwai →Mauritia flexuosa L.f.; ARECACEAE (PALMAE); Guyana (Ak)
Elder, yellow →Tecoma stans (L.) Kunth; BIGNONIACEAE; British West Indies; syn. *Stenolobium stans* (L.) Seemann
Elm, spanish →Cordia trichotoma (Vell.) Arráb. ex Steudel; BORAGINACEAE; British West Indies
Elm, West Indian →Guazuma ulmifolia Lam.; STERCULIACEAE; British West Indies; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.
Emajagua →Hibiscus tiliaceus L.; MALVACEAE; Puerto Rico; syn. *H. celebicus* Koorders
Emajaguilla →Thespesia populnea (L.) Solander ex M.N.Correa; MALVACEAE; Puerto Rico; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster
Emajaguillo →Daphnopsis sp.; THYMELAEACEAE; Puerto Rico
Embuia →Phoebe porosa (Nees & Martius) Mez; LAURACEAE; Surinam; syn. *Ocotea porosa* (Mez) Barroso
Emenaliballi →Centropogon surinamensis (L.) Presl; CAMPANULACEAE; Surinam (Ar)
Emoshe →Rollinia exsucca (DC. ex Dunal) A.DC.; ANNONACEAE; Caribbean; syn. *R. broadwayi* R.E.Fries
Empire andiroba →Carapa guianensis Aublet; MELIACEAE; Guyana; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
Enbotta-koenatjépie →Tabebuia serratifolia (Vahl) Nicholson; BIGNONIACEAE; Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
Encens gris →Trattinickia demerarae Sandwith; BURSERACEAE; French Guiana
Encens rouge →Tetragastris altissima (Aublet)

Swart; BURSERACEAE; French Guiana

Enebro → *Juniperus barbadensis* Michaux; CUPRESSACEAE; Puerto Rico; use *J. lucayana* Britton; syn. *J. barbadensis* Sargent non L.
→ *Juniperus barbadensis* Sargent non L.; CUPRESSACEAE; Puerto Rico; use *J. lucayana* Britton; syn. *J. barbadensis* Michaux
→ *Juniperus communis* L.; CUPRESSACEAE; Puerto Rico
→ *Juniperus lucayana* Britton; CUPRESSACEAE; Puerto Rico; syn. *J. barbadensis* Sargent non L.; syn. *J. barbadensis* Michaux
→ *Juniperus oxycedrus* L.; CUPRESSACEAE; Puerto Rico

Engos(s)o → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera chartacea* (O.Berg) Eyma

Eperu → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; French Guiana

Epi de blé → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; French Guiana

Epik rik → *Ormosia coccinea* (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.; Guyana (Ak)
→ *Ormosia costulata* (Miquel) Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Ak); var. *trifoliata* (Huber) Amshoff

Erejoeroe → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Caribbean
→ *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Caribbean; var. *pellocarpa* (G.Meyer) Hook.
→ *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean
→ *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Caribbean; syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Erepare, koejakin → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam

Ereparie → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Caribbean

Eriwi-yurai → *Xylopia aromatica* (Lam.) C.Martius; ANNONACEAE; Guyana (Ak); syn. *X. grandiflora* A.St.-Hil.; syn. *Uvaria aromatica* Lam.

Escambrón → *Adelia ricinella* L.; EUPHORBIACEAE; Puerto Rico
→ *Machaerium* sp.; LEGUMINOSAE-PAP.; Puerto Rico; syn. *Drepanocarpus* sp.
→ *Pisonia* sp.; NYCTAGINACEAE; Puerto Rico
→ *Randia aculeata* L.; RUBIACEAE; Puerto Rico

Escobón → *Eugenia* sp.; MYRTACEAE; Dominican Republic

Escobóncito → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Dominican Republic

Esekomwari → *Piper aduncum* L.; PIPERACEAE; Guyana (Ak)

Espave → *Anacardium excelsum* (Bert. & Balbis) Skeels; ANACARDIACEAE; Surinam

Espejuelo → *Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; Puerto Rico; use *Spondogona* sp.
→ *Krugiodendron ferreum* (Vahl) Urban; RHAMNACEAE; Puerto Rico
→ *Sarcomphalus reticulatus* (Vahl) Urban; RHAMNACEAE; Puerto Rico
→ *Spondogona* sp.; SAPOTACEAE; Puerto Rico; syn. *Dipholis salicifolia* (L.) A.DC.

Espin de bobo → *Zanthoxylum* sp.; RUTACEAE; French West Indies; syn. *Xanthoxylum* sp.

Espinillo → *Adelia ricinella* L.; EUPHORBIACEAE; Puerto Rico
→ *Chloroxylon swietenia* DC.; RUTACEAE; Dominican Republic
→ *Parkinsonia aculeata* L.; LEGUMINOSAE-CAES.; Puerto Rico
→ *Zanthoxylum flavum* Vahl; RUTACEAE; Dominican Republic; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*

Espino rubial → *Zanthoxylum flavum* Vahl; RUTACEAE; Puerto Rico; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*

Etaballi (itaballi) → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Ar)

Etaballi (itaballi, aetaballi) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Ar); syn. *V. melinonii* Beckmann

Etabally → *Etaballia dubia* (Kunth) Rudd; LEGUMINOSAE-PAP.; Guyana (Ar); syn. *E. guianensis* Benth.
→ *Etaballia guianensis* Benth.; LEGUMINOSAE-PAP.; Guyana (Ar); use *E. dubia* (Kunth) Rudd

Etra kapoeri → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Caribbean

Eukele → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Ewale → *Oxalis schomburgkiana* Progel; OXALIDACEAE; Caribbean; var. *leiocarpa* Progel

Fadjawa → *Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Caribbean

Faiera → *Roupala brasiliensis* Klotzsch; PROTEACEAE; Surinam

Faifai noroko → *Pogonophora schomburgkiana* Miers ex Benth.; EUPHORBIACEAE; Surinam (Ar)

Faifaia noroko → *Lonchocarpus rariflorus* C.Martius ex Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)

Faja adjansa → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Surinam (Cr)

Faja djan → *Hyptis lanceolata* Poirét; LAMIACEAE; Surinam

Faja djon → *Stigmaphyllon hypoleucum* Miquel; MALPIGHIACEAE; Surinam; syn. *S. fulgens* (Lam.) A.Jussieu

Faja lobbie → *Ixora coccinea* L.; RUBIACEAE;

Surinam (Ar, Cr)
Fajapau → *Siparuna guianensis* Aublet; MONIMIACEAE; Surinam
Falcon → *Casearia sylvestris* Swartz; FLACOURTIACEAE; Puerto Rico
False ironwood → *Guettarda* sp.; RUBIACEAE; Virgin Islands
False rosewood → *Aniba mas* Kosterm.; LAURACEAE; Surinam (Cr)
False sandelwood → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
Farsha → *Licania densiflora* Kleinhoonte; CHRYSOBALANACEAE; Guyana (Cr)
→ *Licania micrantha* Miquel; CHRYSOBALANACEAE; Guyana (Cr)
Fat pork → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Guyana (Cr)
→ *Hirtella* sp.; CHRYSOBALANACEAE; Guyana (Cr)
Faux balata → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; French Guiana; syn. *Sideroxylon guianensis* A.DC.
→ *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; French Guiana
Faux gaïac → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. *Coumarouna odorata* Aublet
Faux simarouba → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; French Guiana; syn. *Bignonia copaia* Aublet
Faveira preta → *Dinizia excelsa* Ducke; LEGUMINOSAE-MIM.; Guyana
Feefi finga → *Ipomoea digitata* L.; CONVOLVULACEAE; Surinam (Cr)
Feifi fienga → *Paullinia pinnata* L.; SAPINDACEAE; Surinam (Cr)
→ *Paullinia sphaerocarpa* Rich.; SAPINDACEAE; Surinam (Cr)
Foeta, witte → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Sa)
Fern tree → *Touroulia guianensis* Aublet; QUIINACEAE; Guyana (Cr)
Fernambuco → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Surinam (Cr, Du); syn. *Caesalpinia echinata* Lam.
Ferréol → *Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; French Guiana
→ *Swartzia tomentosa* DC.; LEGUMINOSAE-PAP.; French Guiana
Fettej-ie → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam (Ar); syn. *Bignonia copaia* Aublet
→ *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Ar); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer
Feuille rude → *Curatella americana* L.; DILLENACEAE; French Guiana
Fever bush (ant-, nimble-) → *Siparuna guianensis* Aublet; MONIMIACEAE; Guyana (Cr)
Fevrier tonka → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. *Coumarouna odorata* Aublet
Fiddlewood → *Citharexylum fruticosum* L.; VERBENACEAE; British West Indies
→ *Citharexylum macrophyllum* Poiret; VERBENACEAE; Surinam (Cr)
Fiddlewood, black → *Vitex divaricata* Swartz; VERBENACEAE; British West Indies
Fiddlewood, purple → *Cornutia pyramidata* L.; VERBENACEAE; British West Indies
Fieni adroen → *Cyperus articulatus* L.; CYPERACEAE; Surinam
Fiere bewe banna → *Protium tenuifolium* (Engl.) Engl.; BURSERACEAE; Surinam (Ar); syn. *P. neglectum* Swart var. *intermedium* Swart
Fierobero koemaramara → *Duroia eriopila* L.f.; RUBIACEAE; Surinam (Ar)
Fig → *Ficus albert-smithii* Standley; MORACEAE; Surinam (Cr)
→ *Ficus amazonica* (Miquel) Miquel; MORACEAE; Guyana (Cr); syn. *F. angustifolia* (Miquel) Miquel
→ *Ficus anguina* Benoist; MORACEAE; Guyana (Cr); use *F. nymphaeifolia* Miller
→ *Ficus angustifolia* (Miquel) Miquel; MORACEAE; Guyana (Cr); use *F. amazonica* (Miquel) Miquel
→ *Ficus arukensis* Standley; MORACEAE; Guyana (Cr); use *F. paraensis* (Miquel) Miquel
→ *Ficus broadwayi* Urban; MORACEAE; Guyana (Cr); syn. *F. savannarum* Standley
→ *Ficus caballina* Standley; MORACEAE; Guyana (Cr); syn. *F. ramiflora* Standley
→ *Ficus citrifolia* Miller; MORACEAE; Guyana (Cr); syn. *F. gigantea* Kunth
→ *Ficus fanshawei* Standley; MORACEAE; Guyana (Cr); use *F. trigona* L.f.
→ *Ficus gigantea* Kunth; MORACEAE; Guyana (Cr); use *F. citrifolia* Miller
→ *Ficus glaucescens* (Liebm.) Miquel; MORACEAE; Guyana (Cr); use *F. maxima* Miller
→ *Ficus guianensis* Desvoux; MORACEAE; Surinam (Cr); syn. *F. parkeriana* (Miquel) Sandwith
→ *Ficus kanukuensis* Standley; MORACEAE; Surinam (Cr); use *F. pertusa* L.f.
→ *Ficus leucosticta* (Miquel) Miquel; MORACEAE; Guyana (Cr); use *F. paludica* Standley; syn. *F. manicariarum* Standley
→ *Ficus maguirei* Standley; MORACEAE; Guyana (Cr); use *F. panurensis* Standley
→ *Ficus malanocarpa* Standley; MORACEAE; Guyana (Cr)

- Ficus manicariarum* Standley; MORACEAE; Guyana (Cr); use *F. paludica* Standley; syn. *F. leucosticta* (Miquel) Miquel
- Ficus mathewsii* Miquel; MORACEAE; Guyana (Cr); syn. *F. gleasonii* Standley
- Ficus maxima* Miller; MORACEAE; Guyana (Cr); syn. *F. glaucescens* (Liebm.) Miquel
- Ficus nymphaeifolia* Miller; MORACEAE; Guyana (Cr); syn. *F. anguina* Benoist
- Ficus paludica* Standley; MORACEAE; Guyana (Cr); syn. *F. leucosticta* (Miquel) Miquel; syn. *F. manicariarum* Standley
- Ficus panurensis* Standley; MORACEAE; Guyana (Cr); syn. *F. maguirei* Standley
- Ficus paraensis* (Miquel) Miquel; MORACEAE; Guyana (Cr); syn. *F. arukensis* Standley
- Ficus parkeriana* (Miquel) Sandwith; MORACEAE; Surinam (Cr); use *F. guianensis* Desveaux
- Ficus pertusa* L.f.; MORACEAE; Surinam (Cr); syn. *F. kanukuensis* Standley
- Ficus ramiflora* Standley; MORACEAE; Guyana (Cr); use *F. caballina* Standley
- Ficus savannarum* Standley; MORACEAE; Guyana (Cr); use *F. broadwayi* Urban
- Ficus trigona* L.f.; MORACEAE; Guyana (Cr); syn. *F. fanshawei* Standley
- Figuier grand bois** →*Ficus* sp.; MORACEAE; French Guiana
- Figuier marron (-maudit)** →*Clusia rosea* Jacq.; GUTTIFERAE; French West Indies
- Figuier maudit (-marron)** →*Clusia rosea* Jacq.; GUTTIFERAE; French Guiana
- Fijnbladige ingipipa** →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Du); syn. *C. fagifolia* (Miquel) Eyma
- Fijnbladige pienja** →*Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Surinam (Du)
- Fijnbladige pienja (witte-)** →*Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Surinam (Du)
- Fijnbladige sopohodoe** →*Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Abarema jupunba* (Willd.) Britton & Killip
- Fine smooth-leaf kakaralli** →*Eschweilera grata* Sandwith; LECYTHIDACEAE; Guyana (Ar)
- Eschweilera parviflora* (Aublet) Miers; LECYTHIDACEAE; Guyana (Cr); syn. *E. montana* A.C.Smith
- Fine-leaf** →*Pentaclethra* sp.; LEGUMINOSAE-MIM.; Trinidad
- Fine-leaf kakaralli** →*Eschweilera wachenheimii* (Benoist) Sandwith; LECYTHIDACEAE; Guyana (Ar)
- Fine-leaf wadara** →*Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *C. pulchra* Sandwith
- Finie bita** →*Phyllanthus niruri* L.; EUPHORBIACEAE; Caribbean
- Fire brush** →*Combretum rotundifolium* A.Rich.; COMBRETACEAE; Guyana (Cr)
- Fire bush (peper-)** →*Croton* sp.; EUPHORBIACEAE; Virgin Islands
- Firiberoe kamaramara** →*Duroia eriopila* L.f.; RUBIACEAE; Surinam (Ar)
- Firoberobana** →*Sloanea robusta* Uittien; ELAEOCARPACEAE; Surinam (Ar)
- Fish poison** →*Piscidia piscipula* (L.) Sargent; LEGUMINOSAE-PAP.; Puerto Rico
- Fladdiot** →*Microtea debilis* Swartz; PHYTOLACCACEAE; Surinam
- Flaggra** →*Typha angustifolia* L.; TYPHACEAE; Surinam (Cr)
- Flambeau rouge** →*Catostemma fragrans* Benth.; BOMBACACEAE; French Guiana
- Floatwood** →*Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Cr); syn. *C. juranyiana* V.A.Richter
- Flor amarillo** →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Caribbean; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
- Flor de muerto** →*Clerodendrum* sp.; VERBENACEAE; Puerto Rico
- Flor de rayo** →*Parkinsonia aculeata* L.; LEGUMINOSAE-CAES.; Puerto Rico
- Flutewood** →*Swartzia jenmanii* Sandwith; LEGUMINOSAE-PAP.; Guyana (Cr)
- Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Guyana (Cr)
- Fluweelgras** →*Digitaria horizontalis* Willd.; POACEAE; Surinam (Du)
- Foedi boejoe** →*Anemopaegma paraense* Bureau & K.Schumann; BIGNONIACEAE; Surinam (Ar)
- Foedi iwidale** →*Panopsis sessilifolia* (Rich.) Sandwith; PROTEACEAE; Surinam (Ar)
- Foedidan** →*Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Surinam (Ar)
- Foekadi (fukadi), hill** →*Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Surinam (Ar); syn. *T. obovata* (Ruiz & Pavón) Steudel
- Foekoeleroe kautan** →*Licania* sp.; CHRYSOBALANACEAE; Surinam (Ar)
- Foenfoen** →*Cephalocereus lanuginosus* (L.) Britton & Rose; CACTACEAE; Curaçao
- Foengoe** →*Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Surinam (Cr); syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.
- Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Cr); syn. *C. versicolor* Benoist
- Licania canescens* Benoist;

CHRYSOBALANACEAE; Surinam (Cr)
 →*Licania ovalifolia* Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Cr)
 →*Licania pachystachya* Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Cr)
Foengoe (man-) →*Licania hostmannii* Fritsch;
 CHRYSOBALANACEAE; Surinam (Cr)
Foengoe (pau-, man-) →*Licania robusta* Sagot;
 CHRYSOBALANACEAE; Surinam (Sa)
Foengoe (witte-, weti, blakka-, zwarte-)
 →*Licania micrantha* Miquel;
 CHRYSOBALANACEAE; Surinam (Cr, Du)
Foengoe pau →*Hirtella caudata* Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Sa)
 →*Parinari campestris* Aublet;
 CHRYSOBALANACEAE; Surinam (Sa); syn. *P. campestre* Aublet ?
Foengoe ruwe bast, sabana →*Couepia cognata* (Steudel) Fritsch; CHRYSOBALANACEAE; Surinam (Cr); syn. *Licania exiguifolia* Standley
Foengoe, echte (-pau) →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Du, Sa); syn. *P. campestre* Aublet ?
Foengoe, sabana →*Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)
 →*Licania leptostachya* Benth.;
 CHRYSOBALANACEAE; Surinam (Cr); syn. *L. incana* Aublet var. *axilliflora* Sagot
Foengoe, witte (weti-) →*Drypetes variabilis* Uittien; EUPHORBIACEAE; Surinam (Cr, Du)
Foengoehoedoe →*Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Cr)
 →*Parinari campestris* Aublet;
 CHRYSOBALANACEAE; Surinam (Cr); syn. *P. campestre* Aublet ?
Foeroe sopo, pikien →*Peperomia rotundifolia* (L.) Kunth; PIPERACEAE; Surinam (Cr); var. *obcordata* (Miquel) Dahlstedt
Foeta, witte →*Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Sa)
Foeti-ie →*Bignonia copaia* Aublet; BIGNONIACEAE; Surinam (Ar); use *Jacaranda copaia* (Aublet) D. Don
 →*Jacaranda copaia* (Aublet) D. Don;
 BIGNONIACEAE; Surinam (Ar); syn. *Bignonia copaia* Aublet
Foetoe (jaba-, jappa-) →*Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam
Fokofokohoedoe (fokkofokkohoedoe) →*Apeiba tibourbou* Aublet; TILIACEAE; Surinam (Cr)
Foman(g) →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K. Hoffm.; EUPHORBIACEAE; Surinam
Fonjo →*Cephalocereus lanuginosus* (L.) Britton & Rose; CACTACEAE; Curaçao
Footee →*Jacaranda copaia* (Aublet) D. Don; BIGNONIACEAE; Surinam (Cr); syn. *Bignonia*
copaia Aublet
Fotui →*Jacaranda copaia* (Aublet) D. Don; BIGNONIACEAE; Guyana (Ar); syn. *Bignonia copaia* Aublet
Fou →*Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; French Guiana
Fowl cock's comb →*Tabernaemontana heterophylla* Vahl; APOCYNACEAE; Guyana (Cr); syn. *Stenosolen heterophyllus* (Vahl) Markgraf
Fowloe-kaka →*Telminostelma guianensis* Decaisne; ASCLEPIADACEAE; Surinam (Cr); syn. *Rouliniella guianensis* (Decaisne) Jonker
Frangipan(n)i →*Plumeria acutifolia* Poiret; APOCYNACEAE; British West Indies
Frangipanier →*Plumeria acutifolia* Poiret; APOCYNACEAE; French Guiana
Frangipanier blanc →*Plumeria alba* L.; APOCYNACEAE; French Guiana
Frangipanier rouge →*Plumeria rubra* L.; APOCYNACEAE; French Guiana
Frans birambi →*Averrhoa carambola* L.; OXALIDACEAE; Surinam (Du)
Fransi mope →*Spondias cytherea* Sonnerat; ANACARDIACEAE; Surinam; syn. *S. dulcis* Solander ex Forster f.; syn. *S. mangifera* Willd. var. *tuberculosa* (Blume) Engl.
 →*Spondias dulcis* Solander ex Forster f.; ANACARDIACEAE; Surinam; use *S. cytherea* Sonnerat; syn. *S. mangifera* Willd. var. *tuberculosa* (Blume) Engl.
 →*Spondias mangifera* Willd.; ANACARDIACEAE; Surinam; var. *tuberculosa* (Blume) Engl.; use *S. cytherea* Sonnerat; syn. *S. dulcis* Solander ex Forster f.
Fransman birambi →*Averrhoa carambola* L.; OXALIDACEAE; Surinam (Cr)
Fredrici's katoen →*Asclepias curassavica* L.; ASCLEPIADACEAE; Surinam (Du)
Freijo →*Cordia alliodora* (Ruiz & Pavón) Oken; BORAGINACEAE; Guyana (Pg)
Fremoesoe wierie →*Clytostoma binatum* (Thunberg) Sandwith; BIGNONIACEAE; Surinam
Friega-plato →*Waltheria americana* L.; STERCULIACEAE; Dominican Republic; syn. *W. indica* L.
Frijol →*Capparis cynophallophora* L.; CAPPARACEAE; Dominican Republic
Fromagier →*Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; French West Indies; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.
Fuerte ventura →*Lonchocarpus* sp.; LEGUMINOSAE-PAP.; Puerto Rico
Fukadi →*Buchenavia fanshawei* Exell & Maguire; COMBRETACEAE; Surinam (Ar)
Fukadi (-djamaro, swamp-) →*Terminalia dichotoma* G. Meyer; COMBRETACEAE; Surinam (Ar)

Fukadi (foekadi), hill →Terminalia amazonia (J.F.Gmelin) Exell; COMBRETACEAE; Surinam (Ar); syn. T. obovata (Ruiz & Pavón) Steudel

Fukadi, swamp →Terminalia quintalata Maguire; COMBRETACEAE; Guyana (Ar)

Fukurero-kauta →Hirtella sp.; CHRYSOBALANACEAE; Guyana

Fuma →Ceiba pentandra (L.) Gaertner; BOMBACACEAE; Surinam; syn. C. occidentalis (Sprengel) Burkill; syn. C. thoningii Chevalier; syn. Bombax pentandrum L.

Furilia →Laguncularia racemosa (L.) Gaertner f.; COMBRETACEAE; Surinam (Ar)

Fustic →Pictetia aculeata (Vahl) Urban; LEGUMINOSAE-PAP.; Virgin Islands

Futi (futui) →Jacaranda copaia (Aublet) D.Don; BIGNONIACEAE; Surinam (Ar); syn. Bignonia copaia Aublet

Futui (futi) →Jacaranda copaia (Aublet) D.Don; BIGNONIACEAE; Surinam (Ar); syn. Bignonia copaia Aublet

Gado dede →Commelina virginica L.; COMMELINACEAE; Surinam (Cr)
→Dichorisandra hexandra (Aublet) Standley; COMMELINACEAE; Surinam (Cr)
→Tradescantia elongata G.Meyer; COMMELINACEAE; Surinam (Cr)

Gado dede (-mi-sa-dede) →Athyrocarpus persicariaefolius (DC.) Hemsley; COMMELINACEAE; Surinam (Cr); use Phaeosphaerion persicariaefolius (DC.) Clarke
→Commelina diffusa Burm.f.; COMMELINACEAE; Surinam (Cr); syn. C. nudiflora L.

→Commelina nudiflora L.; COMMELINACEAE; Surinam (Cr); use C. diffusa Burm.f.
→Phaeosphaerion persicariaefolius (DC.) Clarke; COMMELINACEAE; Surinam (Cr); syn. Athyrocarpus persicariaefolius (DC.) Hemsley

Gadoboom →Chamaefistula sp.; LEGUMINOSAE-CAES.; Surinam (Cr, Du)

Gaeta →Trichilia sp.; MELIACEAE; Puerto Rico

Gaïac (bois de-) →Guaiacum officinale L.; ZYGOPHYLLACEAE; French Guiana

Gaïac (faux-, -franc, -male) →Dipteryx odorata (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. Coumarouna odorata Aublet

Gaïac de Cayenne →Dipteryx odorata (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. Coumarouna odorata Aublet

Gal(o)pa →Calophyllum brasiliense Cambess.; GUTTIFERAE; Trinidad; syn. C. calaba Jacq.; syn. C. rekoi Standley

Galba →Calophyllum brasiliense Cambess.; GUTTIFERAE; Trinidad; syn. C. calaba Jacq.; syn. C. rekoi Standley

Gale →Aniba sp.; LAURACEAE; Guyana (Cr)

Gale, almond →Aniba citrifolia (Nees) Mez; LAURACEAE; Guyana (Cr); syn. A. trinitatis (Meisner) Mez

Gale, ginger →Aniba kappleri Mez; LAURACEAE; Guyana (Cr)

→Aniba panurensis (Meisner) Mez; LAURACEAE; Guyana (Cr); syn. A. formula (Nees & C.Martius ex Nees) Mez

→Aniba riparia (Nees) Mez; LAURACEAE; Guyana (Cr)

Gale, greenhart →Aniba excelsa Kosterm.; LAURACEAE; Guyana (Cr)

Gallito →Momisia iguanaea (Jacq.) Rose & Standley; ULMACEAE; Dominican Republic; use Celtis ?

Gamboge →Garcinia cambogia Desr.; GUTTIFERAE; British West Indies

→Garcinia morella Desr.; GUTTIFERAE; British West Indies

Gamboge, West Indian →Clusia sp.; GUTTIFERAE; British West Indies

Ganbesie aranhoedoe →Unonopsis rufescens (Baillon) R.E.Fries; ANNONACEAE; Surinam (Sa)

Gandoe →Bocoa prouacensis Aublet; LEGUMINOSAE-PAP.; Surinam (Cr); use Swartzia prouacensis (Aublet) Amshoff
→Swartzia benthamiana Miquel; LEGUMINOSAE-PAP.; Surinam (Cr)

→Swartzia prouacensis (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. Bocoa prouacensis Aublet

→Swartzia tomentosa DC.; LEGUMINOSAE-PAP.; Surinam (Cr); var. polyanthera (Steudel) Sandwith

Gange (-iesè, -pisi) →Trattinickia sp.; BURSERACEAE; Surinam

Ganmasagon →Couepia sp.; CHRYSOBALANACEAE; Surinam (Bn)

→Sacoglottis guianensis Benth. var. guianensis; HUMIRIACEAE; Surinam (Bn); syn. S. guianensis Benth. var. dolichocarpa Ducke

Garlic pear →Crateva tapia L.; CAPPARACEAE; Trinidad

Garlic rope →Mansoa alliacea (Lam.) A.H.Gentry; BIGNONIACEAE; Surinam (Cr); syn. Pseudocalymma alliaceum (Lam.) Sandwith
→Pseudocalymma alliaceum (Lam.) Sandwith; BIGNONIACEAE; Surinam (Cr); use Mansoa alliacea (Lam.) A.H.Gentry

Garlicwood →Cassipourea latifolia Alston; RHIZOPHORACEAE; Trinidad

Garrocho →Quararibea guianensis Aublet; BOMBACACEAE; Puerto Rico

Gaspree →Esenbeckia sp.; RUTACEAE; Trinidad

Gateado →Astronium fraxinifolium Schott; ANACARDIACEAE; Caribbean

→*Brosimum guianense* (Aublet) Huber;
MORACEAE; Curaçao; syn. *Piratinera guianensis*
Aublet; syn. *P. scabridula* Blake; syn. *P. velutina*
Blake; syn. *Brosimum rotundatum* Standley; syn.
B. velutinum (Blake) Ducke

→*Coccoloba uvifera* (L.) Jacq.;
POLYGONACEAE; Puerto Rico; syn. *C. uvifera*
(L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Gatillo →*Capparis* sp.; CAPPARACEAE; Guyana

Gato →*Helicteres* sp.; STERCULIACEAE; Puerto
Rico

Gatotie →*Matayba opaca* Radlk. var. *fallax*
(Radlk.) Uittien; SAPINDACEAE; Surinam (Cr)

Gatotie (gawetrie) →*Cupania scrobiculata*
L.C.Rich.; SAPINDACEAE; Surinam (Cr); var.
frondosa (Benth.) Radlk.

Gauetrie, harige →*Cupania hirsuta* Radlk.;
SAPINDACEAE; Surinam (Du)

Gauetrie, zwarte →*Cupania scrobiculata*
L.C.Rich.; SAPINDACEAE; Surinam (Du); var.
frondosa (Benth.) Radlk.

→*Matayba arborescens* (Aublet) Radlk.;
SAPINDACEAE; Surinam (Du)

→*Matayba opaca* Radlk. var. *fallax* (Radlk.)
Uittien; SAPINDACEAE; Surinam (Du)

Gaulette (-rouge) →*Licania arborea* Seemann;
CHRYSOBALANACEAE; Guadeloupe

→*Licania hostmannii* Fritsch;
CHRYSOBALANACEAE; Guadeloupe

Gauw(e)trie, zwarte →*Cupania scrobiculata*
L.C.Rich.; SAPINDACEAE; Surinam (Du, Sa); var.
frondosa (Benth.) Radlk.

→*Matayba arborescens* (Aublet) Radlk.;
SAPINDACEAE; Surinam (Du, Sa)

Gauwetine (gawetri, gauwetine) →*Matayba*
opaca Radlk. var. *fallax* (Radlk.) Uittien;
SAPINDACEAE; Surinam (Sa)

Gauwetine (gawiti, gauwetrie, gauwtie)
→*Cupania scrobiculata* L.C.Rich.;
SAPINDACEAE; Surinam (Sa); var. *frondosa*
(Benth.) Radlk.

Gawetrie (gauwetine, gauwetine) →*Matayba*
opaca Radlk. var. *fallax* (Radlk.) Uittien;
SAPINDACEAE; Surinam (Sa)

Gawetrie (gauwetine, gawetri) →*Matayba*
arborescens (Aublet) Radlk.; SAPINDACEAE;
Surinam (Sa)

Gawetrie (gawiti, gauwetine, gauwtie)
→*Cupania scrobiculata* L.C.Rich.;
SAPINDACEAE; Surinam (Sa); var. *frondosa*
(Benth.) Radlk.

Gauwetine (gauwetine, gauwetri) →*Matayba*
opaca Radlk. var. *fallax* (Radlk.) Uittien;
SAPINDACEAE; Surinam (Sa)

Gauwetine (gawetri, gauwetrie) →*Matayba*
arborescens (Aublet) Radlk.; SAPINDACEAE;
Surinam (Sa)

Gawiti (gauwetine, gauwetrie, gauwtie)

→*Cupania scrobiculata* L.C.Rich.;
SAPINDACEAE; Surinam (Sa); var. *frondosa*
(Benth.) Radlk.

Gawiti (gawetri) →*Cupania scrobiculata*
L.C.Rich.; SAPINDACEAE; Surinam (Sa); var.
frondosa (Benth.) Radlk.

Gawt(r)ie, zwarte →*Cupania scrobiculata*
L.C.Rich.; SAPINDACEAE; Surinam (Du, Sa); var.
frondosa (Benth.) Radlk.

Gauwtie (gawiti, gauwetine, gauwetrie)
→*Cupania scrobiculata* L.C.Rich.;
SAPINDACEAE; Surinam (Sa); var. *frondosa*
(Benth.) Radlk.

Gawetrie (gawetri) →*Matayba opaca* Radlk. var.
fallax (Radlk.) Uittien; SAPINDACEAE; Surinam
(Cr, Sa)

Gavilan →*Pentaclethra macroloba* (Willd.)
Kuntze; LEGUMINOSAE-MIM.; Surinam; syn. *P.*
filamentosa Benth.

Gawetri (gauwetine, gauwetrie) →*Matayba*
arborescens (Aublet) Radlk.; SAPINDACEAE;
Surinam (Sa)

Gawetri (gawiti, gauwetine, gauwetrie)

→*Cupania scrobiculata* L.C.Rich.;
SAPINDACEAE; Surinam (Sa); var. *frondosa*
(Benth.) Radlk.

Gawetri (gawetrie) →*Matayba opaca* Radlk. var.
fallax (Radlk.) Uittien; SAPINDACEAE; Surinam
(Cr, Sa)

Gayac (-jaune, -vert) →*Guaiacum officinale* L.;
ZYGOPHYLLACEAE; Martinique

Gayac (faux-, -franc, -male) →*Dipteryx odorata*
(Aublet) Willd.; LEGUMINOSAE-PAP.; French
Guiana; syn. *Coumarouna odorata* Aublet

Gedoe →*Tachigali paniculata* Aublet;
LEGUMINOSAE-CAES.; Surinam (Cr); syn.
Tachigalia paniculata Aublet

Gedoe, blaka (zwarte-) →*Sclerolobium*
micropetalum Ducke; LEGUMINOSAE-CAES.;
Surinam (Cr)

Gedoe, redi →*Sclerolobium albiflorum* Benoist;
LEGUMINOSAE-CAES.; Surinam (Cr)

Gedoe, sabana (savanne-) →*Sclerolobium*
guianense Benth.; LEGUMINOSAE-CAES.;
Surinam (Cr)

Geelhart →*Chlorocardium rodiei* (Sch.) Rohwer,
Richt. & v.d. W.; LAURACEAE; Surinam (Du);
syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn.
Nectandra rodiei R.H.Schomb.

→*Rheedia* sp.; GUTTIFERAE; Surinam (Du)

Geelhart, Surinaams →*Platonia esculenta*
(Arruda) Rickett & Stafleu; GUTTIFERAE;
Surinam (Du); use *P. insignis* C.Martius
→*Platonia insignis* C.Martius; GUTTIFERAE;
Surinam (Du); syn. *P. esculenta* (Arruda) Rickett
& Stafleu

Geelhout →*Casearia sylvestris* Swartz;

FLACOURTIACEAE; Curaçao
 →Chlorophora tinctoria (L.) Gaudich.;
 MORACEAE; Surinam (Du)
Geelstekelboom →Xanthoxylum sp.;
 RUTACEAE; Surinam (Du); use Xanthoxylum
 monophyllum (Lam.) P.Wilson; syn. Fagara
 monophylla Lam.
 →Xanthoxylum monophyllum (Lam.) P.Wilson;
 RUTACEAE; Surinam (Du); syn. Fagara
 monophylla Lam.; syn. Xanthoxylum
Gele bagasse →Bagassa guianensis Aublet;
 MORACEAE; Surinam (Du); syn. B. tiliaefolia
 (Hamilton) Benoist; syn. B. tiliifolia (Desv.) Benoist
 ?
Gele bast titéhoedoe →Eschweilera poiteau
 (O.Berg) Niedenzu; LECYTHIDACEAE; Surinam
 (Cr)
Gele kabbes →Hymenolobium flavum
 Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du)
 →Vatairea guianensis Aublet; LEGUMINOSAE-
 PAP.; Surinam (Du); syn. V. surinamensis
 Kleinhoonte; syn. Vataireopsis speciosa Ducke
 →Vataireopsis speciosa Ducke; LEGUMINOSAE-
 PAP.; Surinam (Du); use Vatairea guianensis
 Aublet; syn. V. surinamensis Kleinhoonte
Gele silverballi →Aniba hypoglaucula Sandwith;
 LAURACEAE; Surinam (Du); syn. A. ovalifolia
 Kosterm. non Mez
Gemberhout →Buchenavia capitata (Vahl)
 Eichler; COMBRETACEAE; Surinam (Du)

Genip →Melicoccus bijugatus Jacq.;
 SAPINDACEAE; British West Indies; syn.
 Melicocca bijuga L.
Genip, wild →Muellera frutescens (Aublet)
 Standley; LEGUMINOSAE-PAP.; Guyana (Cr);
 use Lonchocarpus
Geno (-geno) →Lonchocarpus sp.;
 LEGUMINOSAE-PAP.; Puerto Rico
Ger'ati →Platonia insignis C.Martius;
 GUTTIFERAE; Surinam (Cr); syn. P. esculenta
 (Arruda) Rickett & Stafleu
Geri kabisi (gele kabbes) →Vatairea guianensis
 Aublet; LEGUMINOSAE-PAP.; Surinam (Cr, Du);
 syn. V. surinamensis Kleinhoonte; syn.
 Vataireopsis speciosa Ducke
Gespikkeld letterhout →Brosimum guianense
 (Aublet) Huber; MORACEAE; Surinam (Du); syn.
 Piratinera guianensis Aublet; syn. P. scabridula
 Blake; syn. P. velutina Blake; syn. Brosimum
 rotundatum Standley; syn. B. velutinum (Blake)
 Ducke
Getande tingimoni (ajawa-)
 →Hemicrepidospermum rhoifolium (Benth.)
 Swart; BURSERACEAE; Surinam (Cr, Du)
Gevlamd satijnhout →Brosimum rubescens
 Taubert; MORACEAE; Surinam (Du); syn. B.
 paraense Huber; syn. Ferolia guianensis Aublet;

syn. Piratinera sp.
Gewone kwat(t)abob(b)i(e) →Ecclinusa
 cuneifolia (Rudge) Aubrév.; SAPOTACEAE;
 Surinam (Du); syn. Chrysophyllum cuneifolium
 (Rudge) A.DC.
Gindjahoedoe →Buchenavia capitata (Vahl)
 Eichler; COMBRETACEAE; Surinam (Cr)
Gingepan →Maprounea guianensis Aublet;
 EUPHORBIACEAE; Surinam (Sa)
Ginger gale →Aniba kappleri Mez; LAURACEAE;
 Guyana (Cr)
 →Aniba panurensis (Meisner) Mez; LAURACEAE;
 Guyana (Cr); syn. A. firmula (Nees & C.Martius ex
 Nees) Mez
 →Aniba riparia (Nees) Mez; LAURACEAE;
 Guyana (Cr)
Ginger Thomas →Tecoma stans (L.) Kunth;
 BIGNONIACEAE; British West Indies; syn.
 Stenolobium stans (L.) Seemann
Ginjahoedoe →Terminalia amazonia
 (J.F.Gmelin) Exell; COMBRETACEAE; Surinam
 (Cr); syn. T. obovata (Ruiz & Pavón) Steudel
Gire gire oemattoe →Alchorneopsis trimera
 Lanjouw; EUPHORBIACEAE; Surinam (Sa)
Girofle →Pimenta racemosa (Miller) Moore;
 MYRTACEAE; French West Indies; syn. Amomis
 caryophyllata (Jacq.) Krug & Urban
Giroflier →Amomis caryophyllata (Jacq.) Krug &
 Urban; MYRTACEAE; French West Indies; use
 Pimenta
 →Pimenta racemosa (Miller) Moore.;
 MYRTACEAE; French West Indies; syn. Amomis
 caryophyllata (Jacq.) Krug & Urban
Gitarán →Dodonaea viscosa (L.) Jacq.;
 SAPINDACEAE; Puerto Rico; syn. D. angustifolia
 L.f.; syn. D. dioica Roxburgh
Giterón →Suriana maritima L.; SURIANACEAE;
 Puerto Rico
Gladde sopohoedoe →Caryocar glabrum
 (Aublet) Persoon ssp. glabrum;
 CARYOCARACEAE; Surinam (Du)
Gniagnia (madoe) →Virola surinamensis
 (Rolander ex Rottb.) Warburg; MYRISTICACEAE;
 French Guiana; syn. Myristica surinamensis
 Rolander ex Rottb.
Goatwood →Aegiphila elata Swartz;
 VERBENACEAE; British West Indies
Gobai(a) →Jacaranda obtusifolia Humbert &
 Bonpl.; BIGNONIACEAE; Surinam (Cr, Du); ssp.
 rhombifolia (G.Meyer) A.H.Gentry; syn. J.
 rhombifolia G.Meyer
Gobaia →Jacaranda copaia (Aublet) D.Don;
 BIGNONIACEAE; Surinam (Du); syn. Bignonia
 copaia Aublet
Gobo-gobo wiwirie →Jacaranda filicifolia
 (Anderson) D.Don; BIGNONIACEAE; Surinam
 (Cr)
 →Jacaranda obtusifolia Humbert & Bonpl.;

BIGNONIACEAE; Surinam (Cr); ssp. rhombifolia (G.Meyer) A.H.Gentry; syn. J. rhombifolia G.Meyer

Goemaatsjoe →Pereskia guamacho Weber; CACTACEAE; Curaçao

Goebai →Jacaranda filicifolia (Anderson) D.Don; BIGNONIACEAE; Surinam (Cr)

Goebai (goebaja) →Jacaranda copaia (Aublet) D.Don; BIGNONIACEAE; Surinam (Cr); syn. Bignonia copaia Aublet

Goebaja (goebai) →Jacaranda copaia (Aublet) D.Don; BIGNONIACEAE; Surinam (Cr); syn. Bignonia copaia Aublet

Goebaja kwarie (wana-) →Vochysia densiflora Spruce ex Warming; VOCHYSIACEAE; Surinam (Cr)

Goebar →Jacaranda obtusifolia Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. rhombifolia (G.Meyer) A.H.Gentry; syn. J. rhombifolia G.Meyer

Goejaba →Psidium guineense Swartz; MYRTACEAE; Surinam (Cr); syn. P. benthamianum O.Berg

Goejaba (gujave, gouaba) →Psidium guajava L.; MYRTACEAE; Surinam (Cr)

Goejaba kwarie →Qualea dinizii Ducke; VOCHYSIACEAE; Surinam (Cr); var. glabrifolia Meurs

Goejaba, boesi →Calycolpus revolutus (Schauer) O.Berg; MYRTACEAE; Surinam (Cr); syn. C. chnoiophyllus Riley; syn. C. pyrifer Riley

Goejaba, redi boesi →Myrcia amazonica DC.; MYRTACEAE; Surinam (Cr); syn. Aulomyrcia hostmanniana O.Berg var. robustior O.Berg

Goenfoloe (granfolo, gronfoloe) →Qualea albiflora Warming; VOCHYSIACEAE; Surinam (Sa); use Ruizterania albiflora (Warming) Marcono-Berti ?

Goewanna kwarie (gwanna-) →Vochysia guianensis Aublet; VOCHYSIACEAE; Surinam (Cr); syn. V. melinonii Beckmann

Gogomago →Phytolacca rivinoides Kunth & Bouché; PHYTOLACCACEAE; Surinam

Golden spoon →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; British West Indies; syn. B. cubensis A.Jussieu

→Byrsonima cubensis A.Jussieu; MALPIGHIACEAE; British West Indies; use B. crassifolia (L.) Kunth

Gomard →Bursera simaruba (L.) Sargent; BURSERACEAE; French West Indies; syn. B. gummifera L.; syn. Elaphrium simaruba (L.) Rose

Gomhoedoe →Sapium aubletianum (Müll.Arg.) Huber; EUPHORBIACEAE; Surinam

Gomma(-hout) →Guarea gomma Pulle; MELIACEAE; Surinam (Du)

Gommart →Bursera simaruba (L.) Sargent;

BURSERACEAE; French West Indies; syn. B. gummifera L.; syn. Elaphrium simaruba (L.) Rose
Gommier (-blanc, -gris) →Bursera simaruba (L.) Sargent; BURSERACEAE; French West Indies; syn. B. gummifera L.; syn. Elaphrium simaruba (L.) Rose

Gommier blanc →Protium attenuatum (Rose) Urban; BURSERACEAE; French West Indies

Gommier des montagnes →Tetragastris sp.; BURSERACEAE; French Guiana

Gommier juane des carrière →Protium sp.; BURSERACEAE; French West Indies

Gommier rouge →Protium polybotryum (Turcz.) Engl.; BURSERACEAE; French West Indies

Gommier, mountain →Dacryodes excelsa Vahl; BURSERACEAE; Grenada

Gomorrow →Dipteryx odorata (Aublet) Willd.; LEGUMINOSAE-PAP.; Guyana; syn. Coumarouna odorata Aublet

Goncalo alves →Astronium fraxinifolium Schott; ANACARDIACEAE; Caribbean

→Astronium graveolens Jacq.; ANACARDIACEAE; Caribbean

Gonfia lustrosa →Ouratea sp.; OCHNACEAE; Puerto Rico

Goodbread →Pisonia sp.; NYCTAGINACEAE; British West Indies

Goro-goro →Licania robusta Sagot; CHRYSOBALANACEAE; Surinam (Cr)

Gorro-gorro, man →Licania sp.; CHRYSOBALANACEAE; Surinam (Cr)

Gouaba, watra →Psidium guajava L.; MYRTACEAE; Surinam (Cr)

Goudmambit →Pogonophora schomburgkiana Miens ex Benth.; EUPHORBIACEAE; Surinam (Du)

Goulougou-albani →Sloanea sp.; ELAEOCARPACEAE; French Guiana

Goupi franc →Goupia glabra Aublet; CELASTRACEAE; French Guiana; syn. G. tomentosa Aublet; sometimes family Goupiaceae used

Goupi(e) →Goupia glabra Aublet; CELASTRACEAE; Surinam (Cr); syn. G. tomentosa Aublet; sometimes family Goupiaceae used

→Goupia tomentosa Aublet; CELASTRACEAE; Surinam (Cr); use G. glabra Aublet; sometimes family Goupiaceae used

Goutmambit →Aspidosperma woodsonianum Markgraf; APOCYNACEAE; Surinam (Du)

Goyabo amarillo →Eugenia sp.; MYRTACEAE; French Guiana

Goyave noir →Alibertia edulis (A.Rich.) A.Rich. ex DC.; RUBIACEAE; French Guiana

Goyavier →Myrcia amazonica DC.; MYRTACEAE; French Guiana; syn. Aulomyrcia hostmanniana O.Berg var. robustior O.Berg

Goyavier commun → *Psidium guajava* L.; MYRTACEAE; French Guiana

Goyavier montagne → *Eugenia* sp.; MYRTACEAE; Guadeloupe

Goyavier porte-pois (-commun) → *Psidium guajava* L.; MYRTACEAE; French Guiana

Graine à tatou → *Amaioua guianensis* Aublet; RUBIACEAE; French Guiana; syn. *Amajoua guianensis* Aublet

Graine koumarou → *Aniba* sp.; LAURACEAE; French Guiana

Graine macaque → *Moutabea longifolia* Poeppig & Endl.; POLYGALACEAE; French Guiana

Gramman nagels → *Ichthyothere terminalis* (Sprengel) Malme; ASTERACEAE; Surinam (Cr)

Gran sarsaparilla → *Dioscorea trichanthera* Gleason; DIOSCOREACEAE; Guyana (Cr)

Granaatappel → *Punica granatum* L.; PUNICACEAE; Surinam (Du)

Granadillo → *Brya ebenus* (L.) DC.; LEGUMINOSAE-PAP.; West Indies
→ *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Puerto Rico
→ *Gymnanthes lucida* Swartz; EUPHORBIACEAE; Dominican Republic; syn. *Sebastiana lucida* Müll.Arg.
→ *Ocotea* sp.; LAURACEAE; Puerto Rico

Granadillo bobo → *Tetrazygia pallens* Cogniaux; MELASTOMATACEAE; Dominican Republic

Granalino → *Leucaena pseudotrichoides* (DC.) Britton & Rose; LEGUMINOSAE-MIM.; Dominican Republic

Granboesi papaja → *Pourouma aspera* Trécul; MORACEAE; Surinam (Cr)
→ *Pourouma laevis* Benoist; MORACEAE; Surinam (Cr)
→ *Pourouma mollis* Trécul; MORACEAE; Surinam (Cr)

Grand sarsaparilla → *Dioscorea trichanthera* Gleason; DIOSCOREACEAE; Surinam (Cr)

Granfolo (gronfoloe, goenfoloe) → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam (Sa)

Granman hannahoedoe → *Piper hispidum* Swartz; PIPERACEAE; Surinam; var. *hispidum*; syn. *P. asperifolium* Rich.; syn. *P. scabrum* Swartz

Granny backbone → *Curarea candicans* (Rich.) Barneby & Krukoff; MENISPERMACEAE; Guyana (Cr); syn. *Chondodendron candicans* (Rich.) Sandwith

Granolina → *Calliandra* sp.; LEGUMINOSAE-MIM.; Dominican Republic

Grape, black → *Coccoloba latifolia* Lam.; POLYGONACEAE; British West Indies

Grape, mangrove (sea-, wild-) → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Grape, wild (mangrove-, seaside-) → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Grapes, Hindoestan → *Syzygium cumini* (L.) Skeels; MYRTACEAE; Surinam (Cr); syn. *Eugenia jambolana* Lam.

Gras, savanne → *Eleocharis sulcata* Nees; CYPERACEAE; Surinam (Du)
→ *Syngonanthus umbellatus* (Lam.) Ruhland; ERIOCAULACEAE; Surinam (Du)

Gray nickers → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; British West Indies; syn. *Caesalpinia echinata* Lam.

Grayume (-macho) → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Puerto Rico; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Greenheart → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico

Greenheart (demerara-) → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Surinam (Cr); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Greenheart (whalebone-) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (Cr); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Greenheart gale → *Aniba excelsa* Kosterm.; LAURACEAE; Guyana (Cr)

Gregorywood → *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Gregre, water → *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Grenadile, Amerikaans → *Brya buxifolia* Urban; LEGUMINOSAE-PAP.; Caribbean

Grieharti (griehatti, grin-ati) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Cr); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Griehatti (grieharti, grin-ati) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Cr); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Grignon → *Bucida buceras* L.; COMBRETACEAE; French Guiana; syn. *B. angustifolia* DC.

Grignon (-fou, -gris, -rose, -rouge) → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; French Guiana

Grignon (-franc, -rouge) → *Nectandra rubra* (Mez) Allen; LAURACEAE; French Guiana; syn. *Ocotea rubra* Mez

Grignon fou → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; French Guiana; syn. *Inga pendula* Willd.

→*Qualea dinizii* Ducke; VOCHYSIACEAE; French Guiana

Grignon fou (-rouge) →*Qualea coerulea* Aublet; VOCHYSIACEAE; French Guiana

→*Qualea rosea* Aublet; VOCHYSIACEAE; French Guiana

Grignon fou rouge →*Qualea albiflora* Warming; VOCHYSIACEAE; French Guiana; use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Grijze bosgujave (witte-) →*Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Du); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifera* Riley

Grin-ati (grieharti, griehatti) →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Cr); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Gris-gris →*Licania divaricata* Benth.; CHRYSOBALANACEAE; French Guiana

→*Licania heteromorpha* Benth.; CHRYSOBALANACEAE; French Guiana

→*Licania macrophylla* Benth.; CHRYSOBALANACEAE; French Guiana

Groenhart (Surinaams-) →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Du); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Groenhart, demerara →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Surinam (Du); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Groenhart, makka →*Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Du)

Gron-porsen →*Portulaca oleracea* L.; PORTULACACEAE; Surinam (Du)

Gronfo(e)loe (granfolo) →*Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam (Du)

Gronfoelo, berg →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Du); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Gronfoeloe, berg →*Qualea paraensis* Ducke; VOCHYSIACEAE; Surinam (Du)

Gronfoeloe, berg (bergi-, birgi-) →*Qualea rosea* Aublet; VOCHYSIACEAE; Surinam (Cr, Du)

Gronfoeloe, hoogland (egron-, berg-) →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Du); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Groot locus →*Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *Coumarouna odorata* Aublet

Grootbladige pisi (zachte-, zwarte-)

→*Nectandra grandis* (Mez) Kosterm.; LAURACEAE; Surinam (Du)

Grosse zapotte →*Pouteria sapota* (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; French West Indies; syn. *Calocarpum sapota* (Jacq.) Merrill; syn. *Lucuma*

Grote boskapok →*Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Du)

Grote markoesa →*Passiflora quadrangularis* L.; PASSIFLORACEAE; Surinam (Du)

Grote pagara wiwirie →*Calathea grandis* Peters; MARANTACEAE; Surinam (Cr)

Grote potboom →*Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Du); syn. *L. davisii* Sandwith

Guaba →*Inga punctata* Willd.; LEGUMINOSAE-MIM.; Puerto Rico

Guabo →*Inga cocleensis* Pittier;

LEGUMINOSAE-MIM.; Puerto Rico

→*Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Puerto Rico; syn. *I. scabriuscula* Benth.

→*Inga panamensis* Seemann; LEGUMINOSAE-MIM.; Puerto Rico

Guacimillo →*Trema micrantha* (L.) Blume; ULMACEAE; Puerto Rico

Guaconejo →*Amyris balsamifera* L.; RUTACEAE; Dominican Republic

Guaita →*Trichilia* sp.; MELIACEAE; Puerto Rico

Guajave →*Psidium guineense* Swartz; MYRTACEAE; Surinam (Cr); syn. *P. benthamianum* O.Berg

Guama →*Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Puerto Rico

→*Reynosia* sp.; RHAMNACEAE; Puerto Rico

Guamacho →*Pereskia guamacho* Weber; CACTACEAE; Surinam (Cr)

Guamo →*Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Puerto Rico

Guana berry →*Byrsonima* sp.; MALPIGHIACEAE; British West Indies

Guanacaste →*Enterolobium cyclocarpum* (Jacq.) Griseb.; LEGUMINOSAE-MIM.; Surinam; syn. *Mimosa cyclocarpa* Jacq.; syn. *Prosopis dubia* Kunth

Guano →*Ochroma lagopus* Swartz; BOMBACACEAE; Puerto Rico; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee; syn. *O. grandiflora* Rowlee

Guao →*Comocladia ilicifolia* Swartz; ANACARDIACEAE; Dominican Republic

Guapirá →*Avicennia germinans* (L.) Stearn; VERBENACEAE; French Guiana; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Guara →*Cupania americana* L.; SAPINDACEAE; Dominican Republic

→*Matayba* sp.; SAPINDACEAE; Dominican Republic

→*Thouinia striata* Radlk.; SAPINDACEAE; Puerto Rico

Guara(na) →*Cupania domingues*; SAPINDACEAE; Puerto Rico

Guaraguadillo →Guarea guidonia (L.) Sleumer; MELIACEAE; Puerto Rico; syn. G. guara (Jacq.) Paul G.Wilson; syn. G. trichilioides L.

Guaraguáo →Guarea guidonia (L.) Sleumer; MELIACEAE; Puerto Rico; syn. G. guara (Jacq.) Paul G.Wilson; syn. G. trichilioides L.

Guarape →Coccoloba sp.; POLYGONACEAE; Dominican Republic

Guarapo →Qualea dinizii Ducke; VOCHYSIACEAE; Dominican Republic

Guaras →Coccoloba sp.; POLYGONACEAE; Dominican Republic

Guaré →Guarea guidonia (L.) Sleumer; MELIACEAE; French Guiana; syn. G. guara (Jacq.) Paul G.Wilson; syn. G. trichilioides L.

Guarema →Castela sp.; SIMAROUBACEAE; Puerto Rico; syn. Holacantha emoryi A.Gray →Holacantha emoryi A.Gray; SIMAROUBACEAE; Puerto Rico; use Castela

Guariare →Capparis sp.; CAPPARACEAE; Guyana

Guasara →Eugenia sp.; MYRTACEAE; Dominican Republic

Guasavara →Mouriria sp.; MELASTOMATACEAE; Puerto Rico

Guasavera →Eugenia sp.; MYRTACEAE; Puerto Rico

Guatacare →Lecythis zabucajo Aublet; LECYTHIDACEAE; Trinidad; syn. L. davisii Sandwith

Guatapaná →Roupala brasiliensis Klotzsch; PROTEACEAE; Trinidad

Guatapaná(re) →Caesalpinia coriaria (Jacq.) Willd.; LEGUMINOSAE-CAES.; Dominican Republic; syn. Libidibia coriaria (Jacq.) Schltr.

Guava cherry →Eugenia sp.; MYRTACEAE; Trinidad
→Psidium cattleianum Sabine; MYRTACEAE; Guyana

Guava, bamboo →Calycolpus revolutus (Schauer) O.Berg; MYRTACEAE; Surinam (Du); syn. C. chnoiophyllus Riley; syn. C. pyrifera Riley

Guava, wild →Myrcia rufipila McVaugh; MYRTACEAE; Surinam (Cr); syn. Aulomyrcia divaricata O.Berg
→Psidium guajava L.; MYRTACEAE; Guyana (Cr)

Guava, wild (bamboe-) →Calycolpus glaber (Benth.) O.Berg; MYRTACEAE; Surinam (Cr); use C. goetheanus (DC.) O.Berg
→Calycolpus goetheanus (DC.) O.Berg; MYRTACEAE; Surinam (Cr); syn. C. glaber (Benth.) O.Berg

Guava-skin kakaralli →Eschweilera alata A.C.Smith; LECYTHIDACEAE; Guyana (Cr)

Guave (wilde-) →Psidium guajava L.; MYRTACEAE; Surinam (Du)

Guave, bos (water-) →Psidium aquaticum Benth.; MYRTACEAE; Surinam (Du)

Guave, bos (water-, wilde-) →Psidium guianense Swartz; MYRTACEAE; Surinam (Du); syn. P. benthamianum O.Berg

Guave, Brazilian →Psidium guineense Swartz; MYRTACEAE; Guyana (Cr); syn. P. benthamianum O.Berg

Guave, water (bos-, wilde-) →Psidium guajava L.; MYRTACEAE; Surinam (Du)

Guaya bacón (-bota) →Eugenia sp.; MYRTACEAE; Puerto Rico

Guaya bota (-bacón) →Eugenia sp.; MYRTACEAE; Puerto Rico

Guayabacón →Myrcia leptoclada DC.; MYRTACEAE; Puerto Rico

Guayabo de indio →Theophrasta sp.; THEOPHRASTACEAE; Dominican Republic

Guayabón →Guettarda sp.; RUBIACEAE; Dominican Republic

Guayabota nispero →Diospyros sp.; EBENACEAE; Puerto Rico

Guayac de Caracas →Bulnesia arborea (Jacq.) Engl.; ZYGOPHYLLACEAE; French Guiana

Guayacan (-blanco) →Guaiacum officinale L.; ZYGOPHYLLACEAE; Caribbean

Guayacan (-cillo) →Guaiacum sanctum L.; ZYGOPHYLLACEAE; Caribbean; syn. G. guatemalense Planchon

Guayacan cillo →Croton sp.; EUPHORBIACEAE; Virgin Islands

Guayarrote →Cassine sp.; CELASTRACEAE; Puerto Rico; syn. Elaeodendron xylocarpum (Ventenat) DC.
→Elaeodendron xylocarpum (Ventenat) DC.; CELASTRACEAE; Puerto Rico; use Cassine
→Meliosma obtusifolia (Bello) Krug & Urban; SABIACEAE; Puerto Rico

Guayavacón →Trichilia sp.; MELIACEAE; Puerto Rico

Guayavita →Amomis caryophyllata (Jacq.) Krug & Urban; MYRTACEAE; Puerto Rico; use Pimenta
→Pimenta racemosa (Miller) Moore; MYRTACEAE; Puerto Rico; syn. Amomis caryophyllata (Jacq.) Krug & Urban

Guayuyo →Piper sp.; PIPERACEAE; Dominican Republic

Guepois →Myrcia sp.; MYRTACEAE; Guadeloupe

Guiagua madoe (guingua-, gniagnia-) →Virola surinamensis (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. Myristica surinamensis Rolander ex Rottb.

Guinep →Melicoccus bijugatus Jacq.; SAPINDACEAE; British West Indies; syn. Melicocca bijuga L.

Guingua madou (guiagua-, gniagnia-) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; French Guiana; syn. *Myristica surinamensis* Rolander ex Rottb.

Guingua madou de monte → *Virola bicuhyba* Warburg; MYRISTICACEAE; Guianas

Guirapariba → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; French Guiana; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Gujave (goejaba, gouaba) → *Psidium guajava* L.; MYRTACEAE; Surinam (Cr)

Gujave kwar(r)ie (-kwalie) → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs

Gujave, soela → *Psidium guianense* Swartz; MYRTACEAE; Surinam (Cr); syn. *P. benthamianum* O.Berg

Gujave, zwamp → *Aulomyrcia pyrifolia* (Desvaux ex Ham.) O.Berg; MYRTACEAE; Surinam (Cr); use *Myrcia*

→ *Myrcia* sp.; MYRTACEAE; Surinam (Cr); syn. *Aulomyrcia pyrifolia* (Desvaux) O.Berg

Gum tree → *Bursera gummifera* L.; BURSERACEAE; Puerto Rico; use *B. simaruba* (L.) Sargent

→ *Bursera simaruba* (L.) Sargent; BURSERACEAE; Puerto Rico; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

→ *Sapium aucuparium* Jacq.; EUPHORBIACEAE; Guyana (Cr)

→ *Sapium cladogyne* Hutch.; EUPHORBIACEAE; Guyana (Cr)

→ *Sapium paucinervum* Hemsley; EUPHORBIACEAE; Guyana (Cr)

Gum, hog (doctor-) → *Symphonia globulifera* L.f.; GUTTIFERAE; British West Indies; syn. *S. gabonensis* (Vesque) Pierre

Gunapalu → *Euphorbia* sp.; EUPHORBIACEAE; Surinam

Guyana mahogany → *Carapa guianensis* Aublet; MELIACEAE; Guyana (Cr); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Gwanna → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Gwanna kwarie (goewanna-) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Gwe-gwe (waata-) → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *P. draco* L.

Gwe-gwe, mattoe → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Sa)

Ha pau → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Hachia → *Tabebuia capitata* (Bureau &

K.Schumann) Sandwith; BIGNONIACEAE; Surinam

Hachiballi → *Pera ferruginea* (Schott) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)

→ *Pera schomburgkiana* (Benth.) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)

→ *Quassia multiflora* (A.Jussieu) Nootboom; SIMAROUBACEAE; Surinam (Ar); syn. *Simaba multiflora* A.Jussieu

→ *Simaba multiflora* A.Jussieu; SIMAROUBACEAE; Surinam (Ar); use *Quassia multiflora* (A.Jussieu) Nootboom

Hachiballi (-koeleroe) → *Pera glabrata* (Schott) Baillon; EUPHORBIACEAE; Surinam (Ar); syn. *P. glabratum* Schott

→ *Pera glabratum* Schott; EUPHORBIACEAE; Surinam (Ar); use *P. glabrata* (Schott) Baillon

Hachiballi (hatsiballi) → *Pera bicolor* (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)

Hackoeya (hakuya) → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Ar)

Hadroe → *Cyperus articulatus* L.; CYPERACEAE; Surinam

Haia, white (wild-) → *Malouetia tamaquarina* (Aublet) A.DC.; APOCYNACEAE; Guyana (Cr); var. *minor* A.DC.; syn. *M. obtusiloba* A.DC.

Haia-haia (hya-hya) → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Surinam (Ar)

Haiahaia → *Lacmellea utilis* (Arnott) Markgraf; APOCYNACEAE; Guyana (Ar); syn. *Zschokkea* → *Sapium aucuparium* Jacq.; EUPHORBIACEAE; Surinam (Ar)

→ *Sapium cladogyne* Hutch.; EUPHORBIACEAE; Surinam (Ar)

→ *Sapium hippomane* G.Meyer; EUPHORBIACEAE; Surinam (Ar)

Haiahaia (hya-hya) → *Sapium paucinervum* Hemsley; EUPHORBIACEAE; Surinam (Ar)

Haiari, black → *Lonchocarpus chrysophyllus* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Cr)

Haiari, white → *Lonchocarpus martyni* A.C.Smith; LEGUMINOSAE-PAP.; Guyana (Cr)

Haiariballi → *Alexa imperatricis* (Schomb.) Baillon; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *A. imperatricis* (Schomb.) Baker or *A. imperatricis* (Schomb.) Britton ?

→ *Alexa leiopetala* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Derris pterocarpus* (DC.) Killip; LEGUMINOSAE-PAP.; Surinam (Ar)

Haiawa → *Protium alstonii* Sandwith; BURSERACEAE; Surinam (Ar)

→Protium aracouchini (Aublet) Marchand; BURSERACEAE; Surinam (Ar)

→Protium plagiocarpum Benoist; BURSERACEAE; Surinam (Ar)

Haiawa (hajawa, ajawa, ayawa) →Trattinickia demerarae Sandwith; BURSERACEAE; Surinam (Ar)

Haiawa (hayawa) →Protium guianense (Aublet) Marchand; BURSERACEAE; Surinam (Ar)

Haiawa(-balli hororodikoro) →Protium hostmannii (Miquel) Engl.; BURSERACEAE; Surinam (Ar)

→Protium sagotianum Marchand; BURSERACEAE; Surinam (Ar); syn. *P. insigne* (Triana & Planchon) Engl.

Haiawa(-balli) →Protium neglectum Swart; BURSERACEAE; Surinam (Ar); use *P. tenuifolium* (Engl.) Engl.

→Protium tenuifolium (Engl.) Engl.; BURSERACEAE; Surinam (Ar); syn. *P. neglectum* Swart

Haiawaballi →Melampodium camphoratum (L.f.) Baker; ASTERACEAE; Surinam (Ar)

→Tetragastris altissima (Aublet) Swart; BURSERACEAE; Surinam (Ar)

→Tetragastris hostmannii (Engl.) Kuntze; BURSERACEAE; Surinam (Ar)

→Tetragastris panamensis (Engl.) Kuntze; BURSERACEAE; Surinam (Ar); syn. *T. stevensonii* Standley

→Tetragastris stevensonii Standley; BURSERACEAE; Surinam (Ar); use *T. panamensis* (Engl.) Kuntze

Hairy lay-lay →Cordia sulcata A.DC.; BORAGINACEAE; Trinidad

Haiwowa →Hernandia guianensis Aublet; HERNANDIACEAE; Caribbean; syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch

Haja kantaballi →Crudia aromatica (Aublet) Willd.; LEGUMINOSAE-CAES.; Surinam (Ar)

Hajaliballi diamaroe →Cydista aequinoctialis (L.) Miers; BIGNONIACEAE; Surinam (Ar)

Hajariballi saléroe →Petrea bracteata Steudel; VERBENACEAE; Surinam (Ar)

Hajauballi saléroe →Petrea bracteata Steudel; VERBENACEAE; Surinam (Ar)

Hajawa (haiawa, ajawe, ayawa, ajawa)

→Trattinickia burserifolia C.Martius; BURSERACEAE; Caribbean

Hajawa(-balli hororodikoro) →Trattinickia demerarae Sandwith; BURSERACEAE; Surinam (Ar)

Hajawaballi →Protium hostmannii (Miquel) Engl.; BURSERACEAE; Surinam (Ar)

→Protium sagotianum Marchand; BURSERACEAE; Surinam (Ar); syn. *P. insigne* (Triana & Planchon) Engl.

Hajokantoballi →Pogonophora schomburgkiana Miers ex Benth.; EUPHORBIACEAE; Surinam (Ar)

Hakia (hakuya) →Tabebuia capitata (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (Ar)

→Tabebuia serratifolia (Vahl) Nicholson; BIGNONIACEAE; Surinam (Ar); syn. *Tecoma leucoxylon* (L.) Martius ex DC.

→Tabebuia subtilis Sprague & Sandwith; BIGNONIACEAE; Guyana (Ar)

Hakiaballi →Vitex compressa Turcz.; VERBENACEAE; Surinam (Ar)

→Vitex guianensis Moldenke; VERBENACEAE; Surinam (Ar)

→Vitex orinocensis Kunth var. multiflora (Miq.) Huber; VERBENACEAE; Surinam (Ar)

→Vitex schomburgkiana Schauer; VERBENACEAE; Guyana (Ar)

→Vitex stahelii Moldenke; VERBENACEAE; Surinam (Ar)

Hakiaballi rope →Arrabidaea candicans (Rich.) DC.; BIGNONIACEAE; Guyana (Cr)

→Arrabidaea cinerea K.Schumann; BIGNONIACEAE; Guyana (Cr); var. *longipila* Sandwith

→Arrabidaea egensis Bureau & K.Schumann; BIGNONIACEAE; Guyana (Cr)

→Arrabidaea fanshawei Sandwith; BIGNONIACEAE; Guyana (Cr)

→Arrabidaea inaequalis (DC. ex Splitg.) K.Schumann; BIGNONIACEAE; Surinam (Bn)

→Arrabidaea nigrescens Sandwith; BIGNONIACEAE; Guyana (Cr)

Hakuya (hackoeya) →Tabebuia capitata (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Ar)

Hakuya (hakia) →Tabebuia serratifolia (Vahl) Nicholson; BIGNONIACEAE; Surinam (Ar); syn. *Tecoma leucoxylon* (L.) Martius ex DC.

→Tabebuia subtilis Sprague & Sandwith; BIGNONIACEAE; Guyana (Ar)

Hakuyaballi (hakiaballi) →Vitex guianensis Moldenke; VERBENACEAE; Surinam (Ar)

→Vitex stahelii Moldenke; VERBENACEAE; Surinam (Ar)

Halakwa-bana →Monstera pertusa (L.) de Vriese; ARACEAE; Surinam (Ar)

Halchiballi →Ipomoea cardiosepala Meisner; CONVOLVULACEAE; Surinam (Ar)

→Ipomoea phillomega (Vell.) House; CONVOLVULACEAE; Guyana (Ar)

→Lucuma sp.; SAPOTACEAE; Surinam (Ar); use *Pouteria* sp.

→Pouteria sp.; SAPOTACEAE; Surinam (Ar); syn. *Lucuma* sp.

Halietsjiballi →Ipomoea digitata L.; CONVOLVULACEAE; Surinam (Ar)

Halietsjiballi fierberoe →Ipomoea phillomega (Vell.) House; CONVOLVULACEAE; Surinam (Ar)
Halietsjimanni (halitsimáli) →Tetracera asperula Miquel; DILLENACEAE; Surinam (Ar)
Halitsimáli (halietsjimanni) →Tetracera asperula Miquel; DILLENACEAE; Surinam (Ar)
Hamo →Ficus sp.; MORACEAE; Dominican Republic
Hanakwabla →Philodendron scandens Koch & Sello; ARACEAE; Surinam (Cr)
Hansoe mattoe →Oxandra asbeckii (Pulle) R.E.Fries; ANNONACEAE; Surinam (Sa)
Haquimey →Hippocratea volubilis L.; CELASTRACEAE; Dominican Republic
Hard kereti →Ocotea wachenheimii Benoist; LAURACEAE; Surinam (Cr)
Harde (blaka-, kras-, zwarte-) pisi →Ocotea glomerata (Nees) Mez; LAURACEAE; Surinam (Du); syn. O. glomerata (Nees) Benth.
Harde pisi →Ocotea schomburgkiana (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Du); syn. O. schomburgkiana (Nees) Mez
Harige gauetrie →Cupania hirsuta Radlk.; SAPINDACEAE; Surinam (Du)
Harimenango →Conceveiba guianensis Aublet; EUPHORBIACEAE; Caribbean; syn. Aparisthmium cordatum (Jussieu) Baillon ?
Hariraro →Cupania scrobiculata L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. frondosa (Benth.) Radlk.
Hariraro asepeko →Pouteria guianensis Aublet; SAPOTACEAE; Surinam (Ar); syn. Lucuma
Hariraro asepoekoe →Pouteria melanopoda Eyma; SAPOTACEAE; Surinam (Ar); syn. Lucuma
Hariraro koeraharoe →Calophyllum brasiliense Cambess.; GUTTIFERAE; Surinam (Ar); syn. C. calaba Jacq.; syn. C. rekoi Standley
Hariraro moraballi →Pouteria robusta (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. longifolia Eyma; syn. Neoxythece robusta (C.Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma
Hariraro shiruaballi →Ocotea canaliculata (Rich.) Mez; LAURACEAE; Surinam (Ar)
Hariraro wallaba (hariroe-) →Eperua schomburgkiana Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
Hariraroe thoeraro →Antonia ovata Pohl; ANTONIACEAE; Surinam (Ar); syn. A. ovata Pohl var. pilosa Hook.; sometimes in Loganiaceae
Hariroe wallaba →Eperua schomburgkiana Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
Hariroro jaroeroe →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Ar); syn. A. nitidum Benth. ex Müll.Arg.
Hariti →Heliconia humilis (Aublet) Jacq.; STRELITZIACEAE; Surinam (Ar); also family

Heliconiaceae used

Haro-banaro →Waltheria americana L.; STERCULIACEAE; Surinam (Ar); syn. W. indica L.
Hatsiballi (hatchiballi) →Pera bicolor (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)
Hatti →Hevea brasiliensis (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Guyana (Ar); syn. Siphonia brasiliensis Willd. ex A.Jussieu
→Hevea pauciflora (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Ar); var. coriacea Ducke; syn. H. confusa Hemsley
Haudan →Chytroma praeclara (Sandwith) Kunth; LECYTHIDACEAE; Guyana (Ar); syn. Eschweilera praeclara Sandwith
→Eschweilera holcogyne Sandwith; LECYTHIDACEAE; Surinam (Ar); use Lecythis holcogyne (Sandwith) S.A.Mori
→Eschweilera praeclara Sandwith; LECYTHIDACEAE; Guyana (Ar); use Chytroma praeclara (Sandwith) Kunth
→Eschweilera simiorum (Benoist) Eyma; LECYTHIDACEAE; Surinam (Ar); use Lecythis simiorum Benoist
→Gustavia hexapetala (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Ar)
→Lecythis corrugata Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera corrugata (Poiteau) Miers
→Lecythis holcogyne (Sandwith) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera holcogyne Sandwith
Haudan (-djamaro) →Eschweilera coriacea (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. E. odora (Poeppig) Miers
→Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. E. longipes (Poiteau) Miers
Haudan (howdan) →Lecythis simiorum Benoist; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera simiorum (Benoist) Eyma
Hauna banna →Monotagma spicatum (Aublet) Macbr.; MARANTACEAE; Surinam; syn. M. parkeri (Roscoe) K.Schumann
Hawakai →Dimorphandra congestiflora Sprague & Sandwith; LEGUMINOSAE-CAES.; Guyana (Ak); use D. macrostachya Benth. ssp. congestiflora (Sprague & Sandwith) M.F.Silva
→Dimorphandra macrostachya Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); ssp. congestiflora (Sprague & Sandwith) M.F.Silva; syn. D. congestiflora Sprague & Sandwith
Hawdan (haudan) →Eschweilera coriacea (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. E. odora (Poeppig) Miers
→Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. E. longipes (Poiteau) Miers

Haya → *Oxandra lanceolata* (Swartz) Baillon; ANNONACEAE; Puerto Rico

He-he → *Xanthophyllum* sp.; XANTHOPHYLLACEAE; Surinam

He-he (he-makoa) → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

He-makoa (he-he) → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Hebala → *Calyptrocarya glomerulata* Urban; CYPERACEAE; Surinam (Ar)

Hebechi-abo → *Serjania paucidentata* DC.; SAPINDACEAE; Surinam (Ar)

Hebesere-bina → *Xiphidium coeruleum* Aublet; HAEMODORACEAE; Surinam (Ar)

Heburu → *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Wr)

Hedde-hatti wiwirie → *Calotropis gigantea* (L.) Dryander; ASCLEPIADACEAE; Surinam (Cr)

Hede, witte (witti-, weti-) → *Alternanthera sessilis* (L.) R.Brown; AMARANTHACEAE; Surinam (Du); syn. *A. triandra* Lam.

Hedionda macho → *Cassia* sp.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Adipera* sp.

Hediondilla → *Cassia biflora* L.; LEGUMINOSAE-CAES.; Puerto Rico; use *Peirania biflora* (L.) Pittier

→ *Chamaefistula* sp.; LEGUMINOSAE-CAES.; Puerto Rico

→ *Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

→ *Peirania biflora* (L.) Pittier; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Cassia biflora* L.

Hegon bèbè → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Cr)

Hegron (heigron) → *Eugenia wulschlaegeliana* Amshoff; MYRTACEAE; Surinam (Cr)

Hegron anaura → *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Surinam (Cr); syn. *L. grisea* Kleinhoonte

Hegron anaura kuepilan → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

Hegron bebe → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Cr)

Hegron pisi → *Persea coriacea* Kosterm.; LAURACEAE; Surinam (Cr)

Hegron taproepa → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Cr)

Hehebena → *Adenocalymma inundatum* C.Martius ex DC.; BIGNONIACEAE; Surinam (Ar); var. *surinamense* Bureau & K.Schumann

→ *Memora obovata* (Bureau & K.Schum.) Sprague & Sandw.; BIGNONIACEAE; Surinam (Ar); use *M. schomburgkii* (DC.) Miers

→ *Memora schomburgkii* (DC.) Miers; BIGNONIACEAE; Surinam (Ar); syn. *M. obovata* (Bureau & K.Schumann) Sprague & Sandwith

Heigron (hegron) → *Eugenia wulschlaegeliana* Amshoff; MYRTACEAE; Surinam (Cr)

Heistère rouge → *Swartzia* sp.; LEGUMINOSAE-PAP.; French Guiana

Hernandier → *Hernandia voyroni* Jumelle; HERNANDIACEAE; French Guiana

Hertentabak → *Lisianthus alatus* Aublet; GENTIANACEAE; Surinam (Du)

→ *Lisianthus chelonoides* L.f.; GENTIANACEAE; Surinam (Du)

Hevea → *Hevea guianensis* Aublet; EUPHORBIACEAE; Surinam (Du)

Hevmassoli → *Ximenia americana* L. var. *americana*; OLACACEAE; Guianas

Hi → *Astrocaryum munbaca* C.Martius; ARECACEAE (PALMAE); Guyana (Wr)

Hiakanta → *Trichilia subsessilifolia* C.DC.; MELIACEAE; Surinam (Ar)

Hiakanta hariraroe → *Trichilia acariaeantha* Harms; MELIACEAE; Surinam (Ar)

Hiakantaballi → *Piptadenia polystachya* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); use *Stryphnodendron polystachyum* (Miquel) Kleinhoonte

→ *Stryphnodendron polystachyum* (Miquel) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Piptadenia polystachya* Miquel

Hiarakoro (-kakaralli) → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera corrugata* (Poiteau) Miers

Hiaroe kakaralli (wina-, hiarakoro-) → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera corrugata* (Poiteau) Miers

Hiburru → *Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; Guyana

Hicha → *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Ar); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu

Hichu (hitsio, hietjijo) → *Eugenia patrisii* Vahl; MYRTACEAE; Surinam (Ar)

Hietjijo (hichu, hitsio) → *Eugenia patrisii* Vahl; MYRTACEAE; Surinam (Ar)

Hiets(j)ité → *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Surinam (Ar)

Hietsjiete → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Ar)

Higuereta → *Jatropha curcas* L.; EUPHORBIACEAE; Puerto Rico; syn. *J. moluccana* Wallich

Higuerillo → *Citharexylum fruticosum* L.; VERBENACEAE; Puerto Rico

→ *Vitex* sp.; VERBENACEAE; Puerto Rico

Higuero → *Crescentia cujete* L.; BIGNONIACEAE; Puerto Rico

- Higuillo** →Phyllanthus sp.; EUPHORBIACEAE; Puerto Rico
- Higuillo (-de limón, -oloroso)** →Piper sp.; PIPERACEAE; Puerto Rico
- Hijo** →Ficus sp.; MORACEAE; Dominican Republic
- Hijuri bianda (hikuri-)** →Quassia guianensis (Aublet) D.Dietrich; SIMAROUBACEAE; Surinam (Ar); syn. Simaba cuspidata Spruce ex Engl. var. typica Cronquist
- Hijuri bianda (kikuri-)** →Quassia cedron (Planchon) Baillon; SIMAROUBACEAE; Surinam (Ar); syn. Simaba cedron Planchon
- Hikoeli tora** →Inga sertulifera DC.; LEGUMINOSAE-MIM.; Surinam (Ar); syn. I. coriacea (Persoon) Deveaux
- Hikoelidan** →Marcgravia parviflora Rich. ex Wittmack; MARCGRAVIACEAE; Surinam (Ar); means turtle tree
- Hikoelitokong** →Phyllanthus orbiculatus Rich.; EUPHORBIACEAE; Surinam (Ar)
- Hikoritoro** →Inga capitata Desvaux; LEGUMINOSAE-MIM.; Guyana (Ar)
- Hikuri bianda (hijuri-)** →Quassia cedron (Planchon) Baillon; SIMAROUBACEAE; Surinam (Ar); syn. Simaba cedron Planchon
- Hikuri müdükona** →Bauhinia sp.; LEGUMINOSAE-CAES.; Surinam (Ar)
- Hikuri tarafon** →Bauhinia scala-simiae Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)
- Hikuri-paripia** →Bactris simplicifrons C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. B. tenuis Wallace; syn. B. mitis C.Martius
- Hikuribianda** →Simaba cedron Planchon; SIMAROUBACEAE; Surinam (Ar); use Quassia cedron (Planchon) Baillon
- Talisia elephantipes Sandwith; SAPINDACEAE; Surinam (Ar)
- Toulicia guianensis Aublet; SAPINDACEAE; Surinam (Ar)
- Toulicia pulvinata Radlk.; SAPINDACEAE; Surinam (Ar)
- Hikuriparipia** →Bactris inermis Trail; ARECACEAE (PALMAE); Surinam (Ar)
- Bactris mitis C.Martius; ARECACEAE (PALMAE); Surinam (Ar); use B. simplicifrons C.Martius; syn. B. tenuis Wallace
- Bactris simplicifrons C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. B. tenuis Wallace; syn. B. mitis C.Martius
- Bactris tenuis Wallace; ARECACEAE (PALMAE); Surinam (Ar); use B. simplicifrons C.Martius; syn. B. mitis C.Martius
- Hikuritarafon** →Bauhinia kunthiana Vogel; LEGUMINOSAE-CAES.; Surinam (Ar)
- Hikuritoro** →Inga fagifolia (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)
- Inga meissneriana Miquel; LEGUMINOSAE-MIM.; Guyana (Ar)
- Hill corkwood** →Pterocarpus rohrii Vahl; LEGUMINOSAE-PAP.; Guyana (Cr)
- Hill dalli** →Virola michelii Heckel; MYRISTICACEAE; Guyana (Cr); syn. V. melinonii (Benoist) A.C.Smith
- Virola sebifera Aublet; MYRISTICACEAE; Guyana (Cr); syn. V. boliviensis Warburg
- Hill fukadi (-foekadi)** →Terminalia amazonia (J.F.Gmelin) Exell; COMBRETACEAE; Guyana (Cr); syn. T. obovata (Ruiz & Pavón) Steudel
- Hill iteballi** →Vochysia surinamensis Stafleu; VOCHYSIACEAE; Guyana (Cr)
- Himirimia** →Quiina sp.; QUIINACEAE; Guyana
- Himokona** →Dioscorea trifida L.f.; DIOSCOREACEAE; Surinam (Ar)
- Hincha-huevos** →Hippomane mancinella L.; EUPHORBIACEAE; Puerto Rico
- Sapium sp.; EUPHORBIACEAE; Puerto Rico
- Hindoestan grapes** →Syzygium cumini (L.) Skeels; MYRTACEAE; Surinam (Cr); syn. Eugenia jambolana Lam.
- Hipanai** →Inga pendula Willd.; LEGUMINOSAE-MIM.; Surinam (Ar); use Parkia pendula (Willd.) Benth. ex Walpers
- Parkia pendula (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Ar); syn. Inga pendula Willd.
- Hishirudan** →Dulacia guianensis (Engl.) Kuntze; OLACACEAE; Guyana (Ar); syn. Liriosma guianensis Engl.
- Liriosma guianensis Engl.; OLACACEAE; Guyana (Ar); use Dulacia guianensis (Engl.) Kuntze
- Platymiscium trinitatis Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); var. durum Ducke
- Hitchiaballi** →Archytea multiflora Benth.; THEACEAE; Guyana
- Hitsi-ti** →Quiina oblanceolata Sandwith; QUIINACEAE; Surinam (Ar); use Q. obovata Tulasne
- Quiina obovata Tulasne; QUIINACEAE; Surinam (Ar); syn. Q. oblanceolata Sandwith
- Hitsio (hichu, hietjijo)** →Eugenia patrisii Vahl; MYRTACEAE; Surinam (Ar)
- Hitsioe** →Eugenia albicans (O.Berg) Urban; MYRTACEAE; Surinam (Ar)
- Hiwaradan** →Chaunochiton kappleri (Sagot ex Engl.) Ducke; OLACACEAE; Surinam (Ar)
- Hjoeroenanoe koepèsini** →Licania robusta Sagot; CHRYSOBALANACEAE; Caribbean
- Hoahoa** →Hernandia beninensis Welwitsch; HERNANDIACEAE; Surinam (Ar); use H. guianensis Aublet; syn. H. sonora L.
- Hernandia guianensis Aublet; HERNANDIACEAE; Surinam (Ar); syn. H. sonora

L.; syn. *H. beninensis* Welwitsch
 →*Hernandia sonora* L.; HERNANDIACEAE; Surinam (Ar); use *H. guianensis* Aublet; syn. *H. beninensis* Welwitsch
 →*Hernandia voyroni* Jumelle; HERNANDIACEAE; Surinam (Ar)

Hoasoropan →*Cheilochlinium cognatum* (Miers) A.C.Smith; CELASTRACEAE; Surinam (Ar)
 →*Maripa cordifolia* Klotzsch ex Meisner; CONVOLVULACEAE; Surinam (Ar); use *M. scandens* Aublet
 →*Maripa scandens* Aublet; CONVOLVULACEAE; Surinam (Ar); syn. *M. cordifolia* Klotzsch ex Meisner

Hoaxacán →*Guaiacum officinale* L.; ZYGOPHYLLACEAE; Puerto Rico

Hob(b)o →*Spondias lutea* L.; ANACARDIACEAE; Surinam (Ar); use *S. mombin* L.

Hob(b)o (hooboo, hoeboe, hubu) →*Spondias mombin* L.; ANACARDIACEAE; Surinam (Ar); syn. *S. lutea* L.

Hoboballi (-koeipjari) →*Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Ar)

Hodemè →*Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)

Hoebada (hubada) →*Poponax* sp.; LEGUMINOSAE-MIM.; Curaçao

Hoebie →*Spondias mombin* L.; ANACARDIACEAE; Surinam (Ar); syn. *S. lutea* L.

Hoeboe (hubu, hooboo, hobo) →*Spondias mombin* L.; ANACARDIACEAE; Surinam (Ar); syn. *S. lutea* L.

Hoeboeballi →*Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Ar)

Hoeboedi(e) →*Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Surinam (Ar)

Hoedoeboekoe →*Helosis cayennensis* (Swartz) Sprengel; BALANOPHORACEAE; Surinam

Hoelia (holia) →*Byrsonima coriacea* (Swartz) DC.; MALPIGHIACEAE; Surinam (Ar); var. *spicata* (Cav.) Niedenzu f. *propinqua* (Benth.) Niedenzu; use *B. spicata* (Cav.) DC.
 →*Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam (Ar); var. *spruceana* Niedenzu
 →*Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Ar); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu f. *propinqua* (Benth.) Niedenzu

Hoeliaballi →*Croton matourensis* Aublet; EUPHORBIACEAE; Surinam (Ar)
 →*Heteropteris nervosa* A.Jussieu; MALPIGHIACEAE; Surinam (Ar); syn. *H. suberosa* Griseb.; use *Tryonella* of the Adiantaceae ?
 →*Heteropteris suberosa* Griseb.; MALPIGHIACEAE; Surinam (Ar); use *H. nervosa*

A.Jussieu; use *Tryonella* of the Adiantaceae ?
 →*Tryonella* sp.; ADIANTACEAE; Surinam (Ar); use *Heteropteris nervosa* A.Jussieu ?; syn. *H. suberosa* Griseb. of the Malpighiaceae?

Hoeliadiamaro →*Byrsonima densa* (Poiret) DC.; MALPIGHIACEAE; Surinam (Ar)

Hoepelhout →*Peltogyne confertiflora* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); use *P. venosa* (Vahl) Benth.
 →*Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Du); syn. *P. confertiflora* Benth.

Hoepelhout (-boom) →*Copaifera guianensis* Desf.; LEGUMINOSAE-CAES.; Surinam (Du)

Hoepro(-hoedoe) →*Copaifera guianensis* Desf.; LEGUMINOSAE-CAES.; Surinam (Cr)

Hoera (hora, oera) →*Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Ar)

Hoereuere roko →*Cordia nodosa* Lam.; BORAGINACEAE; Surinam (Cr)

Hoerihoei →*Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies

Hoeroewassa →*Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare*

Hoerowassa (wadili-) →*Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Sweetia nitens* (Vogel) Benth.

Hoesiri (koesirie) paratare →*Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.

Hog berry →*Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; British West Indies; syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu

Hog gum →*Symphonia globulifera* L.f.; GUTTIFERAE; British West Indies; syn. *S. gabonensis* (Vesque) Pierre

Hog plum →*Spondias mombin* L.; ANACARDIACEAE; Guyana (Cr); syn. *S. lutea* L.

Hog plum (mountain-, Spanish-) →*Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies

Hoja de sen →*Cassia* sp.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Adipera* sp.

Hoja menuda →*Calyptanthus* sp.; MYRTACEAE; Puerto Rico
 →*Myrcia splendens* (Swartz) DC.; MYRTACEAE; Puerto Rico

Hojancha prieta →*Ziziphus rhodoxylon* Urban; RHAMNACEAE; Dominican Republic

Hojokantoballi →*Pogonophora schomburgkiana* Miers ex Benth.; EUPHORBIACEAE; Surinam (Ar)

Hokorero-shirabulia →*Inga edulis* C.Martius;

LEGUMINOSAE-MIM.; Surinam (Ar); syn. *I. scabriuscula* Benth.

Hold-black → *Pisonia* sp.; NYCTAGINACEAE; British West Indies

Hold-me-back → *Desmoncus guianensis* Trail; ARECACEAE (PALMAE); Guyana (Cr)
→ *Desmoncus orthacanthos* C.Martius; ARECACEAE (PALMAE); Guyana (Cr); syn. *D. palustris* Trail
→ *Desmoncus palustris* Trail; ARECACEAE (PALMAE); Guyana (Cr); use *D. orthacanthos* C.Martius

Holia (hoelia) → *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Ar); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu f. *propinqua* (Benth.) Niedenzu

Holowasa → *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

Homiry (houmiri, umiri, umiry) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius

Hondenpitten → *Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Du)

Honduras mahonie → *Swietenia macrophylla* King; MELIACEAE; Surinam (Du); syn. *S. krukovii* Gleason; syn. *S. belizensis* Lundell

Honohonoridan → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Hoobodia → *Anacardium excelsum* (Bert. & Balbis) Skeels; ANACARDIACEAE; Guyana (Ar)
→ *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Guyana (Ar)

Hooboo (hobo, hoeboe, hubu) → *Spondias mombin* L.; ANACARDIACEAE; Surinam (Cr); syn. *S. lutea* L.

Hoogland anaura → *Couepia caryophylloides* Benoist; CHRYSOBALANACEAE; Surinam (Du)
→ *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Du); syn. *C. versicolor* Benoist
→ *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Surinam (Du)

Hoogland baboen → *Viola michelii* Heckel; MYRISTICACEAE; Surinam (Du); syn. *V. melinonii* (Benoist) A.C.Smith
→ *Viola sebifera* Aublet; MYRISTICACEAE; Surinam (Du); syn. *V. boliviensis* Warburg

Hoogland bébé → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Du)
→ *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Du)

Hoogland bébé (egron-) → *Pterocarpus santalinoides* L'Héritier ex DC.; LEGUMINOSAE-PAP.; Surinam (Du)

Hoogland bospapaja (man-) → *Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Du); var. *decurrens* Snethl.; syn. *C. juranyiana* V.A.Richter

Hoogland gronfoeloe (egron-) → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Du); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Hoogland kokriki → *Ormosia coccinea* (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.; Surinam (Du)

Hoogland manbarklaki → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Du); syn. *E. odora* (Poeppig) Miers

Hoogland matakki → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Du); syn. *S. gabonensis* (Vesque) Pierre

Hoogland tapoeripa → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Cr)
→ *Gustavia pterocarpa* Poiteau; LECYTHIDACEAE; Surinam (Du)
→ *Licania* sp.; CHRYSOBALANACEAE; Surinam (Du)

Hoogland watra mamabobbi → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Cr)

Hoorihea → *Humiria* sp.; HUMIRIACEAE; Guyana

Hopwood → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Hora (hoera, oera) → *Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Ar)

Hori(a) → *Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam (Ar); var. *spruceana* Niedenzu

Hororadihoro → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Ar)

Horoto → *Lagenaria vulgaris* Seringe; CUCURBITACEAE; Surinam (Ar)

Horotoballi → *Passiflora cirrhiflora* Jussieu; PASSIFLORACEAE; Surinam (Ar)
→ *Passiflora fuchsiiflora* Hemsley; PASSIFLORACEAE; Surinam (Ar)

Horowassa (oeroewassa, huruasa)
→ *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Abarema jupunba* (Willd.) Britton & Killip

Horowassie (horowassa) → *Abarema jupunba* (Willd.) Britton & Killip; LEGUMINOSAE-MIM.; Surinam (Ar); use *Pithecellobium jupunba* (Willd.) Urban
→ *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Ar); syn.

Abarema jupunba (Willd.) Britton & Killip
Horowé joe lokko →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Ar)
Horowé jore roko →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Ar)
Horse-eye →Guilandina sp.; LEGUMINOSAE-CAES.; British West Indies
→Mucuna urens (L.) DC.; LEGUMINOSAE-PAP.; Guyana (Cr)
→Ormosia coutinhoi Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn. Macroule coutinhoi (Ducke) Pierce
Horsewood →Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; British West Indies; syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?
Houdin →Eschweilera amara (Aublet) Niedenzu; LECYTHIDACEAE; Surinam (Ar)
Houmiri (umiri, umiry, homiry) →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana ; var. floribunda (C.Martius) Cuatrec.; syn. H. floribunda C.Martius
Houmiri boumier →Humiria sp.; HUMIRIACEAE; French Guiana
Houteté, watra →Dolioscarpus major J.F.Gmelin; DILLENACEAE; Surinam (Cr); syn. D. rolandri J.F.Gmelin; syn. D. scandens Poiret
Howahowa →Hernandia guianensis Aublet; HERNANDIACEAE; Surinam (Ar); syn. H. sonora L.; syn. H. beninensis Welwitsch
Howdan (haudan) →Lecythis simiorum Benoist; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera simiorum (Benoist) Eyma
Huahua →Hernandia voyroni Jumelle; HERNANDIACEAE; Guyana (Ar)
Huba-aida →Amanoa guianensis Aublet; EUPHORBIACEAE; Guyana (Wr)
Hubada (hoebada) →Poonax sp.; LEGUMINOSAE-MIM.; Curaçao
Hubu (hoeboe, hooboo, hobo) →Spondias mombin L.; ANACARDIACEAE; Guyana (Ar); syn. S. lutea L.

Hububalli →Loxopterygium sagotii Hook.f.; ANACARDIACEAE; Surinam (Ar)
Hududi-ishi →Amasonia arborea Kunth; VERBENACEAE; Surinam (Ar); use A. campestris (Aublet) Moldenke
→Amasonia campestris (Aublet) Moldenke; VERBENACEAE; Surinam (Ar); syn. A. arborea Kunth
Huesillo →Acosmium panamense (Benth.) Yakovlev; LEGUMINOSAE-PAP.; Puerto Rico ; syn. Sweetia panamensis Benth.
→Chionanthus sp.; OLEACEAE; Puerto Rico; syn. Linociera sp.
→Sweetia panamensis Benth.; LEGUMINOSAE-PAP.; Puerto Rico; use Acosmium panamense (Benth.) Yakovlev

Huesito →Myrcia sp.; MYRTACEAE; Dominican Republic
Hueso →Castela sp.; SIMAROUBACEAE; Puerto Rico; syn. Holacantha emoryi A.Gray
→Holacantha emoryi A.Gray; SIMAROUBACEAE; Puerto Rico; use Castela
Hueso (-amarillo, -tortuga) →Drypetes variabilis Uittien; EUPHORBIACEAE; Puerto Rico
Hueso blanco →Chionanthus sp.; OLEACEAE; Puerto Rico; syn. Linociera sp.
Hueso de pescado →Quassia multiflora (A.Jussieu) Nootboom; SIMAROUBACEAE; Puerto Rico; syn. Simaba multiflora A.Jussieu
Huevo de gato →Helicteres sp.; STERCULIACEAE; Puerto Rico
Humatuba →Neea cauliflora Heimerl; NYCTAGINACEAE; Guyana (Wr)
Hurawood →Hura crepitans L.; EUPHORBIACEAE; Guyana (Cr)
Huria →Byrsonima coccolobifolia Kunth; MALPIGHIACEAE; Surinam (Ar)
→Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Surinam (Ar); var. spruceana Niedenzu
→Byrsonima eugeniifolia Sandwith; MALPIGHIACEAE; Surinam (Ar)
Hurihi →Humiriastrum obovatum (Benth.) Cuatrec.; HUMIRIACEAE; Surinam (Ar); syn. Sacoglottis obovata (Benth.) Urban
→Sacoglottis obovata (Benth.) Urban; HUMIRIACEAE; Surinam (Ar); use Humiriastrum obovatum (Benth.) Cuatrec.
Hurilu →Humiria sp.; HUMIRIACEAE; Guyana
Hurowassa →Hydrochorea gonggripii (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. Arthrosamanea pullei (Kleinh.) Kleinhoonte; syn. A. gonggripii (Kleinh.) Kleinhoonte; syn. Pithecellobium gonggripii Kleinh.
Huruasa (oeroewassa, horowassa)
→Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Ar); syn. Abarema jupunba (Willd.) Britton & Killip
Huruereroko →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Ar)
→Maieta guianensis Aublet; MELASTOMATAACEAE; Surinam (Ar)
→Tococa aristata Benth.; MELASTOMATAACEAE; Surinam (Ar)
Huruhurudan →Dimorphandra hohenkerkii Sprague & Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar); use D. polyandra Benoist
→Dimorphandra polyandra Benoist; LEGUMINOSAE-CAES.; Surinam (Ar); syn. D. hohenkerkii Sprague & Sandwith
Hya-hya →Lacmellea utilis (Arnott) Markgraf; APOCYNACEAE; Surinam (Ar); syn. Zschokkea
→Zschokkea sp.; APOCYNACEAE; Surinam (Ar);

use *Lacmellea utilis* (Arnott) Markgraf

Hya-hya (haia-haia) → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Surinam (Ar)

l(e)ngi(e)-barki(e), sabana → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

lawéhe papaja → *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*

Ibajawa → *Protium octandrum* Swart; BURSERACEAE; Surinam (Ar)

Ibibanaro → *Aulomyrcia speciosa* Amshoff; MYRTACEAE; Surinam (Ar); use *Myrcia speciosa* (Amshoff) McVaugh

→ *Myrcia fallax* (Rich.) DC.; MYRTACEAE; Guyana (Ar); syn. *M. kegeliana* O.Berg

→ *Myrcia kegeliana* O.Berg; MYRTACEAE; Guyana (Ar); use *M. fallax* (Rich.) DC.

→ *Myrcia schomburgkiana* O.Berg; MYRTACEAE; Surinam (Ar); use *M. servata* McVaugh

→ *Myrcia servata* McVaugh; MYRTACEAE; Surinam (Ar); syn. *M. schomburgkiana* O.Berg

→ *Myrcia speciosa* (Amshoff) McVaugh; MYRTACEAE; Surinam (Ar); syn. *Aulomyrcia speciosa* Amshoff

→ *Myrcia sylvatica* (G.Meyer) DC.; MYRTACEAE; Surinam (Ar)

→ *Myrciaria floribunda* (West ex Willd.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *M. verticillata* O.Berg

Ibina → *Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam (Ar)

Ibiracambi (ibirakambi) → *Sebastiania brasiliensis* Sprengel; EUPHORBIACEAE; Guianas

Icacillo → *Hirtella* sp.; CHRYSOBALANACEAE; Puerto Rico

Icaque (-des bois) → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Guadeloupe

Icaque montagne → *Licania* sp.; CHRYSOBALANACEAE; Guadeloupe

Icicariba → *Protium* sp.; BURSERACEAE; French Guiana

Icienso → *Protium* sp.; BURSERACEAE; French Guiana

Ida-daia → *Crescentia cujete* L.; BIGNONIACEAE; Surinam (Ar)

Idaballi → *Panopsis sessilifolia* (Rich.) Sandwith; PROTEACEAE; Surinam (Ar)

Idatimon → *Eschweilera* sp.; LECYTHIDACEAE; French Guiana

Idin → *Byrsonima bracteolaris* Benth.; MALPIGHIACEAE; Guyana (W)

→ *Byrsonima coccolobifolia* Kunth; MALPIGHIACEAE; Guyana (W)

→ *Byrsonima concinna* Benth.; MALPIGHIACEAE;

Guyana (W)

lengie barkie → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Cr); syn. *C. versicolor* Benoist

→ *Licania divaricata* Benth.;

CHRYSOBALANACEAE; Surinam (Cr)

→ *Licania heteromorpha* Benth.;

CHRYSOBALANACEAE; Surinam (Cr)

lengie barkie (sabana-) → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

lengie sopo → *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.;

Surinam (Cr); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.)

Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

lengiehoedoe → *Pouteria caimito* (Ruiz & Pavón) Radlk.; SAPOTACEAE; Surinam (Cr); syn.

Lucuma

lengipipa → *Couratari stellata* A.C.Smith; LECYTHIDACEAE; Surinam (Cr)

lengipipa (ingipipa) → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *C. pulchra* Sandwith

lenté → *Cyperus* sp.; CYPERACEAE; Surinam (Ar); syn. *Mariscus cayennensis* (Lam.) Urban; syn. *M. ligularis* (L.) Urban; syn. *Kyllinga pumila* Mich.

→ *Kyllinga pumila* Rich.; CYPERACEAE; Surinam (Ar); use *Cyperus*; syn. *Mariscus cayennensis* (Lam.) Urban; syn. *M. ligularis* (L.) Urban

lesrihart(i) (isri-ati, isrihati) → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Bocoa prouacensis* Aublet

leballi (iteballi) → *Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Ar); syn. *E. pulverulentum* Poeppig

→ *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Ar)

→ *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Ar)

letharaballi (itaraballi) → *Miconia lepidota* DC.; MELASTOMACEAE; Surinam (Ar)

letharoballi → *Miconia guianensis* (Aublet) Cogniaux; MELASTOMACEAE; Caribbean

letjoeba (ietjoenban) → *Carapa guianensis* Aublet; MELIACEAE; Surinam; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

letjoeloetanokri → *Bombax crassum* Uittien; BOMBACACEAE; Caribbean

letjoenban karaäpa → *Carapa guianensis* Aublet; MELIACEAE; Surinam; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

letjoeroe tonorebjo (tamoene-) → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Caribbean; var. *frondosa* (Benth.) Radlk.

letjoetanoe (jetoetamo) alianao → *Swartzia*

- prouacensis (Aublet) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *Bocoa prouacensis* Aublet
- letjoetawoe (ietjoetanoë, jetoetamo)** → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam; syn. *Bocoa prouacensis* Aublet
- letjotono pirapisi (-parapisi)** → *Maprounea guianensis* Aublet; EUPHORBIACEAE; Caribbean
- leto boroballi** → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Ar)
- letorihie karoto ibibero** → *Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Surinam (Ar)
- lewidaballi** → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Ar)
- Igarata** → *Cecropia sciadophylla* C.Martius; MORACEAE; Guyana; syn. *C. juranyiana* V.A.Richter
- Iguana tail** → *Entada polyphylla* Benth.; LEGUMINOSAE-MIM.; Guyana (Cr)
→ *Entada polystachya* (L.) DC.; LEGUMINOSAE-MIM.; Guyana (Cr)
→ *Mimosa myriadena* (Benth.) Benth.; LEGUMINOSAE-MIM.; Guyana (Cr)
- Iguana tree** → *Senna multijuga* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); syn. *Cassia multijuga* A.Rich.
- Iguanawood** → *Cordia sericicalyx* A.DC.; BORAGINACEAE; Guyana (Cr)
→ *Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Cr); syn. *C. umbraculifera* DC.
- Ihi** → *Gynerium sagittatum* (Aublet) P.Beauvois; POACEAE; Surinam (Ar)
- Ihiri-bona** → *Centrosema triquetrum* Spruce ex Benth.; LEGUMINOSAE-PAP.; Surinam
- Ihoeloe ilanao ajawa** → *Trattinickia demararae* Sandwith; BURSERACEAE; Caribbean
- Ijzerhart** → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Du)
→ *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam (Du); syn. *Bocoa prouacensis* Aublet
→ *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Du)
- Ijzerhart (bastaard-)** → *Swartzia tomentosa* DC.; LEGUMINOSAE-PAP.; Surinam (Du); var. *polyanthera* (Steudel) Sandwith
- Ijzerhart, sabana (savanne-)** → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Surinam (Cr, Du)
- Ilagrume** → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Puerto Rico; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Ilapa** → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean
- Ileng** → *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Ak)
- Iluvia** → *Duranta* sp.; VERBENACEAE; Puerto Rico
- Iluwaru** → *Mouriria sideroxyylon* Sagot ex Triana; MELASTOMATACEAE; Guyana (Ak)
- Imba** → *Caryocar nuciferum* L.; CARYOCARACEAE; Guyana (P)
- Imbaima** → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Guyana (Ak); syn. *B. nobilis* Miers
- Imbö** → *Caryocar nuciferum* L.; CARYOCARACEAE; Guyana (Ak)
- Imbuia** → *Phoebe porosa* (Nees & Martius) Mez; LAURACEAE; Surinam; syn. *Ocotea porosa* (Mez) Barroso
- Imbuia (imbuya)** → *Ocotea porosa* (Mez) Barroso; LAURACEAE; Surinam; use *Phoebe porosa* (Nees & Martius) Mez
- Iminari** → *Capsicum frutescens* L.; SOLANACEAE; Surinam (Ar)
- Iminariballi** → *Centropogon cornutus* (L.) Druce; LOBELIACEAE; Surinam (Ar)
→ *Centropogon surinamensis* (L.) Presl; LOBELIACEAE; Surinam (Ar)
- Iminyiar** → *Curatella americana* L.; DILLENACEAE; Guyana (W)
- Iimirimia** → *Pithecellobium adiantifolium* (Kunth) Benth.; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Macrosamanea discolor* (Humbert & Bonpl.) Britton & Rose
- Iimiribiaballi** → *Cassia pteridophylla* Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar); use *Chamaecrista adiantifolia* (Benth.) Irwin & Barneby var. *pteridophylla* (Sandwith) Irwin & Barneby
→ *Chamaecrista adiantifolia* (Benth.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Ar); var. *pteridophylla* (Sandwith) Irwin & Barneby; syn. *Cassia pteridophylla* Sandwith
- Iimiritokon** → *Bactris campestris* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. *B. leptocarpa* Trail ex Thurn
→ *Bactris leptocarpa* Trail ex Thurn; ARECACEAE (PALMAE); Surinam (Ar); use *B. campestris* C.Martius
→ *Quassia multiflora* (A.Jussieu) Nootboom; SIMAROUBACEAE; Surinam (Ar); syn. *Simaba multiflora* A.Jussieu
- Imjawara motapo ajawa** → *Protium sagotianum* Marchand; BURSERACEAE; Caribbean; syn. *P. insigne* (Triana & Planchon) Engl.
- Immortelle** → *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh
- Imo** → *Brosimum rubescens* Taubert; MORACEAE; Guyana (M); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
- Imoro** → *Palicourea guianensis* Aublet;

RUBIACEAE; Surinam (Ar)

Inacu → *Antonia ovata* Pohl; ANTONIACEAE; Guyana; syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Incense tree → *Protium guianense* (Aublet) Marchand; BURSERACEAE; Guyana (Cr)
→ *Protium heptaphyllum* (Aublet) Marchand; BURSERACEAE; Guyana (Cr)
→ *Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Guyana (Cr)

Indiaans pijlgras → *Gynerium sagittatum* (Aublet) P. Beauvois; POACEAE; Surinam (Du)

Indien nue → *Bursera simaruba* (L.) Sargent; BURSERACEAE; Trinidad; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

Indin → *Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Guyana (W); var. *spruceana* Niedenzu

Indio → *Erythroxyllum areolatum* L.; ERYTHROXYLACEAE; Puerto Rico

Indjoe → *Prosopis chilensis* (Molina) Stuntz; LEGUMINOSAE-MIM.; Curaçao; use *P. juliflora* (Swartz) DC.
→ *Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Curaçao; syn. *P. chilensis* (Molina) Stuntz

Ingi barki (iengie-) → *Licania heteromorpha* Benth.; CHRYSOBALANACEAE; Surinam (Cr)

Ingi notto → *Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Cr)

Ingi siri → *Ocotea wachenheimii* Benoist; LAURACEAE; Caribbean

Ingi sopo → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Abarema jupunba* (Willd.) Britton & Killip

Ingie noto → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Cr); syn. *B. nobilis* Miers

Ingipipa → *Couratari stellata* A.C. Smith; LECYTHIDACEAE; Surinam (Cr)

Ingipipa (blaka-, brakka) → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *C. pulchra* Sandwith

Ingipipa (fijnbladige-) → *Couratari multiflora* (J.E. Smith) Eyma; LECYTHIDACEAE; Surinam (Du); syn. *C. fagifolia* (Miquel) Eyma

Ingipipa, zwarte → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Du); syn. *C. pulchra* Sandwith

Injakoppie (jakopie) → *Siparuna guianensis* Aublet; MONIMIACEAE; Caribbean

Injie sopo → *Furcraea foetida* (L.) Haworth; AGAVACEAE; Surinam (Cr)

Ink berry → *Randia aculeata* L.; RUBIACEAE; Puerto Rico
→ *Renealmia floribunda* K. Schumann; ZINGIBERACEAE; Guyana (Cr); syn. *R.*

pedicellaris Gleason

Inyak → *Antonia ovata* Pohl; ANTONIACEAE; Guyana (W); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Ioelieballi → *Trattinickia burserifolia* C. Martius; BURSERACEAE; Surinam (Ar)

Ipana → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Inga pendula* Willd.

Ipana harikaroe → *Newtonia suaveolens* (Miquel) Brenan; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Piptadenia suaveolens* Miquel
→ *Piptadenia suaveolens* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); use *Newtonia suaveolens* (Miquel) Brenan

Ipeca annalé → *Psychotria* sp.; RUBIACEAE; French Guiana; syn. *Cephaelis* sp.

Ipeca annelé → *Cephaelis* sp.; RUBIACEAE; French Guiana; use *Psychotria* sp.

Ipecacuanha, basterd → *Asclepias curassavica* L.; ASCLEPIADACEAE; Surinam (Du)

Ipipjo → *Couratari panamensis* Standley; LECYTHIDACEAE; Caribbean

Ipitoesia → *Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Caribbean

Ipoentrie → *Antonia ovata* Pohl; ANTONIACEAE; Surinam (Cr); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Irawaran → *Mikania hookeriana* DC.; ASTERACEAE; Guyana (M)

Irek → *Siparuna decipiens* (Tulasne) A. DC.; MONIMIACEAE; Guyana (M)

Iremda → *Rollinia exsucca* (DC. ex Dunal) A. DC.; ANNONACEAE; Guyana (W); syn. *R. broadwayi* R. E. Fries

Iria kopi (ira kopi), trapotanoe- → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam; use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Iria kopi (tomoené-) → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam

Iria kopi, bergi (tamoené-) → *Qualea rosea* Aublet; VOCHYSIACEAE; Surinam (Cr)

Iria kopirang → *Qualea rosea* Aublet; VOCHYSIACEAE; Caribbean

Iriar → *Manilkara bidentata* (A. DC.) A. Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (W); syn. *M. balata* (Pierre) Dubard

Irikwa → *Virola michelii* Heckel; MYRISTICACEAE; Guyana (M); syn. *V. melinonii* (Benoist) A. C. Smith
→ *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guyana (M); syn. *Myristica surinamensis* Rolander ex Rottb.

Irim → *Ziziphus cinnamomum* Triana & Planchon; RHAMNACEAE; Guyana (W)

Irimariye → *Couratari guianensis* Aublet; LECYTHIDACEAE; Guyana (M); syn. *C. pulchra*

Sandwith

Irimiyar → *Couratari guianensis* Aublet;
LECYTHIDACEAE; Guyana (W); syn. *C. pulchra*
Sandwith

Irimyar → *Couratari guianensis* Aublet;
LECYTHIDACEAE; Guyana (W); syn. *C. pulchra*
Sandwith

Irimye → *Ziziphus cinnamomum* Triana &
Planchon; RHAMNACEAE; Guyana (M)

Iron Mary → *Clathrotropis paradoxa* Sandwith;
LEGUMINOSAE-PAP.; Guyana (Cr)

→ *Licania hypoleuca* Benth. var. *hypoleuca*;
CHRYSOBALANACEAE; Guyana (Cr); syn. *L.*
grisea Kleinhoonte

→ *Licania microphylla* Fanshawe & Maguire;
CHRYSOBALANACEAE; Guyana (Cr)

→ *Licania stipata* Fanshawe & Maguire;
CHRYSOBALANACEAE; Guyana (Cr)

→ *Spiranthera guianensis* Sandwith; RUTACEAE;
Surinam (Cr)

→ *Spiranthera parviflora* Sandwith; RUTACEAE;
Surinam (Cr)

Ironwood → *Dialium divaricarum* Vahl;
LEGUMINOSAE-CAES.; Surinam (Cr); use *D.*
guianense (Aublet) Sandwith

→ *Dialium guianense* (Aublet) Sandwith;
LEGUMINOSAE-CAES.; Surinam (Cr); syn. *D.*
divaricarum Vahl

→ *Eugenia mato* Griseb.; MYRTACEAE; British
West Indies

→ *Jacquinia revoluta* Jacq.;
THEOPHRASTACEAE; British West Indies

→ *Mouriria huberi* Cogniaux;
MELASTOMATAACEAE; Surinam (Cr)

→ *Mouriria sideroxydon* Sagot ex Triana;
MELASTOMATAACEAE; Surinam (Cr)

→ *Swartzia benthamiana* Miquel;
LEGUMINOSAE-PAP.; Guyana (Cr)

→ *Swartzia leiocalycina* Benth.; LEGUMINOSAE-
PAP.; Surinam (Cr)

→ *Tabebuia capitata* (Bureau & K.Schumann)
Sandwith; BIGNONIACEAE; Surinam (Cr)

→ *Tabebuia serratifolia* (Vahl) Nicholson;
BIGNONIACEAE; Guyana (Cr); syn. *Tecoma*
leucoxydon (L.) Martius ex DC.

Ironwood, false → *Guettarda* sp.; RUBIACEAE;
Virgin Islands

Isabelle blanc → *Beilschmiedia pendula* (Swartz)
Benth. & Hook.f.; LAURACEAE; French West
Indies

Isikoena wanapoe → *Tephrosia sinapou*
(Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.;
Caribbean; syn. *T. toxicaria* (Swartz) Persoon

Isri-ati (isrihati, isriharti) → *Swartzia prouacensis*
(Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam
(Cr); syn. *Bocoa prouacensis* Aublet

Isri-ati, sabana → *Swartzia bannia* Sandwith;
LEGUMINOSAE-PAP.; Surinam (Cr)

Isrihati (isri-ati, isriharti) → *Swartzia prouacensis*
(Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam
(Cr); syn. *Bocoa prouacensis* Aublet

Itaballi (etaballi) → *Vochysia tetraphylla*
(G.Meyer) DC.; VOCHYSIACEAE; Surinam (Ar)

Itaballi (etaballi, aetaballi) → *Vochysia*
guianensis Aublet; VOCHYSIACEAE; Surinam
(Ar); syn. *V. melinonii* Beckmann

Itaiba → *Hymenaea courbaril* L.; LEGUMINOSAE-
CAES.; French Guiana

Itana → *Philodendron scandens* Koch & Sello;
ARACEAE; Surinam (Ar)

Itara → *Bellucia grossularioides* (L.) Triana;
MELASTOMATAACEAE; Surinam (Ar); syn. *B.*
aubletii Naudin

→ *Henriettea multiflora* Naudin;
MELASTOMATAACEAE; Surinam (Ar)

→ *Henriettea patrisiana* (DC.) Naudin;
MELASTOMATAACEAE; Surinam (Ar)

→ *Henriettea ramiflora* (Swartz) DC.;
MELASTOMATAACEAE; Guyana (Ar)

→ *Henriettea succosa* (Aublet) DC.;
MELASTOMATAACEAE; Guyana (Ar)

→ *Loreya acutifolia* O.Berg ex Triana;
MELASTOMATAACEAE; Surinam (Ar)

→ *Loreya mespiloides* Miquel;
MELASTOMATAACEAE; Surinam (Ar)

Itaraballi (ietharaballi) → *Miconia mucronata*
(Desr.) Naudin; MELASTOMATAACEAE; Surinam
(Ar)

Itauba preta (-amarello) → *Mezilaurus itauba*
(Meisner) Taubert ex Mez; LAURACEAE;
Surinam

Itchia → *Byrsonima spicata* (Cav.) DC.;
MALPIGHIACEAE; French Guiana; syn. *B.*
coriacea (Swartz) DC. var. *spicata* (Cav.)

Niedenzu

Itchikiboura (itiki boura, itikiboro)

→ *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.;
Surinam (Ar)

Ite → *Mauritia flexuosa* L.f.; ARECACEAE
(PALMAE); Surinam (Ar)

Ite, prickly → *Mauritia martiana* Spruce;
ARECACEAE (PALMAE); Surinam (Cr); syn. *M.*
aculeata auct. non Kunth

Iteballi → *Vochysia costata* Warming;
VOCHYSIACEAE; Surinam (Ar)

→ *Vochysia crassifolia* Warming;
VOCHYSIACEAE; Surinam (Ar); syn. *V. curvata*
Klotzsch

→ *Vochysia curvata* Klotzsch; VOCHYSIACEAE;
Surinam (Ar); use *V. crassifolia* Warming

→ *Vochysia glaberrima* Warming;
VOCHYSIACEAE; Surinam (Ar)

→ *Vochysia schomburgkii* Warming;
VOCHYSIACEAE; Guyana (Ar)

Iteballi (-hariraroe) → *Vochysia tomentosa*
(G.Meyer) DC.; VOCHYSIACEAE; Surinam (Ar)

Iteballi (-hariraroe, -oenirefodikoro) → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Ar)

Iteballi (hill-) → *Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Surinam (Ar)

Iteballi (ieteballi) → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Ar)

Itéballi koeleroe (-koréro) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Ar); syn. *V. melinonii* Beckmann

Iteballi, koeleberoe → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Ar)

Itik → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Guyana (Ak); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Itiki boura (itikiboro, itchikiboura)

→ *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboeroe → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *P. draco* L.

Itikiboeroeballi (itikiboroballi) → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboro → *Pterocarpus rufescens* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Pterocarpus santalinoides* L'Héritier ex DC.; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboro (-beleroe, -hororodikoro)

→ *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *P. draco* L.

Itikiboro (-hororodikoro) → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboro djamaro → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboroballi → *Swartzia davisii* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia dipetala* Willd. ex Vogel; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia grandiflora* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia grandifolia* Bongard ex Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); var. *leiogyne* Sandwith; use *S. leiogyne* (Sandwith) Cowan

→ *Swartzia guianensis* (Aublet) Urban; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia laevicarpa* Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia leiogyne* (Sandwith) Cowan; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *S. grandifolia* Bongard ex Benth. var. *leiogyne* Sandwith

→ *Swartzia sprucei* Benth. var. *tessellata* Cowan; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Swartzia tomentosa* DC.; LEGUMINOSAE-

PAP.; Surinam (Ar); var. *polyanthera* (Steudel) Sandwith

→ *Swartzia xanthopetala* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

Itikiboroballi (-hororodikoro) → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Bocoa prouacensis* Aublet

Itikiboroballi (itikiboeroeballi) → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Ar)

Itiriti → *Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Surinam (Ar)

→ *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)

Itjanoe (itjoetano) awioe → *Xylopia surinamensis* R.E.Fries; ANNONACEAE; Caribbean

Itjari tjanali → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Itjoeranano anakoko → *Ormosia fastigiata* Tulasne; LEGUMINOSAE-PAP.; Caribbean

Itjoeroe anakoko → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam

Itjoeroe tano moetoesi → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam

→ *Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; Surinam

Itjoeroe tanomoetoese → *Swartzia* sp.; LEGUMINOSAE-PAP.; Surinam

Itjoetano (itjanoe) awi(e)oe → *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries

Itjoetano aripawana → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Itieli ihi karato firiberoebana → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Itieli walabang → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Ar); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Itieli wallaba → *Elizabetha coccinea* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)

→ *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Ar)

Itieloetana klepoe → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. *Abarema jupunba* (Willd.) Britton & Killip

Itieloetano japopalli → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Caribbean

Itioetanoe kwai → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Caribbean; syn. *T. obovata* (Ruiz & Pavón) Steudel

Itui → *Ternstroemia circumscissilis* Kobuski; THEACEAE; Guyana (AK)

Ituri wallaba → *Campsiandra comosa* Benth. var. *comosa*; LEGUMINOSAE-CAES.; Surinam (Ar)
→ *Eperua grandiflora* (Aublet) Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)
→ *Eperua jenmani* Oliver; LEGUMINOSAE-CAES.; Surinam (Cr)
→ *Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

Ituri-ishi-lokodo → *Helicostylis poeppigiana* (C.Martius) Trécul; MORACEAE; Surinam (Ar); use *H. tomentosa* (Poeppig & Endl.) Rusby
→ *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Guyana (Ar); syn. *H. poeppigiana* (C.Martius) Trécul
→ *Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Surinam (Ar); syn. *Anomospermum schomburgkii* Miers

Iturihi → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Iva-catinga → *Eugenia* sp.; MYRTACEAE; French Guiana

Ivian → *Bambusa vulgaris* Schrader apud Wendl.; POACEAE; Guyana (W); syn. *Guadua glomerata* Munro; syn. *G. angustifolia* Kunth

Ivintje, blaka → *Cordia nodosa* Lam.; BORAGINACEAE; Surinam (Cr)

Iwakush → *Manilkara excelsa* (Ducke) Standley; SAPOTACEAE; Guyana (W)

Iwir → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (W)

Jaba foetoe → *Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam
→ *Xanthosoma sagittifolium* (L.) Schott; ARACEAE; Surinam

Jabele tokon → *Miconia lepidota* DC.; MELASTOMATACEAE; Surinam (Ar)

Jaboncillo → *Sapindus saponaria* L.; SAPINDACEAE; Puerto Rico; syn. *S. microcarpa* Radlk.
→ *Securidaca* sp.; POLYGALACEAE; Puerto Rico

Jaboty (jaboti) → *Erisma uncinatum* Warming; VOCHYSIACEAE; French Guiana; syn. *E. pulverulentum* Poeppig

Jacana → *Chrysophyllum pomiferum* (Eyma) T.D.Penn.; SAPOTACEAE; Puerto Rico; syn. *Achrouteria pomifera* Eyma
→ *Lucuma multiflora* A.DC.; SAPOTACEAE; Puerto Rico; use *Pouteria muliflora* (A.DC.) Eyma
→ *Pouteria izabalensis* (Standley) Baehni; SAPOTACEAE; Puerto Rico; syn. *Lucuma izabalensis* Standley
→ *Pouteria multiflora* (A.DC.) Eyma; SAPOTACEAE; Puerto Rico; syn. *Lucuma multiflora* A.DC.

Jacanillo → *Wallenia pendula* (Urban) Mez; MYRSINACEAE; Puerto Rico

Jacaranda → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Du); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Jacareuba → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam; syn. *C. calaba* Jacq.; syn. *C. reko* Standley

Jack-in-the-box → *Hernandia guianensis* Aublet; HERNANDIACEAE; Guyana (Cr); syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch
→ *Hernandia voyroni* Jumelle; HERNANDIACEAE; Guyana (Cr)

Jacomini → *Bombax crassum* Uittien; BOMBACACEAE; Surinam (Sa)

Jacquer → *Artocarpus integer* (Thunberg) Merrill; MORACEAE; French Guiana; syn. *A. integra* (Thunberg) Merrill

Jaho khalemeroe → *Gossypium barbadense* L.; MALVACEAE; Surinam (Ar)

Jahoballi → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Ar)
→ *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Ar)

Jahoeballi → *Turnera ulmifolia* L.; TURNERACEAE; Surinam (Ar); var. *surinamensis* Urban

Jaifi → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam (Bn); syn. *Bignonia copaia* Aublet
→ *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Ar); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Jaiquimey → *Hippocratea volubilis* L.; CELASTRACEAE; Dominican Republic

Jaivie → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Ar); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Jakalawa ereparoe → *Drypetes variabilis* Uittien; EUPHORBIACEAE; Caribbean

Jakanta → *Discophora guianensis* Miers; ICACINACEAE; Surinam
→ *Poraqueiba guianensis* Aublet; ICACINACEAE; French Guiana

Jakanta, rode → *Dendrobangia boliviana* Rusby; ICACINACEAE; Surinam (Du); syn. *Clavipetalum surinamense* Pulle

Jakarawa sorroballijepo → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Jakoma → *Symmeria paniculata* Benth.; POLYGONACEAE; Surinam

Jakopi → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam

Jakopi (jakoppi) tamarin → *Qualea albiflora* Warming; VOCHYSIACEAE; Caribbean; use

Ruizterania albiflora (Warming) Marcono-Berti ?
Jakopie (injakoppie) →Siparuna guianensis Aublet; MONIMIACEAE; Caribbean
Jakopoe kondrekasaba →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam; syn. M. utilissima Pohl
Jaladoc →Justicia martiana (Nees & Eberm.) Lindau; ACANTHACEAE; Caribbean; var. hispida Nees & Eberm.
Jalawa pomejde →Polygonum acuminatum Kunth; POLYGONACEAE; Caribbean
Jalimana →Combretum rotundifolium A.Rich.; COMBRETACEAE; Surinam (Ar)
Jalimano →Combretum cacoucia (Baillon) Exell; COMBRETACEAE; Surinam (Ar)
Jalipi →Miconia prasina (Swartz) DC.; MELASTOMACEAE; Caribbean; syn. M. pteropoda Benth.
Jallakalloe-oepoepo →Duroia eriopila L.f.; RUBIACEAE; Caribbean
Jamahi sarapan →Randia armata (Swartz) DC.; RUBIACEAE; Surinam (Ar); syn. Basanacantha spinosa (Jacq.) K.Schumann
Jamaica plum →Spondias mombin L.; ANACARDIACEAE; Puerto Rico; syn. S. lutea L.
Jamboka (janbokka) →Pouteria guianensis Aublet; SAPOTACEAE; Surinam (Bn); syn. Lucuma
Jamoen →Syzygium cumini (L.) Skeels; MYRTACEAE; Surinam (Cr); syn. Eugenia jambolana Lam.
Jamoselli →Rollinia exsucca (DC. ex Dunal) A.DC.; ANNONACEAE; Caribbean; syn. R. broadwayi R.E.Fries
Jamponika →Lagerstroemia indica L.; LYTHRACEAE; Surinam
Jamsihoedoe →Torrubia olfersiana (Link, Kl. & Otto) Standley; NYCTAGINACEAE; Surinam (Cr)
Jan boka →Pouteria cladantha Sandwith; SAPOTACEAE; Surinam (Sa); syn. Neoxythece cladantha (Sandwith) Aubrév. & Pellegrin; syn. Lucuma
Jan krappa →Toulicia sp.; SAPINDACEAE; Surinam (Cr)

Jan krappa (makka-, man-) →Talisia megaphylla Sagot; SAPINDACEAE; Surinam (Cr)
Jan snijder →Pouteria guianensis Aublet; SAPOTACEAE; Surinam (Du); syn. Lucuma
Janbok(k)a →Pouteria guianensis Aublet; SAPOTACEAE; Surinam (Bn); syn. Lucuma
Janboka →Pouteria trigonosperma Eyma; SAPOTACEAE; Surinam (Sa); syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma
Japanesei toliman →Cosmos caudatus Kunth; ASTERACEAE; Surinam (Cr)
Japapare (japoparie, jappopare) →Licania

divaricata Benth.; CHRYSOBALANACEAE; Caribbean
Japé →Setaria geniculata (Lam.) P.Beauvois; POACEAE; Caribbean
Japelón →Parathesis sp.; MYRSINACEAE; Dominican Republic
Japepokoe →Adenocalymma inundatum C.Martius ex DC.; BIGNONIACEAE; Caribbean; var. surinamense Bureau & K.Schumann
→Clytostoma binatum (Thunberg) Sandwith; BIGNONIACEAE; Caribbean
→Cydista aequinoctialis (L.) Miers; BIGNONIACEAE; Caribbean
→Paragonia pyramidata (Rich.) Bureau; BIGNONIACEAE; Caribbean
Japoballi →Licania heteromorpha Benth.; CHRYSOBALANACEAE; Caribbean
Japopare (jappopare) →Licania heteromorpha Benth. var. perplexans Sandwith; CHRYSOBALANACEAE; Caribbean
Japonika →Lagerstroemia indica L.; LYTHRACEAE; Surinam
Japopale →Annona jenmanii Safford; ANNONACEAE; Caribbean; use A. sericea Dunel
→Annona sericea Dunal; ANNONACEAE; Caribbean; syn. A. jenmanii Safford
Japopalirian →Couepia guianensis Aublet; CHRYSOBALANACEAE; Caribbean; syn. C. versicolor Benoist
Japopalli →Couepia guianensis Aublet; CHRYSOBALANACEAE; Caribbean; syn. C. versicolor Benoist
→Licania divaricata Benth.; CHRYSOBALANACEAE; Caribbean
→Licania hostmannii Fritsch; CHRYSOBALANACEAE; Caribbean
→Sacoglottis guianensis Benth. var. guianensis; HUMIRIACEAE; Caribbean; syn. S. guianensis Benth. var. dolichocarpa Ducke
Japoparé →Couepia sp.; CHRYSOBALANACEAE; Surinam
Japoparie (japapare, jappopare) →Licania divaricata Benth.; CHRYSOBALANACEAE; Caribbean
Jappa foetoe →Caladium bicolor (Aiton) Ventenat; ARACEAE; Surinam
Jappoballi →Chaetocarpus schomburgkianus (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Caribbean
Jappopalie minbo →Hirtella racemosa Lam.; CHRYSOBALANACEAE; Caribbean
Jappopare (japopare) →Licania heteromorpha Benth. var. perplexans Sandwith; CHRYSOBALANACEAE; Caribbean
Jappopare (japoparie, japapare) →Licania divaricata Benth.; CHRYSOBALANACEAE; Caribbean
Jarakara-oepoepo →Duroia eriopila L.f.;

RUBIACEAE; Caribbean

Jarakopie →*Siparuna guianensis* Aublet;
MONIMIACEAE; Surinam (Du)

→*Siparuna surinamensis* Lanjouw;
MONIMIACEAE; Surinam (Du)

Jaramiloerang →*Malouetia tamaquarina* (Aublet)
A.DC.; APOCYNACEAE; Caribbean; var. *minor*
A.DC.; syn. *M. obtusiloba* A.DC.

Jarariballi →*Swartzia schomburgkii* Benth. var.
schomburgkii; LEGUMINOSAE-PAP.; Surinam
(Ar)

Jararo kharemeroe →*Aspidosperma oblongum*
A.DC.; APOCYNACEAE; Surinam (Ar)

Jarerodan →*Malouetia tamaquarina* (Aublet)
A.DC.; APOCYNACEAE; Surinam (Ar); var. *minor*
A.DC.; syn. *M. obtusiloba* A.DC.

Jari jari →*Anaxagorea dolichocarpa* Sprague &
Sandwith; ANNONACEAE; Surinam (Cr)

Jaro jaro →*Guatteria schomburgkiana* C.Martius;
ANNONACEAE; Caribbean

Jaroeroe →*Aspidosperma excelsum* Benth.;
APOCYNACEAE; Surinam (Ar)

Jaroeroe (-hariroro, -hiraro) →*Aspidosperma*
marcgravianum Woodson; APOCYNACEAE;
Surinam (Ar); syn. *A. nitidum* Benth. ex Müll.Arg.

Jaroko pomoire →*Duguetia calycina* Benoist;
ANNONACEAE; Caribbean

Jaroraballi (jaroraballi) →*Swartzia remiger*
Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)

Jaroro hariraro →*Aspidosperma*
marcgravianum Woodson; APOCYNACEAE;
Surinam (Ar); syn. *A. nitidum* Benth. ex Müll.Arg.

Jaroraballi (jaroraballi) →*Swartzia remiger*
Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)

Jarra jarra →*Hebepetalum humiriifolium* (Planch.)
Benth. ex Jacks.; LINACEAE; Caribbean

Jarre ewé (jarrewé) →*Guarea guidonia* (L.)
Sleumer; MELIACEAE; Surinam; syn. *G. guara*
(Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Jarre nona →*Sapium klotzschianum* (Müll.Arg.)
Huber; EUPHORBIACEAE; Caribbean

Jarrewé (jarre ewé) →*Guarea guidonia* (L.)
Sleumer; MELIACEAE; Surinam; syn. *G. guara*
(Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Jasmijn, Wilkens →*Gardenia jasminoides* Ellis;
RUBIACEAE; Surinam (Du)

Jasmin →*Rinorea* sp.; VIOLACEAE; French
Guiana

Jasmin hediondo →*Clerodendrum* sp.;
VERBENACEAE; Puerto Rico

Jasmine, red →*Plumeria rubra* L.;
APOCYNACEAE; British West Indies

Jasmine, Spanish →*Plumeria* sp.;
APOCYNACEAE; British West Indies

Jasmine, wild →*Tabernaemontana psychotrifolia*
Kunth; APOCYNACEAE; Trinidad; syn.
Bonafousia sananho (Ruiz & Pavón) Markgraf;

syn. *Peschiera* sp.

Jassiehoedoe →*Jacaranda copaia* (Aublet)
D.Don; BIGNONIACEAE; Surinam (Cr); syn.
Bignonia copaia Aublet

→*Vismia confertiflora* Spruce ex Reichardt;
GUTTIFERAE; Surinam (Cr)

Jatoba →*Hymenaea courbaril* L.;
LEGUMINOSAE-CAES.; French Guiana

Jaune d'oeuf →*Pouteria guianensis* Aublet;
SAPOTACEAE; French Guiana; syn. *Lucuma*

Javarillo →*Hura crepitans* L.;
EUPHORBIACEAE; Puerto Rico

Javillo →*Hura crepitans* L.; EUPHORBIACEAE;
Puerto Rico

Jawahe pakoelia (-papaja) →*Pouteria*
trigonosperma Eyma; SAPOTACEAE; Surinam
(Ar); syn. *Radlkoferella trigonosperma* (Eyma)
Aubr.év.; syn. *Richardella trigonosperma* (Eyma)
Baehni; syn. *Lucuma*

Jawahe papaja (-pakoelia) →*Pouteria*
trigonosperma Eyma; SAPOTACEAE; Surinam
(Ar); syn. *Radlkoferella trigonosperma* (Eyma)
Aubr.év.; syn. *Richardella trigonosperma* (Eyma)
Baehni; syn. *Lucuma*

Jawahe sarapan →*Chomelia tenuiflora* Benth.;
RUBIACEAE; Surinam (Ar); syn. *Anisomeris*
tenuiflora (Benth.) Pulle; syn. *Tarenna* sp.

Jawahedan →*Bagassa guianensis* Aublet;
MORACEAE; Surinam (Ar); syn. *B. tiliifolia*
(Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist
?

→*Sapium klotzschianum* (Müll.Arg.) Huber;
EUPHORBIACEAE; Surinam (Ar)

Jawaledan (koeleroe-) →*Sclerolobium melinonii*
Harms; LEGUMINOSAE-CAES.; Surinam (Ar)

Jawaledan beleroe →*Sclerolobium guianense*
Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)

Jawalidan (-hottohottokoro) →*Sclerolobium*
melinonii Harms; LEGUMINOSAE-CAES.;
Surinam (Ar)

Jawalidan lokolemeroe →*Sclerolobium melinonii*
Harms; LEGUMINOSAE-CAES.; Caribbean

Jawané-bolotin →*Lecythis simiorum* Benoist;
LECYTHIDACEAE; Caribbean; syn. *Eschweilera*
simiorum (Benoist) Eyma

Jwaraballi hohorodikoro →*Mouriria* sp.;
MELASTOMACEAE; Surinam (Ar)

Jawaredan →*Conceveiba guianensis* Aublet;
EUPHORBIACEAE; Caribbean; syn.
Aparisthium cordatum (Jussieu) Baillon ?

Jawaredan (jawalidan, jawaledan)
→*Sclerolobium melinonii* Harms;
LEGUMINOSAE-CAES.; Surinam (Ar)

Jawaredan belero →*Sclerolobium albiflorum*
Benoist; LEGUMINOSAE-CAES.; Surinam (Ar)

Jawariballi →*Aulomyrcia pyrifolia* (Desvaux ex
Ham.) O.Berg; MYRTACEAE; Surinam (Ar); use
Myrcia

→Myrcia sp.; MYRTACEAE; Surinam (Ar); syn. Aulomyrcia pyrifolia (Desvaux) O.Berg

Jaweridan →Sclerolobium guianense Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)

Jawie →Jacaranda obtusifolia Humbert & Bonpl.; BIGNONIACEAE; Surinam; ssp. rhombifolia (G.Meyer) A.H.Gentry; syn. J. rhombifolia G.Meyer

Jawohe méroekoejang →Passiflora glandulosa Cav.; PASSIFLORACEAE; Surinam (Ar); i.e. devil's markoesa

Jawohe paikoelia (jawahe pakoelia) →Pouteria trigonosperma Eyma; SAPOTACEAE; Surinam (Ar); syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Jawohe sarapan →Anisomeris tenuiflora (Benth.) Pulle; RUBIACEAE; Surinam (Ar); use Chomelia tenuiflora Benth.; syn. Tarenna sp.

→Chomelia tenuiflora Benth.; RUBIACEAE; Surinam (Ar); syn. Anisomeris tenuiflora (Benth.) Pulle; syn. Tarenna sp.

→Tarenna sp.; RUBIACEAE; Surinam (Ar); use Chomelia tenuiflora Benth.; syn. Anisomeris tenuiflora (Benth.) Pulle

Jayjabico →Erithalis fruticosa L.; RUBIACEAE; Puerto Rico

Jea (madoe) →Virola surinamensis (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. Myristica surinamensis Rolander ex Rottb.

Jean-jeanhoedoe →Chimarrhis turbinata DC.; RUBIACEAE; Surinam (Cr)

Jeerba de seeroe (-kraabo, -kareta) →Croton sp.; EUPHORBIACEAE; Dutch West Indies

Jeerba kareta (-kraabo, -de seeroe) →Croton sp.; EUPHORBIACEAE; Dutch West Indies

Jeerba kraabo (-de seeroe, -kareta) →Croton sp.; EUPHORBIACEAE; Dutch West Indies

Jeerba mostera →Capparis cynophallophora L.; CAPPARACEAE; Dutch West Indies

Jeerba tsjoebatoe →Croton sp.; EUPHORBIACEAE; Dutch West Indies

Jejerecou (jejereku) →Xylopia frutescens Aublet; ANNONACEAE; Guyana (Cr); var. ferruginea R.E.Fries

Jejereku (jejerecou) →Xylopia frutescens Aublet; ANNONACEAE; Guyana (Cr); var. ferruginea R.E.Fries

Jekoena →Symmeria paniculata Benth.; POLYGONACEAE; Surinam (Ar)

Jekoena (jekuna, yekuna) →Triplaris weigeltiana (Rchb.) Kuntze; POLYGONACEAE; Surinam (Ar); syn. T. surinamensis Chamisso; syn. T. americana Aublet

Jekoeroe →Ocotea schomburgkiana (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Ar); syn. O. schomburgkiana (Nees) Mez

Jekuna (jekoena, yekuna) →Triplaris weigeltiana (Rchb.) Kuntze; POLYGONACEAE; Surinam (Ar); syn. T. surinamensis Chamisso; syn. T. americana Aublet

Jengi kanda →Hymenaea courbaril L.; LEGUMINOSAE-CAES.; Surinam

Jenté →Calyptrocarya poeppigiana Kunth; CYPERACEAE; Surinam (Ar)

Jente wadilikoro →Cyperus ligularis L.; CYPERACEAE; Surinam (Ar); syn. Mariscus cayennensis (Lam.) Urban; syn. M. ligularis (L.) Urban; syn. Kyllinga pumila Mich.

→Mariscus cayennensis (Lam.) Urban; CYPERACEAE; Surinam (Ar); use Cyperus

Jeria kopi →Qualea albiflora Warming; VOCHYSIACEAE; Surinam; use Ruizterania albiflora (Warming) Marcono-Berti ?

Jerusalem thorn →Parkinsonia aculeata L.; LEGUMINOSAE-CAES.; Puerto Rico

Jeseheredan →Anaxagorea dolichocarpa Sprague & Sandwith; ANNONACEAE; Surinam (Ar)

Jeseredan →Miconia tschudyoides Cogniaux; MELASTOMACEAE; Surinam (Ar)

Jeseredan (-hororodikoro) →Unonopsis rufescens (Baillon) R.E.Fries; ANNONACEAE; Surinam (Ar)

Jeseredan (jeseheredan, jesieridan) →Duguetia calycina Benoist; ANNONACEAE; Surinam (Ar)

Jeseredan oenirefodikoro →Unonopsis guatterioides (A.DC.) R.E.Fries; ANNONACEAE; Surinam (Ar)

Jesieridan →Duguetia calycina Benoist; ANNONACEAE; Surinam (Ar)

Jesieridan (jeseredan, jeseheredan) →Duguetia calycina Benoist; ANNONACEAE; Surinam (Ar)

Jesikoesji →Paullinia pinnata L.; SAPINDACEAE; Surinam (Ar)

Jessamine, red →Plumeria rubra L.; APOCYNACEAE; British West Indies

Jessamine, wild →Clerodendrum sp.; VERBENACEAE; Puerto Rico

Jessie noedol →Jacaranda copaia (Aublet) D.Don; BIGNONIACEAE; Surinam; syn. Bignonia copaia Aublet

Jetoetamo (ietjoetanoe) alianao →Swartzia prouacensis (Aublet) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. Bocoa prouacensis Aublet

Jewalidanni →Minqartia guianensis Aublet; OLACACEAE; Guianas

Jiba →Schaefferia frutescens Jacq.; CELASTRACEAE; Puerto Rico

Jiggerwood →Bravaisia floribunda DC.; ACANTHACEAE; Trinidad

Jimbay →Leucaena leucocephala (Lam.) de Wit; LEGUMINOSAE-MIM.; British West Indies; syn. L. glauca (L.) Benth.; syn. L. glauca auct. non Benth.; syn. L. latisiliqua (L.) Gillis

Jina → *Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Dominican Republic

Jobero → *Suriana maritima* L.; SURIANACEAE; Dominican Republic

Jobillo → *Spondias dulcis* (non Solander ex Forster f.) Blanco; ANACARDIACEAE; Puerto Rico; use *S. purpurea* L.; syn. *S. mombin* (non L.) Burck; syn. *S. lutea* (non L.) Fernández-Villar → *Spondias lutea* (non L.) Fernández-Villar; ANACARDIACEAE; Puerto Rico; use *S. purpurea* L.; syn. *S. dulcis* (non Solander ex Forster f.) Blanco; syn. *S. mombin* (non L.) Burck → *Spondias mombin* L.; ANACARDIACEAE; Puerto Rico; syn. *S. lutea* L. → *Spondias mombin* (non L.) Burck; ANACARDIACEAE; Puerto Rico; use *S. purpurea* L.; syn. *S. dulcis* (non Solander ex Forster f.) Blanco; syn. *S. lutea* (non L.) Fernández-Villar → *Spondias purpurea* L.; ANACARDIACEAE; Puerto Rico; syn. *S. dulcis* (non Solander ex Forster f.) Blanco; syn. *S. mombin* (non L.) Burck; syn. *S. lutea* (non L.) Fernández-Villar

Jobo francés → *Spondias mombin* L.; ANACARDIACEAE; Puerto Rico; syn. *S. lutea* L.

Jobobán → *Spondias mombin* L.; ANACARDIACEAE; Puerto Rico; syn. *S. lutea* L.

Jocome → *Crotalaria stipularia* Desvoux; LEGUMINOSAE-PAP.; Surinam

Joe bush → *Jacquinia revoluta* Jacq.; THEOPHRASTACEAE; British West Indies

Joekoeipio → *Trymatococcus oligandrus* (Benoist) Lanjouw; MORACEAE; Caribbean

Joekoejapo(e)i (joekoejapi) → *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Caribbean; syn. *O. schomburgkiana* (Nees) Mez

Joekoeloean → *Eugenia cryptadena* Amshoff; MYRTACEAE; Caribbean; var. *gracilis* Amshoff

Joekoeloema → *Eugenia cryptadena* Amshoff; MYRTACEAE; Caribbean

Joekoetoema → *Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Caribbean

Joekoetoena → *Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam; syn. *G. guara* (Jacq.) Paul G. Wilson; syn. *G. trichilioides* L.

Joeliballi → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk. → *Protium tenuifolium* (Engl.) Engl.; BURSERACEAE; Surinam (Cr); syn. *P. neglectum* Swart var. *intermedium* Swart

Joeliballi beleroe → *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar); syn. *T. stevensonii* Standley

Joeliballi fieberoebana → *Tetragastris* sp.; BURSERACEAE; Surinam (Ar)

Joeliballi ibberoebana → *Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Surinam (Ar)

Joeliballi tataro(e) (-hororodikoro) → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar)

Joeliballi → *Lisianthus chelonoides* L.f.; GENTIANACEAE; Surinam (Ar)

Joenoepé → *Couepia* sp.; CHRYSOBALANACEAE; Surinam

Joeva-joeva → *Clusia platystigma* Eyma; GUTTIFERAE; Caribbean

Joewood → *Jacquinia revoluta* Jacq.; THEOPHRASTACEAE; British West Indies

Johannesvlas → *Asclepias curassavica* L.; ASCLEPIADACEAE; Surinam (Du)

John-Jo → *Cochlospermum orinocense* (Kunth) Steudel; COCHLOSPERMACEAE; Guyana (Cr); syn. *C. parkeri* Planchon; sometimes family Bixaceae used

Jointer, black → *Piper* sp.; PIPERACEAE; British West Indies

Jointwood → *Piper* sp.; PIPERACEAE; British West Indies

Jointy benna → *Piper* sp.; PIPERACEAE; British West Indies

Jokopi (jakopi, jakoppi, yakopi) → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam; use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Jokoro → *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Ar); syn. *O. schomburgkiana* (Nees) Mez

Jolago → *Malpighia* sp.; MALPIGHIACEAE; Puerto Rico

Jolliballi → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar)

Joloka alikoli → *Helosis cayennensis* (Swartz) Sprengel; BALANOPHORACEAE; Caribbean

Jooliballi belero(e) → *Protium polybotryum* (Turcz.) Engl.; BURSERACEAE; Surinam (Ar)

Jorieballi belero → *Hemicrepidospermum rhoifolium* (Benth.) Swart; BURSERACEAE; Surinam (Ar)

Jorieballi kolero → *Protium polybotryum* (Turcz.) Engl.; BURSERACEAE; Surinam (Ar)

Jorieballi tataro → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar)

Jorka markoesa → *Passiflora vespertilio* L.; PASSIFLORACEAE; Surinam (Au)

Jorka oker → *Malachra alceifolia* Jacq.; MALVACEAE; Surinam (Du) → *Malachra fasciata* Jacq.; MALVACEAE; Surinam (Du)

Jorka oker, wilde → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Du)

Jorka okro → *Abelmoschus moschatus* Medikus; MALVACEAE; Surinam (Cr); syn. *Hibiscus abelmoschus* L.

Jorka pesie → *Cassia occidentalis* L.;

LEGUMINOSAE-CAES.; Surinam

Jorka petie → *Senna quinquangulata* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam; syn. *Cassia quinquangulata* A.Rich.

Jorka sneki → *Cassia cultrifolia* Kunth; LEGUMINOSAE-CAES.; Surinam (Ar)

Jorka srabriki → *Cassia tora* L.; LEGUMINOSAE-CAES.; Surinam

Jorkati → *Senna bacillaris* (L.f.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam; syn. *Cassia fruticosa* Miller

Jorkoena → *Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *T. toxicaria* (Swartz) Persoon

Joroha (jorokan) pomoire → *Acroclidium aubletii* Kosterm.; LAURACEAE; Caribbean; use *Licaria*

→ *Licaria* sp.; LAURACEAE; Surinam; syn. *Acroclidium aubletii* Kosterm.

→ *Ocotea* sp.; LAURACEAE; Surinam

Jorojoro pisi → *Ocotea guianensis* Aublet; LAURACEAE; Surinam (Cr)

Jorokan pomoire → *Acroclidium martinianum* Mez; LAURACEAE; Surinam; use *Licaria martiniana* (Mez) Kosterm.

→ *Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Caribbean; syn. *Acroclidium martinianum* Mez

→ *Miconia tschudyoides* Cogniaux; MELASTOMATACEAE; Surinam

→ *Ocotea* sp.; LAURACEAE; Surinam

Jorromèran → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Caribbean; ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

Jotoro → *Dieffenbachia paludicola* N.E.Brown ex Gleason; ARACEAE; Surinam (Ar)

Jowa-jowa → *Clusia palmicida* Rich. ex Planchon & Triana; GUTTIFERAE; Caribbean

Juan caliente → *Rourea* sp.; CONNARACEAE; Puerto Rico

Juan primero → *Sciadodendron excelsum* Griseb.; ARALIACEAE; Dominican Republic

Juca → *Manihot esculenta* Crantz; EUPHORBIACEAE; Dominican Republic; syn. *M. utilisissima* Pohl

Juca cimarrona → *Jatropha curcas* L.; EUPHORBIACEAE; Dominican Republic; syn. *J. moluccana* Wallich

Juffrouw → *Opuntia wentiana* Britton & Rose; CACTACEAE; Curaçao

Jujubier du pays → *Ziziphus mauritiana* Lam.; RHAMNACEAE; Martinique; syn. *Zizyphus mauritiana* Lam.; syn. *Ziziphus jujuba* (L.) Gaertner auct. non Miller

Julchihout → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Du)

Jumbi bead tree → *Ormosia coccinea* (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.; Guyana (Cr)

Jumbi tree → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam (Cr); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Jumby bean → *Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; British West Indies; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

Juniper → *Genipa americana* L.; RUBIACEAE; Trinidad; syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Jurri jurri → *Thevetia peruviana* (Persoon) K.Schumann; APOCYNACEAE; Surinam; syn. *T. neriifolia* Jussieu ex Steudel

Jusillo → *Calycogonium squamulosum* Cogniaux; MELASTOMATACEAE; Puerto Rico

Juwardan → *Sclerobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam

Juzo → *Rocheportia acanthophora* (DC.) Griseb.; BORAGINACEAE; Puerto Rico

Ka → *Ternstroemia dentata* (Aublet) Swartz; THEACEAE; Guyana (M)

Kaaiman peper → *Unonopsis guatterioides* (A.DC.) R.E.Fries; ANNONACEAE; Surinam (Du)

Kaapoë → *Clusia scrobiculata* Benoist; GUTTIFERAE; Caribbean

Kaapove → *Clusia* sp.; GUTTIFERAE; Surinam

Kaatoetatai → *Clusia palmicida* Rich. ex Planchon & Triana; GUTTIFERAE; Surinam (Sa)

Kabakally → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam; syn. *D. paraensis* Benth.

Kabana → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

→ *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

→ *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam (Sa); syn. *Bignonia copaia* Aublet

→ *Jacaranda filicifolia* (Anderson) D.Don; BIGNONIACEAE; Surinam (Sa)

Kabanafo → *Macrosamanea kegelii* (Meisner) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Ar)

Kabba matjauw djoemoe → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Sa); syn. *C. fagifolia* (Miquel) Eyma

Kabbes (rode-) → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Du)

Kabbes, gele → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Du); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke

Kabbes, makka → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; Surinam (Du)

Kabbes, makka (gele-) → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du)

Kabbes, rode → *Andira excelsa* Kunth; LEGUMINOSAE-PAP.; Surinam (Du); use *A. inermis* (W.Wright) DC.; syn. *A. jamaicensis* Urban

→ *Andira jamaicensis* Urban; LEGUMINOSAE-PAP.; Surinam (Du); use *A. inermis* (W.Wright) DC.; syn. *A. excelsa* Kunth

→ *Hymenolobium* sp.; LEGUMINOSAE-PAP.; Surinam (Du)

Kabbes, rode (redi-) → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Cr, Du)

Kabbes, rode (zwarte-) → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Kabbes, zwarte → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Du); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Kabbi → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam

Kabees indiaan → *Melocactus* sp.; CACTACEAE; Curaçao

Kabisi, redi → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

→ *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)

Kabisie → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Kabisie, blaka → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Kabisiehoedoe → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Kabiuk → *Goupia glabra* Aublet; CELASTRACEAE; Guyana (Ak); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

Kaboanama → *Henriettea ramiflora* (Swartz) DC.; MELASTOMATACEAE; Caribbean

Kaboanama beletere (-biltere) → *Henriettea multiflora* Naudin; MELASTOMATACEAE; Surinam (Ar)

Kabodan → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

Kaboeiakoro mibikoro → *Mikania scabra* DC.; ASTERACEAE; Surinam (Ar)

Kaboejakoro diamaroe → *Cordia schomburgkii* DC.; BORAGINACEAE; Surinam (Ar)

Kaboekhali (kabokalli) → *Goupia glabra* Aublet; CELASTRACEAE; Surinam (Ar); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

Kabokalli (kaboeekhali) → *Goupia glabra* Aublet; CELASTRACEAE; Surinam (Ar); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

Kabu → *Pouteria jenmanii* (Pittier) Sandwith; SAPOTACEAE; Caribbean; syn. *Lucuma*

Kabuduli → *Davilla alata* (Ventenat) Briquet; DILLENACEAE; Guyana (Ar)

→ *Davilla aspera* (Aublet) Benoist; DILLENACEAE; Surinam (Ar); use *D. kunthii* A.St.-Hil.

→ *Davilla kunthii* A.St.-Hil.; DILLENACEAE; Surinam (Ar); syn. *D. aspera* (Aublet) Benoist

→ *Davilla rugosa* Poiret; DILLENACEAE; Guyana (Ar)

→ *Doliocarpus brevipedicellatus* Garcke; DILLENACEAE; Surinam (Ar)

→ *Doliocarpus calinea* J.F.Gmelin; DILLENACEAE; Guyana (Ar); use *D. spraguei* Cheesman

→ *Doliocarpus coriaceus* (C.Martius & Zucc.) Gilg; DILLENACEAE; Surinam (Ar); use *Pinzona coriacea* C.Martius & Zucc.

→ *Doliocarpus dentatus* (Aublet) Standley; DILLENACEAE; Surinam (Ar)

→ *Doliocarpus macrocarpus* C.Martius ex Eichler; DILLENACEAE; Guyana (Ar); syn. *D. virgatus* Sagot

→ *Doliocarpus major* J.F.Gmelin; DILLENACEAE; Guyana (Ar); syn. *D. rolandri* J.F.Gmelin; syn. *D. scandens* Poiret

→ *Doliocarpus rolandri* J.F.Gmelin; DILLENACEAE; Guyana (Ar); use *D. major* J.F.Gmelin; syn. *D. scandens* Poiret

→ *Doliocarpus savannarum* Sandwith; DILLENACEAE; Guyana (Ar)

→ *Doliocarpus scandens* Poiret; DILLENACEAE; Guyana (Ar); use *D. major* J.F.Gmelin; syn. *D. rolandri* J.F.Gmelin

→ *Doliocarpus spraguei* Cheesman; DILLENACEAE; Guyana (Ar); syn. *D. calinea* J.F.Gmelin

→ *Doliocarpus virgatus* Sagot; DILLENACEAE; Guyana (Ar); use *D. macrocarpus* C. Martius ex Eichler

→ *Pinzona coriacea* C.Martius & Zucc.; DILLENACEAE; Surinam (Ar); syn. *Doliocarpus*

coriaceus (C.Martius & Zucc.) Gilg
 →*Tetracera asperula* Miquel; DILLENACEAE; Surinam (Ar)
 →*Tetracera costata* C.Martius ex Eichler; DILLENACEAE; Surinam (Ar); spp. *costata*; syn. *T. trinitensis* Sprague & Williams
 →*Tetracera costata* C.Martius ex Eichler; DILLENACEAE; Surinam (Ar); ssp. *rotundifolia* (Smith) Kubitzki; syn. *T. ovalifolia* DC.
 →*Tetracera ovalifolia* DC.; DILLENACEAE; Surinam (Ar); use *T. costata* C.Martius ex Eichler ssp. *rotundifolia* (Smith) Kubitzki
 →*Tetracera surinamensis* Miquel; DILLENACEAE; Surinam (Ar)
 →*Tetracera trinitensis* Sprague & Williams; DILLENACEAE; Surinam (Ar); use *T. costata* C.Martius ex Eichler ssp. *costata*
Kabukalli →*Goupia glabra* Aublet; CELASTRACEAE; Surinam (Ar); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used
Kabukalli, bastard →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)
Kabuyakoro →*Trema micrantha* (L.) Blume; ULMACEAE; Surinam (Ar)
Kadaburichi →*Guatteria boyacana* MacBryde; ANNONACEAE; Guyana (Ar)
 →*Symmeria paniculata* Benth.; POLYGONACEAE; Guyana (Ar)
 →*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Ar); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet
Kade besji →*Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies
Kadeneb →*Zanthoxylum apiculata* (Sandwith) P.G.Waterman; RUTACEAE; Guyana (W) ; syn. *Fagara apiculata* Sandwith; syn. *Xanthoxylum*
Kaditiri, thick-skin →*Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
Kaditiri, thick-skin (thin-skin) →*Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Surinam (Ar)
Kadjoie (sabana-) →*Anacardium occidentale* L.; ANACARDIACEAE; Surinam (Sa); syn. *A. occidentale* L. var. *indicum* DC.
Kadjoie mattoe →*Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Surinam (Sa)
 →*Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Surinam (Sa)
Kadjoie, sabana →*Curatella americana* L.; DILLENACEAE; Surinam (Sa)
Kadjoesi auka →*Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke
Kadjoesi awha →*Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Sa)
 →*Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
Kadjoesi awha (-akwa) →*Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Sa)
Kadjoesili →*Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Sa); var. *pellocarpa* (G.Meyer) Hook.
Kadoesjie →*Cereus repandus* (L.) Miller; CACTACEAE; Curaçao
Kadoesjie die koleebra →*Acanthocereus pentagonus* (L.) Britton & Rose; CACTACEAE; Surinam (Ar)
Kadoesjie die poesjie →*Cephalocereus lanuginosus* (L.) Britton & Rose; CACTACEAE; Curaçao
Kahoetjiroe (kakoetjiroe, kakutiru)
 →*Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam (Cr); syn. *R. racemosa* G.Meyer
Kai-eno-mio →*Psychotria poeppigiana* Müll.Arg. ssp. *poeppigiana*; RUBIACEAE; Guyana (Ak); syn. *Cephaelis tomentosa* (Aublet) Vahl
Kaikaiadan →*Pagamea capitata* Benth. ssp. *capitata*; RUBIACEAE; Guyana (Ar)
 →*Pagamea guianensis* Aublet var. *guianensis*; RUBIACEAE; Guyana (Ar)
Kaikaiadan(ni) →*Retiniphyllum schomburgkii* (Benth.) Müll.Arg.; RUBIACEAE; Guyana (Ar); ssp. *schomburgkii*
Kaiarima →*Maytenus ficiformis* Reissek; CELASTRACEAE; Guyana (Ar)
 →*Maytenus guianensis* Klotzsch ex Reissek; CELASTRACEAE; Surinam (Ar)
 →*Maytenus kanukuensis* A.C.Smith; CELASTRACEAE; Guyana (Ak)
 →*Maytenus myrsinoides* Reissek; CELASTRACEAE; Surinam (Ar)
 →*Maytenus planifolia* A.C.Smith; CELASTRACEAE; Guyana (Ar)
Kaichir (ky-cher) →*Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (An)
Kaiedi →*Annona muricata* L.; ANNONACEAE; Guyana (Ar)
Kaieriballi →*Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Surinam (Ar)
Kaierieballi →*Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist
 →*Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Ar)
 →*Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)
 →*Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Surinam (Ar)
Kaikai →*Panopsis sessilifolia* (Rich.) Sandwith;

PROTEACEAE; Guyana (Ak)

Kaimanhoedoe → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Kairimai → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Macrosamanea pedicellaris* (DC.)

Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Kairiballi → *Ouratea racemiformis* Ule; OCHNACEAE; Surinam (Ar)

Kairiballi hororodikoro → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *C. versicolor* Benoist

Kaiyuchi-hi → *Epiphyllum* sp.; CACTACEAE; Surinam (Ar); syn. *Phyllocactus phyllanthus* Link → *Phyllocactus phyllanthus* Link; CACTACEAE; Surinam (Ar); use *Epiphyllum*

Kajanna manja → *Mangifera indica* L.; ANACARDIACEAE; Surinam (Cr)

Kajedi oenieberabandikoro → *Annona montana* Macfarlane; ANNONACEAE; Surinam (Ar)

Kajediballi → *Annona hypoglauca* Martius; ANNONACEAE; Surinam (Ar)

→ *Duguetia surinamensis* R.E.Fries; ANNONACEAE; Surinam (Ar)

Kajoeballi → *Hernandia guianensis* Aublet; HERNANDIACEAE; Surinam (Ar); syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch

→ *Hernandia guianensis* Aublet; HERNANDIACEAE; Surinam (Ar); syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch

→ *Hernandia voyroni* Jumelle; HERNANDIACEAE; Surinam (Ar)

Kajoewaballi → *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Ar)

→ *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Surinam (Ar)

Kajowa → *Hibiscus celebicus* Koorders; MALVACEAE; Surinam (Ar); use *H. tiliaceus* L.

→ *Hibiscus tiliaceus* L.; MALVACEAE; Surinam (Ar); syn. *H. celebicus* Koorders

Kajowaballi djamaro → *Lueheopsis rugosa* (Pulle) Burret; TILIACEAE; Surinam (Ar)

Kaka → *Pradosia schomburgkiana* (A.DC.) Cronquist; SAPOTACEAE; Guyana (Ak); ssp. *schomburgkiana*; syn. *P. schomburgkiana* (A.DC.) Cronquist

Kaka die poesjie (kakie poesjie) → *Opuntia curassavica* (L.) Miller; CACTACEAE; Curaçao

Kaka kan(g)kan(g) → *Heliotropium indicum* L.; BORAGINACEAE; Surinam (Cr)

Kaka kankan → *Stachytarpheta jamaicensis* (L.) Vahl; VERBENACEAE; Surinam (Cr)

Kakabroekoe → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam

Kakahaut → *Quiina indigofera* Sandwith; QUIINACEAE; Surinam (Cr)

Kakajan boesie → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Cr)

Kakanjan boesoe → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Cr)

Kakaraballi wadilikoro → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. *E. longipes* (Poiteau) Miers

Kakarai (makarai) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Guyana (Ak); syn. *P. campestre* Aublet ?

Kakaralli → *Eschweilera alutacea* A.C.Smith; LECYTHIDACEAE; Guyana (Ar); use *Lecythis alutacea* (A.C.Smith) S.A.Mori

→ *Eschweilera chartacea* (O.Berg) Eyma; LECYTHIDACEAE; Guyana (Ar); use *Lecythis chartacea* O.Berg

→ *Eschweilera longipes* (Poiteau) Miers; LECYTHIDACEAE; Surinam (Ar); use *E. pedicellata* (L.C.Rich.) S.A.Mori

→ *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Cr); syn. *E. longipes* (Poiteau) Miers

→ *Eschweilera schomburgkii* (O.Berg) Niedenzu; LECYTHIDACEAE; Guyana (Ar)

→ *Lecythis alutacea* (A.C.Smith) S.A.Mori; LECYTHIDACEAE; Guyana (Ar); syn.

Eschweilera alutacea A.C.Smith

→ *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Guyana (Ar); syn. *Eschweilera chartacea* (O.Berg) Eyma

Kakaralli (-wadili) → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. *E. odora* (Poeppig) Miers

Kakaralli (-wadilikoro) → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Ar)

Kakaralli (black-) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. *E. longipes* (Poiteau) Miers

Kakaralli (guava-skin-) → *Eschweilera alata* A.C.Smith; LECYTHIDACEAE; Guyana (Ar)

Kakaralli (hijaro-, hyaro-, hiaroe-, wina-) → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera corrugata* (Poiteau) Miers

Kakaralli, (common) black → *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (Cr)

Kakaralli, black → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Ar)

Kakaralli, fine smooth-leaf → *Eschweilera grata* Sandwith; LECYTHIDACEAE; Guyana (Ar)

→ *Eschweilera montana* A.C.Smith; LECYTHIDACEAE; Guyana (Cr); use *E. parviflora* (Aublet) Miers

→ *Eschweilera parviflora* (Aublet) Miers; LECYTHIDACEAE; Guyana (Cr); syn. *E. montana* A.C.Smith

Kakaralli, fine-leaf → *Eschweilera wachenheimii*

(Benoist) Sandwith; LECYTHIDACEAE; Guyana (Ar)

Kakaralli, smooth-leaf → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Guyana (Ar); syn. *E. odora* (Poeppig) Miers → *Eschweilera decolorans* Sandwith; LECYTHIDACEAE; Guyana (Ar)

Kakaralliballi → *Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera simiorum* (Benoist) Eyma

Kakario → *Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Ar); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley

Kakarua → *Pradosia schomburgkiana* (A.DC.) Cronquist; SAPOTACEAE; Surinam (Ar); ssp. *schomburgkiana*; syn. *P. schomburgkiana* (A.DC.) Cronquist

Kakatara(-balli) → *Ilex guianensis* (Aublet) Kuntze; AQUIFOLIACEAE; Guyana (Ar)

Kakerijoe koeleroe → *Myrcia amazonica* DC.; MYRTACEAE; Surinam (Ar); syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg

Kakhero → *Blepharodon nitidus* (Vellozo) Macbr.; ASCLEPIADACEAE; Surinam (Ar)

→ *Cynanchum* sp.; ASCLEPIADACEAE; Surinam (Ar); syn. *Metastelma stenolobum* Decaisne

→ *Metastelma stenolobum* Decaisne; ASCLEPIADACEAE; Surinam (Ar); use *Cynanchum*

Kakheroe diamaroe → *Rouliniella guianensis* (Decaisne) Jonker; ASCLEPIADACEAE; Surinam (Ar); use *Telminostelma guianensis* Decaisne

→ *Telminostelma guianensis* Decaisne; ASCLEPIADACEAE; Surinam (Ar); syn. *Rouliniella guianensis* (Decaisne) Jonker

Kakhorio → *Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Ar); syn. *C. umbraculifera* DC.

→ *Cordia umbraculifera* DC.; BORAGINACEAE; Surinam (Ar); use *C. tetrandra* Aublet

Kakie poesjie (kaka die poesjie) → *Opuntia curassavica* (L.) Miller; CACTACEAE; Curaçao

Kakirio → *Calycolpus goetheanus* (DC.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *C. glaber* (Benth.) O.Berg

→ *Eugenia* sp.; MYRTACEAE; Guyana (Ar)

→ *Myrcia rufipila* McVaugh; MYRTACEAE; Surinam (Ar); syn. *Aulomyrcia divaricata* O.Berg

→ *Myrciaria floribunda* (West ex Willd.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *M. verticillata* O.Berg

→ *Myrciaria verticillata* O.Berg; MYRTACEAE; Surinam (Ar); use *M. floribunda* (West ex Willd.) O.Berg

→ *Plinia pinnata* L.; MYRTACEAE; Guyana (Ar)

→ *Psidium guajava* L.; MYRTACEAE; Guyana (Ar)

→ *Psidium* sp.; MYRTACEAE; Guyana (Ar)

Kakirio, muri → *Calycolpus revolutus* (Schauer)

O.Berg; MYRTACEAE; Surinam (Cr); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley

Kakoesjiroe inoko → *Voyria courulea* Aublet; GENTIANACEAE; Surinam (Ar)

Kakoetjiroe (kakutiru, kahoetjiroe)

→ *Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam (Ar); syn. *R. racemosa* G.Meyer

Kakoetoro → *Mikania trinitaria* DC.; ASTERACEAE; Surinam (Ar)

Kakoriooe → *Eugenia egensis* DC.; MYRTACEAE; Surinam (Ar)

Kakoro → *Cordia sericalyx* A.DC.; BORAGINACEAE; Surinam (Ar)

→ *Piper aduncum* L.; PIPERACEAE; Surinam (Ar)

Kakoro hororodikoro → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Ar)

Kakorokhondi → *Mouriria huberi* Cogniaux; MELASTOMATACEAE; Guyana (Cr)

Kakota-shiru → *Syntherisma digitata* Hitchcock; POACEAE; Surinam (Ar)

Kakotaro → *Ilex martiniana* D.Don; AQUIFOLIACEAE; Surinam (Ar)

→ *Ilex umbellata* Klotzsch ex Reissek; AQUIFOLIACEAE; Surinam (Ar); var. *humirioides* Loesener

Kakreow → *Calyptanthus* sp.; MYRTACEAE; Guyana

Kakrioe bibéro → *Myrcia sylvatica* (G.Meyer) DC.; MYRTACEAE; Surinam (Ar)

Kakrioe harilaroe → *Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Ar); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley

Kakrioe hariraroe tataroe → *Myrciaria floribunda* (West ex Willd.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *M. verticillata* O.Berg

Kakrioe koeréro → *Myrcia amazonica* DC.; MYRTACEAE; Surinam (Ar); syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg

Kakürio → *Calycolpus goetheanus* (DC.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *C. glaber* (Benth.) O.Berg

→ *Eugenia* sp.; MYRTACEAE; Surinam (Ar)

→ *Myrcia rufipila* McVaugh; MYRTACEAE; Surinam (Ar); syn. *Aulomyrcia divaricata* O.Berg

Kakutiru (kakoetjiroe, kahoetjiroe)

→ *Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam (Ar); syn. *R. racemosa* G.Meyer

Kala (-kalaroe) → *Typha angustifolia* L.; TYPHACEAE; Surinam (Ar)

Kala-eipjo → *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Caribbean; syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

Kalabassenboom → *Crescentia cujete* L.; BIGNONIACEAE; Surinam (Du)

Kalapa → *Carapa guianensis* Aublet;

MELIACEAE; Caribbean; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
Kalawiroe → *Passiflora glandulosa* Cav.; PASSIFLORACEAE; Caribbean
Kalebass → *Crescentia cujete* L.; BIGNONIACEAE; Surinam (Du)
Kalebass, bos → *Vitex compressa* Turcz.; VERBENACEAE; Surinam (Du)
→ *Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-MIM.; Surinam (Du); use *Albizia* ?; syn. *Pithecellobium cauliflorum* (Willd.) Martius
Kalebass, bos- (boesi-) → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Du)
Kalebashout → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Surinam (Du); syn. *T. obovata* (Ruiz & Pavón) Steudel
Kalebashout, blauw-bloem → *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber; VERBENACEAE; Surinam (Du)
Kalebashout, wit-bloem → *Citharexylum macrophyllum* Poiret; VERBENACEAE; Surinam (Du)
Kaléwéro → *Cynanchum* sp.; ASCLEPIADACEAE; Caribbean; syn. *Metastelma stenolobum* Decaisne
→ *Telminostelma guianensis* Decaisne; ASCLEPIADACEAE; Caribbean; syn. *Rouliniella guianensis* (Decaisne) Jonker
Kalia → *Stigmaphyllon fulgens* (Lam.) A.Jussieu; MALPIGHIACEAE; Surinam (Ar) ; use *S. hypoleucum* Miquel
→ *Stigmaphyllon hypoleucum* Miquel; MALPIGHIACEAE; Surinam (Ar); syn. *S. fulgens* (Lam.) A.Jussieu
Kalienja taméré → *Couratari panamensis* Standley; LECYTHIDACEAE; Caribbean
Kalili → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Guyana (W)
Kalioe oelemaliti → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma
Kaliso oelemarite → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *C. pulchra* Sandwith
Kaliya → *Pitcairnia caricifolia* Martius; BROMELIACEAE; Caribbean

Kalo → *Setaria geniculata* (Lam.) P.Beauvois; POACEAE; Surinam (Ar)
Kaloeba kele → *Pfaffia glauca* (Martius) Sprengel; AMARANTHACEAE; Surinam (Ar)
Kaloemerie → *Aulomyrcia obtusa* (Schauer) O.Berg; MYRTACEAE; Caribbean; var. *schomburgkiana* (O.Berg) Amshoff
Kaloewanama → *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Surinam (Ar)
Kamadan → *Isertia hypoleuca* Benth.; RUBIACEAE; Surinam (Ar)
→ *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Ar)
→ *Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Ar)
Kamadan ibibero → *Isertia spiciformis* DC.; RUBIACEAE; Surinam (Ar)
Kamadan(ni) → *Palicourea guianensis* Aublet; RUBIACEAE; Surinam (Ar)
Kamadanballi → *Isertia spiciformis* DC.; RUBIACEAE; Surinam (Ar)
Kamahballi → *Rudgea cornigera* Bremek.; RUBIACEAE; Surinam (Ar)
Kamahora → *Pouteria dissepala* Ducke; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
→ *Pouteria filipes* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
→ *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*
→ *Pouteria venosa* (C.Martius) Baehni; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
→ *Radlkoferella trigonosperma* (Eyma) Aubrév.; SAPOTACEAE; Surinam (Ar); use *Pouteria trigonosperma* Eyma; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*
Kamaiye → *Cecropia sciadophylla* C.Martius; MORACEAE; Guyana (M); syn. *C. juranyiana* V.A.Richter
Kamaka (kamama) → *Dalbergia glauca* (Desvaux) Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)
Kamakha-ie → *Rudgea hostmanniana* Benth.; RUBIACEAE; Surinam (Ar)
Kamakoetie (kamakuti) → *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Ar)
Kamakuti → *Bombax globosum* Aublet; BOMBACACEAE; Surinam (Ar)
→ *Bombax surinamensis* Uittien; BOMBACACEAE; Surinam (Ar)
Kamakuti (kamakoetie) → *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Ar)
Kamalalai → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Caribbean
Kamama (kamaka) → *Dalbergia glauca* (Desvaux) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr)
Kamanali → *Becquerelia merkeliana* Nees; CYPERACEAE; Surinam (Ar)
→ *Scleria* sp.; CYPERACEAE; Surinam (Ar)
Kamang → *Cecropia angulata* I.W.Bailey; MORACEAE; Guyana (Ak)
Kamara kojoeroe → *Miconia surinamensis* Gleason; MELASTOMATACEAE; Caribbean
Kamaragwa → *Tetragastris altissima* (Aublet) Swart; BURSERACEAE; Guyana (M)
Kamarai → *Licaria cannella* (Meisner) Kosterm.;

LAURACEAE; Guyana (Ak); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kamarakat(ta) → *Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Guyana (Ar); syn. *Sweetia nitens* (Vogel) Benth.

Kamarakatta djamaro → *Dialium guianense* (Aublet) Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. divaricarum* Vahl

Kamarakoyoro → *Miconia ruficalyx* Gleason; MELASTOMATACEAE; Caribbean

Kamarássana → *Helosis cayennensis* (Swartz) Sprengel; BALANOPHORACEAE; Surinam (Ar)

Kamarau → *Euphorbia cotinifolia* L.; EUPHORBIACEAE; Guyana (W); syn. *E. cotinoides* Miquel

Kamarolai → *Borreria capitata* (Ruiz & Pavón) DC.; RUBIACEAE; Caribbean

Kamarupö → *Bactris monticola* Barb.Rodr.; ARECACEAE (PALMAE); Guyana (Ak); syn. *B. trichospatha* Trail

Kamasbalai → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Caribbean

Kamasoeli → *Paullinia pinnata* L.; SAPINDACEAE; Caribbean

Kamatana → *Catostemma fragrans* Benth.; BOMBACACEAE; Guyana (M)

Kamatani → *Aspidosperma sandwithianum* Markgraf; APOCYNACEAE; Guyana (Ak)

Kamejoeroe → *Psychotria apoda* Steyerm.; RUBIACEAE; Surinam; syn. *Cephaelis violacea* (Aublet) Swartz

Kamferblad → *Waltheria americana* L.; STERCULIACEAE; Surinam (Du); syn. *W. indica* L.

Kamferbladeren → *Melampodium camphoratum* (L.f.) Baker; ASTERACEAE; Surinam (Du)

Kami → *Heteropsis jenmanii* Oliver; ARACEAE; Guyana (Ak)

Kamina → *Heteropsis longispathacea* Engl.; ARACEAE; Surinam (Cr)

Kamina (-tété, -mama) → *Heteropsis jenmanii* Olliver; ARACEAE; Surinam (Cr)

Kamma khaleballi → *Byrsonima obversa* Miquel; MALPIGHIACEAE; Surinam (Ar)

Kammotolie → *Mouriria crassifolia* Sagot; MELASTOMATACEAE; Caribbean

Kamoali → *Dichorisandra hexandra* (Aublet) Standley; COMMELINACEAE; Surinam (Ar)

Kamoro → *Adenocalymma inundatum* C.Martius ex DC.; BIGNONIACEAE; Surinam (Ar); var. *surinamense* Bureau & K.Schumann
→ *Distictella magnoliifolia* (Kunth) Sandwith; BIGNONIACEAE; Guyana (Ar); syn. *D. racemosa* (Bureau & K.Schumann) Urban
→ *Distictella parkeri* (DC.) Sprague & Sandwith;

BIGNONIACEAE; Guyana (Ar)

→ *Distictella pulverulenta* Sandwith; BIGNONIACEAE; Guyana (Ar); use *Distictis pulverulenta* (Sandwith) A.H.Gentry

→ *Distictella racemosa* (Bureau & K.Schumann) Urban; BIGNONIACEAE; Guyana (Ar); use *D. magnoliifolia* (Kunth) Sandwith

→ *Distictis pulverulenta* (Sandwith) A.H.Gentry; BIGNONIACEAE; Guyana (Ar); syn. *Distictella pulverulenta* Sandwith

→ *Macfadyena uncata* (Andrews) Sprague & Sandwith; BIGNONIACEAE; Surinam (Ar)

→ *Martinella insculpta* Sprague & Sandwith; BIGNONIACEAE; Surinam (Ar); use *M. obovata* (Kunth) Bureau & K.Schumann

→ *Martinella obovata* (Kunth) Bureau & K.Schumann; BIGNONIACEAE; Surinam (Ar); syn. *M. insculpta* Sprague & Sandwith

→ *Mussatia hyacinthina* (Standley) Sandwith; BIGNONIACEAE; Guyana (Ar)

→ *Mussatia prieurei* (DC.) Bureau ex K.Schumann; BIGNONIACEAE; Guyana (Ar)

Kamoroballi → *Arrabidaea inaequalis* (DC. ex Splitg.) K.Schumann; BIGNONIACEAE; Surinam (Ar)

Kamotoeli → *Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Caribbean; syn. *M. anomala* Pulle

Kamwari → *Desmoncus orthacanthos* C.Martius; ARECACEAE (PALMAE); Guyana (Ar); syn. *D. palustris* Trail

Kamwata → *Bambusa vulgaris* Schrader apud Wendler; POACEAE; Surinam (Ar); syn. *Guadua glomerata* Munro; syn. *G. angustifolia* Kunth
→ *Guadua angustifolia* Kunth; POACEAE; Surinam (Ar); use *Bambusa vulgaris* Schrader apud Wendler; syn. *Guadua glomerata* Munro
→ *Guadua glomerata* Munro; POACEAE; Surinam (Ar); use *Bambusa vulgaris* Schrader apud Wendler; syn. *Guadua angustifolia* Kunth

Kamwatha → *Byrsonima stipulacea* A.Jussieu; MALPIGHIACEAE; Guyana (M)

Kamwö → *Byrsonima stipulacea* A.Jussieu; MALPIGHIACEAE; Guyana (Ak)

Kanaboeli → *Quassia guianensis* (Aublet) D.Dietrich; SIMAROUBACEAE; Surinam (Ar); syn. *Simaba cuspidata* Spruce ex Engl. var. *typica* Cronquist

→ *Quassia multiflora* (A.Jussieu) Nootboom; SIMAROUBACEAE; Surinam (Ar); syn. *Simaba multiflora* A.Jussieu

→ *Simaba cuspidata* Spruce ex Engl.; SIMAROUBACEAE; Surinam (Ar); var. *typica* Cronq., use *Quassia guianensis* (Aublet) D.Dietrich

Kanaküdi → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam (Ar); syn. *M. utilissima* Pohl

Kanakudiballi → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); var. *laevigata* Müll.Arg.

→ *Alchorneopsis floribunda* (Benth.) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)

→ *Cochlospermum insigne* A.St.-Hil.; COCHLOSPERMACEAE; Surinam (Ar);

sometimes family Bixaceae used

→ *Cochlospermum orinocense* (Kunth) Steudel; COCHLOSPERMACEAE; Surinam (Ar); syn. *C. parkeri* Planchon; sometimes family Bixaceae used

→ *Cochlospermum parkeri* Planchon; COCHLOSPERMACEAE; Surinam (Ar); use *C. orinocense* (Kunth) Steudel; sometimes family Bixaceae used

→ *Dichapetalum pedunculatum* (DC.) Baillon; DICHAPETALACEAE; Surinam (Ar)

Kanami ran → *Clibadium surinamense* L.; ASTERACEAE; Caribbean; means bastard conami

Kanarie wiwirie → *Anomospermum schomburgkii* Miers; MENISPERMACEAE; Surinam (Cr); use *Orthomene schomburgkii* (Miers) Barneby & Krukoff

→ *Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Surinam (Cr); syn. *Anomospermum schomburgkii* Miers

Kanarie, atjarie → *Acrodictidium aubletii* Kosterm.; LAURACEAE; Caribbean; use *Licaria*

Kanarihoedoe → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acrodictidium cannella* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kanau → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Guyana (Ak)

→ *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

→ *Peltogyne porphyrocardia* Griseb. ex Benth.; LEGUMINOSAE-CAES.; Guyana (Ak)

Kanawai → *Dimorphandra macrostachya* Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); ssp. *congestiflora* (Sprague & Sandwith) M.F.Silva; syn. *D. congestiflora* Sprague & Sandwith

Kanawiak → *Apeiba petoumo* Aublet; TILIACEAE; Guyana (P); syn. *A. echinata* Gaertner

Kandrahoedoe → *Isertia coccinea* (Aublet) J.F.Gmelin; RUBIACEAE; Surinam (Cr)

→ *Jacaranda filicifolia* (Anderson) D.Don; BIGNONIACEAE; Surinam (Cr)

→ *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Kaneel pisi → *Acrodictidium aubletii* Kosterm.; LAURACEAE; Surinam (Du); use *Licaria*

→ *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Du); syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

→ *Licaria guianensis* Aublet; LAURACEAE; Surinam (Du); syn. *Acrodictidium guianense* Nees

Kaneel, watra → *Miconia tomentella* Cogniaux; MELASTOMATACEAE; Surinam (Cr)

Kaneelappel → *Annona squamosa* L.; ANNONACEAE; Surinam (Du)

Kaneelboom → *Cinnamomum verum* J.S.Presl; LAURACEAE; Surinam (Du); syn. *C. zeylanicum* (Nees) Breyne; syn. *C. zeylanicum* Garcke ex Blume

→ *Cinnamomum zeylanicum* Garcke ex Blume; LAURACEAE; Surinam (Du); use *C. verum* J.S.Presl; syn. *C. zeylanicum* (Nees) Breyne

→ *Cinnamomum zeylanicum* (Nees) Breyne; LAURACEAE; Surinam (Du); use *C. verum* J.S.Presl; syn. *C. zeylanicum* Garcke ex Blume

Kaneelhart → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Du); syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kaneelhout → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Du); syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

→ *Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Du)

Kaneerjoe → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kaneerjoe (kaneerju) → *Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Caribbean

Kanekediballi (-ojoto) → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Ar)

Kanekediballi (kanekidiballi) → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); var. *laevigata* Müll.Arg.

Kaner'ati → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam; syn. *Acrodictidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kaner'pisi → *Licaria guianensis* Aublet; LAURACEAE; Surinam (Cr); syn. *Acrodictidium guianense* Nees

Kaneri pisi → *Mezilaurus itauba* (Meisner)

Taubert ex Mez; LAURACEAE; Surinam (Cr)

Kaneri(-hoedoe) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Bn); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kaneriballi (kanihiri) → *Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Ar); syn. *Bombax aquatica* (Aublet) K.Schumann

Kaneriehoedoe → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kangaromabon → *Mauritia martiana* Spruce; ARECACEAE (PALMAE); Guyana (Ak); syn. *M. aculeata* auct. non Kunth

Kanihiri → *Bombax aquatica* (Aublet) K.Schumann; BOMBACACEAE; Surinam (Ar); use *Pachira aquatica* Aublet
→ *Bombax jenmani* Oliver; BOMBACACEAE; Surinam (Ar)
→ *Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Ar); syn. *Bombax aquatica* (Aublet) K.Schumann

Kanihiri firiberoe → *Bombax spectabile* Ulbrich; BOMBACACEAE; Surinam (Ar); use *Pachira insignis* (Swartz) Savatier
→ *Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Ar); syn. *Bombax spectabile* Ulbrich

Kanirip → *Aspidosperma vargasii* A.DC.; APOCYNACEAE; Guyana (W)

Kankan pau → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Surinam (Sa); syn. *R. broadwayi* R.E.Fries

Kankan-pau → *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Sa); syn. *A. echinata* Gaertner

Kankanhoedoe → *Apeiba petoumo* Aublet; TILIACEAE; Surinam (Cr); syn. *A. echinata* Gaertner

Kankantri(e) → *Bombax pentandrum* L.; BOMBACACEAE; Surinam (Cr, Du); use *Ceiba pentandra* (L.) Gaertner; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier

Kankantrie → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam (Cr, Du); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Kano(e)aballi → *Aniba hostmanniana* (Nees) Mez; LAURACEAE; Surinam (Ar)

Kanoaballi → *Byrsonima stipulacea* A.Jussieu; MALPIGHIACEAE; Surinam (Ar)
→ *Nectandra ambigua* Meisner; LAURACEAE; Surinam (Ar)

Kanoewaballi → *Alchorneopsis floribunda* (Benth.) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar)
→ *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Ar)

Kantasiehoedoe → *Capirona decorticans* Spruce; RUBIACEAE; Surinam (Cr)
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Cr)

Kantiballi → *Licania microphylla* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana

Kantoballi → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)

Kap(p)eweri letri → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Kapa → *Carapa guianensis* Aublet; MELIACEAE; Surinam; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Kapai → *Alexa imperatricis* (Schomb.) Baillon; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *A. imperatricis* (Schomb.) Baker or *A. imperatricis* (Schomb.) Britton ?

Kapaichan → *Iriartea exorrhiza* C.Martius; ARECACEAE (PALMAE); Guyana (Ak); syn. *Socratea exorrhiza* (C.Martius) H.Wendland

Kapellendoos → *Pithecoctenium crucigerum* (L.) A.H.Gentry; BIGNONIACEAE; Surinam (Du); syn. *P. echinatum* (Jacq.) Baillon
→ *Pithecoctenium echinatum* (Jacq.) Baillon; BIGNONIACEAE; Surinam (Du); use *P. crucigerum* (L.) A.H.Gentry

Kapichian → *Iriartea exorrhiza* C.Martius; ARECACEAE (PALMAE); Guyana (M); syn. *Socratea exorrhiza* (C.Martius) H.Wendland

Kapiteinshout → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Du); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
→ *Perebea* sp.; MORACEAE; Surinam (Du)

Kapitinhoedoe → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Cr); syn. *H. poeppigiana* (C.Martius) Trécul

Kapoasie pomooire → *Duguetia calycina* Benoist; ANNONACEAE; Caribbean

Kapoea kraroen → *Tabernaemontana tetrastachya* Kunth; APOCYNACEAE; Surinam (Cr); syn. *T. repanda* E.Meyer; syn. *Bonafousia tetrastachya* (Kunth) Markgraf

Kapoea-eh (kapoeaeb) → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean

Kapoeakoeroe japoekoetja(re) → *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Surinam

- Kapoweri bamboesi** → *Lasiacis ligulata* Hitchcock & Chase; POACEAE; Surinam (Cr)
- Kappasienjolo** → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl
- Kapui-engomapai** → *Bauhinia kunthiana* Vogel; LEGUMINOSAE-CAES.; Guyana (Ak)
- Kapuriwari** → *Mahurea exstipulata* Benth.; BONNETIACEAE; Guyana (Ar)
- Kara** → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (M)
→ *Xylosterculia rugosa* (R.Brown) Kosterm.; STERCULIACEAE; Guyana (M); syn. *Sterculia rugosa* R.Brown
- Karaba** → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Ar); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
- Karababalli** → *Guarea guara* (Jacq.) Paul G.Wilson; MELIACEAE; Surinam (Ar); use *G. guidonia* (L.) Sleumer; syn. *G. trichilioides* L.
→ *Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam (Ar); syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.
→ *Guarea trichilioides* L.; MELIACEAE; Surinam (Ar); use *G. guidonia* (L.) Sleumer; syn. *G. guara* (Jacq.) Paul G.Wilson
→ *Protium tenuifolium* (Engl.) Engl.; BURSERACEAE; Surinam (Ar); syn. *P. neglectum* Swart
→ *Toulicia pulvinata* Radlk.; SAPINDACEAE; Surinam (Ar)
- Karababalli (-ibebero takakakore iawie)**
→ *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Ar)
- Karababalli (-takoro iwi, -tataroe)** → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Ar)
- Karababalli djamaro** → *Trichilia fuscescens* Radlk.; MELIACEAE; Surinam (Ar)
- Karababalli firobe sabokoro to kaabero**
→ *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Ar)
- Karabahoedoe** → *Isertia coccinea* (Aublet) J.F.Gmelin; RUBIACEAE; Surinam (Cr); var. *pentamera* Bremek.
- Karabipö** → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (Ak)
- Karagalla** → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Surinam (Ar)
- Karai** → *Unonopsis glaucopetala* R.E.Fries; ANNONACEAE; Guyana (Ak)
- Karaikarai** → *Cybianthus fulvopulverulentus* (Mez) Agostini; MYRSINACEAE; Guyana (Ak); ssp. *magnoliifolius* (Mez) Pipoly; syn. *Conomorpha magnoliifolia* Mez
→ *Ouratea schomburgkii* (Planchon) Engl.; OCHNACEAE; Guyana (Ak)
- Karaipjoo** → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. *Abarema jupunba* (Willd.) Britton & Killip
- Karakara** → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Surinam (Ar)
→ *Souroubea guianensis* Aublet ssp. *guianensis*; MARCGRAVIACEAE; Surinam (Ar)
- Karakararo** → *Diplasia kerataefolia* L.C.Rich.; CYPERACEAE; Surinam (Ar)
- Karakusin** → *Swartzia jenmanii* Sandwith; LEGUMINOSAE-PAP.; Guyana (P)
→ *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Guyana (P)
- Karalawai jakoenepel** → *Terminalia dichotoma* G.Meyer; COMBRETACEAE; Caribbean
- Karamai** → *Catostemma alstonii* Sandwith; BOMBACACEAE; Guyana (Ak)
- Karamanni** → *Symphonia globulifera* L.f.; GUTTIFERAE; Guyana (M); syn. *S. gabonensis* (Vesque) Pierre
- Karamatakan** → *Chamaecrista apoucouita* (Aublet) Irwin & Barneby; LEGUMINOSAE-CAES.; Guyana (Ak); syn. *Cassia apoucouita* Aublet
- Karami** → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Guyana (Ak)
→ *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Guyana (Ak)
→ *Pouteria minutiflora* (Britton) Sandwith; SAPOTACEAE; Guyana (Ak); syn. *Lucuma*
- Karampai** → *Annona haematantha* Miquel; ANNONACEAE; Surinam (Ar)
- Karanaré** → *Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Caribbean
- Karareru** → *Retiniphyllum schomburgkii* (Benth.) Müll.Arg.; RUBIACEAE; Guyana (Ak); ssp. *schomburgkii*
- Karaouassira** → *Connarus* sp.; CONNARACEAE; French Guiana
- Karapa** → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Ar); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
- Karapa bossi (krapabosi, kelapa bosie)**
→ *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Caribbean; syn. *Coumarouna odorata* Aublet
- Karapa-yek** → *Carapa guianensis* Aublet; MELIACEAE; Guyana (Ak); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
- Kararaburaye** → *Sloanea bracteosa* Ducke; ELAEOCARPACEAE; Guyana (M)
→ *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Guyana (M)
- Kararapo** → *Mimosa microcephala* Humbert & Bonpl. ex Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)
- Kararobandikoro** → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Surinam (Ar)
- Karawai** → *Peltogyne venosa* (Vahl) Benth.;

LEGUMINOSAE-CAES.; Guyana (Ak); ssp. densiflora (Spruce ex Benth.) M.F.Silva
Karekarero →Siparuna decipiens (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)
Karemero →Guatteria boyacana MacBryde; ANNONACEAE; Guyana
Karia →Astrocaryum plicatum Drude; ARECACEAE (PALMAE); Surinam (Ar); use A. sciophilum (Miquel) Pulle
→Astrocaryum sciophilum (Miquel) Pulle; ARECACEAE (PALMAE); Surinam (Ar); syn. A. plicatum Drude
Karidan (-hariraroe, -kakhekora) →Zanthoxylum pentandra (Aublet) R.A.Howard; RUTACEAE; Surinam (Ar); syn. Fagara pentandra Aublet; syn. Xanthoxylum
Kariman →Couma macrocarpa Barb.Rodr.; APOCYNACEAE; Guyana (W)
Karimora(-yek) →Talisia squarrosa Radlk.; SAPINDACEAE; Guyana (Ak)
Karinadan (karimadan, karidan) →Zanthoxylum pentandra (Aublet) R.A.Howard; RUTACEAE; Surinam (Ar); syn. Fagara pentandra Aublet; syn. Xanthoxylum
Karinasepare →Anartia attenuata (Miers) Markgraf; APOCYNACEAE; Surinam (Ar); use Tabernaemontana attenuata (Miers) Urban
→Stenosolen heterophyllus (Vahl) Markgraf; APOCYNACEAE; Surinam (Ar); use Tabernaemontana heterophylla Vahl
→Tabernaemontana attenuata (Miers) Urban; APOCYNACEAE; Surinam (Ar); syn. Anartia attenuata (Miers) Markgraf
→Tabernaemontana heterophylla Vahl; APOCYNACEAE; Surinam (Ar); syn. Stenosolen heterophyllus (Vahl) Markgraf
Karinero →Xylopia nitida Dunal; ANNONACEAE; Caribbean
Kariodan →Couratari multiflora (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. C. fagifolia (Miquel) Eyma
Karipö →Couratari multiflora (J.E.Smith) Eyma; LECYTHIDACEAE; Guyana (Ak); syn. C. fagifolia (Miquel) Eyma
Karishiri →Ephedranthus guianensis R.E.Fries; ANNONACEAE; Guyana (Ar)
→Oxandra asbeckii (Pulle) R.E.Fries; ANNONACEAE; Surinam (Ar)
Karkidaki →Phyllanthus sp.; EUPHORBIACEAE; Dutch West Indies
Karko broomtje →Thunbergia erecta (Benth.) T.Anderson; ACANTHACEAE; Surinam (Du); sometimes family Thunbergiaceae
Karoba-körö →Cassytha filiformis L.; LAURACEAE; Surinam (Ar)
Karobakerloballi →Mikania trinitaria DC.; ASTERACEAE; Surinam (Ar)
Karoekoro →Swartzia tomentosa DC.; LEGUMINOSAE-PAP.; Surinam (Ar); var. polyanthera (Steudel) Sandwith
Karoeloe →Centropogon surinamensis (L.) Presl; LOBELIACEAE; Caribbean
Karoeroe →Schefflera decaphylla (Seemann) Harms; ARALIACEAE; Surinam (Ar); syn. S. paraensis Huber apud Ducke
Karohoro →Didymopanax morototoni (Aublet) Decaisne & Planchon; ARALIACEAE; Surinam (Ar); use Schefflera morototoni (Aublet) Maguire, Steyerl. & Frodin
Karohoro (-ilihikoro), blunt-leaf →Schefflera decaphylla (Seemann) Harms; ARALIACEAE; Surinam (Ar, Cr); syn. S. paraensis Huber apud Ducke
→Schefflera paraensis Huber apud Ducke; ARALIACEAE; Surinam (Ar, Cr); use S. decaphylla (Seemann) Harms
Karohoro (-ilihikoro), pointed-leaf →Schefflera morototoni (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Ar, Cr); syn. Didymopanax morototoni (Aublet) Decaisne & Planchon
Karohoro, blunt-leaf →Schefflera decaphylla (Seemann) Harms; ARALIACEAE; Guyana (Cr); syn. S. paraensis Huber apud Ducke
Karohoro, pointed-leaf →Schefflera morototoni (Aublet) Maguire, St. & Frodin; ARALIACEAE; Guyana (Cr); syn. Didymopanax morototoni (Aublet) Decaisne & Planchon
Karoro →Schefflera morototoni (Aublet) Maguire, St. & Frodin; ARALIACEAE; Caribbean; syn. Didymopanax morototoni (Aublet) Decaisne & Planchon
Karoshiri →Centropogon cornutus (L.) Druce; LOBELIACEAE; Surinam (Ar)
→Centropogon surinamensis (L.) Presl; LOBELIACEAE; Surinam (Ar)
→Cuervea kappleriana (Miquel) A.C.Smith; CELASTRACEAE; Guyana (Ar)
→Hylenaea comosa (Swartz) Miers; CELASTRACEAE; Surinam (Ar); also family Hippocrateaceae used
Karoto →Inga edulis C.Martius; LEGUMINOSAE-MIM.; Surinam (Ar); syn. I. scabriuscula Benth.
→Inga graciliflora Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)
→Inga melinonis Sagot; LEGUMINOSAE-MIM.; Surinam (Ar)
Karoto (-waikey) →Inga stipularis DC.; LEGUMINOSAE-MIM.; Surinam (Ar)
Karoto firiberoe →Inga splendens Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)
Karrakarra (karakara) →Norantea guianensis Aublet; MARCGRAVIACEAE; Surinam (Ar)
Kartabac plum →Quassia cedron (Planchon) Baillon; SIMAROUBACEAE; Guyana (Cr); syn. Simaba cedron Planchon

- Kartang** → *Centrolobium paraense* Tulasne; LEGUMINOSAE-PAP.; Guyana (M)
- Kartapang** → *Bactris humilis* (Wallice) Burret; ARECACEAE (PALMAE); Guyana (Ak); syn. *B. exscapa* Barb.Rodr.
- Karte** → *Bambusa vulgaris* Schrader apud Wendler; POACEAE; Guyana (M); syn. *Guadua glomerata* Munro; syn. *G. angustifolia* Kunth
- Karuk** → *Genipa americana* L.; RUBIACEAE; Guyana (Ak); syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz
- Karvanari** → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)
- Karwai** → *Swartzia panacoco* (Aublet) Cowan; LEGUMINOSAE-PAP.; Guyana (P); var. *alstonii* (Sandwith) Cowan; syn. *S. tomentosa* DC. var. *alstonii* Sandwith
→ *Swartzia tomentosa* DC. var. *alstonii* Sandwith; LEGUMINOSAE-PAP.; Guyana (P); use *S. panacoco* (Aublet) Cowan var. *alstonii* (Sandwith) Cowan
- Kasaba pau** → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Surinam (Sa); syn. *R. broadwayi* R.E.Fries
- Kasabahoedoe** → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Cr); var. *laevigata* Müll.Arg.
→ *Antonia ovata* Pohl; ANTONIACEAE; Surinam (Cr); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae
- Kasabahoedoe (cassavehout)** → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Cr); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Kasanja** → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Au); syn. *C. riparium* A.C.Smith
- Kasapa erepalli (koesapa-)** → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean
- Kasapa palli** → *Panicum hirtum* Lam.; POACEAE; Caribbean
- Kasaroballi** → *Citharexylum macrophyllum* Poiret; VERBENACEAE; Surinam (Ar)
- Kasave** → *Antonia ovata* Pohl; ANTONIACEAE; Surinam (Du); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae
- Kaserena** → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (M)
- Kashima** → *Annona reticulata* L.; ANNONACEAE; Surinam (Ar)
- Kashiri** → *Ipomoea batatas* (L.) Poiret; CONVOLVULACEAE; Surinam (Ar)
→ *Serjania membranacea* Splitg.; SAPINDACEAE; Surinam (Ar)
- Kashiriye** → *Ischnosiphon leucophaeus* (Poeppig & Endl.) Körnicke; MARANTACEAE; Guyana (M); syn. *I. surinamensis* (Miquel) Körnicke
- Kasiri** → *Macrocentrum fasciculatum* (L.C.Rich.) Triana; MELASTOMATACEAE; Caribbean
- Kasiripio** → *Comolia purpurea* Miquel; MELASTOMATACEAE; Caribbean
- Kasjapareballi** → *Memora schomburgkii* (DC.) Miers; BIGNONIACEAE; Surinam (Ar); syn. *M. obovata* (Bureau & K.Schumann) Sprague & Sandwith
- Kasjoe (bos-)** → *Anacardium occidentale* L.; ANACARDIACEAE; Surinam (Cr, Du); syn. *A. occidentale* L. var. *indicum* DC.
- Kasjoe, boesi** → *Anacardium spruceanum* Benth.; ANACARDIACEAE; Surinam (Cr)
- Kasjoe, boesi (bos-)** → *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Surinam (Cr)
→ *Dimorphandra conjugata* (Splitg.) Sandwith; LEGUMINOSAE-CAES.; Surinam (Cr)
- Kasjoe, sabana (boesi-, bos-)** → *Curatella americana* L.; DILLENIACEAE; Surinam (Cr)
- Kasjoen** → *Anacardium occidentale* L.; ANACARDIACEAE; Surinam (Cr); syn. *A. occidentale* L. var. *indicum* DC.
- Kasoroballi** → *Mapouria ornithophila* Bremek.; RUBIACEAE; Surinam (Ar)
- Kassabahoedoe** → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Cr)
→ *Hernandia guianensis* Aublet; HERNANDIACEAE; Surinam (Ar); syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch
→ *Hernandia voyroni* Jumelle; HERNANDIACEAE; Surinam (Cr)
→ *Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam (Cr); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.
- Kassavehout** → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Du)
→ *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Du); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Kassoroballi** → *Neea* sp.; NYCTAGINACEAE; Surinam (Ar)
→ *Pisonia* sp.; NYCTAGINACEAE; Surinam (Ar)
→ *Pisonia* sp.; NYCTAGINACEAE; Surinam (Ar)
- Kata** → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Guyana (M)
→ *Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Guyana (M)
- Katakadan** → *Eugenia cryptadena* Amshoff; MYRTACEAE; Surinam (Ar)
- Katama** → *Catostemma alstonii* Sandwith; BOMBACACEAE; Guyana (P)
→ *Catostemma commune* Sandwith; BOMBACACEAE; Guyana (Ak)
- Katauwai** → *Dolioscarpus brevipedicellatus*

Garcke; DILLENIACEAE; Guyana (Ak)

Katjoesi aijale → *Marcgravia parviflora* Rich. ex Wittmack; MARCGRAVIACEAE; Caribbean; means tiger claws

Katjoesi anjalali → *Marcgravia coriacea* Vahl; MARCGRAVIACEAE; Caribbean; means tiger fingers

Katjoesi anjali → *Cymbopetalum brasiliense* (Vell.) Benth.; ANNONACEAE; Caribbean

Katoelienja → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Katoelima → *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Caribbean

Katoelimia (katoelinna) → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Caribbean; syn. *Coumarouna odorata* Aublet

Katoelinna (katoelimia) → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Caribbean; syn. *Coumarouna odorata* Aublet

Katoen, boesi (bos-) → *Bombax crassum* Uittien; BOMBACACEAE; Surinam (Cr)

→ *Bombax globosum* Aublet; BOMBACACEAE; Surinam (Cr)

→ *Bombax surinamensis* Uittien; BOMBACACEAE; Surinam (Cr)

Katoen, boesi (bos-, man-) → *Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Cr)

Katoen, bos → *Thespesia populnea* (L.) Solander ex M.N. Correa; MALVACEAE; Surinam (Du); syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster

Katoen, rode (redi-, rode-, siri-, witte-)

→ *Gossypium barbadense* L.; MALVACEAE; Surinam (Cr, Du)

Katoen, sabana (sesabana-, seisabana-)

→ *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Cr)

Katoenboom → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam (Du); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.

Katoenhoedoe → *Lueheopsis flavescens* (Uittien) Burret; TILIACEAE; Surinam (Cr)

→ *Lueheopsis rugosa* (Pulle) Burret; TILIACEAE; Surinam (Cr)

Katoetatai → *Clusia platystigma* Eyma; GUTTIFERAE; Surinam (Sa)

Katowar → *Bagassa guianensis* Aublet; MORACEAE; Guyana (W); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Katuburi → *Rapatea paludosa* Aublet; RAPATEACEAE; Surinam (Ar)

→ *Spathanthus unilateralis* Desvaux; RAPATEACEAE; Surinam (Ar)

Katunai → *Tetracera costata* C. Martius ex Eichler; DILLENIACEAE; Guyana (Ak); ssp. *rotundifolia* (Smith) Kubitzki; syn. *T. ovalifolia* DC.

Katuwaiye → *Dolioscarpus dentatus* (Aublet) Standley; DILLENIACEAE; Guyana (M)

→ *Dolioscarpus major* J.F. Gmelin; DILLENIACEAE; Guyana (M); syn. *D. rolandri* J.F. Gmelin; syn. *D. scandens* Poiret

→ *Dolioscarpus spraguei* Cheesman; DILLENIACEAE; Guyana (Ar); syn. *D. calinea* J.F. Gmelin

→ *Pinzona coriacea* C. Martius & Zucc.; DILLENIACEAE; Guyana (W); syn. *Dolioscarpus coriaceus* (C. Martius & Zucc.) Gilg

Katwai → *Davilla alata* (Ventenat) Briquet; DILLENIACEAE; Guyana (Ak)

Kau ai (cow eye) → *Clitoria arborescens* R. Brown; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Dioclea elliptica* Maxwell; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *D. glabra* Benth.

→ *Dioclea glabra* Benth.; LEGUMINOSAE-PAP.; Surinam (Cr); use *D. elliptica* Maxwell

Kau ai (cow eye), pikien → *Dioclea virgata* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *D. lasiocarpa* C. Martius

Kau ai (cow-eye) → *Mucuna sloanei* Fawcett & Rendle; LEGUMINOSAE-PAP.; Surinam (Cr)

Kau-ai, kleine → *Calopogonium coeruleum* (Benth.) Sauv.; LEGUMINOSAE-PAP.; Surinam (Du)

Kauada → *Licania alba* (Bernoulli) Cuatrec.; CHRYSOBALANACEAE; Guyana (M); syn. *L. venosa* Rusby

→ *Licania majuscula* Sagot; CHRYSOBALANACEAE; Guyana (M)

Kaudanaro → *Licania alba* (Bernoulli) Cuatrec.; CHRYSOBALANACEAE; Guyana (Ar); syn. *L. venosa* Rusby

Kauhoedoe → *Bagassa guianensis* Aublet; MORACEAE; Surinam (Cr); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Kaula → *Licania apetala* (E. Meyer) Fritsch; CHRYSOBALANACEAE; Surinam (Ar)

Kauston → *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam

Kauta → *Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Surinam (Ar); syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.

→ *Licania apetala* (E. Meyer) Fritsch; CHRYSOBALANACEAE; Surinam (Ar)

→ *Licania excelsa* Sabine; CHRYSOBALANACEAE; Guyana (Ar)

→ *Licania guianensis* (Aublet) Griseb.; CHRYSOBALANACEAE; Guyana (Ar)

→ *Licania laxiflora* Fritsch;

CHRYSOBALANACEAE; Surinam (Ar); syn. *Moquilea pallida* Hook.f.

→*Licania octandra* (Hoffsgg. ex Roemer & Sch.) Kuntze; CHRYSOBALANACEAE; Guyana (Ar); ssp. *octandra*; syn. *Moquilea utilis* Hook.f.; syn. *L. takutuensis* Standley; syn. *L. utilis* (Hook.f.) Fritsch

→*Licania persaudii* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana (Ar)

→*Moquilea pallida* Hook.f.; CHRYSOBALANACEAE; Surinam (Ar); use *Licania laxiflora* Fritsch

Kauta bandikoro →*Hirtella* sp.; CHRYSOBALANACEAE; Surinam (Ar)

Kauta diamaro →*Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Ar)

Kautaballi →*Licania alba* (Bernoulli) Cuatrec.; CHRYSOBALANACEAE; Surinam (Ar); syn. *L. venosa* Rusby

→*Licania majuscula* Sagot; CHRYSOBALANACEAE; Surinam (Ar)

→*Licania venosa* Rusby; CHRYSOBALANACEAE; Surinam (Ar); use *L. alba* (Bernoulli) Cuatrec.

Kautété →*Hiraea affinis* Miquel; MALPIGHIACEAE; Surinam (Cr)
→*Tetracera asperula* Miquel; DILLENIACEAE; Surinam (Cr); means 'cow liana'

Kauwi →*Clathrotropis macrocarpa* Ducke; LEGUMINOSAE-PAP.; Guyana (Ak)

Kawai →*Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Guyana (M)

Kawaio-hi →*Aristida setifolia* Kunth; POACEAE; Surinam (Ar)

Kawakanalli (kawanahalli, kawanari)
→*Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Kawanahalli (kawakanalli, kawanari)
→*Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Kawanalli (-harirroe, -kharemero)
→*Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Kawanari →*Hymenaea oblongifolia* Huber; LEGUMINOSAE-CAES.; Surinam (Ar); var. *davisii* (Sandwith) Lee & Langenh.; syn. *H. davisii* Sandwith

Kawanari (kawanahalli, kawakanalli)
→*Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Kawarratarra (awarratarra, awarratalla)
→*Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Kawarui →*Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Guyana (W)

Kawhoedoe →*Bagassa guianensis* Aublet;

MORACEAE; Surinam (Cr); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tilifolia* (Desv.) Benoist ?

Kawioi →*Aniba hypoglauca* Sandwith; LAURACEAE; Guyana (Ak); syn. *A. ovalifolia* Kosterm. non Mez

Kayuwa(-balli) →*Hibiscus tiliaceus* L.; MALVACEAE; Surinam (Ar); syn. *H. celebicus* Koorders

Keersie, sabana →*Eugenia puniceifolia* (Kunth) DC.; MYRTACEAE; Surinam (Cr); var. *dipoda* (DC.) O.Berg

Kees-keesie-kam-kam →*Pithecoctenium crucigerum* (L.) A.H.Gentry; BIGNONIACEAE; Surinam (Cr); syn. *P. echinatum* (Jacq.) Baillon

Keesi-keesi-kan-kan →*Apeiba petoumo* Aublet; TILIACEAE; Surinam (Cr); syn. *A. echinata* Gaertner

Kelaba →*Carapa guianensis* Aublet; MELIACEAE; Surinam; syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Kelapa bosie (karapa bossi, krapabosi)
→*Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Coumarouna odorata* Aublet

Kenamanarare →*Byrsonima verbascifolia* (L.) DC.; MALPIGHIACEAE; Guyana (M)

Kenolo →*Turnera ulmifolia* L.; TURNERACEAE; Caribbean; var. *surinamensis* Urban

Kenoto potele →*Chomelia tenuiflora* Benth.; RUBIACEAE; Surinam; syn. *Anisomeris tenuiflora* (Benth.) Pulle; syn. *Tarena* sp.

Kerapa (keraba) →*Carapa guianensis* Aublet; MELIACEAE; Surinam (Cr); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

Kereoe, tamoéné (toumone-) →*Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. paraensis* Benth.

Kerepipjo →*Mitracarpus discolor* Miquel; RUBIACEAE; Caribbean

Kerere-maeroe →*Bombax surinamensis* Uittien; BOMBACACEAE; Caribbean

Kereti (hard-) →*Ocotea wachenheimii* Benoist; LAURACEAE; Surinam (Ar)

Kereti wadili →*Nectandra pisi* Miquel; LAURACEAE; Surinam (Ar)

→*Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Surinam (Ar)

Kereti, soft →*Ocotea oblonga* (Meisner) Mez; LAURACEAE; Surinam (Ar)

Keretiballi →*Ocotea caudata* (Meisner) Mez; LAURACEAE; Surinam (Ar)

→*Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Surinam (Ar)

Kers, baby →*Flacourtia jangomas* (Loureiro) Rauschel; FLACOURTIACEAE; Surinam (Du)

Kers, Surinaamse →*Eugenia uniflora* L.; MYRTACEAE; Surinam (Du)

Kers, wilde → *Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Surinam (Du); syn. *M. anomala* Pulle

Kersenboom → *Eugenia patrisii* Vahl; MYRTACEAE; Surinam (Du)
→ *Malpighia glabra* L. var. *obovata* Niedenzu; MALPIGHIACEAE; Surinam (Du); syn. *M. puniceifolia* L.
→ *Malpighia puniceifolia* L.; MALPIGHIACEAE; Surinam (Du); use *M. glabra* L. var. *obovata* Niedenzu

Kersi, boesi → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Surinam (Cr)

Kerstmisbloem → *Cardiospermum halicacabum* L.; SAPINDACEAE; Surinam (Du)

Kerunite → *Swartzia* sp.; LEGUMINOSAE-PAP.; Guyana

Keto koorsoe → *Jussiaea suffruticosa* L.; ONAGRACEAE; Surinam (Cr); use *Ludwigia*
→ *Ludwigia* sp.; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea suffruticosa* L.

Kevatuk → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Khalaosé tokon → *Vernonia cinera* (L.) Lesson; ASTERACEAE; Surinam (Ar)

Khalemeroe → *Trattinickia* sp.; BURSERACEAE; Surinam (Ar)

Khalemeroe (kharremeroe) → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Ar); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Khalemeroe koelisiri → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk.

Kharemeroe jaroro → *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Surinam (Ar)

Kharemeroe shiruaballi → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Kharemeroe tataboe → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Kharremeroe (khalemeroe) → *Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Ar); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Kheronite → *Inga graciliflora* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak)
→ *Inga* sp.; LEGUMINOSAE-MIM.; Surinam (Ar)

Khobbé → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Sa); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Kiakia → *Licania* sp.; CHRYSOBALANACEAE;

Guyana

Kibidan (kiebiehiedan, kibihidan) → *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Ar)

Kibihidan → *Casearia celtidifolia* Poeppig ex Eichler; FLACOURTIACEAE; Surinam (Ar); use *C. ulmifolia* Vahl ex Ventenat
→ *Casearia commersoniana* Cambess.; FLACOURTIACEAE; Surinam (Ar); syn. *C. densiflora* Benth.
→ *Casearia densiflora* Benth.; FLACOURTIACEAE; Surinam (Ar); use *C. commersoniana* Cambess.
→ *Casearia guianensis* (Aublet) Urban; FLACOURTIACEAE; Surinam (Ar)
→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam (Ar)
→ *Casearia ulmifolia* Vahl ex Ventenat; FLACOURTIACEAE; Surinam (Ar); syn. *C. celtidifolia* Poeppig ex Eichler
→ *Ryania pyrifera* (Rich.) Uittien & Sleumer; FLACOURTIACEAE; Surinam (Ar); syn. *R. sagotiana* Eichler
→ *Ryania sagotiana* Eichler; FLACOURTIACEAE; Surinam (Ar); use *R. pyrifera* (Rich.) Uittien & Sleumer
→ *Ryania speciosa* Vahl; FLACOURTIACEAE; Surinam (Ar); var. *subuliflora* (Sandwith) Monach.
→ *Ryania speciosa* Vahl var. *tomentosa* (Miquel) Monach.; FLACOURTIACEAE; Surinam (Ar)

Kibihidan (kiebiehiedan, kibidan) → *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Ar)

Kibivala tokong → *Coutoubea ramosa* Aublet; GENTIANACEAE; Surinam (Ar); var. *racemosa* Benth.

Kibiwara ishi-lokodo → *Quararibea guianensis* Aublet; BOMBACACEAE; Guyana (Ak)

Kibiwara koton → *Coutoubea ramosa* Aublet; GENTIANACEAE; Surinam (Ar); var. *racemosa* Benth.

Kibiwara wesjilikodo → *Quararibea guianensis* Aublet; BOMBACACEAE; Surinam (Ar)

Kibiwe → *Genipa americana* L.; RUBIACEAE; Guyana (W); syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Kidalebanaro → *Bactris oligoclada* Burret; ARECACEAE (PALMAE); Surinam (Ar)

Kiebiehiedan (kibihidan, kibidan) → *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Ar)

Kieroe (toepoeroe-) → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. paraensis* Benth.

Kiejère-oe → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. paraensis* Benth.

Kiemboto → *Neopometia ptychandra* (Eyma)

Aubrév.; SAPOTACEAE; Surinam (Cr); use *Pouteria ptychandra* Eyma
→*Pouteria egregia* Sandwith; SAPOTACEAE; Surinam (Sa); syn. *Sandwithiodoxa egregia* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*
→*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Sa); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
→*Sandwithiodoxa egregia* (Sandwith) Aubrév. & Pellegr.; SAPOTACEAE; Surinam (Sa); use *Pouteria egregia* Sandwith
Kiemboto (kimboto) →*Pouteria ptychandra* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Neopometia ptychandra* (Eyma) Aubrév.; syn. *Lucuma*
→*Pouteria surinamensis* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Neopometia* ?; syn. *Lucuma*
Kienboto →*Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Cr)
Kierapolang →*Odontadenia grandiflora* (G.F.W.Meyer) Kuntze; APOCYNACEAE; Caribbean
Kiere pipio →*Borreria latifolia* (Aublet) K.Schumann; RUBIACEAE; Caribbean
Kierepaloe →*Drejera boliviensis* Nees; ACANTHACEAE; Caribbean
Kierie-ma (kiersie-ma) →*Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Sa)
Kiesie-ma →*Persea nivea* Mez; LAURACEAE; Surinam (Cr); syn. *P. benthamiana* Meisner
Kiesie-ma (kierie-ma) →*Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Sa)
Kiesiepoeloe joelle malledie →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma
Kilikowa →*Virola* sp.; MYRISTICACEAE; Guianas
Kill-cow bird's foot →*Psychotria* sp.; RUBIACEAE; Guyana (Cr)
Killakewa →*Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Guianas
Kimboto (kiemboto) →*Neopometia* sp.; SAPOTACEAE; Surinam (Cr); use *Pouteria surinamensis* Eyma
→*Pouteria ptychandra* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Neopometia ptychandra* (Eyma) Aubrév.; syn. *Lucuma*
→*Pouteria surinamensis* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Neopometia* ?; syn. *Lucuma*
Kimoto →*Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Caribbean; syn. *M. princeps* Naudin
Kinoto →*Sloanea usurpatrix* Sprague & Riley; ELAEOCARPACEAE; Guyana (Ak)
Kirakawa →*Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Guianas
Kire-oe (kieeroe) →*Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Caribbean; syn. *D. paraensis* Benth.
Kirichak →*Pagamea guianensis* Aublet var. *guianensis*; RUBIACEAE; Guyana (Ak)
Kirikahü →*Guatteria scandens* Ducke; ANNONACEAE; Surinam (Ar)
→*Malouetia flavescens* (Willd.) Müll.Arg.; APOCYNACEAE; Guyana (Ak); syn. *M. schomburgkii* Müll.Arg.
→*Malouetia obtusiloba* A.DC.; APOCYNACEAE; Guyana (Ak); use *M. tamaquarina* (Aublet) A.DC.
→*Malouetia schomburgkii* Müll.Arg.; APOCYNACEAE; Guyana (Ak); use *M. flavescens* (Willd.) Müll.Arg.
→*Malouetia tamaquarina* (Aublet) A.DC.; APOCYNACEAE; Guyana (Ak); var. *minor* A.DC.; syn. *M. obtusiloba* A.DC.
Kirikaua →*Iryanthera macrophylla* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
→*Iryanthera paraensis* Huber; MYRISTICACEAE; Surinam (Ar)
Kirikaua (-fierberoe, -hororodikoro)
→*Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
Kirikaua, swamp →*Iryanthera lancifolia* Ducke; MYRISTICACEAE; Surinam (Ar)
Kirikawa →*Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
Kirikawa (-fierberoe-, hororodikoro)
→*Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
Kirikiri →*Quararibea guianensis* Aublet; BOMBACACEAE; Surinam (Au)
Kirikiri-maroro →*Bombax crassum* Uittien; BOMBACACEAE; Surinam (Au)
Kirikowa wadelikoro →*Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Guianas
Kirimia →*Eleocharis geniculata* R.Brown; CYPERACEAE; Caribbean
Kirschok →*Pagamea capitata* Benth. ssp. *capitata*; RUBIACEAE; Guyana (Ak)
Kiroa →*Nectandra surinamensis* Mez; LAURACEAE; Guyana (W)
Kiomare →*Lagenaria vulgaris* Seringe; CUCURBITACEAE; Surinam (Ar)
Kisi angoola →*Maprounea* sp.; EUPHORBIACEAE; Surinam
Kiskidee →*Vismia falcata* Rusby; GUTTIFERAE; Trinidad
Kjarie kjanarie →*Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Caribbean
Kjawhatjawha →*Couepia guianensis* Aublet; CHRYSOBALANACEAE; Surinam (Sa); syn. *C. versicolor* Benoist
Kjedani soeta →*Hebepetalum humiriifolium*

(Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Ar)

Kjèkè awha →Stryphnodendron flammatum Kleinhoonte; LEGUMINOSAE-MIM.; Surinam

→Zygia racemosum (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam; syn. Marmaroxylon racemosum (Ducke) Killip; syn. Pithecellobium racemosum Ducke; syn. Abarema racemosa (Ducke) Kleinh.

Kjeraporan →Alchornea triplinervia (Sprengel) Müll.Arg.; EUPHORBIACEAE; Caribbean; var. laevigata Müll.Arg.

Kjinkjinhoedoe, witte (witti-) →Isertia spiciformis DC.; RUBIACEAE; Surinam (Du)

Klaipio (kleipjo, klepoe) →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. Abarema jupunba (Willd.) Britton & Killip

Klaipiroe →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. Abarema jupunba (Willd.) Britton & Killip

Klapperboom →Cocos nucifera L.; ARECACEAE (PALMAE); Surinam (Du)

Klaroen →Acnida cuspidata Bert. ex Sprengel; AMARANTHACEAE; Surinam (Du)

Klaroen (maka-) →Amaranthus spinosus L.; AMARANTHACEAE; Surinam (Du)

Klaroen (redi maka-) →Amaranthus lividus L.; AMARANTHACEAE; Surinam (Du)

Klein (zwart) parelhout →Casearia javitensis Kunth; FLACOURTIACEAE; Surinam (Du)

Kleinbladig swietiboontje →Inga heterophylla Willd.; LEGUMINOSAE-MIM.; Surinam (Du)

→Inga lateriflora Miquel; LEGUMINOSAE-MIM.; Surinam (Du)

Kleinbladige kromantie-kopi →Agonandra sylvatica Ducke; OPILIACEAE; Surinam (Du)

Kleinbladige map(p)a →Parahancornea fasciculata (Lam.) Benoist; APOCYNACEAE; Surinam (Du); syn. P. amapa (Huber) Ducke; syn. P. fasciculata (Poirot) Benoist

Kleine bosguave →Calyptanthus fasciculata O.Berg; MYRTACEAE; Surinam (Du)

Kleine kau-ai →Calopogonium coeruleum (Benth.) Sauv.; LEGUMINOSAE-PAP.; Surinam (Du)

Kleine kokriki →Rhynchosia phaseoloides (Swartz) DC.; LEGUMINOSAE-PAP.; Surinam (Du)

Kleine mispel →Henriettea multiflora Naudin; MELASTOMACEAE; Surinam (Du)

→Loreya mespiloides Miquel; MELASTOMACEAE; Surinam (Du)

Kleine warimbo →Ischnosiphon leucophaeus (Poeppig & Endl.) Körnicke; MARANTACEAE; Surinam (Cr); syn. I. surinamensis (Miquel) Körnicke

→Monotagma spicatum (Aublet) Macbr.;

MARANTACEAE; Surinam (Cr); syn. M. parkeri (Roscoe) K.Schumann

Kleipeo →Hydrochorea gonggripii (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam; syn. Arthrosamanea pullei (Kleinh.) Kleinhoonte; syn. A. gonggripii (Kleinh.) Kleinhoonte; syn. Pithecellobium gonggripii Kleinh.

Kleipjo (klaipjo, klepoe) →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. Abarema jupunba (Willd.) Britton & Killip

Klepoe, itoeloetane →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Caribbean; syn. Abarema jupunba (Willd.) Britton & Killip

Klieklie-maloeloe →Bombax crassum Uittien; BOMBACACEAE; Surinam

Klieklie-maoloe →Bombax surinamensis Uittien; BOMBACACEAE; Caribbean

Klikli →Apeiba petoumo Aublet; TILIACEAE; Surinam (Au); syn. A. echinata Gaertner

Klikli wete →Heisteria surinamensis Amshoff; OLACACEAE; Caribbean

Klikli-maloeloe →Bombax flaviflorum Pulle; BOMBACACEAE; Caribbean

→Bombax globosum Aublet; BOMBACACEAE; Caribbean

Kloemansinga →Anthurium digitatum (Jacq.) G.Don; ARACEAE; Surinam

Kloemansingi →Poecilanthus ovalifolia Kleinhoonte; LEGUMINOSAE-PAP.; Surinam

Knepa, boesi →Talisia pedicellaris (Sagot) Radlk.; SAPINDACEAE; Surinam (Cr)

Knepier →Melicoccus bijugatus Jacq.; SAPINDACEAE; Guadeloupe; syn. Melicocca bijuga L.

Knippa →Melicoccus bijugatus Jacq.; SAPINDACEAE; Surinam (Cr); syn. Melicocca bijuga L.

Knippa, bos →Talisia pedicellaris (Sagot) Radlk.; SAPINDACEAE; Surinam (Cr)

Knippelboom →Melicocca bijuga L.; SAPINDACEAE; Surinam (Du); use Melicoccus bijugatus Jacq.

→Melicoccus bijugatus Jacq.; SAPINDACEAE; Surinam (Du); syn. Melicocca bijuga L.

Knippen →Melicoccus bijugatus Jacq.; SAPINDACEAE; Surinam (Du); syn. Melicocca bijuga L.

Knopo warimbo →Ischnosiphon gracilis (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)

Knorije (knorye) →Casearia combaymensis Tulasne; FLACOURTIACEAE; Caribbean; syn. C. subopaca Triana & Planchon

Knorye (knorije) →Casearia sylvestris Swartz; FLACOURTIACEAE; Surinam

Knote epu →Copaifera epunctata Amshoff; LEGUMINOSAE-CAES.; Caribbean

Knoto epu → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Koako → *Aulomyrcia obtusa* (Schauer) O.Berg; MYRTACEAE; Surinam (Ar); var. *schomburgkiana* (O.Berg) Amshoff

Koapo → *Clusia platystigma* Eyma; GUTTIFERAE; Caribbean

Koatoi → *Alexa imperatricis* (Schomb.) Baillon; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *A. imperatricis* (Schomb.) Baker or *A. imperatricis* (Schomb.) Britton ?

Kobä → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Bn); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Kobbo → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Sa); syn. *C. riparium* A.C.Smith

Kobe → *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Guyana (W); syn. *I. scabriuscula* Benth. → *Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Guyana (W)

Kobèhè (koebèhè) → *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Sa) → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Surinam (Sa)

Kobel → *Pachira aquatica* Aublet; BOMBACACEAE; Guyana (Wr); syn. *Bombax aquatica* (Aublet) K.Schumann

Kobero → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Wr); syn. *M. balata* (Pierre) Dubard

Koberu → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Guyana (Wr); syn. *M. balata* (Pierre) Dubard

Kobiye → *Xylopia nitida* Dunal; ANNONACEAE; Guyana (M)

Kodawkodaw → *Clusia grandiflora* Splitg.; GUTTIFERAE; Guyana (W); syn. *C. insignis* C.Martius

Koddobakkoe → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Koded → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (W); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

→ *Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (W); syn. *Arthrosamanea corymbosa* (Rich.) Kleinhoonte; syn. *Pithecellobium corymbosum* (Rich.) Benth.

→ *Hydrochorea gonggripii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Guyana (W); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggripii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggripii* Kleinh.

Kodibi-assiballi → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Ar); var. *pellocarpa* (G.Meyer) Hook.

Kodibiesie (kodibiosie) → *Pouteria surinamensis* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Neopometia* ?; syn. *Lucuma*

Kodibiosiballi → *Pouteria reticulata* (Engl.) Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*

Kodiebie joesie → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Surinam (Ar)

Kodisioballi → *Pouteria egregia* Sandwith; SAPOTACEAE; Surinam (Ar); syn. *Sandwithiodoxa egregia* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Kodisiosiballi → *Ficus* sp.; MORACEAE; Surinam (Ar)

Kodjohoedoe → *Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Kodoibadin → *Chimarrhis cymosa* Jacq.; RUBIACEAE; Guyana (W)

Kodoiyarede → *Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Guyana (W)

Koearda → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Au)

Koebèhè (kobèhè) → *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Sa)

Koebésini (kupisini, koepesjini) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam; syn. *P. campestre* Aublet ?

Koebiali → *Stylosanthes viscosa* Swartz; LEGUMINOSAE-PAP.; Surinam (Ar)

Koeburelli → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Guyana (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Koedi bioséballi → *Micrandra brownsbergensis* Lanjouw; EUPHORBIACEAE; Surinam (Ar) → *Micrandra spruceana* (Baillon) R.E.Schultes; EUPHORBIACEAE; Surinam (Ar); syn. *Cunuria spruceana* Baillon

Koeffa (kufa, kofa) → *Clusia platystigma* Eyma; GUTTIFERAE; Surinam (Ar)

Koeipjarie → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Caribbean

Koejaké érépalli → *Miconia guianensis* (Aublet) Cogniaux; MELASTOMATACEAE; Caribbean

Koejake erepare → *Mapouria opaca* Bremek.; RUBIACEAE; Caribbean

Koejaké étepali → *Ilex jenmanii* Loesener; AQUIFOLIACEAE; Surinam (Cr)

Koejaké fehoeta → *Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam (Cr); syn. *G.*

guara (Jacq.) Paul G. Wilson; syn. *G. trichilioides* L.

Koejakinerépare → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Caribbean

Koejala tokon → *Drypetes variabilis* Uittien; EUPHORBIACEAE; Surinam (Ar)

Koejapa → *Psidium aquaticum* Benth.; MYRTACEAE; Caribbean

Koejari itabatje (-tapatje, -topaitje) → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. *Inga pendula* Willd.

Koejari tapaiko → *Crudia aromatica* (Aublet) Willd.; LEGUMINOSAE-CAES.; Caribbean

Koejari tapatje (-itabatje, -topaitje) → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. *Inga pendula* Willd.

Koejari topaitje (-tapatje, -itabatje) → *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Caribbean; var. *surinamensis* Kleinhoonte

Koejatta enaka → *Psychotria poeppigiana* Müll. Arg. ssp. *poeppigiana*; RUBIACEAE; Caribbean; syn. *Cephaelis tomentosa* (Aublet) Vahl

Koejethie → *Sterculia excelsa* C. Martius; STERCULIACEAE; Surinam (Ar)

Koejeti → *Rollinia exsucca* (DC. ex Dunal) A. DC.; ANNONACEAE; Surinam (Ar); syn. *R. broadwayi* R. E. Fries

Koejetsiballi → *Lueheopsis rugosa* (Pulle) Burret; TILIACEAE; Surinam (Ar)

Koejoemoeloe bimé → *Polygonum acuminatum* Kunth; POLYGONACEAE; Surinam (Ar)

Koejoemoeroe koesje → *Eclipta alba* (L.) Hasskarl; ASTERACEAE; Surinam (Ar); use *E. prostrata* (L.) L.

→ *Eclipta prostrata* (L.) L.; ASTERACEAE; Surinam (Ar); syn. *E. alba* (L.) Hasskarl

Koeki indiaan → *Agave boldinghiana* Trelease; AGAVACEAE; Curaçao; also family Amaryllidaceae used

→ *Agave vivipara* L.; AGAVACEAE; Curaçao; also family Amaryllidaceae used

Koeki spanjool → *Agave boldinghiana* Trelease; AGAVACEAE; Curaçao; also family Amaryllidaceae used

Koekoelitjiballi → *Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Ar)

Koela (kula, kola, cola) → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Ar); syn. *C. riparium* A. C. Smith

Koela ta → *Curatella americana* L.; DILLENACEAE; Caribbean

Koelaschiwenda pire → *Aphelandra deppeana* Schlttdl. & Chamisso; ACANTHACEAE; Caribbean; syn. *A. pectinata* Willd. ex Nees

Koelataka edan → *Euphorbia brasiliensis* Lam.;

EUPHORBIACEAE; Surinam (Ar)

Koelatawe wete → *Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Caribbean; syn. *Anomospermum schomburgkii* Miers

Koeleberoe iteballi → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Ar)

Koelekikojoko → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Ar)

Koelekoe → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Caribbean

Koelero → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Koeleroe jawaledan → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam (Ar)

Koelesiri konokidikoro → *Cupania scrobiculata* L. C. Rich.; SAPINDACEAE; Surinam (Ar); var. *guianensis* (Miquel) Radlk.

Koelesiriloco → *Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Surinam (Ar)

Koeli sebijarie → *Lablab purpureus* (L.) Sweet; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Dolichos lablab* L.

Koeliesierie → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Ar)

Koelihi koejeko firiberoe → *Guatteria schomburgkiana* C. Martius; ANNONACEAE; Surinam (Ar)

Koeliki kojoko (-karau bandihoro) → *Guatteria schomburgkiana* C. Martius; ANNONACEAE; Surinam (Ar)

Koeliki kojokoballi → *Eugenia cupulata* Amshoff; MYRTACEAE; Surinam (Ar)

Koeliki kokaja → *Xylopiia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R. E. Fries

Koelisiri → *Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Surinam (Ar)

Koelisiri (-khalemeroe, -khonemeroe) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Ar)

Koelisiri karemeroe (-koeleroe) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Ar)

Koelisiri koeleroe (-karemeroe) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Ar)

Koelisiri wokoeloe → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)

Koelisiri, witte (zwarte-, black-) → *Cupania scrobiculata* L. C. Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk.

Koema psehi → *Centrosema vexillatum* Benth.; LEGUMINOSAE-PAP.; Caribbean

- Koemaka** → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Caribbean; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.
- Koemakabo** → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; var. *sprucei* (Pax) Lanjouw; syn. *M. utilissima* Pohl
- Koemapésie** → *Asclepias curassavica* L.; ASCLEPIADACEAE; Caribbean
- Koemaramara** → *Duroia eriopila* L.f.; RUBIACEAE; Surinam (Ar)
- Koemaroe (kumaru, cumaru)** → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Coumarouna odorata* Aublet
- Koemataballi** → *Zornia diphylla* (L.) Persoon; LEGUMINOSAE-PAP.; Surinam (Ar)
- Koembetadde** → *Casearia javitensis* Kunth; FLACOURTIACEAE; Caribbean
→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam
- Koembetassi** → *Hirtella strigulosa* Steudel; CHRYSOBALANACEAE; Surinam
- Koembetassi (kombotassi)** → *Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Caribbean
→ *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Caribbean
- Koembetassi pote** → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Caribbean
- Koemè repo** → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl
- Koemété** → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Caribbean; var. *frondosa* (Benth.) Radlk.
- Koemoedjoko** → *Clusia platystigma* Eyma; GUTTIFERAE; Surinam (Cr)
- Koen boeviennga** → *Pera bicolor* (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Surinam (Sa)
- Koena tepie** → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Ar); var. *pellocarpa* (G.Meyer) Hook.
- Koenakaballi** → *Myrcia coumeta* (Aublet) DC.; MYRTACEAE; Surinam (Ar)
- Koenami(e)(ware-)** → *Clibadium sylvestre* (Aublet) Baillon; ASTERACEAE; Caribbean
- Koenamirang** → *Synedrella nodiflora* (L.) Gaertner; ASTERACEAE; Caribbean
- Koenanaballi** → *Bombax surinamensis* Uittien; BOMBACACEAE; Surinam (Ar)
- Koenapara epeliki** → *Clusia fockeana* Miquel; GUTTIFERAE; Caribbean
- Koenaparoë** → *Euphorbia cotinifolia* L.; EUPHORBIACEAE; Surinam (Ar); syn. *E. cotinoides* Miquel
- Koenapoeloe** → *Euphorbia cotinifolia* L.; EUPHORBIACEAE; Caribbean; syn. *E. cotinoides* Miquel
- *Euphorbia cotinoides* Miquel; EUPHORBIACEAE; Caribbean; use *E. cotinifolia* L.
- Koenapolan** → *Clusia fockeana* Miquel; GUTTIFERAE; Caribbean
- Koenaporang** → *Clusia nemorosa* G.Meyer; GUTTIFERAE; Caribbean
→ *Cybianthus fulvopulverulentus* (Mez) Agostini; MYRSINACEAE; Caribbean; ssp. *magnoliifolius* (Mez) Pipoly; syn. *Conomorpha magnoliifolia* Mez
→ *Rudgea hostmanniana* Benth.; RUBIACEAE; Caribbean
- Koenatepi** → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Ar)
- Koenatepi (coenatepi)** → *Platymiscium trinitatis* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar); var. *durum* Ducke
- Koenatepi (konatepi)** → *Platymiscium ulei* Harms; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *P. paraense* Huber
- Koenatjeppi** → *Matayba camptoneura* Radlk.; SAPINDACEAE; Surinam
- Koenbotassi** → *Mabea piriri* Aublet; EUPHORBIACEAE; Caribbean; syn. *M. ferruginea* Benth.
- Koengè** → *Xylopia aromatica* (Lam.) C.Martius; ANNONACEAE; Surinam (Sa); syn. *X. grandiflora* A.St.-Hil.; syn. *Uvaria aromatica* Lam.
→ *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Sa); var. *ferruginea* R.E.Fries
- Koenot(t)o epoei** → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
- Koenoto epoe** → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Caribbean; var. *pellocarpa* (G.Meyer) Hook.
- Koepai jalang** → *Schlegelia violacea* (Aublet) Griseb.; BIGNONIACEAE; Caribbean; syn. *S. lilacina* Miquel
- Koepaia** → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam; var. *monophylla* Sandwith
- Koepaia (kopaia)** → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Caribbean; syn. *Bignonia copaia* Aublet
- Koepaja(rang)** → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Caribbean; ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer
- Koepajoewa** → *Copaifera guianensis* Desf.; LEGUMINOSAE-CAES.; Surinam (Ar)
- Koepawa** → *Copaifera guianensis* Desf.; LEGUMINOSAE-CAES.; Surinam (Bn)
- Koepésini** → *Licania* sp.; CHRYSOBALANACEAE; Surinam
- Koepésini (koepesjini, kupisini)** → *Parinari*

campestris Aublet; CHRYSOBALANACEAE; Surinam; syn. *P. campestre* Aublet ?

Koepesjia → *Bonania maripoides* Hallier f.; EUPHORBIACEAE; Caribbean

Koepesjimirang → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Caribbean

Koepesjini (kupisini, koebésini) → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam; syn. *P. campestre* Aublet ?

Koepi-ie → *Goupia glabra* Aublet; CELASTRACEAE; Caribbean; syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

Koepirisi → *Combretum laxum* Jacq.; COMBRETACEAE; Caribbean; syn. *C. jacquinii* Griseb.

Koepisiri → *Combretum jacquinii* Griseb.; COMBRETACEAE; Caribbean; use *C. laxum* Jacq.

Koerababalli → *Spachea elegans* (G.Meyer) A.Jussieu; MALPIGHIACEAE; Surinam (Ar)

Koeraballi djamara → *Spachea elegans* (G.Meyer) A.Jussieu; MALPIGHIACEAE; Surinam (Ar); var. *obovata* Niedenzu

Koerahara (hariraro-, tamoene-) → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Ar); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley

Koerahara (kurahara) → *Calophyllum longifolium* Willd.; GUTTIFERAE; Surinam (Ar)

Koeraja → *Lisianthus chelonoides* L.f.; GENTIANACEAE; Caribbean

Koeralaballi → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Koerali → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Du); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley
→ *Calophyllum longifolium* Willd.; GUTTIFERAE; Surinam (Du)

Koerallaballi → *Aniba taubertiana* Mez; LAURACEAE; Surinam (Ar)

Koerara (kurahara, koerali, koerahara)
→ *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Ar); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley

Koeraro (-talaboe) → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Ar)

Koeraro talaboe → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Koerata → *Curatella americana* L.; DILLENACEAE; Caribbean

→ *Curatella americana* L.; DILLENACEAE; Caribbean

Koeratarie → *Ocotea wachenheimii* Benoist; LAURACEAE; Surinam (Cr)

Koereroe → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); var. *laevigata* Müll.Arg.

→ *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Ar); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Koereroe arara → *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries

→ *Xylopia surinamensis* R.E.Fries; ANNONACEAE; Surinam (Ar)

Koereroe arare (koeroe-) → *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries

Koeriesierie karemeroe → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Ar)

Koerisiri wokoro → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Caribbean

Koeroebahara → *Pentaclethra macroloba* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *P. filamentosa* Benth.

Koeroebakkeballi → *Mikania congesta* DC.; ASTERACEAE; Surinam (Ar)

Koeroeballi (koroballi koerahara)

→ *Pentaclethra filamentosa* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar); use *P. macroloba* (Willd.) Kuntze

→ *Pentaclethra macroloba* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. filamentosa* Benth.

Koeroeballi hariraro → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Koeroeboeralli (kuruburelli) → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Koeroekai → *Ocotea globifera* Mez; LAURACEAE; Surinam (Ar)

Koeroekai (kurokai), bastard → *Trattinickia rhoifolia* Willd.; BURSERACEAE; Surinam (Cr)

Koeroemoe enoeloe → *Clitoria arborescens* R.Brown; LEGUMINOSAE-PAP.; Caribbean
→ *Dioclea lasiocarpa* C.Martius; LEGUMINOSAE-PAP.; Caribbean; use *D. virgata* (Rich.) Amshoff

→ *Dioclea virgata* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *D. lasiocarpa* C.Martius

Koeroepa → *Pagamea guianensis* Aublet; RUBIACEAE; Caribbean

Koeroerahara (kurahara, kurara) → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Ar); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley
→ *Calophyllum calaba* Jacq.; GUTTIFERAE;

Surinam (Ar); use *Calophyllum brasiliense* Cambess.; syn. *C. rekoii* Standley
→*Calophyllum rekoii* Standley; GUTTIFERAE;
Surinam (Ar); use *C. brasiliense* Cambess.; syn. *C. calaba* Jacq.

Koeroeritjiballi (kororitiballi) →*Posoqueria longiflora* Aublet; RUBIACEAE; Surinam (Ar)

Koeroewakoe èrèpare →*Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam

Koes(o)eweran →*Bixa orellana* L.; BIXACEAE; Surinam; syn. *B. americana* Poiret

Koesa →*Newtonia suaveolens* (Miquel) Brenan; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Piptadenia suaveolens* Miquel

Koesali epo →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)

→*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Koesali jepo →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Ar); syn. *E. pulverulentum* Poeppig

Koesaljeppo (-tamoeni) →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Caribbean

Koesapa erepalli (kasapa-) →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Koesapoelan →*Croton matourensis* Aublet; EUPHORBIACEAE; Caribbean

Koesapoi →*Persea nivea* Mez; LAURACEAE; Caribbean; syn. *P. benthamiana* Meisner

Koesariejepoe →*Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean

Koesariejepo →*Pouteria cladantha* Sandwith; SAPOTACEAE; Caribbean; syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Koesewe iekolju →*Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Caribbean

Koeseweran (kusuweran) →*Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Caribbean

→*Sloanea eichleri* K.Schumann; ELAEOCARPACEAE; Caribbean

→*Sloanea grandiflora* Smith; ELAEOCARPACEAE; Caribbean; syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

→*Sloanea obtusa* K.Schumann; ELAEOCARPACEAE; Caribbean

Koesewiran →*Luehea rugosa* Pulle; TILIACEAE; Surinam

→*Lueheopsis rugosa* (Pulle) Burret; TILIACEAE;

Surinam

Koesierie paratare →*Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Koesiri (-palatali, -paratare) →*Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.

Koesiri (-paratare, -pialatara) →*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Koesiri balatarie →*Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.

Koesjo aromade →*Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)

Koesoewé (bos-) →*Bixa orellana* L.; BIXACEAE; Surinam (Cr); syn. *B. americana* Poiret

Koesoewé oe mattoe →*Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Sa); syn. *Aparisthium cordatum* (Jussieu) Baillon ?

Koesoewé pête →*Sloanea robusta* Uittien; ELAEOCARPACEAE; Caribbean

Koesoewé, boesi (bos-) →*Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*

→*Sloanea acutifolia* Uittien; ELAEOCARPACEAE; Surinam (Cr)

→*Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam (Cr); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

Koesoeweerjan (koeseweran) →*Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam (Ar); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

→*Sloanea guianensis* Benth.; ELAEOCARPACEAE; Surinam (Ar)

Koessapoli →*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Caribbean

Koetahaedoe →*Eugenia ramiflora* Desvaux; MYRTACEAE; Surinam (Ar)

Koetoepoe →*Paullinia pinnata* L.; SAPINDACEAE; Caribbean

Koetoepoe (moetoepoe) →*Serjania paucidentata* DC.; SAPINDACEAE; Caribbean

Koetoepoetoe →*Pleonotoma clematis* (Kunth) Miers; BIGNONIACEAE; Caribbean

Koetsjoe →*Clusia rosea* Jacq.; GUTTIFERAE; Dutch West Indies

Koewai epo →*Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Caribbean

Koewalarie, walapa →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Caribbean

Koewalli →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Caribbean

Koewotto epoe → *Diplostropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Kofa (koeffa, kufa) → *Clusia platystigma* Eyma; GUTTIFERAE; Surinam (Ar)

Kofa (kufa) → *Clusia palmicida* Rich. ex Planchon & Triana; GUTTIFERAE; Surinam (Ar)

Koffie waton (boesi-, mattoe-) → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Ar)

Koffieballi → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Ar)

→ *Coussarea surinamensis* Bremek.; RUBIACEAE; Surinam (Ar)

Koffiemama → *Erythrina atrosanguinea* Ridley; LEGUMINOSAE-PAP.; Surinam (Du); use *E. fusca* Loureiro; syn. *E. glauca* Willd.; syn. *E. ovalifolia* Roxburgh

→ *Erythrina corallodendron* L.; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Surinam (Du); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

→ *Erythrina glauca* Willd.; LEGUMINOSAE-PAP.; Surinam (Du); use *E. fusca* Loureiro; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

→ *Erythrina ovalifolia* Roxburgh; LEGUMINOSAE-PAP.; Surinam (Du); use *E. fusca* Loureiro; syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley

Koffiewato → *Siparuna decipiens* (Tulasne) A.D.C.; MONIMIACEAE; Caribbean

Kofi tiki, boesi → *Phyllanthus nobilis* (L.f.) Müll.Arg.; EUPHORBIACEAE; Surinam (Cr)

Kofi, boesi → *Tapura guianensis* Aublet; DICHAPETALACEAE; Surinam (Cr)

Kohara → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Du); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley

Kohire → *Serjania paucidentata* DC.; SAPINDACEAE; Guyana (W)

Kojalidan → *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Ar); var. *surinamensis* Kleinhoonte

Kojara tokon → *Casearia combaymensis* Tulasne; FLACOURTIACEAE; Surinam (Ar); syn. *C. subopaca* Triana & Planchon

→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam (Ar)

Kojetsie (kojetsjé, koyechi) → *Rollinia exsucca* (DC. ex Dunal) A.D.C.; ANNONACEAE; Surinam (Ar); syn. *R. broadwayi* R.E.Fries

Kojetsjé (kojetsie, koyechi) → *Rollinia exsucca* (DC. ex Dunal) A.D.C.; ANNONACEAE; Surinam (Ar); syn. *R. broadwayi* R.E.Fries

Kokeleko → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Du); syn. *B. nobilis* Miers

Kokerboom, zand → *Hura crepitans* L.; EUPHORBIACEAE; Surinam (Du)

Kokeriteballi → *Ilex guianensis* (Aublet) Kuntze; AQUIFOLIACEAE; Guyana

Kokeritjiballi (kokoritiballi, kororitiballi) → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Ar)

Kokkietoppi → *Dactyloctenium assurgens* (L.) Bremek.; POACEAE; Surinam (Cr)

Koko(ho) → *Licania poeppigii* Fritsch; CHRYSOBALANACEAE; Surinam (Ar)

Kokoho → *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Surinam (Sa)

→ *Licania robusta* Sagot; CHRYSOBALANACEAE; Surinam (Sa)

Kokolorelli (koroborelli, kuruburelli) → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Kokonibieta → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Sa)

Kokonihoe doe → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Cr)

→ *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Surinam (Sa); syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*

Kokonihoe doe, basra → *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Sa); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Kokorietjeballi → *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*

Kokorite → *Attalea regia* (C.Martius) Wess.Boer; ARECACEAE (PALMAE); Surinam (Ar); syn. *Maximiliana regia* C.Martius; syn. *M. maripa* (M.N.Correa) Drude

→ *Maximiliana maripa* (M.N.Correa) Drude; ARECACEAE (PALMAE); Surinam (Ar); syn. *M. regia* C.Martius; use *Attalea regia* (C.Martius) Wess.Boer

→ *Maximiliana regia* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); syn. *M. maripa* (M.N.Correa) Drude; use *Attalea regia* (C.Martius) Wess.Boer

Kokorite, sand → *Attalea sagotii* (Trail ex Thurn) Wess.Boer; ARECACEAE (PALMAE); Guyana (Cr); syn. *Orbignya sagotii* Trail ex Thurn

Kokoriti → *Musa sapientum* L.; MUSACEAE; Caribbean

Kokoritiballi → *Chrysophyllum* sp.; SAPOTACEAE; Guyana (Ar)

→ *Cynodendron* sp.; SAPOTACEAE; Guyana (Ar)

→ *Ichthyophora elegans* (Miquel) Baehni; SAPOTACEAE; Guyana (Ar); syn. *Oxythece leptocarpa* Miquel

→ *Neoxythece dura* (Eyma) Aubrév. & Pellegrin;

SAPOTACEAE; Surinam (Ar); use *Pouteria cuspidata* (A.DC.) Baehni ssp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma; syn. *Oxythece dura* (Eyma) Gilly
 →*Oxythece ambelaniifolia* (Sandwith) Cronquist; SAPOTACEAE; Surinam (Ar)
 →*Oxythece dura* (Eyma) Gilly; SAPOTACEAE; Surinam (Ar); use *Pouteria cuspidata* (A.DC.) Baehni ssp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma; syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin
 →*Oxythece elegans* (A.DC.) Baehni; SAPOTACEAE; Surinam (Ar); use *Planchonella elegans* (A.DC.) Baehni
 →*Oxythece guianensis* Lec.; SAPOTACEAE; Surinam (Ar)
 →*Oxythece leptocarpa* Miquel; SAPOTACEAE; Guyana (Ar); use *Ichthyophora elegans* (Miquel) Baehni
 →*Planchonella elegans* (A.DC.) Baehni; SAPOTACEAE; Surinam (Ar); syn. *Oxythece elegans* (A.DC.) Urban
 →*Pouteria dura* Eyma; SAPOTACEAE; Surinam (Ar); use *P. cuspidata* (A.DC.) Baehni ssp. *dura* (Eyma) T.D.Penn.; syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin; syn. *Oxythece dura* (Eyma) Gilly; syn. *Lucuma*
 →*Pouteria egregia* Sandwith; SAPOTACEAE; Surinam (Ar); syn. *Sandwithiodoxa egregia* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*
 →*Pouteria gonggrijpii* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*
 →*Pouteria reticulata* (Engl.) Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
Kokoritiballi (bastard-) →*Pouteria cuspidata* (A.DC.) Baehni; SAPOTACEAE; Surinam (Ar); spp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma; syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin; syn. *Oxythece dura* (Eyma) Gilly; syn. *Lucuma*
Kokoritiballi (kororitiballi, kokeritjiballi)
 →*Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Ar)
Kokoro (kokoho) →*Licania micrantha* Miquel; CHRYSOBALANACEAE; Surinam (Ar)
Kokoro konokodikoro →*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Caribbean
Kokorrode →*Heliotropium indicum* L.; BORAGINACEAE; Surinam
Kokriki →*Ormosia fastigiata* Tulasne; LEGUMINOSAE-PAP.; Surinam (Du)
 →*Ormosia melanocarpa* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du)
 →*Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam (Du)

Kokriki, hoogland (egron-) →*Ormosia coccinea* (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.;

Surinam (Du)
Kokriki, kleine →*Rhynchosia phaseoloides* (Swartz) DC.; LEGUMINOSAE-PAP.; Surinam (Du)
Kokriki, savanne (sabana) →*Ormosia costulata* (Miquel) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du); var. *trifoliata* (Huber) Amshoff
Kola (cola, koela, kula) →*Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Ar); syn. *C. riparium* A.C.Smith
Kola firebéroe →*Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Ar)
Kolaroripio →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl
Kolawiroelan →*Campomanesia grandiflora* (Aublet) Sagot; MYRTACEAE; Caribbean
Kole alin →*Myrcia berberis* DC.; MYRTACEAE; Surinam (Ar)
Kolehe alin →*Myrcia fallax* (Rich.) DC.; MYRTACEAE; Surinam (Ar); syn. *M. kegeliana* O.Berg
Kolero →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
Kolibri warimbo →*Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Kolihotaro →*Eupatorium odoratum* L.; ASTERACEAE; Surinam (Au)
Koloeanama beletere (-biltere) →*Henriettea succosa* (Aublet) DC.; MELASTOMACEAE; Surinam (Ar)
Kom →*Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Guyana (Ww); syn. *Oenocarpus bataua* C.Martius
Komakaran →*Sapium aubletianum* (Müll.Arg.) Huber; EUPHORBIACEAE; Caribbean
Komantie kwatie-ie →*Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera simiorum* (Benoist) Eyma
Komara marballi →*Chimarrhis turbinata* DC.; RUBIACEAE; Surinam (Ar)
Komaramara →*Duroia eriopila* L.f. var. *eriopila*; RUBIACEAE; Guyana (Ar)
Komaramara djamaro →*Duroia sprucei* Rusby; RUBIACEAE; Surinam (Ar)
Komaramaraballi →*Amaioua guianensis* Aublet; RUBIACEAE; Surinam (Ar); syn. *Amajoua guianensis* Aublet
Komaro →*Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam; syn. *Coumarouna odorata* Aublet
Komata →*Dolichos lablab* L.; LEGUMINOSAE-PAP.; Surinam (Ar); use *Lablab purpureus* (L.) Sweet
 →*Lablab purpureus* (L.) Sweet; LEGUMINOSAE-

PAP.; Caribbean; syn. *Dolichos lablab* L.
Kombotasje poté → *Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam
Kombotassi → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Caribbean
Kombotassi (koembetassi) → *Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Caribbean
→ *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Caribbean
Komorepo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl
Komotolie → *Mouriria crassifolia* Sagot; MELASTOMATAACEAE; Surinam (Ar)
Komotori → *Mouriria crassifolia* Sagot; MELASTOMATAACEAE; Surinam (Ar)
Komotoriballi → *Mouriria plasschaertii* Pulle; MELASTOMATAACEAE; Surinam (Ar); syn. *M. anomala* Pulle
Komotoriballi oenilokodikoro → *Mouriria grandiflora* A.DC.; MELASTOMATAACEAE; Surinam (Ar); syn. *M. princeps* Naudin
Kon(t)hout → *Minuartia guianensis* Aublet; OLACACEAE; Surinam (Du)
Konabaro → *Euphorbia cotinifolia* L.; EUPHORBIACEAE; Guyana (Wr); syn. *E. cotinoides* Miquel
Konali → *Clibadium surinamense* L.; ASTERACEAE; Surinam (Ar)
→ *Clibadium sylvestre* (Aublet) Baillon; ASTERACEAE; Surinam (Ar)
Konanaballi → *Bombax crassum* Uittien; BOMBACACEAE; Surinam (Ar)
Konanaballi (-koemaka djamaro) → *Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Ar)
Konaparan → *Rapanea guianensis* Aublet; MYRSINACEAE; Caribbean
Konaparo → *Euphorbia cotinifolia* L.; EUPHORBIACEAE; Guyana (Ar); syn. *E. cotinoides* Miquel
→ *Phyllanthus* sp.; EUPHORBIACEAE; Caribbean
Konapo (konopo) → *Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam; syn. *R. racemosa* G.Meyer
Konapoe → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Caribbean
Konatepi → *Platymiscium paraense* Huber; LEGUMINOSAE-PAP.; Surinam (Ar); use *P. ulei* Harms
Konatepi (koenatepi) → *Platymiscium ulei* Harms; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *P. paraense* Huber
Konatopo → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
Konawadranup → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (W)
→ *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (W); syn. *Tecoma leucoxydon* (L.) Martius ex DC.
Koni koni boontje → *Gonolobus viridiflorus* (G.F.W.Meyer) Roemer & Sch.; ASCLEPIADACEAE; Surinam (Cr)
Koni koni cassaba rerei → *Stigmaphyllon convolvulifolium* (Cav.) A.Jussieu; MALPIGHIACEAE; Surinam (Cr)
Koni koni réré → *Stigmaphyllon convolvulifolium* (Cav.) A.Jussieu; MALPIGHIACEAE; Surinam (Cr)
Koni koni waata (konni konnihoedoe)
→ *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Cr); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*
Koni konihoedoe → *Franchetella gonggrijpii* (Eyma) Aubrév.; SAPOTACEAE; Surinam (Cr); use *Pouteria gonggrijpii* Eyma
→ *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Cr); syn. *Sideroxydon guianensis* A.DC.
→ *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
→ *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*
→ *Pouteria multiflora* (A.DC.) Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma multiflora* A.DC.
Konijnen cassave → *Stigmaphyllon convolvulifolium* (Cav.) A.Jussieu; MALPIGHIACEAE; Surinam (Du)
→ *Stigmaphyllon hypoleucum* Miquel; MALPIGHIACEAE; Surinam (Du); syn. *S. fulgens* (Lam.) A.Jussieu
Koningsbloempje → *Asclepias curassavica* L.; ASCLEPIADACEAE; Surinam (Du)
Koningsboompje → *Asclepias curassavica* L.; ASCLEPIADACEAE; Surinam (Du)
Konnanaballi → *Bombax globosum* Aublet; BOMBACACEAE; Surinam (Ar)
Konni konni bita → *Strychnos* sp.; LOGANIACEAE; Surinam (Cr)
Konni konnihoedoe (koni koni waata)
→ *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Cr); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*
Konnohonana → *Gravisia aquilega* (Salisbury) Mez; BROMELIACEAE; Surinam (Ar)
Konoko → *Licania cuprea* Sandwith; CHRYSOBALANACEAE; Surinam (Ar)
→ *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxydon guianensis* A.DC.

→*Nemaluma engleri* (Eyma) Aubrév.; SAPOTACEAE; Surinam (Ar); use *Pouteria engleri* Eyma

Konoko(e-balli) →*Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Konokoballi →*Couepia glandulosa* Miquel; CHRYSOBALANACEAE; Surinam (Ar)

→*Pouteria scytalophora* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Pseudocladia scytalophora* (Eyma) Aubrév.; syn. *Lucuma*

→*Pseudocladia scytalophora* (Eyma) Aubrév.; SAPOTACEAE; Surinam (Ar); use *Pouteria scytalophora* Eyma

Konoliebie (konoribi) →*Amanoa guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

Konomeroelang →*Pterocarpus santalinoides* L'Héritier ex DC.; LEGUMINOSAE-PAP.; Caribbean

→*Pterocarpus santalinus* L.f.; LEGUMINOSAE-PAP.; Caribbean

Kononoballi →*Bombax jenmani* Oliver; BOMBACACEAE; Surinam (Ar)

Konopetele →*Hura crepitans* L.; EUPHORBIACEAE; Caribbean

Konopo (konapo) →*Rhizophora mangle* L.; RHIZOPHORACEAE; Caribbean; syn. *R. racemosa* G.Meyer

Konopo jolokolo →*Souroubea guianensis* Aublet; MARCGRAVIACEAE; Caribbean

Konopo jolokolo (-jolokoli) →*Norantea guianensis* Aublet; MARCGRAVIACEAE; Caribbean

Konore erepare (koenore-) →*Qualea dinizii* Ducke; VOCHYSIACEAE; Caribbean; var. *glabrifolia* Meurs

Konoriballi →*Eugenia brownsbergii* Amshoff; MYRTACEAE; Surinam (Ar)

Konoribi (konoliebie) →*Amanoa guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

Konoribiballi →*Homalium guianense* (Aublet) Warburg; FLACOURTIACEAE; Surinam (Ar)

Konorrépie →*Miconia prasina* (Swartz) DC.; MELASTOMATACEAE; Caribbean; syn. *M. pteropoda* Benth.

Konotoe apoe →*Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Konsaka wiwirie →*Peperomia pellucida* (L.) Kunth; PIPERACEAE; Surinam (Cr)

Konthout →*Minquartia guianensis* Aublet; OLACACEAE; Surinam (Du)

Kontoehoedoe →*Minquartia guianensis* Aublet; OLACACEAE; Surinam (Cr)

Konwai →*Bonnetia sessilis* Benth.; BONNETIACEAE; Guyana (Ak)

Koel pialli →*Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; French Guiana

Koorsie wiwirie →*Hyptis mutabilis* (Rich.) Briquet; LAMIACEAE; Surinam (Cr)

Koorsoe wiwirie →*Clibadium surinamense* L.; ASTERACEAE; Surinam (Cr)

→*Lantana camara* L.; VERBENACEAE; Surinam (Cr)

Kop'kopi →*Trema micrantha* (L.) Blume; ULMACEAE; Surinam

Kop(p)e →*Couroupita guianensis* Aublet; LECYTHIDACEAE; Caribbean

Kopai →*Clusia grandiflora* Splitg.; GUTTIFERAE; Guyana (Ak); syn. *C. insignis* C.Martius

Kopaia (koepaia) →*Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Caribbean; syn. *Bignonia copaia* Aublet

Kopaimengo →*Bauhinia kunthiana* Vogel; LEGUMINOSAE-CAES.; Guyana (M)

Kopaiyuwa →*Copaifera pubiflora* Benth.; LEGUMINOSAE-CAES.; Guyana (Ar)

Koperi →*Cedrela odorata* L.; MELIACEAE; Guyana (Ak); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Kopi, iria (ira-, jeria-, watra-) →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Cr); use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Kopie →*Goupia glabra* Aublet; CELASTRACEAE; Surinam (Cr); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

→*Miconia myriantha* Benth.; MELASTOMATACEAE; Surinam (Cr)

→*Ocotea caudata* (Meisner) Mez; LAURACEAE; Surinam (Cr)

Kopie, basra (piento-, pinto-) →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Kopie, bastard →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam (Cr)

Kopie, kromantie →*Pogonophora schomburgkiana* Miers ex Benth.; EUPHORBIACEAE; Surinam (Cr)

Kopijk →*Clusia rosea* Jacq.; GUTTIFERAE; Dutch West Indies

Kopö →*Calophyllum lucidum* Benth.; GUTTIFERAE; Guyana (Ak)

Kora hara →*Calophyllum longifolium* Willd.; GUTTIFERAE; Surinam (Ar)

Korakrie →*Calophyllum longifolium* Willd.; GUTTIFERAE; Surinam (Cr)

Korali →*Arrabidaea inaequalis* (DC. ex Splitg.) K.Schumann; BIGNONIACEAE; Caribbean

Koralso →*Tovomita obovata* Engl.; GUTTIFERAE; Guyana (Cr)

Koraraballi →*Capirona decorticans* Spruce; RUBIACEAE; Surinam (Ar)

→*Capirona surinamensis* Bremek.; RUBIACEAE;

Surinam (Ar)

Koraro → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Guyana (Ar); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

→ *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Ar)

Koraroballi → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

→ *Hymenolobium petraeum* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)

Koraroe ibiberoo → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Ar)

Koreko → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

→ *Clathrotropis macrocarpa* Ducke; LEGUMINOSAE-PAP.; Caribbean

Korekoran → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Caribbean;

syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Korhi kojoko ((koeleki-, koriki-)) → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Ar)

Koriki (koeliki) kojoko kazau bandihore

→ *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Surinam (Ar)

Koriki kojoko (-fatowa okilidikoro)

→ *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Ar)

Korir → *Buchenavia fanshawei* Exell & Maguire; COMBRETACEAE; Guyana (W)

Koroballi → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam (Ar); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Koroballi koerahara (koeroeballi)

→ *Pentaclethra maculosa* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. filamentosa* Benth.

Korobelli (koroborelli) → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *P. confertiflora* Benth.

Koroborelli (kokolorelli, kuruburelli)

→ *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

→ *Peltogyne pubescens* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); use *P. paniculata* Benth. ssp. *pubescens* (Benth.) M.F.Silva

Koroborelli (korobelli) → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *densiflora* (Spruce ex Benth.) M.F.Silva

Koroda → *Avicennia africana* Toml.; VERBENACEAE; Surinam (Ar); use *A. germinans* (L.) Stearn; syn. *A. marina* (Forsskal) Vierhapper;

syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer

→ *Avicennia germinans* (L.) Stearn; VERBENACEAE; Surinam (Ar); syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

→ *Avicennia marina* (Forsskal) Vierhapper; VERBENACEAE; Surinam (Ar); use *A. germinans* (L.) Stearn; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

→ *Avicennia mindanaense* Elmer; VERBENACEAE; Surinam (Ar); use *A. germinans* (L.) Stearn; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

→ *Avicennia nitida* Jacq.; VERBENACEAE; Surinam (Ar); use *A. germinans* (L.) Stearn; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Koroka → *Spigelia anthelmia* L.; SPIGELIACEAE; Caribbean; sometimes in family Loganiaceae

Korokoro → *Dichorisandra hexandra* (Aublet) Standley; COMMELINACEAE; Caribbean

Korokororo → *Ormosia coutinhoi* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Macroule coutinhoi* (Ducke) Pierce

Korokoroshiri → *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Guyana (Ar); syn. *I. scabriuscula* Benth.

Korokorowai → *Lonchocarpus rariflorus* C.Martius ex Benth.; LEGUMINOSAE-PAP.; Guyana (W)

Koron → *Catostemma fragrans* Benth.; BOMBACACEAE; Guyana (W)

Korongpinbiu → *Ormosia coutinhoi* Ducke; LEGUMINOSAE-PAP.; Guyana (AK); syn. *Macroule coutinhoi* (Ducke) Pierce

Korrietjeballi → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*

Kororitiballi (kokoritiballi, kokeritjiballi)

→ *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Ar)

Koroti waikay → *Inga* sp.; LEGUMINOSAE-MIM.; Surinam (Ar)

Korowako èrèpalli → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam

Korrekoran → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Caribbean

Kosararada → *Calycolpus goetheanus* (DC.) O.Berg; MYRTACEAE; Guyana (W); syn. *C. glaber* (Benth.) O.Berg

Köshiri → *Ischnosiphon leucophaeus* (Poeppig & Endl.) Körnicke; MARANTACEAE; Guyana (AK); syn. *I. surinamensis* (Miquel) Körnicke

Kosierie paratare → *Pouteria caimito* (Ruiz &

Pavón) Radlk.; SAPOTACEAE; Caribbean; syn. *Lucuma*

Kosing → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *P. oppositifolia* Spruce ex Benth.

Kosoebantie (kousebantie) → *Vigna unguiculata* (L.) Walpers; LEGUMINOSAE-PAP.; Surinam (Cr)

Kosopa → *Guatteria atra* Sandwith; ANNONACEAE; Guyana (M)

Kotakadan → *Ouratea schomburgkii* (Planchon) Engl.; OCHNACEAE; Surinam (Ar)

→ *Ouratea surinamensis* (Planchon) Wehlburg; OCHNACEAE; Surinam (Ar)

Kotakadana → *Calyptanthes fasciculata* O.Berg; MYRTACEAE; Caribbean

Kotik → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Ak)

Kötö → *Alexa imperatricis* (Schomb.) Baillon; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *A. imperatricis* (Schomb.) Baker or *A. imperatricis* (Schomb.) Britton ?

Kotore (kötöre) → *Sacoglottis guianensis* Benth.; HUMIRIACEAE; Guyana (Ak)

Kottobon → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Cr)

Kotupuru → *Serjania paucidentata* DC.; SAPINDACEAE; Caribbean

Kouali → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; French Guiana

Kouseband → *Vigna unguiculata* (L.) Walpers; LEGUMINOSAE-PAP.; Surinam (Du)

Kousebantie (kosoebantie) → *Vigna unguiculata* (L.) Walpers; LEGUMINOSAE-PAP.; Surinam (Cr)

Kowai → *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; Guyana (W)

Kowako → *Marlierea montana* ((Aublet) Amshoff; MYRTACEAE; Surinam (Ar)

Kowalli → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Kowapitano → *Eugenia patrisii* Vahl; MYRTACEAE; Caribbean

Kowaré → *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam

Koware, parapi → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Caribbean

Kowarioman → *Pagamea guianensis* Aublet; RUBIACEAE; Surinam (Ar)

Kowato jongairi → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Caribbean; ssp. *densiflora* (Spruce ex Benth.) M.F.Silva

Kowhoedoe → *Bagassa guianensis* Aublet; MORACEAE; Surinam (Cr); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?

Koyarakushi → *Cephaelis violacea* (Aublet) Swartz; RUBIACEAE; Surinam (Ar); use *Psychotria apoda* Steyerl.

→ *Faramea longifolia* Benth.; RUBIACEAE; Guyana (Ar); use *F. sessilifolia* (Kunth) A.DC.

→ *Faramea sessilifolia* (Kunth) A.DC.; RUBIACEAE; Guyana (Ar); syn. *F. longifolia* Benth.

→ *Psychotria apoda* Steyerl.; RUBIACEAE; Surinam (Ar); syn. *Cephaelis violacea* (Aublet) Swartz

→ *Psychotria involucrata* Swartz; RUBIACEAE; Surinam (Ar); use *P. officinalis* (Aublet) Raeusch. ssp. *officinalis*

→ *Psychotria officinalis* (Aublet) Raeusch.; RUBIACEAE; Surinam (Ar); ssp. *officinalis*; syn. *P. involucrata* Swartz

Koyechi (kojetsjé, kojetsie) → *Rollinia broadwayi* R.E.Fries; ANNONACEAE; Surinam (Ar); use *R. excussa* (DC. ex Dunal) A.DC.

→ *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Surinam (Ar); syn. *R. broadwayi* R.E.Fries

Koyechiballi → *Lueheopsis rugosa* (Pulle) Burret; TILIACEAE; Surinam (Ar)

Koyomaroïn → *Clusia grandiflora* Splitg.; GUTTIFERAE; Guyana (W); syn. *C. insignis* C.Martius

Krabasihoedoe → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Surinam (Cr); syn. *T. obovata* (Ruiz & Pavón) Steudel

→ *Vitex compressa* Turcz.; VERBENACEAE; Surinam (Cr)

→ *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber; VERBENACEAE; Surinam (Cr)

Krabiete koenkoen → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Cr)

Krachikan → *Macrolobium suaveolens* Spruce ex Benth.; LEGUMINOSAE-CAES.; Guyana (Ak)

Kraipèoe → *Hydrochorea gonggripii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.;

Surinam; syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggripii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggripii* Kleinh.

Kramo → *Pouteria cladantha* Sandwith; SAPOTACEAE; Guyana (M); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Krap(p)a → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Du); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley

→ *Carapa guineensis* Sweet ex Jussieu; MELIACEAE; Surinam (Du); use *C. procera* A.DC.; syn. *C. surinamensis* Miquel

→ *Carapa procera* A.DC.; MELIACEAE; Surinam (Du); syn. *C. guineensis* Sweet ex Jussieu; syn. *C. surinamensis* Miquel

→ *Carapa surinamensis* Miquel; MELIACEAE;

Surinam (Du); use *C. procera* A.DC.; syn. *C. guineensis* Sweet ex Jussieu

Krapabosi (karapa bossi, kelapa bosie)

→*Dipteryx odorata* (Aublet) Willd.;

LEGUMINOSAE-PAP.; Caribbean; syn.

Coumarouna odorata Aublet

Krapata →*Ricinus communis* L.;

EUPHORBIACEAE; Surinam

Krappa, makka (man-, jan-) →*Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Cr)

Krappa, man →*Tapirira guianensis* Aublet;

ANACARDIACEAE; Surinam (Cr)

Kras pisi →*Ocotea caudata* (Meisner) Mez;

LAURACEAE; Surinam (Cr)

Kras(si) pisi (blaka-, harde-, zwarte-) →*Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam

(Cr); syn. *O. glomerata* (Nees) Benth.

Krasi krasihodoe →*Capirona decorticans*

Spruce; RUBIACEAE; Surinam (Cr)

→*Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Cr)

Kraskrastikie →*Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Du)

Krassi pisi (kressi-) →*Tapirira guianensis*

Aublet; ANACARDIACEAE; Surinam (Cr)

Krassi wiwiri →*Amaranthus lividus* L.;

AMARANTHACEAE; Surinam (Cr)

Krawasaka →*Aechmea melinonii* Hook.;

BROMELIACEAE; Caribbean

Krè krè →*Piper avellanum* (Miquel) C.DC.;

PIPERACEAE; Caribbean; var. *angustifolium*

Trelease & Yuncker; syn. *P. moraballianum*

Trelease

Kre-kre →*Tetrazygia pallens* Cogniaux;

MELASTOMATACEAE; Puerto Rico

Kreke →*Senna multijuga* (A.Rich.) Irwin &

Barneby; LEGUMINOSAE-CAES.; Surinam (Cr);

syn. *Cassia multijuga* A.Rich.

Kremota →*Miconia macrophylla* (D.Don) Triana;

MELASTOMATACEAE; Surinam; use *M. serrulata*

(DC.) Naudin

Kremoto →*Miconia serrulata* (DC.) Naudin;

MELASTOMATACEAE; Surinam; syn. *M.*

macrophylla (D.Don) Triana

Kressi pisi (krassi-) →*Tapirira guianensis*

Aublet; ANACARDIACEAE; Surinam (Cr)

Kri-miauloeloe →*Bombax crassum* Uittien;

BOMBACACEAE; Caribbean

Krikri-maroeoe (-maloeloe) →*Bombax*

globosum Aublet; BOMBACACEAE; Surinam

Krikri-wosijono →*Bombax flaviflorum* Pulle;

BOMBACACEAE; Caribbean

Kriporsan →*Tapura guianensis* Aublet;

DICHAPETALACEAE; Surinam (Ar)

Kroebara →*Pentaclethra macroloba* (Willd.)

Kuntze; LEGUMINOSAE-MIM.; Surinam (Cr); syn.

P. filamentosa Benth.

Kroekroe-amète →*Sterculia excelsa* C.Martius;

STERCULIACEAE; Caribbean

Kroesoeroe →*Annona montana* Macfarlane;

ANNONACEAE; Caribbean

Kromantie →*Pavonia typhalaea* Cav.;

MALVACEAE; Surinam (Cr)

Kromantie kopie →*Aspidosperma album* (Vahl)

Benoist; APOCYNACEAE; Surinam (Cr); syn. *A.*

spruceanum Benth.

→*Aspidosperma megalocarpon* Müll.Arg.;

APOCYNACEAE; Surinam (Cr)

→*Aspidosperma spruceanum* Benth.;

APOCYNACEAE; Surinam (Cr); use *A. album*

(Vahl) Benoist

→*Aspidosperma woodsonianum* Markgraf;

APOCYNACEAE; Surinam (Cr)

→*Pogonophora schomburgkiana* Miers ex Benth.;

EUPHORBIACEAE; Surinam (Cr)

Kromantie kopie, kleinbladig →*Agonandra*

sylvatica Ducke; OPILACEAE; Surinam (Cr, Du)

Kromantie wiwirie →*Struchium sparganophora*

(L.) Kuntze; ASTERACEAE; Surinam (Cr)

Kromoko →*Eugenia wulschlaegeliana* Amshoff;

MYRTACEAE; Surinam (Cr)

Kromokoe →*Mouriria vernicosa* Naudin;

MELASTOMATACEAE; Surinam

Kruidnagels →*Eugenia aromatica* (L.) Baillon;

MYRTACEAE; Surinam (Du); use *Syzygium*

aromaticum (L.) Merrill & Perry

→*Syzygium aromaticum* (L.) Merrill & Perry;

MYRTACEAE; Surinam (Du); syn. *Eugenia*

aromatica (L.) Baillon

Ksipoeloe oelemari →*Couratari guianensis*

Aublet; LECYTHIDACEAE; Caribbean; syn. *C.*

pulchra Sandwith

Kuaduli →*Eschweilera grata* Sandwith;

LECYTHIDACEAE; Guyana (Ak)

Kudibiushi (kudibutshi) →*Micropholis venulosa*

(C.Martius & Eichler) Pierre; SAPOTACEAE;

Surinam (Ar)

Kudibutshi →*Micropholis guianensis* (A.DC.)

Pierre; SAPOTACEAE; Guyana (Ak); syn.

Sideroxylon guianensis A.DC.

→*Micropholis venulosa* (C.Martius & Eichler)

Pierre; SAPOTACEAE; Surinam (Ar)

Kuepielan →*Licania hypoleuca* Benth. var.

hypoleuca; CHRYSOBALANACEAE; Surinam

(Cr); syn. *L. grisea* Kleinhoonte

Kuepirian →*Licania incana* Aublet;

CHRYSOBALANACEAE; Caribbean

Kufa →*Clusia amazonica* Planchon & Triana;

GUTTIFERAE; Surinam (Ar)

→*Clusia crassifolia* Planchon & Triana;

GUTTIFERAE; Surinam (Ar)

→*Clusia cuneata* Benth.; GUTTIFERAE; Surinam

(Ar)

→*Clusia grandiflora* Splitg.; GUTTIFERAE;

Surinam (Ar); syn. *C. insignis* C.Martius

→*Clusia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); use *C. grandiflora* Splitg.
 →*Clusia jenmanii* Engl.; GUTTIFERAE; Guyana (Ar)
 →*Clusia minor* L.; GUTTIFERAE; Guyana (Ar); syn. *C. venosa* Jacq.
 →*Clusia mutica* Maguire; GUTTIFERAE; Guyana (Ar)
 →*Clusia myriandra* Planchon & Triana; GUTTIFERAE; Guyana (Ar)
 →*Clusia pana-panari* (Aublet) Choisy; GUTTIFERAE; Surinam (Ar); syn. *C. colorans* Klotzsch ex Engl.
 →*Clusia planchoniana* Engl.; GUTTIFERAE; Guyana (Ar); var. *oblongifolia* Vesque; use *C. schomburgkiana* (Planchon & Triana) Benth. ex Engl.
 →*Clusia purpurea* (Splitg.) Engl.; GUTTIFERAE; Guyana (Ar)
 →*Clusia rosea* Jacq.; GUTTIFERAE; Guyana (Ar)
 →*Clusia savannarum* Maguire; GUTTIFERAE; Guyana (Ar)
 →*Clusia schomburgkiana* (Pl. & Triana) Benth. ex Engl.; GUTTIFERAE; Guyana (Ar); syn. *C. planchoniana* Engl. var. *oblongifolia* Vesque
 →*Clusia venosa* Jacq.; GUTTIFERAE; Guyana (Ar); use *C. minor* L.
Kufa (kofa) →*Clusia palmicida* Rich. ex Planchon & Triana; GUTTIFERAE; Surinam (Ar)
Kufi →*Coffea arabica* L.; RUBIACEAE; Surinam (Ar)
Kufiballi →*Guarea davisii* Sandwith; MELIACEAE; Surinam (Ar)
 →*Guarea pubescens* (Rich.) A.Jussieu ssp. *pubescens*; MELIACEAE; Surinam (Ar); syn. *G. concinna* Sandwith; syn. *G. davisii* Sandwith
Kuina-(y)ek →*Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana
Kukwi →*Peltogyne venosa* (Vahl) Benth. ssp. *venosa*; LEGUMINOSAE-CAES.; Guyana (Ar)
Kula →*Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Surinam (Ar)
 →*Caryocar riparium* A.C.Smith; CARYOCARACEAE; Surinam (Ar); use *C. microcarpum* Ducke
Kula (koela, kola, cola), ebecoro →*Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Ar); syn. *C. riparium* A.C.Smith
Kulishiri →*Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Surinam (Ar)
 →*Matayba camptoneura* Radlk.; SAPINDACEAE; Surinam (Ar)
 →*Matayba guianensis* Aublet; SAPINDACEAE; Surinam (Ar)
 →*Matayba inelegans* Radlk.; SAPINDACEAE; Guyana (Ar)
 →*Matayba macrostylis* Radlk.; SAPINDACEAE;

Guyana (Ar)

→*Matayba oligandra* Sandwith; SAPINDACEAE; Guyana (Ar)
 →*Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Guyana (Ar)
 →*Vouarana guianensis* Aublet; SAPINDACEAE; Surinam (Ar)
Kulishiri, black →*Cupania hirsuta* Radlk.; SAPINDACEAE; Guyana (Ar)
 →*Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk.
Kum →*Oenocarpus bacaba* C.Martius var. *xanthocarpa* Trail; ARECACEAE (PALMAE); Guyana (M)
Kum-waia →*Oenocarpus bacaba* C.Martius var. *xanthocarpa* Trail; ARECACEAE (PALMAE); Guyana (Ak)
Kumae (kumak, kumaka) →*Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Guyana (M); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.
Kumaka →*Ceiba occidentalis* (Sprengel) Burkill; BOMBACACEAE; Surinam (Ar); use *C. pentandra* (L.) Gaertner; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.
 →*Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam (Ar); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.
 →*Ceiba thonningii* Chevalier; BOMBACACEAE; Surinam (Ar); use *C. pentandra* (L.) Gaertner; syn. *C. occidentalis* (Sprengel) Burkill; syn. *Bombax pentandrum* L.
Kumakaballi →*Coussapoa hypochlora* Standley; MORACEAE; Surinam (Ar)
 →*Ficus gleasonii* Standley; MORACEAE; Surinam (Ar); syn. *F. mathewsii* Miquel
 →*Ficus mathewsii* Miquel; MORACEAE; Surinam (Ar); syn. *F. gleasonii* Standley
Kumani (coenami) →*Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *T. toxicaria* (Swartz) Persoon
Kumara (kumar, kumar, koemaroo)
 →*Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Coumarouna odorata* Aublet
Kumaraukou →*Ficus mathewsii* Miquel; MORACEAE; Guyana (W); syn. *F. gleasonii* Standley
Kumarawa →*Strychnos guianensis* (Aublet) C.Martius; LOGANIACEAE; Guyana (Ak)
Kumar →*Coumarouna odorata* Aublet; LEGUMINOSAE-PAP.; Surinam (Ar); use *Dipteryx odorata* (Aublet) Willd.
Kumar (**cumar, koemaroo, kumara**)
 →*Dipteryx odorata* (Aublet) Willd.;

LEGUMINOSAE-PAP.; Surinam (Ar); syn.
Coumarouna odorata Aublet

Kumasaukun →*Lonchocarpus martyonii*
A.C.Smith; LEGUMINOSAE-PAP.; Guyana (W)

Kume →*Lecythis zabucajo* Aublet;
LECYTHIDACEAE; Guyana (Ak); syn. *L. davisii*
Sandwith

Kume-warai →*Poecilandra retusa* Tulasne;
OCHNACEAE; Guyana (Ak)

Kumeyuarai →*Terminalia quintalata* Maguire;
COMBRETACEAE; Guyana (Ak)

Kunali-malai →*Casearia sylvestris* Swartz;
FLACOURTIACEAE; Guyana (Ak); var. *sylvestris*;
syn. *C. sylvestris* Swartz var. *angustifolia* Uittien

Kunaparu →*Phyllanthus* sp.; EUPHORBIACEAE;
Guyana

Kunapi →*Tephrosia sinapou* (Buc'hoz) A.Chev.;
LEGUMINOSAE-PAP.; Surinam (Cr) ; syn. *T.*
toxicaria (Swartz) Persoon

Kunawaru →*Miconia acinodendron* (L.) Sweet;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia alata* (Aublet) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia albicans* (Swartz) Triana;
MELASTOMATAACEAE; Surinam (Ar)

→*Miconia aplostachya* (Bonpl.) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia bracteata* (DC.) Triana;
MELASTOMATAACEAE; Guyana (Ak); syn. *M.*
demerarensis Gleason

→*Miconia campestris* (Benth.) Triana;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia chrysophylla* (Rich.) Urban;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia ciliata* (Rich.) DC.;
MELASTOMATAACEAE; Guyana (Ak); syn. *M.*
virgulata Gleason

→*Miconia demerarensis* Gleason;
MELASTOMATAACEAE; Guyana (Ak); use *M.*
bracteata (DC.) Triana

→*Miconia fallax* DC.; MELASTOMATAACEAE;
Guyana (Ak)

→*Miconia gratissima* Benth.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia guianensis* (Aublet) Cogniaux;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia holosericea* (L.) DC.;
MELASTOMATAACEAE; Guyana (Ar)

→*Miconia hypoleuca* (Benth.) Triana;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia ibaguensis* (Bonpl.) Triana;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia kappleri* Naudin;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia lateriflora* Cogniaux;
MELASTOMATAACEAE; Guyana (Ak); syn. *M.*
disparilis (Standley) R.O.Williams

→*Miconia longifolia* (Aublet) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia macrothyrsa* Benth.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia marginata* Triana;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia mucronata* (Desr.) Naudin;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia myriantha* Benth.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia nervosa* (Smith) Triana;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia panicularis* Gleason;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia plukenetii* Naudin;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia polita* Gleason; MELASTOMATAACEAE;
Guyana (Ak)

→*Miconia prasina* (Swartz) DC.;
MELASTOMATAACEAE; Guyana (Ak); syn. *M.*
pteropoda Benth.

→*Miconia pubipetala* Miquel;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia punctata* (Desr.) D.Don;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia racemosa* (Aublet) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia rubiginosa* (Bonpl.) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia rufescens* (Aublet) DC.;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia ruficalyx* Gleason;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia rugosa* Triana; MELASTOMATAACEAE;
Guyana (Ak); syn. *M. plumosa* Gleason

→*Miconia rupestris* Ule; MELASTOMATAACEAE;
Guyana (Ak)

→*Miconia serrulata* (DC.) Naudin;
MELASTOMATAACEAE; Guyana (Ak); syn. *M.*
macrophylla (D.Don) Triana

→*Miconia superba* Ule; MELASTOMATAACEAE;
Guyana (Ak)

→*Miconia tinifolia* Naudin;
MELASTOMATAACEAE; Guyana (Ak)

→*Miconia tomentosa* (Rich.) D.Don;
MELASTOMATAACEAE; Guyana (Ak)

Kunukwai →*Tachia schomburgkiana* Benth.;
GENTIANACEAE; Guyana (Ak)

Kupe (kupé) →*Clusia amazonica* Planchon &
Triana; GUTTIFERAE; Guyana (Cr)

Kupisini →*Parinari montana* Aublet;
CHRYSOBALANACEAE; Caribbean

Kupisini (koespesjini, koebésini) →*Parinari*
campestris Aublet; CHRYSOBALANACEAE;
Surinam; syn. *P. campestre* Aublet ?

Kupiye →*Goupia glabra* Aublet;

CELASTRACEAE; Caribbean; syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used

Kupo → *Piper aduncum* L.; PIPERACEAE; Guyana (Ak)

→ *Piper arboreum* Aublet; PIPERACEAE; Guyana (Ak)

→ *Piper avellanum* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak); syn. *P. moraballianum* Trelease

→ *Piper citrifolium* Lam.; PIPERACEAE; Guyana (Ak); var. *parkerianum* (Miquel) Trelease & Yuncker; syn. *P. parkerianum* (Miquel) C.DC.

→ *Piper citrifolium* Lam. var. *citrifolium*; PIPERACEAE; Guyana (Ak); syn. *P. anonaefolium* Kunth

→ *Piper demeraranum* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak)

→ *Piper dilatatum* Rich.; PIPERACEAE; Guyana (Ak); syn. *P. corylifolium* Kunth

→ *Piper divaricatum* G.Meyer; PIPERACEAE; Guyana (Ak); syn. *P. nitidum* Vahl

→ *Piper flexicaule* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak); syn. *P. flexuosum* Rudge

→ *Piper glabrescens* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak); var. *caparorum* (C.DC.) Yuncker

→ *Piper gleasonii* Yuncker; PIPERACEAE; Guyana (Ak)

→ *Piper hispidum* Swartz; PIPERACEAE; Guyana (Ak); syn. *P. asperifolium* Rich.; syn. *P. scabrum* Swartz

→ *Piper hostmannianum* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak)

→ *Piper kappleri* C.DC.; PIPERACEAE; Guyana (Ak); syn. *P. marowinianum* C.DC.

→ *Piper kegelianum* (Miquel) C.DC.; PIPERACEAE; Guyana (Ak); syn. *P. berbicense* Miquel

→ *Piper miquelii* C.DC.; PIPERACEAE; Guyana (Ak); syn. *P. brachystachyum* Miquel

→ *Piper obliquum* Ruiz & Pavón; PIPERACEAE; Guyana (Ak)

→ *Piper rupunianum* Trelease & Yuncker; PIPERACEAE; Guyana (Ak)

→ *Piper wachenheimii* Trelease; PIPERACEAE; Guyana (Ak)

Kurahara → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Ar); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley

→ *Calophyllum lucidum* Benth.; GUTTIFERAE; Surinam (Ar)

Kurahara silverballi → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Cr); syn. *O. glomerata* (Nees) Benth.

Kurallaballi → *Aniba taubertiana* Mez; LAURACEAE; Surinam (Ar)

Kurana → *Cedrela odorata* L.; MELIACEAE; Guyana (An); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

→ *Protium decandrum* (Aublet) Marchand; BURSERACEAE; Surinam (Ar)

Kurang → *Inga aggregata* G.Don; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga bourgonii* (Aublet) DC.; LEGUMINOSAE-MIM.; Guyana (Ar)

→ *Inga brevipes* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga capitata* Desvoux; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga disticha* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *I. scabriuscula* Benth.

→ *Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga graciliflora* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga gracilifolia* Ducke; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga huberi* Ducke; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga jenmanii* Sandwith; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga meissneriana* Miquel; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga melinonis* Sagot; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga myriantha* Poeppig & Endl.; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *I. sciadon* Steudel

→ *Inga nobilis* Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *I. urnifera* Kleinhoonte

→ *Inga rhynchocalyx* Sandwith; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *I. coriacea* (Persoon) Desvoux

→ *Inga splendens* Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga stipularis* DC.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Guyana (Ak)

→ *Inga umbellifera* (Vahl) Steudel;

LEGUMINOSAE-MIM.; Guyana (Ak)
Kurang (kuran) → *Inga leiocalycina* Benth.; LEGUMINOSAE-MIM.; Guyana (Ak, W)
→ *Inga strigillosa* Spruce ex Benth.; LEGUMINOSAE-MIM.; Guyana (Ak, W)
Kuraraballi → *Ixora* sp.; RUBIACEAE; Guyana
Kuraru → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth
→ *Dinizia excelsa* Ducke; LEGUMINOSAE-MIM.; Guyana (Ar)
Kurashi-uru-baie → *Hirtella glandulosa* Sprengel; CHRYSOBALANACEAE; Guyana (Ak)
Kurero shiruaballi → *Aniba hypoglauca* Sandwith; LAURACEAE; Surinam (Ar); syn. *A. ovalifolia* Kosterm. non Mez
→ *Aniba ovalifolia* Kosterm., non Mez; LAURACEAE; Surinam (Ar); use *A. hypoglauca* Sandwith
Kurero silverballi → *Aniba hypoglauca* Sandwith; LAURACEAE; Surinam (Ar); syn. *A. ovalifolia* Kosterm. non Mez
Kurihikoyoko → *Anaxagorea acuminata* (Dunal) A.DC.; ANNONACEAE; Guyana (Ar); syn. *A. multiflora* R.E.Fries
→ *Anaxagorea brevipes* Benth.; ANNONACEAE; Guyana (Ar)
→ *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Guyana (Ar)
→ *Anaxagorea multiflora* R.E.Fries; ANNONACEAE; Guyana (Ar); use *A. acuminata* (Dunal) A.DC.
→ *Anaxagorea petiolata* R.E.Fries; ANNONACEAE; Guyana (Ar)
Kurimiru → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Ar)
Kurokai → *Protium crenatum* Sandwith; BURSERACEAE; Guyana (Ar)
→ *Protium sagotianum* Marchand; BURSERACEAE; Guyana (Ar); syn. *P. insigne* (Triana & Planchon) Engl.
Kurokai (common-) → *Protium decandrum* (Aublet) Marchand; BURSERACEAE; Guyana (Cr)
Kurokai (koeroekai), bastard → *Trattinickia rhoifolia* Willd.; BURSERACEAE; Guyana (Cr)
Kurua → *Attalea sagotii* (Trail ex Thurn) Wess.Boer; ARECACEAE (PALMAE); Surinam (Ar); syn. *Orbignya sagotii* Trail ex Thurn
→ *Orbignya sagotii* Trail ex Thurn; ARECACEAE (PALMAE); Surinam (Ar); use *Attalea sagotii* (Trail ex Thurn) Wess.Boer
Kuruati → *Renealmia floribunda* K.Schumann; ZINGIBERACEAE; Surinam (Ar); syn. *R. pedicellaris* Gleason
→ *Renealmia pedicellaris* Gleason; ZINGIBERACEAE; Surinam (Ar); use *R. floribunda* K.Schumann
Kuruburelli (kokolorelli, koroborelli)
→ *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
Kurukoruru → *Ormosia coutinhoi* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Macroule coutinhoi* (Ducke) Pierce
Kusapö → *Croton matourensis* Aublet; EUPHORBIACEAE; Guyana (Ak)
Kusuweran (koeseweran) → *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Caribbean
→ *Sloanea guianensis* Benth.; ELAEOCARPACEAE; Caribbean
→ *Sloanea obtusa* K.Schumann; ELAEOCARPACEAE; Caribbean
Kut → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (Ak); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
Kutunau → *Dolioscarpus savannarum* Sandwith; DILLENACEAE; Guyana (Ak)
Kuwariri → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Caribbean
Kuyama → *Xylopia aromatica* (Lam.) C.Martius; ANNONACEAE; Surinam (Ar); syn. *X. grandiflora* A.St.-Hil.; syn. *Uvaria aromatica* Lam.
→ *Xylopia longifolia* (Sagot) R.E.Fries; ANNONACEAE; Surinam (Ar)
→ *Xylopia nitida* Dunal; ANNONACEAE; Surinam (Ar)
→ *Xylopia pulcherrima* Sandwith; ANNONACEAE; Surinam (Ar)
Kuyama, black → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Guyana (Cr)
Kuyama, white → *Xylopia frutescens* Aublet; ANNONACEAE; Guyana (Ar); var. *ferruginea* R.E.Fries
Kuyoriye → *Buchenavia fanshawei* Exell & Maguire; COMBRETACEAE; Guyana (M)
Kwa-bada → *Capsicum frutescens* L.; SOLANACEAE; Surinam (Ar)
Kwa-ie (be kwa-ie) → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Sa)
Kwa-sepére → *Bellucia grossularioides* (L.) Triana; MELASTOMACEAE; Surinam (Ar); syn. *B. aubletii* Naudin
Kwabanaro → *Strychnos bredemeyeri* (Schultes) Sprague & Sandwith; LOGANIACEAE; Surinam (Ar); syn. *S. pedunculata* (A.DC.) Benth.
→ *Strychnos cogens* Benth.; LOGANIACEAE; Surinam (Ar)
→ *Strychnos darienensis* Seemann; LOGANIACEAE; Surinam (Ar)
→ *Strychnos diabolii* Sandwith; LOGANIACEAE; Surinam (Ar)
→ *Strychnos erichsonii* M.R.Schomb.; LOGANIACEAE; Surinam (Ar)

→*Strychnos guianensis* (Aublet) C.Martius; LOGANIACEAE; Surinam (Ar)
 →*Strychnos melinoniana* Baillon; LOGANIACEAE; Surinam (Ar)
 →*Strychnos mitscherlichii* M.R.Schomb.; LOGANIACEAE; Surinam (Ar); var. *mitscherlichii*
 →*Strychnos peckii* Robinson; LOGANIACEAE; Surinam (Ar)
 →*Strychnos pedunculata* (A.DC.) Benth.; LOGANIACEAE; Surinam (Ar); use *S. bredemeyeri* (Schultes) Sprague & Sandwith
 →*Strychnos tomentosa* Benth.; LOGANIACEAE; Surinam (Ar)
Kwabitanoe →*Eugenia albicans* (O.Berg) Urban; MYRTACEAE; Caribbean
Kwaha →*Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Sa); syn. *C. calaba* Jacq.; syn. *C. rekoii* Standley
Kwai (itoetanoe-) →*Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Caribbean; syn. *T. obovata* (Ruiz & Pavón) Steudel
Kwai (kwa-ie) →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam
Kwaie, bé →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam; syn. *V. melinonii* Beckmann
Kwak(k)oe →*Marlierea montana* (Aublet) Amshoff; MYRTACEAE; Surinam (Ar)
Kwakkoe →*Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Surinam (Du); syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley
Kwako →*Marlierea montana* (Aublet) Amshoff; MYRTACEAE; Surinam (Ar)
Kwalelang →*Rudgea hostmanniana* Benth.; RUBIACEAE; Surinam
Kwaleli (kwarie, kwalie) →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Cr); use *Ruizterania albiflora* (Warming) Marcono-Berti ?
Kwaleli (woto-) →*Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam (Cr)
Kwaleli, woto →*Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs
Kwali, wane →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Kwalidan →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig
Kwalie →*Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
Kwalie (guave-) →*Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Du)
Kwalie (kwaleli, kwarie) →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Cr); use *Ruizterania albiflora* (Warming) Marcono-Berti ?
Kwalie (kwarie, kwalli, kaw-ie, kwai)

→*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Kwalie, tapirin →*Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Caribbean
Kwalie, wiswis →*Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Surinam (Cr)
Kwallabo →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl
Kwallie, wana →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Du)
Kwana kwarie (goewanna-, gwanna-)
 →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Kwapitano →*Acalypha scandens* Benth.; EUPHORBIACEAE; Caribbean
 →*Eugenia brownsbergii* Amshoff; MYRTACEAE; Caribbean
Kwarama →*Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Guyana (M); syn. *Oenocarpus bataua* C.Martius
Kwaranapoiballi →*Unonopsis guatterrioides* (A.DC.) R.E.Fries; ANNONACEAE; Surinam (Ar); var. *elongata* R.E.Fries
Kwaré →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
Kwarerian →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig
Kwarie →*Antonia ovata* Pohl; ANTONIACEAE; Surinam (Cr); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae
 →*Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Guyana (Ak)
 →*Vochysia obscura* Warming; VOCHYSIACEAE; Surinam (Cr)
Kwarie (kwalie, kwaleli) →*Qualea albiflora* Warming; VOCHYSIACEAE; Surinam (Cr); use *Ruizterania albiflora* (Warming) Marcono-Berti ?
Kwarie (watra-) →*Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Surinam (Cr)
Kwarie wiwiri →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
Kwarie, berg →*Qualea rosea* Aublet; VOCHYSIACEAE; Surinam (Du)
Kwarie, goejaba (gujave-, watra-) →*Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs
Kwarie, goewanna (gwanna-, kwana-)
 →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Kwarie, kwana (goewanna-, gwanna-)
 →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Kwarie, rode →*Vochysia melinonii* Becker; VOCHYSIACEAE; Surinam (Du); use *V. guianensis* Aublet

- Kwarie, rode (moti-)** → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr, Du); syn. *V. melinonii* Beckmann
- Kwarie, savanna (sabana-)** → *Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam (Cr); var. *spruceana* Niedenzu
→ *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Cr); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu f. *propinqua* (Benth.) Niedenzu
- Kwarie, sengri- (siengrie-, singri-)** → *Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig
- Kwarie, wana (goebaja-, appel-, ceder-)**
→ *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Surinam (Cr, Du)
- Kwarie, warra (watra-, wana-, -wiwiri)**
→ *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
- Kwarie, was-wassi (wossie-wossie-)**
→ *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
- Kwarie, wassi-wassi (woto-)** → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs
- Kwarie, water (watra-, mantie-, woto-)** → *Qualea courulea* Aublet; VOCHYSIACEAE; Surinam (Du)
- Kwarie, water (wiswis-, wassi-wassi-)** → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr, Du); var. *glabrifolia* Meurs
- Kwarie, wiswis (wies wies-)** → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
- Kwarie, witte (echte-)** → *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Du)
- Kwariehoedoe** → *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
- Kwariroman** → *Duroia sprucei* Rusby; RUBIACEAE; Surinam (Ar)
→ *Pagamea guianensis* Aublet; RUBIACEAE; Surinam (Ar)
- Kwariroman konokodikoro** → *Amaioua guianensis* Aublet; RUBIACEAE; Surinam (Ar); syn. *Amajoua guianensis* Aublet
- Kwariye** → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Guyana (M)
- Kwaru** → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Guyana (Ak)
- Kwaskwashoedoe** → *Ampelocera edentula* Kuhlmann; ULMACEAE; Surinam
- Kwassi kamasoebi** → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Sa)
- Kwassi kwassihoedoe** → *Sloanea* sp.; ELAEOCARPACEAE; Surinam (Cr)
- Kwassie (-bita, -hout)** → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Cr); syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet
- Kwassie kansoebie** → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Sa)
- Kwassie kwassietikie** → *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Au)
→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam (Au)
- Kwassini** → *Pouteria cuspidata* (A.DC.) Baehni; SAPOTACEAE; Caribbean; ssp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma; syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin; syn. *Oxythece dura* (Eyma) Gilly; syn. *Lucuma*
- Kwat(t)abob(b)i(e), gewone** → *Chrysophyllum cuneifolium* (Rudge) A.DC.; SAPOTACEAE; Surinam (Du); use *Ecclinusa cuneifolia* (Rudge) Aubrév.
→ *Ecclinusa cuneifolia* (Rudge) Aubrév.; SAPOTACEAE; Surinam (Cr, Du); syn. *Chrysophyllum cuneifolium* (Rudge) A.DC.
- Kwat(t)abobi** → *Pouteria caimito* (Ruiz & Pavón) Radlk.; SAPOTACEAE; Surinam (Sa); syn. *Lucuma*
- Kwata** → *Dalbergia glauca* (Desvaux) Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)
→ *Drepanocarpus* sp.; LEGUMINOSAE-PAP.; Surinam (Ar); use *Machaerium* sp.
→ *Licania* sp.; CHRYSOBALANACEAE; Surinam (Ar)
→ *Machaerium* sp.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Drepanocarpus* sp.
- Kwata kama** → *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Cr); var. *surinamensis* Kleinhoonte
- Kwata kama (kwata kamo)** → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Inga pendula* Willd.
- Kwata kamo (kwata kama)** → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Inga pendula* Willd.
- Kwata moperi** → *Amanoa guianensis* Aublet; EUPHORBIACEAE; Caribbean
- Kwata werie** → *Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Ar)
→ *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
- Kwatapuna (kwatupana)** → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Guyana (M); syn. *Abarema jupunba* (Willd.) Britton & Killip
- Kwatasi** → *Pouteria melanopoda* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
- Kwateli** → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Caribbean; syn. *Eschweilera corrugata* (Poiteau) Miers

Kwatere → *Eschweilera amara* (Aublet) Niedenzu; LECYTHIDACEAE; Caribbean
→ *Eschweilera decolorans* Sandwith; LECYTHIDACEAE; Caribbean
→ *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Caribbean
→ *Lecythis simiorum* Benoist; LECYTHIDACEAE; Caribbean; syn. *Eschweilera simiorum* (Benoist) Eyma

Kwatere (tamoene-, tapirin-) → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Caribbean; syn. *Eschweilera corrugata* (Poiteau) Miers

Kwatere pipipjo → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. *E. odora* (Poeppig) Miers

Kwatere, tapoeroe (oekele-, tamoenin-) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers

Kwatere, tekaranja (tapirin-, tepoeroe-) → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Caribbean

Kwatere, tepoeroe → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. *E. odora* (Poeppig) Miers

Kwatere, toewasa karajan (toepoeroe-) → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam

Kwaterie (kwatere) → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Caribbean

Kwatie-ie → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera corrugata* (Poiteau) Miers

Kwatinopip → *Inga leiocalycina* Benth.; LEGUMINOSAE-MIM.; Guyana (M)

Kwatpain → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Guyana (W) ; syn. *Abarema jupunba* (Willd.) Britton & Killip

Kwatu → *Eschweilera decolorans* Sandwith; LECYTHIDACEAE; Guyana (M)
→ *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (M)
→ *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Guyana (M)

Kwatta patoe → *Lecythis usitata* Miers; LECYTHIDACEAE; Surinam (Cr); var. *paraensis* (Ducke) R.Knuth; use *L. pisonis* Cambess.
→ *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *L. davisii* Sandwith

Kwatta pot → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Cr, Du); syn. *L. davisii* Sandwith

Kwatta thé → *Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Surinam (Ar)

Kwattapatoe → *Lecythis pisonis* Cambess.; LECYTHIDACEAE; Surinam (Cr); syn. *L. usitata* Miers var. *paraensis* (Ducke) R.Knuth

Kwattapoe → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Cr); syn. *L. davisii* Sandwith

Kwattere (oekele-, tamoenin-) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers

Kwatto mopierie → *Amanoa guianensis* Aublet; EUPHORBIACEAE; Caribbean

Kwatupana (kwatapuna) → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Guyana (M) ; syn. *Abarema jupunba* (Willd.) Britton & Killip

Kwaturi → *Eschweilera grata* Sandwith; LECYTHIDACEAE; Guyana (Ak)

Kwawi → *Nectandra pisi* Miquel; LAURACEAE; Guyana (W)

Kwawiye → *Nectandra pisi* Miquel; LAURACEAE; Guyana (M)

Kwebie → *Couepia glandulosa* Miquel; CHRYSOBALANACEAE; Surinam (Cr)
→ *Licania apetala* (E.Meyer) Fritsch; CHRYSOBALANACEAE; Surinam (Cr)
→ *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Surinam (Sa); syn. *L. grisea* Kleinhoonte

Kwebirang → *Hirtella obidensis* Ducke; CHRYSOBALANACEAE; Surinam

Kwekiesie → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Ar)

Kweper(i)an → *Licania leptostachya* Benth.; CHRYSOBALANACEAE; Surinam; syn. *L. incana* Aublet var. *axilliflora* Sagot

Kwepi(e) → *Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Caribbean; syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.

Kwepie → *Licania apetala* (E.Meyer) Fritsch; CHRYSOBALANACEAE; Surinam (Cr)

Kwepie, savanna (sabana-) → *Couepia cognata* (Steudel) Fritsch; CHRYSOBALANACEAE; Surinam (Cr, Du); syn. *Licania exiguifolia* Standley

Kwepilan → *Licania incana* Aublet; CHRYSOBALANACEAE; Caribbean

Kwepiran → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Caribbean

Kwerli, woto → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam

Kwiawi → *Solanum paludosum* Moricand; SOLANACEAE; Guyana (Ak)

Kwiengé → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Surinam (Sa)
→ *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Sa); var. *ferruginea* R.E.Fries

Kwikpa → *Chrysophyllum pomiferum* (Eyma) T.D.Penn.; SAPOTACEAE; Guyana (Ak); syn. *Achrouteria pomifera* Eyma

Kwina → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (Ak)

Kwinti → *Eryngium foetidum* L.; APIACEAE; Surinam (Cr)

Kwipa → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Guyana (Ak)
→ *Ecclinusa sanguinolenta* (Pierre) Aubrév.; SAPOTACEAE; Guyana (Ak); syn. *E. sanguinolenta* (Pierre) Engl. ?; syn. *Chrysophyllum sanguinolentum* (Pierre) Monachino

Kwipari → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Caribbean

Kwipariye → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Guyana (M)

Ky-cher (kaichir) → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (An)

L'épinet, stinking → *Zanthoxylum* sp.; RUTACEAE; Trinidad; syn. *Xanthoxylum* sp.

Laagland tapoeripa → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Du)

Labawalla → *Calyptanthes speciosa* Sagot; MYRTACEAE; Surinam (Ar)

Labawala → *Calyptanthes speciosa* Sagot; MYRTACEAE; Surinam (Ar)

Labra → *Pisonia* sp.; NYCTAGINACEAE; Dutch West Indies

Lacrae → *Vismia dealbata* Kunth; GUTTIFERAE; Trinidad

Lacraie (lacre) → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Trinidad

Lacra (lacraie) → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Trinidad

Lagaga, water → *Sipanea pratensis* Aublet; RUBIACEAE; Surinam (Du)

Lagunero → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Trinidad; syn. *P. draco* L.
→ *Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; Trinidad

Laksiri → *Caraipa densiflora* C.Martius; GUTTIFERAE; Surinam (Du)
→ *Caraipa richardiana* Cambess.; GUTTIFERAE; Surinam (Du)

Lamuk → *Isertia hypoleuca* Benth.; RUBIACEAE; Guyana (Ak)

Lana (-firiberoe) → *Genipa americana* L.; RUBIACEAE; Surinam (Ar); syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Lanaballi → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Ar)

Lanaballi (-djamaro, -hororodikoro) → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Ar)

Lancewood → *Anaxagorea* sp.; ANNONACEAE; Guyana (Cr)
→ *Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Surinam (Cr)

→ *Oxandra lanceolata* (Swartz) Baillon; ANNONACEAE; West Indies

Langa chata → *Eupatorium* sp.; ASTERACEAE; Dominican Republic

Langoussi → *Terminalia tanibouca* Smith; COMBRETACEAE; French Guiana

Lapacho → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Puerto Rico; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Larakusana → *Swartzia* sp.; LEGUMINOSAE-PAP.; Guyana

Lardwood → *Aegiphila* sp.; VERBENACEAE; British West Indies

Larier avocat → *Persea americana* Miller; LAURACEAE; French Guiana; syn. *P. gratissima* Gaertner f.; syn. *P. nubigena* L. Williams

Lastan (alastan) → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam; ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Lauaballi → *Beilschmiedia curviramea* (Meisner) Kosterm.; LAURACEAE; Guyana (Cr)

Laukididan → *Elvasia brevipedicellata* Ule; OCHNACEAE; Guyana (Ar)
→ *Elvasia calophyllea* DC.; OCHNACEAE; Guyana (Ar)
→ *Elvasia essequibensis* Engl.; OCHNACEAE; Surinam (Ar)

Laural blanco → *Cordia alliodora* (Ruiz & Pavón) Oken; BORAGINACEAE; Curaçao

Laurel → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; Puerto Rico
→ *Nectandra* sp.; LAURACEAE; Dominican Republic
→ *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Du); syn. *O. glomerata* (Nees) Benth.
→ *Phoebe elongata* Nees; LAURACEAE; Surinam (Du)
→ *Phoebe porosa* (Nees & Martius) Mez; LAURACEAE; Surinam (Du); syn. *Ocotea porosa* (Mez) Barroso

Laurel (-bobo, -geogeo) → *Phoebe montana* (Swartz) Griseb.; LAURACEAE; Puerto Rico

Laurel blanco → *Ocotea* sp.; LAURACEAE; Dominican Republic

Laurel canela → *Nectandra lanceolata* Nees & Martius ex Nees; LAURACEAE; Surinam (Cr)

Laurel sassafras → *Ocotea* sp.; LAURACEAE; Puerto Rico

Laurier (-cypre) → *Nectandra* sp.; LAURACEAE; Trinidad

Laurier canelle → *Aiouea* sp.; LAURACEAE; Trinidad

Laurier falaise → *Aniba* sp.; LAURACEAE; Martinique

Laurier fourmi (-madame) → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE;

French West Indies

Laurier gris →*Licaria* sp.; LAURACEAE; French West Indies; syn. *Acroclidium* sp.

Laurier madame (-fourmi) →*Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; French West Indies

Laurier mama d'enfants →*Phoebe montana* (Swartz) Griseb.; LAURACEAE; Trinidad

Laurier mango →*Aiouea* sp.; LAURACEAE; Trinidad

Laurier mattack →*Nectandra* sp.; LAURACEAE; Trinidad

Laurierkers →*Ecclinusa cuneifolia* (Rudge) Aubrév.; SAPOTACEAE; Surinam (Du); syn. *Chrysophyllum cuneifolium* (Rudge) A.DC.

→*Pouteria caimito* (Ruiz & Pavón) Radlk.; SAPOTACEAE; Surinam (Du); syn. *Lucuma*

Lead tree →*Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; British West Indies; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

Leatherwood, southern →*Cyrilla racemiflora* L.; CYRILLACEAE; Puerto Rico; syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown

Lechecillo →*Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Puerto Rico; ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.

→*Croton* sp.; EUPHORBIACEAE; Virgin Islands
→*Cynodendron* sp.; SAPOTACEAE; Puerto Rico

Lechesillo →*Sapium* sp.; EUPHORBIACEAE; Puerto Rico

Lechosa →*Carica papaya* L.; CARICACEAE; Puerto Rico

Leertouwersboom →*Bucida buceras* L.; COMBRETACEAE; Surinam (Du); syn. *B. angustifolia* DC.

Leguano tree →*Acacia paniculata* Willd.; LEGUMINOSAE-MIM.; Caribbean

Lejagado →*Citharexylum macrophyllum* Poirét; VERBENACEAE; Surinam (Cr)

Lèlè (-tikie) →*Rinorea guatemalensis* (Watson) Bartling; VIOLACEAE; Surinam

Leletie →*Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Surinam (Sa)

Leli →*Cedrela* sp.; MELIACEAE; Curaçao

Lemo epo →*Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.

Lemoepoe →*Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Lemoesji wokoeloe →*Aphelandra deppeana* Schlttdl. & Chamisso; ACANTHACEAE; Caribbean; syn. *A. pectinata* Willd. ex Nees

Lengua de vaca →*Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Dominican Republic; syn. *Gilibertia arborea* (L.) Marchal

→*Sapium* sp.; EUPHORBIACEAE; Dominican Republic

Leopardwood →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Léré simiole →*Macfadyena uncatata* (Andrews) Sprague & Sandwith; BIGNONIACEAE; Caribbean

Leroe →*Olyra caudata* Trinius; POACEAE; Surinam (Ar)

Leta wiwirie →*Erechtites hieraciifolia* (L.) Raf. ex DC.; ASTERACEAE; Surinam (Cr)

Leteballi bèlèro →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam; syn. *E. pulverulentum* Poeppig

Letr'oedoe →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Letr'oedoe (man-) →*Perebea laurifolia* Trécul; MORACEAE; Surinam (Cr)

Letri, man (basri-, kapeweri-) →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Letri, sabana (basri-) →*Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Cr); syn. *H. poeppigiana* (C.Martius) Trécul

Letterhout →*Brosimum rotundatum* Standley; MORACEAE; Surinam (Du); use *B. guianense* (Aublet) Huber

→*Brosimum velutinum* (Blake) Ducke; MORACEAE; Surinam (Du); use *B. guianense* (Aublet) Huber; syn. *B. rotundatum* Standley; syn. *Piratinera velutina* Blake; syn. *P. guianensis* Aublet; syn. *P. scabridula* Blake

→*Piratinera scabridula* Blake; MORACEAE; Surinam (Du); use *Brosimum guianense* (Aublet) Huber

→*Piratinera velutina* Blake; MORACEAE; Surinam (Du); use *Brosimum guianense* (Aublet) Huber; syn. *B. velutinum* (Blake) Ducke

→*Trymatococcus oligandrus* (Benoist) Lanjouw; MORACEAE; Surinam (Du)

Letterhout (gespikkeld-, man-) →*Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Du); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

→*Piratinera guianensis* Aublet; MORACEAE; Surinam (Du); use *Brosimum guianense* (Aublet)

Huber

Letterhout, rood → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Du); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Letterwood → *Brosimum guianense* (Aublet) Huber; MORACEAE; Guyana (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Lettre moucheté → *Brosimum guianense* (Aublet) Huber; MORACEAE; French Guiana; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Lialiadan (-koeleroe, -tataroe) → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *Inga pendula* Willd.

Lialiadan harilaroe → *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Ar); var. *surinamensis* Kleinhoonte

Lialiadan koleroe → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Liane à l'anse → *Omphalea diandra* L.; EUPHORBIACEAE; Martinique

Liane carrée → *Paullinia pinnata* L.; SAPINDACEAE; French Guiana

Liane neutrière → *Clusia rosea* Jacq.; GUTTIFERAE; French West Indies

Liane papaya → *Omphalea diandra* L.; EUPHORBIACEAE; Martinique

Libi-dibi → *Caesalpinia coriaria* (Jacq.) Willd.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Libidibia coriaria* (Jacq.) Schltr.

Libra → *Opuntia curassavica* (L.) Miller; CACTACEAE; Curaçao

Licahout → *Antonia ovata* Pohl; ANTONIACEAE; Surinam (Du); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Licari kanali → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; French Guiana; syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Liège du pays → *Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; French Guiana

Lienka patoe → *Tabernaemontana aubletii* Pulle; APOCYNACEAE; Surinam

→ *Tabernaemontana pauciflora* Blume; APOCYNACEAE; Surinam; syn. *Macoubea guianensis* Aublet

Light, red → *Coccoloba* sp.; POLYGONACEAE; British West Indies

Lignum dorum → *Ocotea* sp.; LAURACEAE; British West Indies

Lignum sanctum → *Guaiacum officinale* L.; ZYGOPHYLLACEAE; Puerto Rico

Lignum vitae → *Guaiacum officinale* L.; ZYGOPHYLLACEAE; West Indies

Likahoedoe → *Antonia ovata* Pohl; ANTONIACEAE; Surinam (Cr); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Lila → *Duranta* sp.; VERBENACEAE; Puerto Rico

Lilac → *Petrea bracteata* Steudel; VERBENACEAE; Trinidad

Lilac wakenaam → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Guyana; ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Lime, wild (muri-) → *Ximenia americana* L. var. *americana*; OLACACEAE; Guyana (Cr)

Limewood → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Trinidad; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Limonaballi → *Chrysophyllum pomiferum* (Eyma) T.D.Penn.; SAPOTACEAE; Surinam (Ar); syn. *Achrouteria pomifera* Eyma

→ *Pouteria* sp.; SAPOTACEAE; Guyana (Ar); syn. *Lucuma* sp.

Limoncillo → *Eugenia* sp.; MYRTACEAE; Puerto Rico

Limoncillo (-de monte) → *Amomis caryophyllata* (Jacq.) Krug & Urban; MYRTACEAE; Puerto Rico; use *Pimenta*

→ *Calyptanthes* sp.; MYRTACEAE; Puerto Rico

→ *Pimenta racemosa* (Miller) Moore; MYRTACEAE; Puerto Rico; syn. *Amomis caryophyllata* (Jacq.) Krug & Urban

Limonia → *Murraya exotica* L.; RUTACEAE; Surinam; syn. *M. paniculata* (L.) Jack var. *exotica* (L.) Huang

→ *Murraya paniculata* (L.) Jack var. *exotica* (L.) Huang; RUTACEAE; Surinam; use *M. exotica* L.

Liquorice tree → *Pradosia schomburgkiana* (A.DC.) Cronquist; SAPOTACEAE; Guyana (Cr); ssp. *schomburgkiana*; syn. *P. schomburgkiana* (A.DC.) Cronquist

Lirio → *Chionanthus* sp.; OLEACEAE; Dominican Republic; syn. *Linociera* sp.

Lizardwood → *Vitex divaricata* Swartz; VERBENACEAE; British West Indies

Llave → *Cercidium praecox* (Ruiz & Pavón) Harms; LEGUMINOSAE-CAES.; Curaçao

Lluvia de oro → *Galphimia* sp.; MALPIGHIACEAE; Puerto Rico; syn. *Thryallis* sp.

Loapepo → *Trigonia laevis* Aublet; TRIGONIACEAE; Caribbean; var. *microcarpa* (Sagot ex Warming) Sagot; syn. *T. microcarpa* Sagot ex Warming

→ *Trigonia microcarpa* Sagot ex Warming; TRIGONIACEAE; Caribbean; use *T. laevis* Aublet var. *microcarpa* (Sagot ex Warming) Sagot

Loblolly → *Pisonia* sp.; NYCTAGINACEAE;

Puerto Rico

Loblolly sweetwood → *Ocotea* sp.;
LAURACEAE; British West Indies

Locus (lokus), rode → *Hymenaea courbaril* L.;
LEGUMINOSAE-CAES.; Surinam (Du)

Locus(t) berry → *Byrsonima* sp.;
MALPIGHIACEAE; British West Indies

Locus, groot → *Dipteryx odorata* (Aublet) Willd.;
LEGUMINOSAE-PAP.; Surinam (Du); syn.
Coumarouna odorata Aublet

Locus, puta → *Zygia racemosum* (Ducke)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Surinam; syn. *Marmaroxylon racemosum* (Ducke)
Killip; syn. *Pithecellobium racemosum* Ducke; syn.
Abarema racemosa (Ducke) Kleinh.

Locus, zand (bastard-) → *Dicorynia guianensis*
Amshoff; LEGUMINOSAE-CAES.; Surinam (Du);
syn. *D. paraensis* Benth.

Locust → *Hymenaea oblongifolia* Huber;
LEGUMINOSAE-CAES.; Surinam (Cr); var. *davisii*
(Sandwith) Lee & Langenh.; syn. *H. davisii*
Sandwith

→ *Hymenaea oblongifolia* Huber;
LEGUMINOSAE-CAES.; Guyana (Cr); var.
palustris (Ducke) Lee & Langenh.; syn. *H.*
palustris Ducke

→ *Hymenaea palustris* Ducke; LEGUMINOSAE-
CAES.; Guyana (Cr); use *H. oblongifolia* Huber.
var. *palustris* (Ducke) Lee & Langenh.

Locust (witte-, rode, simiri-, zwarte-)

→ *Hymenaea courbaril* L.; LEGUMINOSAE-
CAES.; Surinam (Du)

Locust, water → *Crudia obliqua* Griseb.;
LEGUMINOSAE-CAES.; Trinidad

Loekriehoedoe → *Chrysophyllum argenteum*
Jacq.; SAPOTACEAE; Surinam (Cr); ssp.
auratum (Miquel) T.D.Penn.; syn. *C. auratum*
Miquel; syn. *C. sericeum* A.DC.

Loeloe-oe (oeloe-oe, ululu) → *Parkia nitida*
Miquel; LEGUMINOSAE-MIM.; Caribbean; syn. *P.*
oppositifolia Spruce ex Benth.

Logoesoe fehoeta → *Pouteria reticulata* (Engl.)
Eyma; SAPOTACEAE; Surinam (Sa); syn.
Lucuma

Logoeza feloeta → *Eugenia coffeifolia* DC.;
MYRTACEAE; Surinam (Cr)

Logwood → *Haematoxylon campechianum* L.;
LEGUMINOSAE-CAES.; Guyana (Cr)

Lohoedoe → *Micropholis venulosa* (C.Martius &
Eichler) Pierre; SAPOTACEAE; Surinam (Cr)

→ *Pouteria cladantha* Sandwith; SAPOTACEAE;
Surinam (Cr); syn. *Neoxythece cladantha*
(Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

→ *Pouteria guianensis* Aublet; SAPOTACEAE;
Surinam (Cr); syn. *Lucuma*

→ *Pouteria melanopoda* Eyma; SAPOTACEAE;
Surinam (Cr); syn. *Lucuma*

→ *Pouteria multiflora* (A.DC.) Eyma;

SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
multiflora A.DC.

Lohoedoe, weti → *Micropholis guianensis* (A.DC.)
Pierre; SAPOTACEAE; Surinam (Cr); syn.
Sideroxylon guianensis A.DC.

Lohoedoe, zwarte (blaka-) → *Micropholis*
guianensis (A.DC.) Pierre; SAPOTACEAE;
Surinam (Cr); var. *commixta* Lindeman; syn.
Sideroxylon guianensis A.DC.

→ *Pouteria engleri* Eyma; SAPOTACEAE;
Surinam (Cr); syn. *Nemaluma engleri* (Eyma)
Aubrév.; syn. *Lucuma*

Lokisi(e) (-kaka) → *Hymenaea courbaril* L.;
LEGUMINOSAE-CAES.; Surinam (Cr)

Lokisie (-wakie) → *Inga edulis* C.Martius;
LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I.*
scabriuscula Benth.

Lokki-lokki → *Phyllanthus* sp.;
EUPHORBIACEAE; Dutch West Indies

Lokonajo → *Cassia fruticosa* Miller;
LEGUMINOSAE-CAES.; Surinam (Ar); use *Senna*
bacillaris (L.f.) Irwin & Barneby

→ *Cassia latifolia* G.Meyer; LEGUMINOSAE-
CAES.; Surinam (Ar); use *Senna latifolia* (G.
Meyer) Irwin & Barneby

→ *Senna bacillaris* (L.f.) Irwin & Barneby;
LEGUMINOSAE-CAES.; Surinam (Ar); syn.
Cassia fruticosa Miller

→ *Senna latifolia* (G.Meyer) Irwin & Barneby;
LEGUMINOSAE-CAES.; Surinam (Ar); syn.
Cassia latifolia G.Meyer

Lokonajo (lukonajo) → *Senna quinquangulata*
(A.Rich.) Irwin & Barneby; LEGUMINOSAE-
CAES.; Surinam (Ar); syn. *Cassia quinquangulata*
A.Rich.

Loksi → *Hymenaea courbaril* L.; LEGUMINOSAE-
CAES.; Surinam (Cr)

Lokus (locus), rode (zwarte-) → *Hymenaea*
courbaril L.; LEGUMINOSAE-CAES.; Surinam
(Du)

Loliehoedoe → *Ocotea schomburgkiana* (Nees)
Benth. & Hook.f.; LAURACEAE; Caribbean; syn.
O. schomburgkiana (Nees) Mez

Lombricero → *Andira inermis* (W.Wright) DC.;
LEGUMINOSAE-PAP.; Trinidad; syn. *A.*
jamaicensis Urban; syn. *A. excelsa* Kunth

Long John → *Symmeria paniculata* Benth.;
POLYGONACEAE; Guyana (Cr)

→ *Triplaris weigeltiana* (Rchb.) Kuntze;
POLYGONACEAE; Guyana (Cr); syn. *T.*
surinamensis Chamisso; syn. *T. americana* Aublet

Longleaf pulcherro → *Aiouea* sp.; LAURACEAE;
Trinidad

Longleaved yellow → *Aniba* sp.; LAURACEAE;
Guyana (Cr)

Lontoekasi → *Byrsonima spicata* (Cav.) DC.;
MALPIGHIACEAE; Surinam; syn. *B. coriacea*
(Swartz) DC. var. *spicata* (Cav.) Niedenzu

- Loofhout cedar** → *Cedrela odorata* L.; MELIACEAE; Surinam (Du); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
- Lorahara** → *Calophyllum* sp.; GUTTIFERAE; Surinam
- Lorelie** → *Inga* sp.; LEGUMINOSAE-MIM.; Surinam
- Losabolo** → *Passiflora glandulosa* Cav.; PASSIFLORACEAE; Caribbean
- Losau wiwirie** → *Eryngium foetidum* L.; APIACEAE; Surinam (Cr)
- Loso wiwirie** → *Eclipta prostrata* (L.) L.; ASTERACEAE; Caribbean; syn. *E. alba* (L.) Hasskarl
- Lotohoedoe** → *Isertia coccinea* (Aublet) J.F.Gmelin; RUBIACEAE; Surinam (Cr)
→ *Miconia surinamensis* Gleason; MELASTOMATACEAE; Surinam (Cr)
- Lotohout** → *Miconia kappleri* Naudin; MELASTOMATACEAE; Surinam (Du)
→ *Miconia ruficalyx* Gleason; MELASTOMATACEAE; Surinam (Du)
- Lottohoedoe** → *Miconia alternans* Naudin; MELASTOMATACEAE; Surinam (Du)
→ *Miconia ruficalyx* Gleason; MELASTOMATACEAE; Surinam (Cr)
- Louantan** → *Vantanea* sp.; HUMIRIACEAE; French Guiana
- Louisa wiwirie** → *Eclipta prostrata* (L.) L.; ASTERACEAE; Caribbean; syn. *E. alba* (L.) Hasskarl
- Louro vermelho** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Dominican Republic; syn. *Ocotea rubra* Mez
- Lu** → *Jessenia* sp.; ARECACEAE (PALMAE); Surinam (Ar)
→ *Oenocarpus bacaba* C.Martius var. *xanthocarpa* Trail; ARECACEAE (PALMAE); Guyana (Ar)
- Lucifershout** → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Du); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Lucky nut (-seed)** → *Thevetia peruviana* (Persoon) K.Schumann; APOCYNACEAE; British West Indies; syn. *T. neriifolia* Jussieu ex Steudel
- Lucky seed** → *Ormosia coccinea* (Aublet) B.D.Jackson; LEGUMINOSAE-PAP.; Guyana (Cr)
- Lucuma** → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
- Luis Gomez** → *Rourea* sp.; CONNARACEAE; Dominican Republic
- Lukonanjo** → *Cassia quinquangulata* A.Rich.; LEGUMINOSAE-CAES.; Surinam (Ar); use *Senna quinquangulata* (A.Rich.) Irwin & Barneby
- Lukonanjo (lokonanjo)** → *Senna quinquangulata* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Cassia quinquangulata* A.Rich.
- Maats** → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Guyana (W)
- Maatsjoe, dam (tam-)** → *Clusia rosea* Jacq.; GUTTIFERAE; Dutch West Indies
- Mababalli** → *Aparisthium cordatum* (Jussieu) Baillon; EUPHORBIACEAE; Surinam (Ar); use *Concevebum guianensis* Aublet or *Conceveiba guianensis* Aublet ?
- Mababalli (-horiraro)** → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar); syn. *Aparisthium cordatum* (Jussieu) Baillon ?
- Mabakubia** → *Coussapoa fagifolia* Klotzsch; MORACEAE; Surinam (Ar); use *C. microcephala* Trécul ssp. *microcephala*
→ *Coussapoa microcephala* Trécul; MORACEAE; Surinam (Ar); ssp. *microcephala*; syn. *C. fagifolia* Klotzsch
- Mabarabe** → *Chimarrhis turbinata* DC.; RUBIACEAE; Caribbean
- Mabee mabi** → *Colubrina reclinata* (L'Héritier) Brongn.; RHAMNACEAE; Puerto Rico
- Mabi** → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Du); syn. *Aparisthium cordatum* (Jussieu) Baillon ?
→ *Conceveiba hostmannii* Benth.; EUPHORBIACEAE; Surinam (Du)
- Mabiara (mambiar), sabana** → *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Radlkofarella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*
- Mabiballi hariraroe** → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar); syn. *Aparisthium cordatum* (Jussieu) Baillon ?
- Mabijara** → *Dolioscarpus surinamensis* Lanjouw; DILLENIACEAE; Surinam (Ar)
- Mabijara (mabi jara, mapijara)** → *Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Radlkofarella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*
- Mabinanero** → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Ak)
- Maboballi djamaro** → *Acalypha scandens* Benth.; EUPHORBIACEAE; Surinam (Ar)
- Maboballi wadilikoro** → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Surinam (Ar)
- Maboeaballi** → *Sapium klotzschianum* (Müll.Arg.) Huber; EUPHORBIACEAE; Surinam (Ar)
- Maboewa** → *Himatanthus articulatus* (Vahl) Woodson; APOCYNACEAE; Surinam (Ar); syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce
- Maboewa djamaro** → *Sapium microdentatum*

Lanjouw; EUPHORBIACEAE; Surinam (Ar)

Mabouya → *Capparis cynophallophora* L.; CAPPARACEAE; Trinidad

Mabowaballi → *Sapium aubletianum* (Müll.Arg.) Huber; EUPHORBIACEAE; Surinam (Ar)

Mabua (-konokodikoro) → *Himatanthus articulatus* (Vahl) Woodson; APOCYNACEAE; Surinam (Ar); syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce

Mabua (mabwa), swamp → *Sapium* sp.; EUPHORBIACEAE; Guyana (Ar)

Mabudehi → *Banisteria leptocarpa* Benth.; MALPIGHIACEAE; Surinam (Ar); use *Banisteriopsis martiniana* (A.Jussieu) Cuatrec. var. *martiniana*
→ *Banisteriopsis martiniana* (A.Jussieu) Cuatrec.; MALPIGHIACEAE; Surinam (Ar); var. *martiniana*; syn. *Banisteria leptocarpa* Benth.

Mabwa → *Himatanthus articulatus* (Vahl) Woodson; APOCYNACEAE; Surinam (Ar); syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce
→ *Himatanthus bracteatus* (A.DC.) Woodson; APOCYNACEAE; Surinam (Ar)
→ *Plumeria articulata* Vahl; APOCYNACEAE; Surinam (Ar); use *Himatanthus articulatus* (Vahl) Woodson; syn. *P. sucuuba* Spruce
→ *Plumeria sucuuba* Spruce; APOCYNACEAE; Surinam (Ar); use *Himatanthus articulatus* (Vahl) Woodson; syn. *P. articulata* Vahl

Mabwa (mabua), swamp → *Sapium* sp.; EUPHORBIACEAE; Guyana (Ar)

Maca-apa-ipow → *Matayba* sp.; SAPINDACEAE; French Guiana

Macacauba → *Platymiscium ulei* Harms; LEGUMINOSAE-PAP.; Surinam; syn. *P. paraense* Huber

Macao → *Pseudolmedia* sp.; MORACEAE; Dominican Republic

Macarabo lignum vitae → *Bulnesia arborea* (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean

Macata blanc → *Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; French West Indies; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

Mach → *Bowdichia virgilioides* Kunth; LEGUMINOSAE-PAP.; Surinam (Cr)

Machete → *Erythrina* sp.; LEGUMINOSAE-PAP.; Puerto Rico

Macoucou → *Chrysophyllum* sp.; SAPOTACEAE; French Guiana

Madaberie → *Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Ar)

Madaberie toliolo (madaboerie-) → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Ar)

Madaboeri → *Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Ar)

Madaboerie (-toliolo) → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Ar)

Madabrie kofa djamaro → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Ar)

Madabrieballi → *Byrsonima obversa* Miquel; MALPIGHIACEAE; Surinam (Ar)

Madaburi → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Ar)
→ *Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Ar)

Madan polan → *Clerodendrum fragrans* R.Brown; VERBENACEAE; Surinam (Cr); var. *pleniflorum* Schauer; use *C. philippinum* Schauer
→ *Clerodendrum philippinum* Schauer; VERBENACEAE; Surinam (Cr); syn. *C. fragrans* R.Brown var. *pleniflorum* Schauer

Madoa (mattoe) moenba → *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

Madoe, jea (yaya-, guiagua-, guingua-) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. *Myristica surinamensis* Rolander ex Rottb.

Madre del cacao → *Erythrina darienensis* Standley; LEGUMINOSAE-PAP.; Trinidad; use *E. poeppigiana* (Walpers) O.F.Cook; syn. *E. micropteryx* Poeppig; syn. *E. pisamo* Posada-Ar.
→ *Erythrina micropteryx* Poeppig; LEGUMINOSAE-PAP.; Trinidad; use *E. poeppigiana* (Walpers) O.F.Cook; syn. *E. darienensis* Standley; syn. *E. pisamo* Posada-Ar.
→ *Erythrina pisamo* Posada-Ar.; LEGUMINOSAE-PAP.; Trinidad; use *E. poeppigiana* (Walpers) O.F.Cook; syn. *E. micropteryx* Poeppig; syn. *E. darienensis* Standley
→ *Erythrina poeppigiana* (Walpers) O.F.Cook; LEGUMINOSAE-PAP.; Trinidad; syn. *E. micropteryx* Poeppig; syn. *E. darienensis* Standley; syn. *E. pisamo* Posada-Ar.

Mafo → *Pisonia glabra* Heimerl; NYCTAGINACEAE; Surinam (Ar); use *Guapira*

Maga(r) → *Montezuma speciosissima* Sessé & Mociño; MALVACEAE; Puerto Rico; use *Thespesia grandiflora* DC.
→ *Thespesia grandiflora* DC.; MALVACEAE; Puerto Rico; syn. *Montezuma speciosissima* Sessé & Mociño

Magnolia, swamp → *Magnolia virginiana* L.; MAGNOLIACEAE; Surinam (Du)

Mago → *Hernandia voyroni* Jumelle; HERNANDIACEAE; Puerto Rico

Magre pisi → *Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acrodiclidium martinianum* Mez

Mahaicaballi → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. *P. campestre* Aublet ?

Mahault chardon → *Apeiba aspera* Aublet; TILIACEAE; Trinidad

Maho → *Daphnopsis brasiliensis* C.Martius; THYMELAEACEAE; Dutch West Indies
→ *Licania octandra* (Hoffsgg. ex Roemer & Sch.) Kuntze; CHRYSOBALANACEAE; French Guiana; ssp. *octandra*; syn. *Moquilea utilis* Hook.f.; syn. *L. takutuensis* Standley; syn. *L. utilis* (Hook.f.) Fritsch
→ *Licania takutuensis* Standley; CHRYSOBALANACEAE; French Guiana; use *L. octandra* (Hoffsgg. ex Roemer & Schultes) Kuntze ssp. *octandra*; syn. *L. utilis* (Hook.f.) Fritsch; syn. *Moquilea utilis* Hook.f.
→ *Licania utilis* (Hook.f.) Fritsch; CHRYSOBALANACEAE; French Guiana; use *L. octandra* (Hoffsgg. ex Roemer & Schultes) Kuntze ssp. *octandra*; syn. *L. takutuensis* Standley; syn. *Moquilea utilis* Hook.f.
→ *Moquilea utilis* Hook.; CHRYSOBALANACEAE; French Guiana; use *Licania octandra* (Hoffsgg. ex Roemer & Schultes) Kuntze ssp. *octandra*; syn. *L. takutuensis* Standley; syn. *L. utilis* (Hook. f.) Fritsch
→ *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Ar)
→ *Sterculia guianensis* Sandwith; STERCULIACEAE; Surinam (Ar)
→ *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Surinam (Ar)
Maho (-cigare, -couratari, -fer) → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; French Guiana; syn. *C. fagifolia* (Miquel) Eyma
Maho (-kayuwa) → *Hibiscus tiliaceus* L.; MALVACEAE; Surinam (Ar); syn. *H. celebicus* Koorders
Maho jaune → *Couratari* sp.; LECYTHIDACEAE; French Guiana
→ *Lecythis* sp.; LECYTHIDACEAE; French Guiana; syn. *Eschweilera* sp.
Maho, black → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Guyana (Cr); syn. *R. broadwayi* R.E.Fries
Maho, rough-leaf → *Sterculia rugosa* R.Brown; STERCULIACEAE; Guyana (Cr); use *Xylosterculia rugosa* (R.Brown) Kosterm.
→ *Xylosterculia rugosa* (R.Brown) Kosterm.; STERCULIACEAE; Guyana (Cr); syn. *Sterculia rugosa* R.Brown
Maho, smooth-leaf → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (Cr)
Mahoballi → *Panopsis rubescens* (Pohl) Pittier; PROTEACEAE; Guyana (Ar)
→ *Panopsis sessilifolia* (Rich.) Sandwith; PROTEACEAE; Surinam (Ar)
Mahoe, seaside → *Thespesia populnea* (L.) Solander ex M.N.Correa; MALVACEAE; British West Indies; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster
Mahoebari → *Pisonia* sp.; NYCTAGINACEAE; Dutch West Indies
Mahogany, Cuban → *Swietenia mahagoni* (L.) Jacq.; MELIACEAE; West Indies
Mahogany, Guyana → *Carapa guianensis* Aublet; MELIACEAE; Guyana (Cr); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
Mahoni, boesi → *Martiodendron parviflorum* (Amshoff) Koeppen; LEGUMINOSAE-CAES.; Surinam (Cr)
→ *Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Cr)
Mahonie, Corantijns → *Tetragastris* sp.; BURSERACEAE; Surinam (Du)
Mahonie, Cuba → *Swietenia mahagoni* (L.) Jacq.; MELIACEAE; Surinam (Du)
Mahonie, demerara (Surinaams-) → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Du); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
Mahonie, Honduras → *Swietenia belizensis* Lundell; MELIACEAE; Surinam (Du); use *S. macrophylla* King; syn. *S. krukovii* Gleason
→ *Swietenia krukovii* Gleason; MELIACEAE; Surinam (Du); use *S. macrophylla* King; syn. *S. belizensis* Lundell
→ *Swietenia macrophylla* King; MELIACEAE; Surinam (Du); syn. *S. krukovii* Gleason; syn. *S. belizensis* Lundell
Mahonie, Surinaams (demerara-) → *Carapa guianensis* Aublet; MELIACEAE; Surinam (Du); syn. *C. nicaraguensis* DC.; syn. *C. slateri* Standley
Mahot (-franc) → *Hibiscus tiliaceus* L.; MALVACEAE; French Guiana; syn. *H. celebicus* Koorders
Mahot baba → *Guazuma ulmifolia* Lam.; STERCULIACEAE; French Guiana; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.
Mahot chardon → *Apeiba aspera* Aublet; TILIACEAE; Trinidad
Mahot cochon → *Sterculia caribaea* Brown; STERCULIACEAE; French West Indies
→ *Sterculia excelsa* C.Martius; STERCULIACEAE; French West Indies
→ *Sterculia guianensis* Sandwith; STERCULIACEAE; French West Indies
→ *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; French West Indies
→ *Sterculia surinamensis* Sandwith; STERCULIACEAE; French Guiana
Mahot jaune → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; French Guiana; syn. *L. davisii* Sandwith
Mahot rouge → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; French Guiana; syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth

- Mahout** → *Daphnopsis* sp.; THYMELAEACEAE; Puerto Rico
- Mai** → *Licania laxiflora* Fritsch; CHRYSOBALANACEAE; Guyana (Ak); syn. *Moquilea pallida* Hook.f.
- Mai (-warai)** → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Guyana (Ak)
- Maik** → *Licania laxiflora* Fritsch; CHRYSOBALANACEAE; Guyana (P); syn. *Moquilea pallida* Hook.f.
- Maikwakesere** → *Andira grandistipula* Amshoff; LEGUMINOSAE-PAP.; Guyana (Ak)
- Mainap** → *Nectandra* sp.; LAURACEAE; Guyana
- Maipa** → *Inga fagifolia* (L.) Willd. ex Benth.; LEGUMINOSAE-MIM.; Guyana (M)
- Maipaima** → *Ocotea wachenheimii* Benoist; LAURACEAE; Guyana (M)
- Maipjoerie-ietararé** → *Sterculia excelsa* C.Martius; STERCULIACEAE; Caribbean
- Maipjorie kera porre** → *Rudgea cornigera* Bremek.; RUBIACEAE; Caribbean
- Maipoeli jamoselli** → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Caribbean; syn. *R. broadwayi* R.E.Fries
- Maipoelie** → *Quararibea guianensis* Aublet; BOMBACACEAE; Caribbean
- Maipoeri èrèpare** → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Caribbean
- Maiporan** → *Miconia tschudyoides* Cogniaux; MELASTOMATACEAE; Surinam
- Mais** → *Zea mays* L.; POACEAE; Surinam (Du)
- Maitakin** → *Moronobea jenmanii* Engl.; GUTTIFERAE; Guyana (Ak)
→ *Symphonia globulifera* L.f.; GUTTIFERAE; Guyana (Ak); syn. *S. gabonensis* (Vesque) Pierre
- Maiuarai** → *Licania alba* (Bernoulli) Cuatrec.; CHRYSOBALANACEAE; Guyana (Ak); syn. *L. venosa* Rusby
- Maiwarai** → *Licania alba* (Bernoulli) Cuatrec.; CHRYSOBALANACEAE; Guyana (Ak); syn. *L. venosa* Rusby
→ *Licania incana* Aublet; CHRYSOBALANACEAE; Guyana (Ak)
- Maíz pelado** → *Comocladia* sp.; ANACARDIACEAE; Puerto Rico
- Maíz tostado** → *Comocladia ilicifolia* Swartz; ANACARDIACEAE; Puerto Rico
- Maja ariran** → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam; syn. *Bignonia copaia* Aublet
- Majagua brava (-quemadora, -de sierra)**
→ *Daphnopsis* sp.; THYMELAEACEAE; Puerto Rico
- Majagua de sierra (-brava, -quemadora)**
→ *Daphnopsis* sp.; THYMELAEACEAE; Puerto Rico
- Majagua que mona** → *Torrubia* sp.; NYCTAGINACEAE; Puerto Rico
- Majagua quemadora (-brava, -de sierra)**
→ *Daphnopsis* sp.; THYMELAEACEAE; Puerto Rico
- Majapo werie** → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Ar)
- Maka grin** → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Cr)
- Maka kabisi** → *Hymenobolium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Cr)
- Maka klaroen (-kraroen)** → *Amaranthus spinosus* L.; AMARANTHACEAE; Surinam (Cr)
- Maka klaroen, redi** → *Amaranthus lividus* L.; AMARANTHACEAE; Surinam (Cr)
- Makajasoebie** → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Sa); var. *pellocarpa* (G.Meyer) Hook.
- Makang** → *Sandwithia guianensis* Lanjouw; EUPHORBIACEAE; Guyana (Ak)
- Makarai** → *Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Guyana (Ak); syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.
→ *Parinari montana* Aublet; CHRYSOBALANACEAE; Guyana (Ak)
- Makarai (kakarai)** → *Parinari campestris* Aublet; CHRYSOBALANACEAE; Guyana (Ak); syn. *P. campestre* Aublet ?
- Makarasali** → *Heisteria cauliflora* Smith; OLACACEAE; Surinam (Ar)
→ *Heisteria densifrons* Engl.; OLACACEAE; Surinam (Ar)
→ *Heisteria duckei* Sleumer; OLACACEAE; Surinam (Ar); syn. *H. iquitensis* Sleumer
→ *Heisteria iquitensis* Sleumer; OLACACEAE; Surinam (Ar); use *H. duckei* Sleumer
- Makarin** → *Tapirira guianensis* Aublet; ANACARDIACEAE; Guyana (Ak)
- Makau** → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Caribbean; syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thonningii* Chevalier; syn. *Bombax pentandrum* L.
- Makgrien (makka grien)** → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Cr, Du); syn. *Tecoma leucoxydon* (L.) Martius ex DC.
- Makka** → *Cleome psoraleaefolia* DC.; CAPPARACEAE; Surinam (Ar)
→ *Minuartia guianensis* Aublet; OLACACEAE; Surinam (Ar)
- Makka grien (-groenhart)** → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Surinam (Cr, Du)
- Makka grien (makgrien)** → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Cr, Du); syn. *Tecoma leucoxydon* (L.) Martius ex DC.
- Makka groenhart (-grien)** → *Tabebuia capitata*

(Bureau & K.Schumann) Sandwith;
 BIGNONIACEAE; Surinam (Cr, Du)
Makka kabbes → *Enterolobium schomburgkii*
 (Benth.) Benth.; LEGUMINOSAE-MIM.; Surinam
 (Cr, Du)
 → *Hymenolobium flavum* Kleinhoonte;
 LEGUMINOSAE-PAP.; Surinam (Cr, Du)
Makka krappa (man-, jan-) → *Talisia megaphylla*
 Sagot; SAPINDACEAE; Surinam (Cr)
Makkapo → *Manihot esculenta* Crantz;
 EUPHORBIACEAE; Surinam; var. *sprucei* (Pax)
 Lanjouw; syn. *M. utilissima* Pohl
Makoeja pipa → *Cordia schomburgkii* DC.;
 BORAGINACEAE; Caribbean
Makoeroerian → *Hieronima alchorneoides*
 Allemao; EUPHORBIACEAE; Caribbean; syn. *H.*
laxiflora (Tulasne) Müll.Arg.; syn. *Hieronima*
alchorneoides Allemao; syn. *Hieronima laxiflora*
 (Tulasne) Müll.Arg.
Makoriro → *Ambelania acida* Aublet;
 APOCYNACEAE; Surinam (Ar); syn. *A. sagotii*
 Müll.Arg.
 → *Ambelania sagotii* Müll.Arg.; APOCYNACEAE;
 Surinam (Ar); use *A. acida* Aublet
Makraka (makrakra) → *Cynometra marginata*
 Benth.; LEGUMINOSAE-CAES.; Surinam (Ar, Cr)
Makrakra (makrakra) → *Cynometra hostmanniana*
 Tulasne; LEGUMINOSAE-CAES.; Surinam (Ar,
 Cr)
Makuriru → *Ambelania acida* Aublet;
 APOCYNACEAE; Guyana; syn. *A. sagotii*
 Müll.Arg.
Makwariballi → *Forsteronia corymbifera* (Miers)
 Sandwith; APOCYNACEAE; Surinam (Ar)
 → *Forsteronia gracilis* (Benth.) Müll.Arg.;
 APOCYNACEAE; Surinam (Ar)
 → *Forsteronia guianensis* Müll.Arg.;
 APOCYNACEAE; Surinam (Ar)
Mala mujer → *Rhacoma latifolia* Swartz;
 CELASTRACEAE; Puerto Rico
Mala oko (malako) → *Peltogyne venosa* (Vahl)
 Benth.; LEGUMINOSAE-CAES.; Surinam; syn. *P.*
confertiflora Benth.
Malababalli → *Campomanesia grandiflora*
 (Aublet) Sagot; MYRTACEAE; Surinam (Ar)
Malagueta → *Amomis caryophyllata* (Jacq.) Krug
 & Urban; MYRTACEAE; Virgin Islands; use
Pimenta
 → *Pimenta dioica* (L.) Merrill; MYRTACEAE; Virgin
 Islands; syn. *P. officinalis* (Lindley) Berg
 → *Pimenta racemosa* (Miller) Moore;
 MYRTACEAE; Virgin Islands; syn. *Amomis*
caryophyllata (Jacq.) Krug & Urban
 → *Pimenta racemosa* (Miller) Moore;
 MYRTACEAE; Virgin Islands; syn. *Amomis*
caryophyllata (Jacq.) Krug & Urban
Malai melokotele → *Lacunaria crenata* (Tulasne)
 A.C.Smith; QUINACEAE; Caribbean

Malako → *Cynometra hostmanniana* Tulasne;
 LEGUMINOSAE-CAES.; Caribbean
 → *Peltogyne paniculata* Benth.; LEGUMINOSAE-
 CAES.; Caribbean; ssp. *pubescens* (Benth.)
 M.F.Silva; syn. *P. pubescens* Benth.
Malako (mala oko) → *Peltogyne venosa* (Vahl)
 Benth.; LEGUMINOSAE-CAES.; Surinam; syn. *P.*
confertiflora Benth.
Malalo → *Erechtites hieraciifolia* (L.) Raf. ex DC.;
 ASTERACEAE; Surinam (Au)
Malapala → *Hevea guianensis* Aublet;
 EUPHORBIACEAE; Caribbean
Male bullet tree → *Chrysophyllum argenteum*
 Jacq.; SAPOTACEAE; Guyana (Cr); ssp. *auratum*
 (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn.
C. sericeum A.DC.
Male rosewood → *Aniba mas* Kosterm.;
 LAURACEAE; Surinam (Cr)
Mali mali → *Cassia grandis* L.f.; LEGUMINOSAE-
 CAES.; Surinam (Ar)
 → *Jacaranda obtusifolia* Humbert & Bonpl.;
 BIGNONIACEAE; Caribbean; ssp. *rhombifolia*
 (G.Meyer) A.H.Gentry; syn. *J. rhombifolia*
 G.Meyer
Mallototo-oe (moretoto-oe) → *Schefflera*
decaphylla (Seemann) Harms; ARALIACEAE;
 Surinam; syn. *S. paraensis* Huber apud Ducke
Malob(b)i → *Ecclinusa guianensis* Eyma;
 SAPOTACEAE; Surinam (Sa)
Maloekoe èrèpare → *Hebepetalum humiriifolium*
 (Planch.) Benth. ex Jacks.; LINACEAE; Caribbean
Maloewa → *Borreria verticillata* (Willd.) G.Meyer;
 RUBIACEAE; Caribbean
Malokopésie → *Jacaranda obtusifolia* Humbert &
 Bonpl.; BIGNONIACEAE; Surinam; ssp.
rhombifolia (G.Meyer) A.H.Gentry; syn. *J.*
rhombifolia G.Meyer
Malva (-thee) → *Lippia alba* (Miller) N.E.Brown;
 VERBENACEAE; Surinam (Cr)
Malva (wilde-, -visco) → *Waltheria americana* L.;
 STERCULIACEAE; Surinam (Du); syn. *W. indica*
 L.
Mamahuka → *Isertia hypoleuca* Benth.;
 RUBIACEAE; Guyana (Wr)
Mamaja → *Mammea americana* L.;
 GUTTIFERAE; Surinam (Ar)
Mamanten (mamantin) → *Pouteria engleri* Eyma;
 SAPOTACEAE; Surinam (Ar, Au); syn. *Nemaluma*
engleri (Eyma) Aubrèv.; syn. *Lucuma*
Mamantin (mamanten) → *Pouteria engleri* Eyma;
 SAPOTACEAE; Surinam (Ar, Au); syn. *Nemaluma*
engleri (Eyma) Aubrèv.; syn. *Lucuma*
Mamayahooka → *Isertia hypoleuca* Benth.;
 RUBIACEAE; Guyana
Mambiara → *Pouteria* sp.; SAPOTACEAE;
 Surinam; syn. *Lucuma* sp.
Mambiara (mabiara) → *Pouteria trigonosperma*

Eyma; SAPOTACEAE; Surinam (Cr); syn. Radlkofarella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mamee apple (-sapote) →Pouteria sapota (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; British West Indies; syn. Calocarpum sapota (Jacq.) Merrill; syn. Lucuma

Mamee sapote (-apple) →Calocarpum sapota (Jacq.) Merrill; SAPOTACEAE; British West Indies; use Pouteria sapota (Jacq.) H.E.Moore & Stearn

→Pouteria sapota (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; British West Indies; syn. Calocarpum sapota (Jacq.) Merrill; syn. Lucuma

Mamey amarillo →Mammea americana L.; GUTTIFERAE; Dominican Republic

Mamey del cura →Ternstroemia sp.; THEACEAE; Puerto Rico

Mamey sapote →Mammea americana L.; GUTTIFERAE; Trinidad

Mameyuelo →Manilkara sp.; SAPOTACEAE; Puerto Rico

→Mouriria sp.; MELASTOMATACEAE; Puerto Rico

Mamidieme →Heteropsis longispathacea Engl.; ARACEAE; Guyana (Ww)

Mamie(-boom) →Mammea americana L.; GUTTIFERAE; Surinam (Du)

Mammee apple, wild →Platonia insignis C.Martius; GUTTIFERAE; Guyana (Cr); syn. P. esculenta (Arruda) Rickett & Stafleu

Mammee tree →Mammea americana L.; GUTTIFERAE; British West Indies

Mammee, wild →Clusia grandiflora Splitg.; GUTTIFERAE; British West Indies; syn. C. insignis C.Martius

Mammerieballi →Chaetocarpus schomburgkianus (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Sa)

Mammi, boesi →Posoqueria latifolia (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Cr)

Mammie →Mammea americana L.; GUTTIFERAE; Surinam (Du)

Mammo →Pachira aquatica Aublet; BOMBACACEAE; Surinam (Cr); syn. Bombax aquatica (Aublet) K.Schumann

Mammo(e) saré →Cassipourea guianensis Aublet; RHIZOPHORACEAE; Surinam (Ar)

Mamotokon →Talisia pedicellaris (Sagot) Radlk.; SAPINDACEAE; Surinam (Ar)

Mamodan djamaro →Elvasia hostmannia Planchon; OCHNACEAE; Surinam (Ar)

Mamoe salé (-saré) →Cassipourea guianensis Aublet; RHIZOPHORACEAE; Surinam (Ar)

Mamoedan →Cassipourea guianensis Aublet; RHIZOPHORACEAE; Surinam (Ar)

Mamoeriballi (-djamaro) →Chaetocarpus

schomburgkianus (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)

Mamoeriballi (mamuriballi) →Mouriria grandiflora A.DC.; MELASTOMATACEAE; Surinam (Ar); syn. M. princeps Naudin

Mamotokoasjiballi →Bonania maripoides Hallier f.; EUPHORBIACEAE; Surinam (Ar)

Mampa →Parahancornea fasciculata (Lam.) Benoist; APOCYNACEAE; Surinam (Cr); syn. P. amapa (Huber) Ducke; syn. P. fasciculata (Poiret) Benoist

Mampa (mapa) →Ambelania acida Aublet; APOCYNACEAE; Surinam (Cr); syn. A. sagotii Müll.Arg.

Mampoo (prickly-, water-) →Pisonia sp.; NYCTAGINACEAE; British West Indies

Mampoo, black →Torrubia sp.; NYCTAGINACEAE; Puerto Rico

Mamudan →Guapira cuspidata (Heimerl) Lundell; NYCTAGINACEAE; Surinam (Ar); syn. Pisonia cuspidata Heimerl

→Guapira eggersiana (Heimerl) Lundell; NYCTAGINACEAE; Guyana (Ar); syn. Pisonia eggersiana Heimerl

→Guapira fragrans (Dum.Cours.) Little; NYCTAGINACEAE; Surinam (Ar); syn. Pisonia inermis Jacq.

→Guapira graciliflora (C.Martius) Lundell; NYCTAGINACEAE; Surinam (Ar); syn. Pisonia graciliflora C.Martius

→Guapira salicifolia (Heimerl) Lundell; NYCTAGINACEAE; Surinam (Ar); syn. Pisonia salicifolia Heimerl

→Neea cauliflora Heimerl; NYCTAGINACEAE; Surinam (Ar)

→Neea constricta Spruce ex Schmidt; NYCTAGINACEAE; Surinam (Ar)

→Pisonia cuspidata Heimerl; NYCTAGINACEAE; Surinam (Ar); use Guapira cuspidata (Heimerl) Lundell

→Pisonia glabra Heimerl; NYCTAGINACEAE; Surinam (Ar); use Guapira

→Pisonia graciliflora C.Martius; NYCTAGINACEAE; Surinam (Ar); use Guapira graciliflora (C.Martius) Lundell

→Pisonia inermis Jacq.; NYCTAGINACEAE; Surinam (Cr); use Guapira fragrans (Dum.Cours.) Little

→Pisonia salicifolia Heimerl; NYCTAGINACEAE; Surinam (Ar); use Guapira salicifolia (Heimerl) Lundell

Mamuri →Carludovica sarmentosa Sagot ex Drude; CYCLANTHACEAE; Surinam (Ar); use Thoracocarpus bissectus (Vell.) Harling

→Thoracocarpus bissectus (Vell.) Harling; CYCLANTHACEAE; Surinam (Ar); syn. Carludovica sarmentosa Sagot ex Drude

Mamuriballi →Mouriri spp.;

MELASTOMATACEAE; Surinam (Ar); use Mouriria spp.; all Mouriria 's except M. sagotiana Triana

→Mouriria acutiflora Naudin;

MELASTOMATACEAE; Guyana (Ar)

→Mouriria brevipes Gardner;

MELASTOMATACEAE; Guyana (Ar)

→Mouriria guianensis Aublet;

MELASTOMATACEAE; Guyana (Ar)

→Mouriria huberi Cogniaux;

MELASTOMATACEAE; Guyana (Ar)

→Mouriria princeps Naudin;

MELASTOMATACEAE; Surinam (Ar); use M. grandiflora A.DC.

→Mouriria sideroxylon Sagot ex Triana;

MELASTOMATACEAE; Guyana (Ar)

→Mouriria spp.; MELASTOMATACEAE; Surinam (Ar); all Mouriria 's except M. sagotiana Triana

→Mouriria vernicosa Naudin;

MELASTOMATACEAE; Guyana (Ar)

Mamuriballi (mamoeriballi) →Mouriria grandiflora A.DC.; MELASTOMATACEAE; Surinam; syn. M. princeps Naudin

Mamusare →Rinorea brevipes (Benth.) Blake; VIOLACEAE; Surinam (Ar)

→Rinorea endotricha Sandwith; VIOLACEAE; Surinam (Ar)

→Rinorea flavescens (Aublet) Kuntze; VIOLACEAE; Surinam (Ar)

→Rinorea lindeniana (Tulasne) Kuntze; VIOLACEAE; Surinam (Ar)

→Rinorea pubiflora (Benth.) Sprague & Sandwith; VIOLACEAE; Surinam (Ar)

→Rinorea riana (DC.) Kuntze; VIOLACEAE; Surinam (Ar)

Mamusaru →Ternstroemia sp.; THEACEAE; Guyana

Man aneisi →Piper arboreum Aublet; PIPERACEAE; Surinam (Cr); var. arboreum

Man aneisi wiwirie →Piper bartlingianum (Miquel) C.DC.; PIPERACEAE; Surinam (Cr)

Man anijs →Piper aduncum L.; PIPERACEAE; Surinam (Du)

Man anijsie →Piper citrifolium Lam. var. citrifolium; PIPERACEAE; Surinam (Cr); syn. P. anonaefolium Kunth

Man bebe →Alchorneopsis trimera Lanjouw; EUPHORBIACEAE; Surinam (Cr)

Man bita →Phyllanthus sp.; EUPHORBIACEAE; Surinam (Cr)

Man boesipapaja (man bospapaja) →Cecropia sciadophylla C.Martius; MORACEAE; Surinam (Cr, Du); syn. C. juranyiana V.A.Richter

Man bospapaja →Cecropia palmata Willd.; MORACEAE; Surinam (Du)

Man dalli →Virola sebifera Aublet; MYRISTICACEAE; Guyana (Cr); syn. V.

boliviensis Warburg

Man foengoe →Licania hostmannii Fritsch; CHRYSOBALANACEAE; Surinam (Cr)

→Licania robusta Sagot;

CHRYSOBALANACEAE; Surinam (Cr)

Man gorro-gorro →Licania sp.;

CHRYSOBALANACEAE; Surinam (Cr)

Man grasie →Cyperus kyllinga Endl.; CYPERACEAE; Surinam (Cr); syn. Kyllinga monocephala Rottb.

→Kyllinga monocephala Rottb.; CYPERACEAE; Surinam (Cr); use Cyperus kyllinga Endl.

Man grassi →Dactyloctenium aegyptium (L.) Richter; POACEAE; Surinam (Cr)

Man kaka kankan →Stachytarpheta cayennensis (Rich.) Vahl; VERBENACEAE; Surinam (Cr)

Man katoen →Bombax nervosum Uittien; BOMBACACEAE; Surinam (Cr)

Man krappa →Tapirira guianensis Aublet; ANACARDIACEAE; Surinam (Cr)

Man krappa (makka-, jan-) →Talisia megaphylla Sagot; SAPINDACEAE; Surinam (Cr)

Man letri →Brosimum guianense (Aublet) Huber; MORACEAE; Surinam (Cr); syn. Piratinera guianensis Aublet; syn. P. scabridula Blake; syn. P. velutina Blake; syn. Brosimum rotundatum Standley; syn. B. velutinum (Blake) Ducke

Man letter →Helicostylis tomentosa (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Cr); syn. H. poeppigiana (C.Martius) Trécul

Man pegrekoe →Xylopia aromatica (Lam.) C.Martius; ANNONACEAE; Surinam (Cr); syn. X. grandiflora A.St.-Hil.; syn. Uvaria aromatica Lam.

Man pienja (oema-, omi-) →Vismia macrophylla Kunth; GUTTIFERAE; Surinam (Cr); syn. V. angusta Miquel; syn. V. ferruginea Kunth

Man sabana mangro →Tovomita schomburgkii Planchon & Triana; GUTTIFERAE; Surinam (Cr)

Man salie →Conceveiba guianensis Aublet; EUPHORBIACEAE; Surinam (Du); syn. Aparisthmium cordatum (Jussieu) Baillon ?

→Conceveiba hostmannii Benth.; EUPHORBIACEAE; Surinam (Du)

Man sisibie wiwirie →Sida acuta Burman; MALVACEAE; Surinam (Cr)

Man snekie wiwirie →Clidemia aphanantha Sagot; MELASTOMATACEAE; Surinam (Cr); use C. rubra (Aublet) C.Martius

→Clidemia rubra (Aublet) C.Martius; MELASTOMATACEAE; Surinam (Cr); syn. C. aphanantha Sagot

Man vonkhout →Licania sp.; CHRYSOBALANACEAE; Surinam (Du)

Man wattle →Licania heteromorpha Benth. var. perplexans Sandwith; CHRYSOBALANACEAE; Guyana (Cr)

Mana →Ischnosiphon arouma (Aublet) Körnicke; MARANTACEAE; Guyana (M)

→*Ischnosiphon obliquus* (Rudge) Körnicke;
MARANTACEAE; Guyana (M)
→*Zanthoxylum* sp.; RUTACEAE; Surinam; syn.
Xanthoxylum sp.

Manabadin →*Curatella americana* L.;
DILLENACEAE; Guyana

Manabo →*Aegiphila* sp.; VERBENACEAE;
French Guiana

Manaka →*Euterpe edulis* auct. non C.Martius;
ARECACEAE (PALMAE); Surinam (Ar); use *E.*
oleracea C.Martius

→*Euterpe oleracea* C.Martius; ARECACEAE
(PALMAE); Surinam (Ar); syn. *E. edulis* auct. non
C.Martius

Manaliballi →*Hydrochorea gonggripii* (Kleinh.)
Barneby & Grimes; LEGUMINOSAE-MIM.;
Surinam (Ar); syn. *Arthrosamanea pullei* (Kleinh.)
Kleinhoonte; syn. *A. gonggripii* (Kleinh.)
Kleinhoonte; syn. *Pithecellobium gonggripii*
Kleinh.

Manaliballi (-tataro) →*Zygia racemosum* (Ducke)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Surinam (Ar); syn. *Marmaroxylon racemosum*
(Ducke) Killip; syn. *Pithecellobium racemosum*
Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Manaliballi koeleroe →*Balizia pedicellaris* (DC.)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Surinam (Ar); syn. *Macrosamanea pedicellaris*
(DC.) Kleinhoonte; syn. *Pithecellobium pedicellare*
(DC.) Benth.; syn. *Samanea pedicellaris* (DC.)
Killip; syn. *Inga pedicellare* DC.

Manaliballi oenirefodikoro →*Hydrochorea*
corymbosa (Rich.) Barneby & J.W.Grimes;
LEGUMINOSAE-MIM.; Surinam (Ar); syn.
Arthrosamanea corymbosa (Rich.) Kleinhoonte;
syn. *Pithecellobium corymbosum* (Rich.) Benth.

Manaliballi →*Casearia javitensis* Kunth;
FLACOURTIACEAE; Surinam (Ar)
→*Casearia sylvestris* Swartz;
FLACOURTIACEAE; Surinam (Ar)

→*Stryphnodendron flammatum* Kleinhoonte;
LEGUMINOSAE-MIM.; Surinam (Ar)

Manaliballi hororodikoro →*Balizia pedicellaris*
(DC.) Barneby & J.W.Grimes; LEGUMINOSAE-
MIM.; Surinam (Ar); syn. *Macrosamanea*
pedicellaris (DC.) Kleinhoonte; syn.
Pithecellobium pedicellare (DC.) Benth.; syn.
Samanea pedicellaris (DC.) Killip; syn. *Inga*
pedicellare DC.

Mananari →*Mikania scabra* DC.; ASTERACEAE;
Caribbean

Manariballi →*Elizabetha princeps* Benth.;
LEGUMINOSAE-CAES.; Guyana (Ar)
→*Hydrochorea corymbosa* (Rich.) Barneby &
J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Ar);
syn. *Arthrosamanea corymbosa* (Rich.)
Kleinhoonte; syn. *Pithecellobium corymbosum*
(Rich.) Benth.

→*Hydrochorea gonggripii* (Kleinh.) Barneby &
Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn.
Arthrosamanea pullei (Kleinh.) Kleinhoonte; syn.
A. gonggripii (Kleinh.) Kleinhoonte; syn.
Pithecellobium gonggripii Kleinh.

Manariballi koeréroe →*Balizia pedicellaris* (DC.)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Surinam (Ar); syn. *Macrosamanea pedicellaris*
(DC.) Kleinhoonte; syn. *Pithecellobium pedicellare*
(DC.) Benth.; syn. *Samanea pedicellaris* (DC.)
Killip; syn. *Inga pedicellare* DC.

→*Macrosamanea pedicellaris* (DC.) Kleinhoonte;
LEGUMINOSAE-MIM.; Surinam (Ar); use *Balizia*
pedicellaris (DC.) Barneby & J.W.Grimes; syn.
Pithecellobium pedicellare (DC.) Benth.; syn.
Samanea pedicellaris (DC.) Killip; syn. *Inga*
pedicellare DC.

→*Pithecellobium pedicellare* (DC.) Benth.;
LEGUMINOSAE-MIM.; Surinam (Ar); use *Balizia*
pedicellaris (DC.) Barneby & J.W.Grimes; syn.
Macrosamanea pedicellaris (DC.) Kleinhoonte;
syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga*
pedicellare DC.

Manariballi, black →*Parkia nitida* Miquel;
LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P.*
oppositifolia Spruce ex Benth.

Manariballi, red →*Balizia pedicellaris* (DC.)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Guyana (Ar); syn. *Macrosamanea pedicellaris*
(DC.) Kleinhoonte; syn. *Pithecellobium pedicellare*
(DC.) Benth.; syn. *Samanea pedicellaris* (DC.)
Killip; syn. *Inga pedicellare* DC.

Manaritikie →*Mabea* sp.; EUPHORBIACEAE;
Surinam

Manau →*Qualea albiflora* Warming;
VOCHYSIACEAE; Guyana (Ak); use *Ruizterania*
albiflora (Warming) Marcono-Berti ?

Manaw →*Qualea schomburgkiana* Warming;
VOCHYSIACEAE; Guyana (Ak)

Manba →*Oxandra asbeckii* (Pulle) R.E.Fries;
ANNONACEAE; Surinam (Sa)

Manbarklak →*Lecythis corrugata* Poiteau;
LECYTHIDACEAE; Surinam (Du); syn.
Eschweilera corrugata (Poiteau) Miers

Manbarklak (berg-, bergi-, oer-) →*Eschweilera*
pedicellata (L.C.Rich.) S.A.Mori;
LECYTHIDACEAE; Surinam (Du); syn. *E.*
longipes (Poiteau) Miers

Manbarklak(i) (manbarkrakie) →*Eschweilera*
subglandulosa (Steudel) Miers;
LECYTHIDACEAE; Surinam (Du)

Manbarklak(i), hoogland (egron-) →*Eschweilera*
coriacea (A.DC.) C.Martius ex O.Berg;
LECYTHIDACEAE; Surinam (Du); syn. *E. odora*
(Poeppig) Miers

Manbarkraki (berg-, bergi-, oer-) →*Eschweilera*
pedicellata (L.C.Rich.) S.A.Mori;
LECYTHIDACEAE; Surinam (Cr); syn. *E. longipes*

(Poiteau) Miers

Manbatibati, beri → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam (Ar); syn. *T. meyeri* G. Don; syn. *Bonafousia undulata* (Vahl) A. DC.; syn. *B. attenuata* Miers

Manblaka oema → *Cordia polycephala* (Lam.) I. M. Johnston; BORAGINACEAE; Surinam (Cr)

Manblaka oema (blaka-) → *Cordia nodosa* Lam.; BORAGINACEAE; Surinam (Cr)

Manbotie-ie → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Sa)

Manchador → *Parathesis macrantha* D. S.; MYRSINACEAE; Puerto Rico

Mandio(-queira) → *Qualea paraensis* Ducke; VOCHYSIACEAE; Surinam

Manebokoro (manibokoro) → *Trichanthera gigantea* (Kunth) Steudel; ACANTHACEAE; Surinam (Ar)

Maneko → *Clitoria leptostachya* Benth.; LEGUMINOSAE-PAP.; Surinam (Au)

Mangero → *Rhizophora mangle* L.; RHIZOPHORACEAE; Guyana (Ak); syn. *R. racemosa* G. Meyer

Manggal tan → *Rhizophora mangle* L.; RHIZOPHORACEAE; Curaçao; syn. *R. racemosa* G. Meyer

Mangienhatti → *Tabebuia capitata* (Bureau & K. Schumann) Sandwith; BIGNONIACEAE; Surinam

Mangle → *Conocarpus erectus* L.; COMBRETACEAE; Dominican Republic

Mangle blanc → *Laguncularia racemosa* (L.) Gaertner f.; COMBRETACEAE; Dominican Republic

Mangle bobo (-prieto) → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Mangle prieto (-bobo) → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Dominican Republic; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Mangle rouge → *Rhizophora mangle* L.; RHIZOPHORACEAE; French Guiana; syn. *R. racemosa* G. Meyer

Mangle zapatero → *Rhizophora mangle* L.; RHIZOPHORACEAE; Puerto Rico; syn. *R. racemosa* G. Meyer

Manglier (-chandelle) → *Rhizophora mangle* L.; RHIZOPHORACEAE; Martinique; syn. *R. racemosa* G. Meyer

Manglillo → *Citharexylum macanthum* Pittier; VERBENACEAE; Trinidad

→ *Rapanea* sp.; MYRSINACEAE; Trinidad

Mango (mangroe, mangro) → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE;

Surinam (Sa)

Mango(e) → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Sa)

Mango, sabana → *Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam (Sa); var. *spruceana* Niedenzu

Mango, savanna (sabana-) → *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Bn); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu

Mangoe (mangro, mango) → *Clusia nemorosa* G. Meyer; GUTTIFERAE; Surinam (Sa)

Mangro → *Clusia parvicapsula* Vesque; GUTTIFERAE; Surinam (Cr)

Mangro, bos → *Tovomita grata* Sandwith; GUTTIFERAE; Surinam (Du)

Mangro, bos (boesi-) → *Tovomita secunda* Poeppig; GUTTIFERAE; Surinam (Du)

Mangro, man sabana (bos-) → *Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Cr, Du)

Mangro, sabana (savanne) → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Cr, Du)

Mangro, sabana (savanne-) → *Clusia nemorosa* G. Meyer; GUTTIFERAE; Surinam (Cr, Du)

Mangro, savanne (bos-, boesi-) → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Cr, Du)

Mangro, swietie watra → *Clusia purpurea* (Splitg.) Engl.; GUTTIFERAE; Surinam (Cr)

Mangro, watra → *Clusia pana-panari* (Aublet) Choisy; GUTTIFERAE; Surinam (Cr); syn. *C. colorans* Klotzsch ex Engl.

→ *Souroubea guianensis* Aublet; MARCGRAVIACEAE; Surinam (Cr)

Mangro, wild → *Tovomita obovata* Engl.; GUTTIFERAE; Surinam (Cr)

Mangroe, savanna (sabana-) → *Lacunaria crenata* (Tulasne) A. C. Smith; QUIINACEAE; Surinam (Cr)

Mangrove → *Rhizophora harrisonii* Leechman; RHIZOPHORACEAE; Surinam (Cr)

→ *Rhizophora racemosa* G. Meyer; RHIZOPHORACEAE; Surinam (Cr); use *R. mangle* L.

Mangrove grape → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Mangrove olive → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Mangrove, black → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Guyana (Cr); syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana*

Toml.; syn. *A. intermedia* griffith

Mangrove, button → *Conocarpus erectus* L.; COMBRETACEAE; British West Indies

Mangrove, white → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

→ *Laguncularia racemosa* (L.) Gaertner f.; COMBRETACEAE; Guyana (Cr)

Mangrove, zwamp (red-) → *Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam (Cr); syn. *R. racemosa* G.Meyer

Mangua (cacao-, red-) → *Marila* sp.; GUTTIFERAE; Trinidad

Mangue, red → *Tovomita brevistaminea* Engl.; GUTTIFERAE; Trinidad

→ *Tovomita eggertii* Vesque; GUTTIFERAE; Trinidad

Mangue, yellow → *Symphonia globulifera* L.f.; GUTTIFERAE; Trinidad; syn. *S. gabonensis* (Vesque) Pierre

Mani (manni), tapoekan- → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Sa); syn. *S. gabonensis* (Vesque) Pierre

Mani kwaha → *Calophyllum longifolium* Willd.; GUTTIFERAE; Surinam (Sa)

Mani kwaha (-kwaho) → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Surinam (Sa); syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley

Mania potano tokowe → *Ocotea guianensis* Aublet; LAURACEAE; Caribbean

Mania powerie → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Maniballi → *Moronobea coccinea* Aublet; GUTTIFERAE; Surinam (Ar)

Manibokoro (manebokoroa) → *Trichanthera gigantea* (Kunth) Steudel; ACANTHACEAE; Surinam (Ar)

Manibotie-ie → *Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Sa)

Manicole → *Euterpe oleracea* C.Martius; ARECACEAE (PALMAE); Guyana (Cr); syn. *E. edulis* auct. non C.Martius

Manie → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Du); syn. *S. gabonensis* (Vesque) Pierre

Manie wiwirie → *Ludwigia hyssopifolia* (G.Don) Exell; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea linifolia* Vahl

Maniepau → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Sa); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Manier(i)an → *Rhedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam; syn. *R. kappleri* Eyma

Manil (-parcouri) → *Platonia insignis* C.Martius; GUTTIFERAE; French Guiana; syn. *P. esculenta* (Arruda) Rickett & Stafleu

Manil (parcouri-) → *Symphonia globulifera* L.f.; GUTTIFERAE; French Guiana; syn. *S. gabonensis* (Vesque) Pierre

Manipau (mannipau) → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Sa); syn. *S. gabonensis* (Vesque) Pierre

Manja (bobbie-, kajanna-) → *Mangifera indica* L.; ANACARDIACEAE; Surinam (Cr)

Manjabo hororodikoro → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Manjak → *Cordia colecocea* L.; BORAGINACEAE; Grenada; syn. *C. collocca* L. ?; syn. *C. collococca* L. ?

Manjala kopie → *Mapouria fockeana* (Miquel) Bremek.; RUBIACEAE; Surinam (Cr); use *Psychotria carthaginensis* Jacq.

→ *Psychotria carthaginensis* Jacq.; RUBIACEAE; Surinam (Cr); syn. *Mapouria fockeana* (Miquel) Bremek.

Manletterhout → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Du); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

→ *Perebea laurifolia* Trécul; MORACEAE; Surinam (Du)

Manmaho → *Sterculia excelsa* C.Martius; STERCULIACEAE; Guyana

Manmantrie → *Mapouria opaca* Bremek.; RUBIACEAE; Surinam (Cr)

→ *Psychotria* sp.; RUBIACEAE; Surinam (Cr)

Manneko → *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam (Cr)

Mannetjes rozenhout → *Aniba mas* Kosterm.; LAURACEAE; Surinam (Du)

Manni → *Moronobea globulifera* L.f.; GUTTIFERAE; Guyana (Ar)

Manni (-hororodikoro, -parcouri, -balli) → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Ar); syn. *S. gabonensis* (Vesque) Pierre

Manniballi → *Moronobea coccinea* Aublet; GUTTIFERAE; Surinam (Ar)

Mannie botie-ie → *Rapanea guianensis* Aublet; MYRSINACEAE; Surinam (Sa)

Mannipau (manipau) → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Sa); syn. *S. gabonensis* (Vesque) Pierre

Manobodin → *Emmotum fagifolium* Desvaux; ICACINACEAE; Surinam (Ar)

→ *Emmotum fulvum* R.A.Howard; ICACINACEAE; Guyana (Ar)

Manonti kouali → *Erisma uncinatum* Warming; VOCHYSIACEAE; French Guiana; syn. *E. pulverulentum* Poeppig

Manprasara → *Aegiphila laevis* (Aublet)

J.F.Gmelin; VERBENACEAE; Surinam

Manrozenhout →Aniba mas Kosterm.; LAURACEAE; Surinam (Du)

→Croton sp.; EUPHORBIACEAE; Surinam (Du)

Manswitie anesie →Funastrum clausum (Jacq.) Schltr.; ASCLEPIADACEAE; Surinam (Cr)

Mantapoe(ri)pa →Gustavia augusta Alm sensu Berg; LECYTHIDACEAE; Surinam (Sa)

Mantie kwarie →Qualea coerulea Aublet; VOCHYSIACEAE; Surinam (Cr)

Mantjotjo →Aspidosperma desmanthum Benth. ex Müll.Arg.; APOCYNACEAE; Caribbean

Manto →Rhacoma latifolia Swartz; CELASTRACEAE; Puerto Rico

Manuk-ewandabu →Eperua jenmani Oliver; LEGUMINOSAE-CAES.; Guyana (Ak)

Manwood (black-) →Minuartia guianensis Aublet; OLACACEAE; Surinam (Cr)

Manyokinaballi →Geissospermum argenteum Woodson; APOCYNACEAE; Guyana (Ar)

→Geissospermum sericeum (Sagot) Benth.; APOCYNACEAE; Surinam (Ar)

Manzanillo →Sapium sp.; EUPHORBIACEAE; Puerto Rico

Maoeloe →Gossypium barbadense L.; MALVACEAE; Caribbean

Maoewelang →Eupatorium odoratum L.; ASTERACEAE; Caribbean

Maoranaballi (maoraniballi) →Qualea dinizii Ducke; VOCHYSIACEAE; Surinam (Ar); var. glabrifolia Meurs

Map(p)a →Couma guianensis (A.Rich.) Aublet; APOCYNACEAE; Surinam (Ar)

→Tabernaemontana pauciflora Blume; APOCYNACEAE; Surinam (Ar); syn. Macoubea guianensis Aublet

Map(p)a, kleinbladige →Parahancornea fasciculata (Lam.) Benoist; APOCYNACEAE; Surinam (Du); syn. P. amapa (Huber) Ducke; syn. P. fasciculata (Poiret) Benoist

Mapalapa →Hevea brasiliensis (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Caribbean; syn. Siphonia brasiliensis Willd. ex A.Jussieu

→Hevea guianensis Aublet; EUPHORBIACEAE; Caribbean

Maparakoni (-waikey) →Inga sp.; LEGUMINOSAE-MIM.; Guyana (Ar)

Mapijara (mabijara, mabi jara) →Pouteria trigonosperma Eyma; SAPOTACEAE; Surinam (Ar); syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapilan →Pouteria trigonosperma Eyma; SAPOTACEAE; Caribbean; syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapiran (-hariroro, -warian) →Pouteria

trigonosperma Eyma; SAPOTACEAE; Surinam; syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapiran khalé-meroe →Pouteria trigonosperma Eyma; SAPOTACEAE; Surinam; syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapirang →Merremia glabra Hallier f.; CONVOLVULACEAE; Caribbean

Mapiri →Capirona decorticans Spruce; RUBIACEAE; Surinam

→Capirona surinamensis Bremek.; RUBIACEAE; Surinam

Mapirian →Pouteria trigonosperma Eyma; SAPOTACEAE; Caribbean; syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapirinoeloe →Ilex martiniana D.Don; AQUIFOLIACEAE; Caribbean

Mapiwalan →Pouteria trigonosperma Eyma; SAPOTACEAE; Caribbean; syn. Radlkoferella trigonosperma (Eyma) Aubrév.; syn. Richardella trigonosperma (Eyma) Baehni; syn. Lucuma

Mapoa gris →Pisonia sp.; NYCTAGINACEAE; Guadeloupe

Mapoeri erepare →Coussarea paniculata (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam

Mapoo lay-lay →Cordia sp.; BORAGINACEAE; Trinidad

Maporokon →Inga capitata Desvaux; LEGUMINOSAE-MIM.; Surinam (Ar)

Maporokon(i) →Inga alba (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)

Mapourokong →Inga alba (Swartz) Willd.; LEGUMINOSAE-MIM.; Guyana (Ar)

Mappoo (mampoo) →Pisonia sp.; NYCTAGINACEAE; Dutch West Indies

Maprokon(ie) →Inga alba (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)

Mapurito (mopurito) →Zanthoxylum monophyllum (Lam.) P.Wilson; RUTACEAE; Puerto Rico; syn. Fagara monophylla Lam.; syn. Xanthoxylum

Maracaibo palmhout →Casearia praecox Griseb.; FLACOURTIACEAE; West Indies; syn. Gossypiospermum praecox (Griseb.) P.Wilson

Marai iwokore (-wakoré, -wokoré) →Talisia megaphylla Sagot; SAPINDACEAE; Caribbean

Marai micro kotere →Lacunaria crenata (Tulasne) A.C.Smith; QUIINACEAE; Surinam (Cr)

Marai wakoré (-wokoré, -iwokore) →Talisia megaphylla Sagot; SAPINDACEAE; Caribbean

Maraka →Peltogyne paniculata Benth.; LEGUMINOSAE-CAES.; Caribbean; ssp. pubescens (Benth.) M.F.Silva; syn. P. pubescens Benth.

- Peltogyne venosa* (Vahl) Benth.;
LEGUMINOSAE-CAES.; Caribbean; ssp.
densiflora (Spruce ex Benth.) M.F.Silva
- Marakanakoewa** →*Mouriria vernicosa* Naudin;
MELASTOMATACEAE; Surinam
- Maran** →*Copaifera guianensis* Desf.;
LEGUMINOSAE-CAES.; Guyana (Cr)
→*Copaifera langsdorfii* Desf.; LEGUMINOSAE-
CAES.; Guyana (Cr)
- Maran daurobona, wild** →*Caraipa richardiana*
Cambess.; GUTTIFERAE; Guyana (Wr)
- Maran(a)** →*Copaifera pubiflora* Benth.;
LEGUMINOSAE-CAES.; Guyana (Cr)
- Maran, wild** →*Amanoa guianensis* Aublet;
EUPHORBIACEAE; Guyana (Cr)
- Maranai** →*Copaifera pubiflora* Benth.;
LEGUMINOSAE-CAES.; Guyana (W)
- Maranyo** →*Copaifera pubiflora* Benth.;
LEGUMINOSAE-CAES.; Guyana (Ak)
- Marapas(a)mukri** →*Pouteria guianensis* Aublet;
SAPOTACEAE; Guyana (M); syn. *Lucuma*
- Marare** →*Ischnosiphon obliquus* (Rudge)
Körnigke; MARANTACEAE; Guyana (Ak)
- Maravedi** →*Rhacoma latifolia* Swartz;
CELASTRACEAE; Puerto Rico
- Marawaro** →*Calophyllum lucidum* Benth.;
GUTTIFERAE; Guyana (Ak)
- Marawinazoo** →*Peltogyne venosa* (Vahl) Benth.;
LEGUMINOSAE-CAES.; Surinam; syn. *P.*
confertiflora Benth.
- Marble tree** →*Cassine* sp.; CELASTRACEAE;
Puerto Rico; syn. *Elaeodendron xylocarpum*
(Ventenat) DC.
→*Elaeodendron xylocarpum* (Ventenat) DC.;
CELASTRACEAE; Puerto Rico; use *Cassine*
- Marblewood** →*Zygia racemosum* (Ducke)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
Guyana (Cr); syn. *Marmaroxylon racemosum*
(Ducke) Killip; syn. *Pithecellobium racemosum*
Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
- Marbuk** →*Iryanthera lancifolia* Ducke;
MYRISTICACEAE; Guyana (Ak)
→*Iryanthera macrophylla* (Benth.) Warburg;
MYRISTICACEAE; Guyana (Ak)
→*Iryanthera paraensis* Huber; MYRISTICACEAE;
Guyana (Ak)
→*Iryanthera sagotiana* (Benth.) Warburg;
MYRISTICACEAE; Guyana (Ak)
- Marcusa** →*Passiflora costata* Masters;
PASSIFLORACEAE; Surinam (Cr)
- Maré oelang** →*Laetia procera* (Poeppig & Endl.)
Eichler; FLACOURTIACEAE; Caribbean
- Marenballi wadilikoro** →*Licania robusta* Sagot;
CHRYSOBALANACEAE; Surinam (Ar)
- Marfa** →*Waltheria americana* L.;
STERCULIACEAE; Surinam (Du); syn. *W. indica*
L.
- Maria micro kotore** →*Lacunaria crenata*
(Tulasne) A.C.Smith; QUIINACEAE; Caribbean
- Maria(s)** →*Calophyllum brasiliense* Cambess.;
GUTTIFERAE; Puerto Rico; syn. *C. calaba* Jacq.;
syn. *C. rekoii* Standley
- Mariaba** →*Aulomyrcia pyrifolia* (Desvaux ex
Ham.) O.Berg; MYRTACEAE; Surinam (Ar)
- Mariababalli** →*Psidium aquaticum* Benth.;
MYRTACEAE; Surinam (Ar)
- Maribaballi** →*Campomanesia grandiflora* (Aublet)
Sagot; MYRTACEAE; Surinam (Ar)
- Maribena** →*Combretum rotundifolium* A.Rich.;
COMBRETACEAE; Surinam (Ar)
- Maricao** →*Gordonia* sp.; THEACEAE; Puerto
Rico; syn. *Laplacea fruticosa* (Schrader) Kobuski;
syn. *L. semiserrata* (Martius & Zucc.) Cambess.
→*Laplacea fruticosa* (Schrader) Kobuski;
THEACEAE; Puerto Rico; use *Gordonia*; syn. *L.*
semiserrata (Martius & Zucc.) Cambess.
- Maricao (-cimarrón)** →*Byrsonima spicata*
A.Richard; MALPIGHIACEAE; Puerto Rico
→*Byrsonima spicata* (Cav.) DC.;
MALPIGHIACEAE; Puerto Rico; syn. *B. coriacea*
(Swartz) DC. var. *spicata* (Cav.) Niedenzu
- Maricao (-cimarrón, -verde)** →*Byrsonima*
crassifolia (L.) Kunth; MALPIGHIACEAE; Puerto
Rico; syn. *B. cubensis* A.Jussieu
- Marietambour** →*Passiflora laurifolia* L.;
PASSIFLORACEAE; Guyana (Cr)
- Marihibona** →*Heisteria cauliflora* Smith;
OLACACEAE; Surinam (Ar)
- Marilópez** →*Turnera* sp.; TURNERACEAE;
Puerto Rico
- Marimari** →*Couratari guianensis* Aublet;
LECYTHIDACEAE; Guyana (Wr); syn. *C. pulchra*
Sandwith
→*Jacaranda obtusifolia* Humbert & Bonpl.;
BIGNONIACEAE; Surinam; ssp. *rhombifolia*
(G.Meyer) A.H.Gentry; syn. *J. rhombifolia*
G.Meyer
→*Jacaranda rhombifolia* G.Meyer;
BIGNONIACEAE; Surinam; use *J. obtusifolia*
Humbert & Bonpl. ssp. *rhombifolia* (G.Meyer)
A.H.Gentry
- Marimiapo** →*Hirtella caudata* Kleinhoonte;
CHRYSOBALANACEAE; Caribbean
- Maripa** →*Attalea regia* (C.Martius) Wess.Boer;
ARECACEAE (PALMAE); Caribbean; syn.
Maximiliana regia C.Martius; syn. *M. maripa*
(M.N.Correa) Drude
- Maripati** →*Byrsonima coccolobifolia* Kunth;
MALPIGHIACEAE; Guyana (M)
→*Byrsonima crassifolia* (L.) Kunth;
MALPIGHIACEAE; Guyana (M); var. *spruceana*
Niedenzu
- Marishiballi** →*Licania boyanii* Tutin;
CHRYSOBALANACEAE; Surinam (Ar)

→*Licania densiflora* Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Ar)
 →*Licania licaniflora* (Sagot) Blake;
 CHRYSOBALANACEAE; Guyana (Ar)
 →*Licania mollis* Benth.; CHRYSOBALANACEAE;
 Guyana (Ar)
Marishiballi taraoe →*Licania buxifolia* Sandwith;
 CHRYSOBALANACEAE; Surinam (Ar)
Marisiballi →*Hirtella triandra* Swartz;
 CHRYSOBALANACEAE; Surinam (Ar)
Marisiballi firiberoebana →*Licania micrantha*
 Miquel; CHRYSOBALANACEAE; Surinam (Ar)
Marisiballi hariraoe →*Licania paniculata*
 Fanshawe & Maguire; CHRYSOBALANACEAE;
 Surinam (Ar)
Marisiballi jotoh →*Casearia combaymensis*
 Tulasne; FLACOURTIACEAE; Surinam (Ar); syn.
C. subopaca Triana & Planchon
 →*Casearia sylvestris* Swartz;
 FLACOURTIACEAE; Surinam (Ar)
Marisiballi kibelekoberoe →*Licania robusta*
 Sagot; CHRYSOBALANACEAE; Surinam (Ar)
Marisiballi kiblekoeberoebana →*Licania*
micrantha Miquel; CHRYSOBALANACEAE;
 Surinam (Ar)
Marisiballi ojoto →*Poraqueiba guianensis*
 Aublet; ICACINACEAE; Surinam (Ar)
Marisiballi tataro →*Licania hostmannii* Fritsch;
 CHRYSOBALANACEAE; Surinam (Ar)
 →*Licania micrantha* Miquel;
 CHRYSOBALANACEAE; Surinam (Ar)
Marisoba →*Geissospermum argenteum*
 Woodson; APOCYNACEAE; Guyana (W)
Markoesa (para-) →*Passiflora laurifolia* L.;
 PASSIFLORACEAE; Surinam (Du)
Markoesa, grote →*Passiflora quadrangularis* L.;
 PASSIFLORACEAE; Surinam (Du)
Markoesa, jorka (blaka-) →*Passiflora vespertilio*
 L.; PASSIFLORACEAE; Surinam (Au)
Markoesa, rode (wilde-, bos-) →*Passiflora*
glandulosa Cav.; PASSIFLORACEAE; Surinam
 (Du)
Markoesa, snekie →*Passiflora coccinea* Aublet;
 PASSIFLORACEAE; Surinam (Cr)
 →*Passiflora foetida* L.; PASSIFLORACEAE;
 Surinam (Cr); var. *hispida* (DC.) Killip ex Gleason
Marl berry →*Ardisia* sp.; MYRSINACEAE; British
 West Indies
Marmados sinjahoedoe →*Duroia aquatica*
 (Aublet) Bremek.; RUBIACEAE; Surinam (Cr)
Marmadosie →*Duroia eriopila* L.f.; RUBIACEAE;
 Surinam (Cr)
Marmadosoe (omi-, womi-) →*Amaioua*
guianensis Aublet; RUBIACEAE; Surinam (Cr,
 Sa); syn. *Amajoua guianensis* Aublet
Marmadosoe, bosfroe (boesi-) →*Duroia eriopila*
 L.f.; RUBIACEAE; Surinam (Cr, Sa)

Marmadosoe, matoe →*Lacunaria jenmanii*
 (Oliver) Ducke; QUIINACEAE; Surinam (Cr)
Marmalade fruit →*Pouteria sapota* (Jacq.)
 H.E. Moore & Stearn; SAPOTACEAE; British West
 Indies; syn. *Calocarpum sapota* (Jacq.) Merrill;
 syn. *Lucuma*
Marmeldoos →*Amaioua guianensis* Aublet;
 RUBIACEAE; Surinam (Du); syn. *Amajoua*
guianensis Aublet
 →*Amaioua guianensis* Aublet; RUBIACEAE;
 Surinam (Du); use *Amaioua guianensis* Aublet
Marmeldoos, bos- →*Duroia eriopila* L.f.;
 RUBIACEAE; Surinam (Du)
Marmeldoosje →*Duroia aquatica* (Aublet)
 Bremek.; RUBIACEAE; Surinam (Du)
 →*Randia formosa* (Jacq.) K. Schumann;
 RUBIACEAE; Surinam (Du)
 →*Taberna albiflora* (Miquel) Markgraf;
 APOCYNACEAE; Surinam (Du); use
Tabernaemontana albiflora (Miquel) Pulle
 →*Tabernaemontana albiflora* (Miquel) Pulle;
 APOCYNACEAE; Surinam (Du); syn. *Taberna*
albiflora (Miquel) Markgraf
Marmite de singe →*Lecythis zabucajo* Aublet;
 LECYTHIDACEAE; French Guiana; syn. *L. davisii*
 Sandwith
Maro(e)dité →*Lacunaria crenata* (Tulasne)
 A.C. Smith; QUIINACEAE; Surinam (Ar)
Marofranc →*Hibiscus tiliaceus* L.; MALVACEAE;
 Guadeloupe; syn. *H. celebicus* Koorders
Marpjoeli (-ekerepore, -kerapale) →*Palicourea*
guianensis Aublet; RUBIACEAE; Caribbean
Marpjoeli kierabelle (-kerapale) →*Palicourea*
guianensis Aublet; RUBIACEAE; Caribbean
Marribonsoehoedoe →*Cordia nodosa* Lam.;
 BORAGINACEAE; Surinam (Cr)
Marrodieté →*Lacunaria crenata* (Tulasne)
 A.C. Smith; QUIINACEAE; Surinam (Ar)
Maru mara →*Duroia eriopila* L.f.; RUBIACEAE;
 Guyana
Marua(kun) →*Trichilia pleeana* (A. Jussieu)
 C. DC.; MELIACEAE; Guyana (W); syn. *T. smithii*
 C. DC.
 →*Trichilia smithii* C. DC.; MELIACEAE; Guyana
 (M); use *T. pleeana* (A. Jussieu) C. DC.
Maruba →*Quassia amara* L. ex Blom;
 SIMAROUBACEAE; Guyana; syn. *Simarouba*
amara Aublet; syn. *Simaruba amara* Aublet
Marudi-hi →*Philodendron* sp.; ARACEAE;
 Caribbean
Marudiyure →*Passiflora coccinea* Aublet;
 PASSIFLORACEAE; Surinam (Ar)
Maruk →*Quiina indigofera* Sandwith;
 QUIINACEAE; Guyana (Ak)
Maruk ewandabu →*Eperua jenmani* Oliver;
 LEGUMINOSAE-CAES.; Guyana (Ak)
Maruk supai →*Oxythece ambelaniifolia*

(Sandwith) Cronquist; SAPOTACEAE; Guyana (Ak)

Marupa → *Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Maruwa → *Protium decandrum* (Aublet) Marchand; BURSERACEAE; Guyana (Ak)

Masa → *Maytenus ficiformis* Reissek; CELASTRACEAE; Guyana (M)
→ *Tetragastris* sp.; BURSERACEAE; Puerto Rico

Masagrie → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Ar); syn. *S. gabonensis* (Vesque) Pierre

Masai → *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Guyana (Ak)

Masaraipjo → *Homalium guianense* (Aublet) Warburg; FLACOURTIACEAE; Caribbean

Masari → *Coccoloba ascendens* Duss ex Lindau; POLYGONACEAE; Surinam (Ar)

→ *Coccoloba charitostachya* Standley; POLYGONACEAE; Guyana (Ar)
→ *Coccoloba excelsa* Benth.; POLYGONACEAE; Guyana (Ar)

→ *Coccoloba guianensis* Meisner; POLYGONACEAE; Guyana (Ar); use *C. marginata* Benth.

→ *Coccoloba gymnorhachis* Sandwith; POLYGONACEAE; Guyana (Ar)

→ *Coccoloba marginata* Benth.; POLYGONACEAE; Guyana (Ar); syn. *C. guianensis* Meisner

Masawi → *Pausandra martinii* Baillon; EUPHORBIACEAE; Guyana (Ak)

Masimikar → *Cordia exaltata* Lam.; BORAGINACEAE; Guyana (W); var. *melanoneura* I.M. Johnston

→ *Cordia fallax* I.M. Johnston; BORAGINACEAE; Guyana (W)

Masiroe → *Pterocarpus santalinoides* L'Héritier ex DC.; LEGUMINOSAE-PAP.; Caribbean

Masjiboeri → *Pisonia* sp.; NYCTAGINACEAE; Dutch West Indies

Massaranduba → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam; syn. *M. balata* (Pierre) Dubard

Massé → *Tapirira guianensis* Aublet; ANACARDIACEAE; Caribbean

Massif → *Byrsonima* sp.; MALPIGHIACEAE; Grenada

Mastic → *Sideroxylon foetidissimum* Jacq.; SAPOTACEAE; British West Indies

Maswa → *Bactris cruegeriana* Griseb.; ARECACEAE (PALMAE); Surinam (Ar); syn. *B. megalocarpa* Trail ex Thurn

→ *Bactris major* Jacq.; ARECACEAE (PALMAE); Surinam (Ar)

→ *Bactris megalocarpa* Trail ex Thurn; ARECACEAE (PALMAE); Surinam (Ar); use *B. cruegeriana* Griseb.

Mata (mata) → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Dominican Republic; syn. *Caesalpinia echinata* Lam.

Mata becerro → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Dominican Republic; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Mata de nigua → *Tournefortia* sp.; BORAGINACEAE; Puerto Rico

Matagrie → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Cr); syn. *S. gabonensis* (Vesque) Pierre

Matakki → *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Surinam (Cr)

→ *Caraipa densiflora* C.Martius; GUTTIFERAE; Surinam (Cr)

→ *Caraipa richardiana* Cambess.; GUTTIFERAE; Surinam (Du)

Matakki (hoogland-) → *Symphonia gabonensis* (Vesque) Pierre; GUTTIFERAE; Surinam (Du); use *S. globulifera* L.f.

→ *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam (Du); syn. *S. gabonensis* (Vesque) Pierre

Matakkie → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Cr); syn. *R. kappleri* Eyma

Matapal (matapale, matapalo) → *Clusia rosea* Jacq.; GUTTIFERAE; Trinidad

Matatji → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam; syn. *S. gabonensis* (Vesque) Pierre

Matawari nengidjedoe (-nengé) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Sa)

Matchwood → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Guyana (Cr); syn. *S. paraensis* Huber apud Ducke

→ *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Guyana (Cr); syn.

Didymopanax morototoni (Aublet) Decaisne & Planchon

→ *Tapirira marchandii* Engl.; ANACARDIACEAE; Guyana (Cr)

Matkinye → *Tovomita obovata* Engl.; GUTTIFERAE; Guyana (M)

Mato → *Ormosia* sp.; LEGUMINOSAE-PAP.; Puerto Rico

Mato azul (-de palyo) → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Caesalpinia echinata* Lam.

Mato de playo (-azul) → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Caesalpinia echinata* Lam.

Matoe marmadosoe → *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Surinam (Cr)

Matoela → *Coccoloba latifolia* Lam.;

POLYGONACEAE; Caribbean
→Coccoloba mollis Casar.; POLYGONACEAE; Surinam (Ar)

Matoeli →Coccoloba mollis Casar.; POLYGONACEAE; Surinam (Ar)

Matora →Coccoloba latifolia Lam.; POLYGONACEAE; Surinam (Ar)
→Coccoloba uvifera (L.) Jacq.; POLYGONACEAE; Surinam (Ar); syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?
→Terminalia amazonia (J.F.Gmelin) Exell; COMBRETACEAE; Guyana (M); syn. T. obovata (Ruiz & Pavón) Steudel

Matosirian →Pterocarpus officinalis Jacq.; LEGUMINOSAE-PAP.; Surinam; syn. P. draco L.
→Pterocarpus vernalis Pittier; LEGUMINOSAE-PAP.; Surinam
→Swartzia sp.; LEGUMINOSAE-PAP.; Surinam

Matosirian (moetoesian) →Pterocarpus rohrii Vahl; LEGUMINOSAE-PAP.; Caribbean

Matrozenroos →Hibiscus rosa-sinensis L.; MALVACEAE; Surinam (Du)

Matta matta wèwè →Ecclinusa guianensis Eyma; SAPOTACEAE; Caribbean

Mattawari ninge djedoe →Sclerolobium albiflorum Benoist; LEGUMINOSAE-CAES.; Surinam (Sa)

Mattoe →Tabebuia insignis (Miquel) Sandwith; BIGNONIACEAE; Surinam (Sa); var. monophylla Sandwith

Mattoe (madoa) moenba →Virola venosa (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

Mattoe groè-groè →Alchornea triplinervia (Sprengel) Müll.Arg.; EUPHORBIACEAE; Surinam (Sa); var. laevigata Müll.Arg.

Mattoe gwe-gwe →Pterocarpus rohrii Vahl; LEGUMINOSAE-PAP.; Surinam (Sa)

Mattoe koffie →Coussarea paniculata (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Sa)

Mattoe mauw →Bombax globosum Aublet; BOMBACACEAE; Surinam (Sa)

Mattoe swama →Chaetocarpus schomburgkianus (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Sa)

Mattoe tapoepa →Gustavia hexapetala (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Sa)

Mattoe toenbalobbi →Cordia nodosa Lam.; BORAGINACEAE; Surinam (Sa)

Mattoemaauw →Bombax crassum Uittien; BOMBACACEAE; Surinam (Sa)

Mattora →Coccoloba mollis Casar.; POLYGONACEAE; Surinam (Ar)

Matura →Sloanea grandiflora Smith; ELAEOCARPACEAE; Guyana (Ak); syn. S. amplifrons Johnston; syn. S. dentata L.

Maumau →Pachira aquatica Aublet; BOMBACACEAE; Guyana (Ak); syn. Bombax aquatica (Aublet) K.Schumann

Mauricif (mauricef) →Byrsonima spicata (Cav.) DC.; MALPIGHIACEAE; French Guiana; syn. B. coriacea (Swartz) DC. var. spicata (Cav.) Niedenzu

Mauriuri →Capsicum frutescens L.; SOLANACEAE; Surinam (Ar)

Mautaurai →Humiriastrum obovatum (Benth.) Cuatrec.; HUMIRIACEAE; Guyana (Ak); syn. Sacoglottis obovata (Benth.) Urban

Mavavé →Homalium sp.; FLACOURTIACEAE; French Guiana

Mavévé →Homalium sp.; FLACOURTIACEAE; French Guiana

Mawanting →Phyllanthus brasiliensis (Aublet) Poitet; EUPHORBIACEAE; Guyana (P)

Mawaranaballi →Qualea dinizii Ducke; VOCHYSIACEAE; Surinam (Ar); var. glabrifolia Meurs

Mawirtan →Ocotea wachenheimii Benoist; LAURACEAE; Guyana (W)

Maypuliedondron →Vochysia densiflora Spruce ex Warming; VOCHYSIACEAE; Caribbean

Meerkihodoe →Myrcia coumeta (Aublet) DC.; MYRTACEAE; Surinam (Cr)

Mejorana →Lippia sp.; VERBENACEAE; Puerto Rico

Mekoe koeware →Lecythis simiorum Benoist; LECYTHIDACEAE; Caribbean; syn. Eschweilera simiorum (Benoist) Eyma

Mekoe kwaire →Lecythis simiorum Benoist; LECYTHIDACEAE; Caribbean; syn. Eschweilera simiorum (Benoist) Eyma

Mekoejongaree →Apeiba petoumo Aublet; TILIACEAE; Caribbean; syn. A. echinata Gaertner

Mekoekwaire →Omphalea diandra L.; EUPHORBIACEAE; Caribbean

Mekoepoepo atakarie →Duroia eriopila L.f.; RUBIACEAE; Surinam

Melamaroelan →Isertia hypoleuca Benth.; RUBIACEAE; Caribbean

Melassiehodoe →Antonia ovata Pohl; ANTONIACEAE; Surinam (Cr); syn. A. ovata Pohl var. pilosa Hook.; sometimes in Loganiaceae

Mêle →Loreya mespiloides Miquel; MELASTOMATACEAE; French Guiana

Meléi →Byrsonima spicata (Cav.) DC.; MALPIGHIACEAE; Caribbean; syn. B. coriacea (Swartz) DC. var. spicata (Cav.) Niedenzu

Meliu →Tillandsia pulchella Hook.; BROMELIACEAE; Caribbean

Melki tetei →Mandevilla grandiflora (G.F.W.Meyer) Kuntze; APOCYNACEAE; Surinam (Cr)
→Mandevilla scabra (Roemer & Schultes)

K.Schumann; APOCYNACEAE; Surinam (Cr);
var. pubiflora Müll.Arg.
→*Mandevilla subspicata* (Vahl) Markgraf;
APOCYNACEAE; Surinam (Cr); var. *pullei*
Markgraf
Melki tieki →*Euphorbia hypericifolia* L.;
EUPHORBIACEAE; Surinam (Cr)
Melki tiki →*Tabernaemontana psychotrifolia*
Kunth; APOCYNACEAE; Surinam (Cr); syn.
Bonafousia sananho (Ruiz & Pavón) Markgraf;
syn. *Peschiera* sp.
→*Tabernaemontana tetrastachya* Kunth;
APOCYNACEAE; Surinam (Cr); syn. *T. repanda*
E.Meyer; syn. *Bonafousia tetrastachya* (Kunth)
Markgraf
Melki wiwieri →*Euphorbia heterophylla* L.;
EUPHORBIACEAE; Surinam (Cr); var.
cyathophora (Murr.) Griseb.
Melki wiwirie →*Euphorbia thymifolia* L.;
EUPHORBIACEAE; Surinam (Cr)
Melksapblad →*Pedilanthus tithymaloides* (L.)
Poiteau; EUPHORBIACEAE; Surinam (Du)
Meloon die seeroe →*Melocactus* sp.;
CACTACEAE; Curaçao
Membrillito →*Prunus myrtifolia* (L.) Urban;
ROSACEAE; Dominican Republic
Membrillo →*Prunus occidentalis* Swartz;
ROSACEAE; Dominican Republic
Memeyuelo →*Rapanea* sp.; MYRSINACEAE;
Puerto Rico
→*Wallenia pendula* (Urban) Mez;
MYRSINACEAE; Puerto Rico
Memiso →*Muntingia calabura* L.;
ELAEocarpaceae; Dominican Republic;
sometimes in fam. Flacourtiaceae
→*Trema micrantha* (L.) Blume; ULMACEAE;
Dominican Republic
Meniridan (-hororodikoro, -kholeméröe)
→*Qualea albiflora* Warming; VOCHYSIACEAE;
Surinam (Ar); use *Ruizterania albiflora* (Warming)
Marcono-Berti ?
→*Ruizterania albiflora* (Warming) Marcano-Berti;
VOCHYSIACEAE; Surinam (Ar); syn. *Qualea*
albiflora Warming ?
Meniridan (-oeweberabandikoro) →*Qualea*
coerulea Aublet; VOCHYSIACEAE; Surinam (Ar)
Meniridan bojaroe (muniaridan) →*Siparuna*
guianensis Aublet; MONIMIACEAE; Surinam (Ar)
Meniridan djamaro →*Siparuna cuspidata*
(Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)
Meniridan hororadi korso →*Qualea albiflora*
Warming; VOCHYSIACEAE; Surinam (Ar); use
Ruizterania albiflora (Warming) Marcono-Berti ?
Meniridan hororodikoro →*Qualea coerulea*
Aublet; VOCHYSIACEAE; Surinam (Ar)
Meniridan oeni bere bandikoro →*Qualea*
coerulea Aublet; VOCHYSIACEAE; Surinam (Ar)
Meniridanballi →*Qualea coerulea* Aublet;

VOCHYSIACEAE; Surinam (Ar)
Meniriolan →*Qualea albiflora* Warming;
VOCHYSIACEAE; Surinam (Ar); use *Ruizterania*
albiflora (Warming) Marcono-Berti ?
Menirodan (menirolan, meniridan) →*Qualea*
coerulea Aublet; VOCHYSIACEAE; Surinam (Ar)
Menirolan (menirodan, meniridan) →*Qualea*
coerulea Aublet; VOCHYSIACEAE; Surinam (Ar)
Mereëkoeja (-fireberoe) →*Passiflora*
quadrangularis L.; PASSIFLORACEAE; Surinam
(Ar)
Merehé →*Anacardium occidentale* L.;
ANACARDIACEAE; Surinam (Ar); syn. *A.*
occidentale L. var. *indicum* DC.
Mereke →*Anacardium occidentale* L.;
ANACARDIACEAE; Surinam (Ar); syn. *A.*
occidentale L. var. *indicum* DC.
Merekeballi →*Anacardium spruceanum* Benth.;
ANACARDIACEAE; Surinam (Ar)
Mereki →*Anacardium occidentale* L.;
ANACARDIACEAE; Surinam (Ar); syn. *A.*
occidentale L. var. *indicum* DC.
Merekuya →*Passiflora nitida* Kunth;
PASSIFLORACEAE; Surinam (Cr)
Merekuya ferobero →*Passiflora quadrangularis*
L.; PASSIFLORACEAE; Surinam (Ar)
Merie →*Humiria balsamifera* (Aublet) A.St.-Hil.;
HUMIRIACEAE; Surinam (Cr); var. *balsamifera*;
syn. *H. floribunda* C.Martius
Merie oemanbarklak →*Eschweilera poiteaui*
(O.Berg) Niedenzu; LECYTHIDACEAE; Surinam
(Cr)
Merie, swietie →*Humiria balsamifera* (Aublet)
A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var.
guianensis (Benth.) Cuatrec.; syn. *H. floribunda*
C.Martius var. *guianensis* Urban
Merilang →*Myrcia splendens* (Swartz) DC.;
MYRTACEAE; Caribbean
Meriridan djamaro →*Hirtella caudata*
Kleinhoonte; CHRYSOBALANACEAE; Surinam
(Ar)
Mespel →*Bellucia grossularioides* (L.) Triana;
MELASTOMACEAE; Surinam (Du) ; syn. *B.*
aubletii Naudin
→*Loreya mespiloides* Miquel;
MELASTOMACEAE; Surinam (Du)
Mespel (mispel) →*Henriettea succosa* (Aublet)
DC.; MELASTOMACEAE; Surinam (Du)
Mespili, wild →*Morisonia americana* L.;
CAPPARACEAE; Puerto Rico
Mess apple →*Bellucia grossularioides* (L.)
Triana; MELASTOMACEAE; Guyana (Cr); syn.
B. aubletii Naudin
Messigné →*Hevea brasiliensis* (Willd. ex
A.Jussieu) Müll.Arg.; EUPHORBIACEAE; French
Guiana; syn. *Siphonia brasiliensis* Willd. ex
A.Jussieu
Mibi →*Bredemeyera densiflora* A.W.Bennett;

POLYGALACEAE; Surinam (Ar); var. *glabra*
A.W. Bennett
→*Heteropsis jenmanii* Oliver; ARACEAE; Surinam (Ar)

Miconia →*Miconia* sp.; MELASTOMATACEAE; Trinidad

Miejoelwa →*Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Caribbean

Miendjoe →*Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Sa)
→*Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Sa)
→*Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Sa)

Miendjoe (swampoe-) →*Licania heteromorpha* Benth.; CHRYSOBALANACEAE; Surinam (Sa)

Mierahoedoe →*Symmeria paniculata* Benth.; POLYGONACEAE; Surinam (Cr)

Mieren djedoe →*Tachigali paniculata* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr); syn. *Tachigalia paniculata* Aublet

Mierenboom →*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Du); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet

Mierenhoedoe →*Coccoloba mollis* Casar.; POLYGONACEAE; Surinam (Cr)

Mierenhout →*Symmeria paniculata* Benth.; POLYGONACEAE; Surinam (Du)
→*Triplaris americana* Aublet; POLYGONACEAE; Surinam (Du); use *T. weigeltiana* (Rchb.) Kuntze; syn. *T. surinamensis* Chamisso
→*Triplaris surinamensis* Chamisso; POLYGONACEAE; Surinam (Du); use *T. weigeltiana* (Rchb.) Kuntze; syn. *T. americana* Aublet
→*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Du); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet

Mikwa →*Pourouma guianensis* Aublet; MORACEAE; Guyana (P)

Milinillo →*Hura crepitans* L.; EUPHORBIACEAE; Puerto Rico

Milk bush →*Euphorbia tirucalle* L.; EUPHORBIACEAE; Puerto Rico
→*Rauwolfia* sp.; APOCYNACEAE; Puerto Rico; syn. *Rauwolfia nitida* Jacq.

Milk tree →*Thevetia peruviana* (Persoon) K.Schumann; APOCYNACEAE; Puerto Rico; syn. *T. nerifolia* Jussieu ex Steudel

Milkwood →*Sapium aucuparium* Jacq.; EUPHORBIACEAE; Guyana (Cr)
→*Sapium cladogyne* Hutch.; EUPHORBIACEAE; Guyana (Cr)
→*Sapium paucinervum* Hemsley; EUPHORBIACEAE; Guyana (Cr)

Mille pieds →*Clusia rosea* Jacq.; GUTTIFERAE; French West Indies

Millo (palo de-) →*Phyllanthus nobilis* (L.f.) Müll.Arg.; EUPHORBIACEAE; Puerto Rico

Mimili(e) →*Curatella americana* L.; DILLENIACEAE; Surinam (Ar)

Mincoa →*Minquartia guianensis* Aublet; OLACACEAE; Guyana

Mincouart →*Minquartia guianensis* Aublet; OLACACEAE; French Guiana

Mine →*Myrcia* sp.; MYRTACEAE; Surinam

Minkun →*Tovomita obovata* Engl.; GUTTIFERAE; Guyana (W)

Minquart →*Minquartia guianensis* Aublet; OLACACEAE; French Guiana

Mintie →*Hyptis atrorubens* Poiteau; LAMIACEAE; Surinam

Mirahoedoe →*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Cr); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet

Mirkie tikie (melki tiki) →*Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam (Cr); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers

Mirkihoedoe →*Sapium klotzschianum* (Müll.Arg.) Huber; EUPHORBIACEAE; Surinam
→*Sapium obtusilobium*; EUPHORBIACEAE; Surinam

Mispel →*Miconia longifolia* (Aublet) DC.; MELASTOMATACEAE; Surinam (Du)
→*Miconia mucronata* (Desr.) Naudin; MELASTOMATACEAE; Surinam (Du)
→*Miconia plukenetii* Naudin; MELASTOMATACEAE; Surinam (Du)
→*Miconia serrulata* (DC.) Naudin; MELASTOMATACEAE; Surinam (Du); syn. *M. macrophylla* (D.Don) Triana

Mispel (bos-) →*Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Surinam (Du); syn. *B. aubletii* Naudin

Mispel (mespel) →*Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Surinam (Du)

Mispel(-boom) →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; Dutch West Indies; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.

Mispel, bastaard (basterd-) →*Miconia guianensis* (Aublet) Cogniaux; MELASTOMATACEAE; Surinam (Du)

Mispel, basterd (bastaard-) →*Miconia tomentosa* (Rich.) D.Don; MELASTOMATACEAE; Surinam (Du)

Mispel, kleine →*Henriettea multiflora* Naudin; MELASTOMATACEAE; Surinam (Du)
→*Loreya mespiloides* Miquel; MELASTOMATACEAE; Surinam (Du)

Misperillo →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; Dominican Republic; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.

- Mispoe** →Manilkara zapota (L.) P.Royen; SAPOTACEAE; Dutch West Indies; syn. Achras zapota L.; syn. A. sapota L.; syn. Sapota sideroxylon Griseb.
- Mitso** →Maytenus ficiformis Reissek; CELASTRACEAE; Guyana (W)
- Mituke** →Genipa americana L.; RUBIACEAE; Guyana (M); syn. G. caruto Kunth; syn. Gardenia genipa Swartz
- Miye** →Cordia alliodora (Ruiz & Pavón) Oken; BORAGINACEAE; Guyana (M)
- Moanari** →Iriartea exorrhiza C.Martius; ARECACEAE (PALMAE); Guyana (Wr); syn. Socratea exorrhiza (C.Martius) H.Wendland
- Moca** →Andira inermis (W.Wright) DC.; LEGUMINOSAE-PAP.; Puerto Rico; syn. A. jamaicensis Urban; syn. A. excelsa Kunth
- Mode** →Havetiopsis flavida (Benth.) Planchon & Triana; GUTTIFERAE; Surinam (Ar)
- Moe toesirian** →Alchorneopsis trimera Lanjouw; EUPHORBIACEAE; Caribbean
- Moederzegen** →Asystasia nemorum Nees & Eberm.; ACANTHACEAE; Surinam (Du)
- Moejè pienjapau** →Vismia cayennensis (Jacq.) Persoon; GUTTIFERAE; Surinam (Sa)
- Moejepau latoe** →Brosimum guianense (Aublet) Huber; MORACEAE; Surinam (Sa); syn. Piratinera guianensis Aublet; syn. P. scabridula Blake; syn. P. velutina Blake; syn. Brosimum rotundatum Standley; syn. B. velutinum (Blake) Ducke
- Moejepau lattoé** →Helicostylis tomentosa (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Sa); syn. H. poeppigiana (C.Martius) Trécul
- Moekoeroe** →Ischnosiphon arouma (Aublet) Körnicke; MARANTACEAE; Caribbean
- Moelehi (moeréi)** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Caribbean; var. spruceana Niedenzu
- Moeléi** →Byrsonima coccolobifolia Kunth; MALPIGHIACEAE; Caribbean
→Heteropteris nervosa A.Jussieu; MALPIGHIACEAE; Caribbean; syn. H. suberosa Griseb.; use Tryonella of the Adiantaceae ?
- Moeléi (moeleri, moeroei)** →Byrsonima spicata (Cav.) DC.; MALPIGHIACEAE; Caribbean; syn. B. coriacea (Swartz) DC. var. spicata (Cav.) Niedenzu f. propinqua (Benth.) Niedenzu
- Moeléi(-dan)** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Caribbean; var. spruceana Niedenzu
- Moelera** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Surinam; var. spruceana Niedenzu
- Moeleri (moeléi, moeroei)** →Byrsonima spicata (Cav.) DC.; MALPIGHIACEAE; Caribbean; syn. B. coriacea (Swartz) DC. var. spicata (Cav.) Niedenzu f. propinqua (Benth.) Niedenzu
- Moelerie, alawatta** →Samanea saman (Jacq.) Merrill; LEGUMINOSAE-MIM.; Surinam; syn. Pithecellobium saman Benth. & Hook.; syn. Albizia saman (Jacq.) Müll.Arg.; syn. Enterolobium saman (Jacq.) Prain & King; syn. Mimosa saman Jacq.
- Moelesjirang** →Cyperus sp.; CYPERACEAE; Caribbean; syn. Mariscus cayennensis (Lam.) Urban; syn. M. ligularis (L.) Urban; syn. Kyllinga pumila Mich.
→Hypolytrum longifolium Nees; CYPERACEAE; Caribbean
→Rhynchospora cephalotes Vahl; CYPERACEAE; Caribbean; syn. Dichromena
- Moelewa** →Laetia procera (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean
- Moeli (moeléi, moelehi)** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Surinam (Cr); var. spruceana Niedenzu
- Moelisjirang** →Cyperus ligularis L.; CYPERACEAE; Caribbean; syn. Mariscus cayennensis (Lam.) Urban; syn. M. ligularis (L.) Urban; syn. Kyllinga pumila Mich.
- Moelototo-oe, perewa (poelewa-)** →Schefflera decaphylla (Seemann) Harms; ARALIACEAE; Surinam; syn. S. paraensis Huber apud Ducke
- Moembo etase poeté** →Banara bernardinensis Briquet; FLACOURTIACEAE; Caribbean
→Banara guianensis Aublet; FLACOURTIACEAE; Caribbean
- Moeneridang** →Qualea coerulea Aublet; VOCHYSIACEAE; Surinam (Ar)
- Moeniridang** →Qualea rosea Aublet; VOCHYSIACEAE; Surinam (Ar)
- Moentene(he)** →Capirona decorticans Spruce; RUBIACEAE; Surinam (Sa)
→Capirona surinamensis Bremek.; RUBIACEAE; Surinam (Sa)
- Moeréi (moelehi)** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Caribbean; var. spruceana Niedenzu
- Moeréi(-dan)** →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Caribbean; var. spruceana Niedenzu
- Moereidam** →Micrandra brownsbergensis Lanjouw; EUPHORBIACEAE; Caribbean
→Micrandra spruceana (Baillon) R.E.Schultes; EUPHORBIACEAE; Caribbean; syn. Cunuria spruceana Baillon
- Moerewa** →Guatteria scandens Ducke; ANNONACEAE; Caribbean
- Moerèweran** →Unonopsis guatterioides (A.DC.) R.E.Fries; ANNONACEAE; Caribbean; var. elongata R.E.Fries
- Moeroei (moeleri, moeléi)** →Byrsonima spicata (Cav.) DC.; MALPIGHIACEAE; Caribbean; syn. B. coriacea (Swartz) DC. var. spicata (Cav.)

Niedenzu f. propinqua (Benth.) Niedenzu

Moeroei weneran → *Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam; var. spruceana Niedenzu

Moeroewabbo → *Croton matourensis* Aublet; EUPHORBIACEAE; Caribbean

Moerti → *Eugenia puniceifolia* (Kunth) DC.; MYRTACEAE; Surinam; var. dipoda (DC.) O.Berg

Moeserki(e) → *Zygia cauliflora* (Willd.) Killip; LEGUMINOSAE-MIM.; Surinam (Cr); use *Albizia* ?; syn. *Pithecellobium cauliflorum* (Willd.) Martius

Moesoepoe → *Henriettea succosa* (Aublet) DC.; MELASTOMATAACEAE; Surinam (Au)

→ *Miconia myriantha* Benth.;

MELASTOMATAACEAE; Surinam (Au)

Moesti sámbo → *Pisonia* sp.; NYCTAGINACEAE; Dutch West Indies

Moetoepoe (koetoepoe) → *Serjania paucidentata* DC.; SAPINDACEAE; Caribbean

Moetoesi (-ran) → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Caribbean; syn. *P. draco* L.

→ *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Surinam

→ *Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; Surinam

→ *Swartzia* sp.; LEGUMINOSAE-PAP.; Surinam

Moetoesirian → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Caribbean; var. *laevigata* Müll.Arg.

Moetoesirian (matosirian) → *Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.; Caribbean

Mohi → *Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Guyana (Wr); syn. *Oenocarpus bataua* C.Martius

Moire → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Guyana (M)

Mok (mök) → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); ssp. *densiflora* (Spruce ex Benth.) M.F.Silva

Moke → *Couroupita guianensis* Aublet; LECYTHIDACEAE; Trinidad

Mokko mokko (moko moko) → *Montrichardia arborescens* (L.) Schott; ARACEAE; Surinam (Cr)
→ *Montrichardia linifera* (Arr.) Schott; ARACEAE; Surinam (Cr)

Mokko mokko tété → *Philodendron acutatum* Schott; ARACEAE; Surinam (Cr)

Moko moko → *Montrichardia arborescens* (L.) Schott; ARACEAE; Surinam (Cr)

Mokolo → *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)

Mokor → *Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Guyana (W)

Mokor(ro) → *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)

Mokorro → *Ischnosiphon arouma* (Aublet)

Körnicke; MARANTACEAE; Surinam (Ar)

Mola → *Furcraea foetida* (L.) Haworth; AGAVACEAE; Caribbean

Molinillo → *Trichilia* sp.; MELIACEAE; Puerto Rico

Mollototo-oe → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Caribbean; syn. *S. paraensis* Huber apud Ducke

Mollototto-oe (moretoto-oe, morototo)
→ *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Caribbean; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Molongé → *Ambelania laxa* (Benth.) Müll.Arg.; APOCYNACEAE; Surinam

Mombin → *Spondias mombin* L.; ANACARDIACEAE; French Guiana; syn. *S. lutea* L.

Momo(w) → *Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Cr); syn. *Bombax aquatica* (Aublet) K.Schumann

Momoedan → *Cassipourea guianensis* Aublet; RHIZOPHORACEAE; Surinam (Ar)

Momow, boesi (bos-) → *Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Cr); syn. *Bombax spectabile* Ulbrich

Monbé (moonbé) → *Spondias mombin* L.; ANACARDIACEAE; Surinam (Sa); syn. *S. lutea* L.

Moniki → *Trema micrantha* (L.) Blume; ULMACEAE; Guyana (Ak)

Monkey apple → *Annona muricata* L.; ANNONACEAE; Guyana (Cr)

Monkey bone → *Mouriria* sp.; MELASTOMATAACEAE; Trinidad

Monkey ladder → *Bauhinia kunthiana* Vogel; LEGUMINOSAE-CAES.; Guyana (Cr)

→ *Bauhinia rubiginosa* Bongard; LEGUMINOSAE-CAES.; Surinam (Cr)

→ *Bauhinia scala-simiae* Sandwith; LEGUMINOSAE-CAES.; Surinam (Cr)

Monkey molasses → *Cassia cowanii* Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); var. *guianensis* (Sandwith) Irwin & Barneby; syn. *C. leiandra* Benth. var. *guianensis* Sandwith
→ *Cassia grandis* L.f.; LEGUMINOSAE-CAES.; Surinam (Cr)

Monkey nut → *Cuerveva kappleriana* (Miquel) A.C.Smith; CELASTRACEAE; Guyana (Cr)

Monkey pot → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Guyana (Cr); syn. *L. davisii* Sandwith

Monkey syrup → *Cheiloclinium cognatum* (Miers) A.C.Smith; CELASTRACEAE; Surinam (Cr)

→ *Maripa scandens* Aublet; CONVOLVULACEAE; Surinam (Ar); syn. *M. cordifolia* Klotzsch ex Meisner

Monkey's dinner bell → *Hura crepitans* L.; EUPHORBIACEAE; British West Indies

- Monsonjo** → *Andropogon selloanus* (Hackel) Hackel; POACEAE; Surinam
- Montanero** → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers
- Montjoly** → *Cordia laevifrons* I.M.Johnston; BORAGINACEAE; French Guiana
→ *Cordia macrostachya* (Jacq.) Roemer & Schultes; BORAGINACEAE; French Guiana
- Montouchi** → *Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; Surinam
- Montouchy** → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam
- Moon fruit** → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Drepanocarpus lunatus* (L.f.) G.Meyer
- Moonba** → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Sa); syn. *Myristica surinamensis* Rolander ex Rottb.
- Moonbé (monbé)** → *Spondias mombin* L.; ANACARDIACEAE; Surinam (Sa); syn. *S. lutea* L.
- Mope** → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (Cr)
- Mopé (moppé)** → *Spondias mombin* L.; ANACARDIACEAE; Surinam (Cr, Du); syn. *S. lutea* L.
- Mopé watong tekaleje** → *Dendrobangia boliviana* Rusby; ICACINACEAE; Caribbean; syn. *Clavipetalum surinamense* Pulle
- Mopé watong wewé** → *Hebepetalum humirifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Caribbean
- Mopie** → *Miconia* sp.; MELASTOMATAACEAE; Surinam (Cr)
→ *Mouriria crassifolia* Sagot; MELASTOMATAACEAE; Surinam (Cr)
→ *Mouriria plasschaertii* Pulle; MELASTOMATAACEAE; Surinam (Cr); syn. *M. anomala* Pulle
- Moppé (mopé)** → *Spondias mombin* L.; ANACARDIACEAE; Surinam (Cr, Du); syn. *S. lutea* L.
- Mopurito (mapurito)** → *Zanthoxylum monophyllum* (Lam.) P.Wilson; RUTACEAE; Puerto Rico; syn. *Fagara monophylla* Lam.; syn. *Xanthoxylum*
- Mora** → *Dimorphandra excelsa* Benth. & Hook.f.; LEGUMINOSAE-CAES.; Surinam (Ar); use *Mora excelsa* Benth.; syn. *Dimorphandra mora* Kunth
→ *Dimorphandra mora* Kunth; LEGUMINOSAE-CAES.; Surinam (Ar); use *Mora excelsa* Benth.; syn. *Dimorphandra excelsa* Benth. & Hook.f.
- Mora (rode-)** → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
- Mora boekea (-boekeja)** → *Mora gonggripii* (Kleinhoonte) Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)
- Mora bucuqua** → *Mora gonggripii* (Kleinhoonte) Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)
- Mora bukea** → *Mora gonggripii* (Kleinhoonte) Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar)
- Mora macho** → *Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Dominican Republic
- Mora, sand** → *Dicymbe corymbosa* Spruce ex Benth.; LEGUMINOSAE-CAES.; Guyana (Cr)
→ *Talisia squarrosa* Radlk.; SAPINDACEAE; Guyana (Cr)
- Mora-yek** → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
- Moraballi** → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)
→ *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Guyana (Ar); syn. *Sideroxylon guianensis* A.DC.
→ *Pouteria minutiflora* (Britton) Sandwith; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
- Moraballi (-diamaro, -koeleroe)** → *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegr.; SAPOTACEAE; Surinam (Ar); use *Pouteria cladantha* Sandwith
→ *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Ar); syn. *Neoxythece cladantha* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*
- Moraballi (hariraro-)** → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
- Moraballi (redi-)** → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
- Moraballi firobero** → *Pouteria filipes* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*
- Moraballi khalé meroe** → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
- Moraballi koeleroe** → *Pouteria cuspidata* (A.DC.) Baehni; SAPOTACEAE; Surinam (Ar); ssp. *dura* (Eyma) T.D.Penn.; syn. *P. dura* Eyma; syn. *Neoxythece dura* (Eyma) Aubrév. & Pellegrin; syn. *Oxythece dura* (Eyma) Gilly; syn. *Lucuma*
- Moraballi(-asepoko)** → *Pouteria gonggripii* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Franchetella gonggripii* (Eyma) Aubrév.; syn. *Lucuma*
- Moracoballi** → *Aegiphila* sp.; VERBENACEAE; Guyana

- Morako** → *Persea americana* Miller; LAURACEAE; Surinam (Ar); syn. *P. gratissima* Gaertner f.; syn. *P. nubigena* L.I. Williams
- Moral** → *Cordia sulcata* A.DC.; BORAGINACEAE; Puerto Rico
- Moralón** → *Coccoloba* sp.; POLYGONACEAE; Puerto Rico
- Moretoto-oe (mallototo-oe)** → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam; syn. *S. paraensis* Huber apud Ducke
- Moretoto-oe (mollototto-oe, morototo)** → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Caribbean; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Morichi** → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Caribbean
- Morino** → *Mabea piriri* Aublet; EUPHORBIACEAE; Guyana (Ak); syn. *M. ferruginea* Benth.
- Moroballi** → *Talisia furfuracea* Sandwith; SAPINDACEAE; Surinam (Ar)
- Moroballi, black** → *Talisia squarrosa* Radlk.; SAPINDACEAE; Guyana (Ar)
- Morokobita** → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Surinam; ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer
- Morokwai** → *Ouratea roraimae* Engl.; OCHNACEAE; Guyana (Ak)
- Morombo-rai** → *Moronobea coccinea* Aublet; GUTTIFERAE; Guyana (Ak)
- Morompo** → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Guyana (M)
- Morototo** → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Caribbean; syn. *S. paraensis* Huber apud Ducke
- Morototo (moretoto-oe, mollototto-oe)** → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Caribbean; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Morumbo** → *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.
- Mosai** → *Monotagma spicatum* (Aublet) Macbr.; MARANTACEAE; Guyana (Ak); syn. *M. parkeri* (Roscoe) K.Schumann
- Mosök** → *Chamaecrista adiantifolia* (Benth.) Irwin & Barneby; LEGUMINOSAE-CAES.; Guyana (Ak); var. *pteridophylla* (Sandwith) Irwin & Barneby; syn. *Cassia pteridophylla* Sandwith
- Mosongo** → *Ormosia* sp.; LEGUMINOSAE-PAP.; Puerto Rico
- Moss, Spanish** → *Tillandsia usneoides* (L.) L.; BROMELIACEAE; Surinam (Cr)
- Mostazo** → *Capparis cynophallophora* L.; CAPPARACEAE; Dominican Republic
- Mosuri** → *Panicum elephantipes* Nees; POACEAE; Surinam (Ar)
- Moti kwarie** → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
- Motillo** → *Sloanea* sp.; ELAEOCARPACEAE; Puerto Rico
- Mouchigo (moussigo)** → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; French Guiana; syn. *Myristica surinamensis* Rolander ex Rottb.
- Mouchigo rouge** → *Iryanthera lancifolia* Ducke; MYRISTICACEAE; French Guiana → *Virola sagotiana* (Benth.) Warburg; MYRISTICACEAE; French Guiana
- Moulomba** → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; French Guiana; syn. *Myristica surinamensis* Rolander ex Rottb.
- Mountain gommier** → *Dacryodes excelsa* Vahl; BURSERACEAE; Grenada
- Mountain plum (hog-, Spanish-)** → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
- Mountain soursop** → *Annona montana* Macfarlane; ANNONACEAE; Guyana (Cr)
- Moureiller** → *Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; French Guiana; syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu → *Malpighia glabra* L.; MALPIGHIACEAE; French Guiana
- Moureiran** → *Byrsonima* sp.; MALPIGHIACEAE; Surinam
- Mouri debout** → *Cornutia* sp.; VERBENACEAE; French West Indies
- Mouriricheira** → *Mouriria* sp.; MELASTOMATACEAE; French Guiana
- Mourresif** → *Byrsonima* sp.; MALPIGHIACEAE; French Guiana
- Moussara** → *Brosimum alicastrum* Swartz; MORACEAE; Trinidad; syn. *B. latifolium* Standley → *Brosimum latifolium* Standley; MORACEAE; Trinidad; use *B. alicastrum* Swartz
- Moussi** → *Arrabidaea candicans* (Rich.) DC.; BIGNONIACEAE; Caribbean
- Moussigo (mouchigo)** → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. *Myristica surinamensis* Rolander ex Rottb.
- Moussigot** → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; French Guiana; syn. *Myristica surinamensis* Rolander ex Rottb.
- Moutouchi** → *Inga alba* (Swartz) Willd.;

LEGUMINOSAE-MIM.; Surinam
→*Pterocarpus rohrii* Vahl; LEGUMINOSAE-PAP.;
French Guiana
Moutouchi de savanne →*Pterocarpus officinalis*
Jacq.; LEGUMINOSAE-PAP.; French Guiana;
syn. *P. draco* L.
Moutouchi grand bois →*Pterocarpus officinalis*
Jacq.; LEGUMINOSAE-PAP.; French Guiana;
syn. *P. draco* L.
Mu →*Peltogyne paniculata* Benth.;
LEGUMINOSAE-CAES.; Guyana (M); ssp.
pubescens (Benth.) M.F.Silva; syn. *P. pubescens*
Benth.
Muco →*Couroupita guianensis* Aublet;
LECYTHIDACEAE; Trinidad
Muka →*Macrolobium angustifolium* (Benth.)
Cowan; LEGUMINOSAE-CAES.; Guyana (Ak);
syn. *M. chrysostachyum* (Miquel) Benth.
Mukru →*Ischnosiphon arouma* (Aublet) Körnicke;
MARANTACEAE; Guyana (Cr)
→*Ischnosiphon obliquus* (Rudge) Körnicke;
MARANTACEAE; Guyana (Cr)
Muna →*Bactris oligoclada* Burret; ARECACEAE
(PALMAE); Guyana (M)
Muñeca →*Dendropanax arboreus* (L.) Decaisne
& Planchon; ARALIACEAE; Puerto Rico; syn.
Gilibertia arborea (L.) Marchal
Muñeco →*Bourreria virgata* (Swartz) G.Don;
BORAGINACEAE; Dominican Republic
→*Cordia* sp.; BORAGINACEAE; Puerto Rico
→*Torrubia* sp.; NYCTAGINACEAE; Dominican
Republic
Muñeco morilla →*Cordia colecocea* L.;
BORAGINACEAE; Puerto Rico; syn. *C. collocca*
L. ?; syn. *C. collococca* L. ?
Muniridan →*Siparuna surinamensis* Lanjouw;
MONIMIACEAE; Surinam (Ar)
Muniridan (meniridan bojaroe) →*Siparuna*
guianensis Aublet; MONIMIACEAE; Surinam (Ar)
Mureche →*Byrsonima* sp.; MALPIGHIACEAE;
Trinidad
Mureci →*Byrsonima* sp.; MALPIGHIACEAE;
Trinidad
Murewa →*Laetia procera* (Poeppig & Endl.)
Eichler; FLACOURTIACEAE; Caribbean
Muri →*Humiria balsamifera* (Aublet) A.St.-Hil.;
HUMIRIACEAE; Surinam (Ar); var. *guianensis*
(Benth.) Cuatrec.; syn. *H. floribunda* C.Martius
var. *guianensis* Urban
→*Humiria floribunda* C.Martius var. *guianensis*
Urban; HUMIRIACEAE; Surinam (Ar); use *H.*
balsamifera (Aublet) A.St.-Hil. var. *guianensis*
(Benth.) Cuatrec.
Muri kakirio →*Calycolpus chnoiophyllus* Riley;
MYRTACEAE; Surinam (Cr); use *C. revolutus*
(Schauer) O.Berg; syn. *C. pyrifera* Riley
→*Calycolpus pyrifera* Riley; MYRTACEAE;
Surinam (Cr); use *C. revolutus* (Schauer) O.Berg;
syn. *C. chnoiophyllus* Riley
→*Calycolpus revolutus* (Schauer) O.Berg;
MYRTACEAE; Surinam (Cr); syn. *C.*
chnoiophyllus Riley; syn. *C. pyrifera* Riley
Muri kautaballi →*Licania* sp.;
CHRYSOBALANACEAE; Guyana (Cr)
Muri kupé →*Clusia nemorosa* G.Meyer;
GUTTIFERAE; Guyana (Cr)
Muri lime (wild-) →*Ximenia americana* L. var.
americana; OLACACEAE; Guyana (Cr)
Muriye →*Byrsonima coccolobifolia* Kunth;
MALPIGHIACEAE; Caribbean
→*Byrsonima crassifolia* (L.) Kunth;
MALPIGHIACEAE; Caribbean; var. *spruceana*
Niedenzu
Murnek →*Anaxagorea acuminata* (Dunal) A.DC.;
ANNONACEAE; Guyana (Ak); syn. *A. multiflora*
R.E.Fries
Muro →*Mora excelsa* Benth.; LEGUMINOSAE-
CAES.; Trinidad; syn. *Dimorphandra excelsa*
Benth. & Hook.f.; syn. *D. mora* Kunth
Murta →*Cassipourea guianensis* Aublet;
RHIZOPHORACEAE; Puerto Rico
→*Eugenia* sp.; MYRTACEAE; Puerto Rico
→*Mouriria* sp.; MELASTOMACEAE; Puerto
Rico
Murta de campo →*Myrciaria tenella* (DC.)
O.Berg; MYRTACEAE; Puerto Rico
Muruk →*Quiina guianensis* Aublet;
QUIINACEAE; Guyana (Ak)
Murumuru →*Astrocaryum vulgare* C.Martius;
ARECACEAE (PALMAE); Caribbean; syn. *A.*
tucumoides Drude
Musara →*Aspidosperma excelsum* Benth.;
APOCYNACEAE; Caribbean
Muscadier à suif (-fou) →*Virola* sp.;
MYRISTICACEAE; French Guiana
Muscadier de Pará →*Aniba* sp.; LAURACEAE;
French Guiana
Muscadier fou (-à suif) →*Virola* sp.;
MYRISTICACEAE; Guadeloupe
Muscat nut →*Cassine* sp.; CELASTRACEAE;
Puerto Rico; syn. *Elaeodendron xylocarpum*
(Ventenat) DC.
→*Elaeodendron xylocarpum* (Ventenat) DC.;
CELASTRACEAE; Puerto Rico; use *Cassine*
Muskus okro →*Abelmoschus moschatus*
Medikus; MALVACEAE; Surinam (Cr); syn.
Hibiscus abelmoschus L.
→*Hibiscus abelmoschus* L.; MALVACEAE;
Surinam (Cr, Du); use *Abelmoschus moschatus*
Medikus
Mutushi (matoesi, moetoesi) →*Pterocarpus*
officinalis Jacq.; LEGUMINOSAE-PAP.;
Caribbean; syn. *P. draco* L.
Mutushi (moetoesi, matoesi) →*Pterocarpus*
rohrii Vahl; LEGUMINOSAE-PAP.; Surinam

Mutuwali → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Guyana (Ak)
→ *Clathrotropis macrocarpa* Ducke; LEGUMINOSAE-PAP.; Guyana (Ak)

Myers, sweet → *Nectandra* sp.; LAURACEAE; Trinidad

Myrobolan → *Hernandia voyroni* Jumelle; HERNANDIACEAE; French Guiana

Myrtle, sea → *Jacquinia* sp.; THEOPHRASTACEAE; British West Indies

Nagossi (nagosse) → *Terminalia tanibouca* Smith; COMBRETACEAE; French Guiana

Nagre pisi → *Ocotea* sp.; LAURACEAE; Surinam (Cr)

Nagrehoedoe → *Acroclididium aubletii* Kosterm.; LAURACEAE; Surinam (Cr); use *Licaria*
→ *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acroclididium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
→ *Licaria guianensis* Aublet; LAURACEAE; Surinam (Cr); syn. *Acroclididium guianense* Nees
→ *Licaria* sp.; LAURACEAE; Surinam (Cr); syn. *Acroclididium aubletii* Kosterm.

Naharu → *Terminalia dichotoma* G.Meyer; COMBRETACEAE; Guyana (Cr)

Naidu → *Sloanea grandiflora* Smith; ELAEOCARPACEAE; Guyana (Wr); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

Naked indian → *Bursera simaruba* (L.) Sargent; BURSERACEAE; Trinidad; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

Nakedwood → *Colubrina reclinata* (L'Héritier) Brongn.; RHAMNACEAE; Puerto Rico

Namachkadar → *Ischnosiphon leucophaeus* (Poeppig & Endl.) Körnicke; MARANTACEAE; Guyana (W); syn. *I. surinamensis* (Miquel) Körnicke

Nan sien-sien → *Aeschynomene sensitiva* Swartz; LEGUMINOSAE-PAP.; Surinam (Cr)

Nanai → *Ananas ananassoides* (Baker) Lor.B.Smith; BROMELIACEAE; Caribbean; syn. *ananassoides* Lor.B.Smith

Nanapolang → *Henriettea multiflora* Naudin; MELASTOMATACEAE; Caribbean
→ *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Surinam

Nanassi, boesi → *Ananas ananassoides* (Baker) Lor.B.Smith; BROMELIACEAE; Surinam (Cr); syn. *ananassoides* Lor.B.Smith

Nangka → *Artocarpus integer* (Thunberg) Merrill; MORACEAE; Surinam (Du); syn. *A. integra* (Thunberg) Merrill
→ *Artocarpus integra* (Thunberg) Merrill; MORACEAE; Surinam (Du); use *A. integer* (Thunberg) Merrill

Nangocy (nangossiti) → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; French Guiana; syn. *T. obovata* (Ruiz & Pavón) Steudel

Nangossiti (nangocy) → *Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; French Guiana; syn. *T. obovata* (Ruiz & Pavón) Steudel

Napirang → *Calopogonium coeruleum* (Benth.) Sauv.; LEGUMINOSAE-PAP.; Caribbean
→ *Ipomoea digitata* L.; CONVOLVULACEAE; Caribbean

Napo → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Guyana (Ak); syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Naporan → *Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Caribbean; var. *laevigata* Müll.Arg.

Necoehoedoe → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Sa); syn. *Aparisthium cordatum* (Jussieu) Baillon ?

Nefle → *Parinari campestris* Aublet; CHRYSOBALANACEAE; French Guiana; syn. *P. campestre* Aublet ?

Negra lora → *Matayba* sp.; SAPINDACEAE; Puerto Rico
→ *Pseudolmedia spuria* (Swartz) Griseb.; MORACEAE; Puerto Rico

Nekoe(-hoedoe) → *Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; Surinam (Cr)

Nekoehoedoe → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Cr)
→ *Ormosia coutinhoui* Ducke; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Macroule coutinhoui* (Ducke) Pierce
→ *Poecilanthus hostmannii* (Benth.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr)

Nekoehoedoe (nekooudou) → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Surinam (Cr)

Nekooudou (nekoehoeedoe) → *Alexa wachenheimii* Benoist; LEGUMINOSAE-PAP.; Surinam (Cr)

Nemoca cimarrón → *Ocotea* sp.; LAURACEAE; Puerto Rico

Nepoko → *Sipanea pratensis* Aublet; RUBIACEAE; Caribbean

Nicker tree → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; British West Indies; syn. *Caesalpinia echinata* Lam.

Nickerie basralokus → *Lonchocarpus hedyosmus* Miquel; LEGUMINOSAE-PAP.; Surinam (Du)

Nickers, yellow (grey-) → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; British West Indies; syn. *Caesalpinia echinata* Lam.

Nicou → *Lonchocarpus* sp.; LEGUMINOSAE-

PAP.; French Guiana

Niekoerang → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

Nigua (-peluda) → *Tournefortia* sp.; BORAGINACEAE; Puerto Rico

Nimble bush (ant-, fever-) → *Siparuna guianensis* Aublet; MONIMIACEAE; Guyana (Cr)

Ningre notte → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Cr); syn. *C. riparium* A.C.Smith

Niño de cota → *Gordonia* sp.; THEACEAE; Puerto Rico; syn. *Laplacea fruticosa* (Schrad.) Kobuski; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

→ *Laplacea fruticosa* (Schrad.) Kobuski; THEACEAE; Puerto Rico; use *Gordonia*; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

Nispero cimarrón → *Symplocos martinicensis* Jacq.; SYMPLOCACEAE; Puerto Rico

Nja-nja → *Cardiospermum halicacabum* L.; SAPINDACEAE; Surinam

Njambok(k)a (-topie) → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Sa); syn. *Lucuma*

Njamoéséré → *Jacaranda copaia* (Aublet) D. Don; BIGNONIACEAE; Caribbean; syn. *Bignonia copaia* Aublet

Njamsihoedoe → *Torrubia olfersiana* (Link, Kl. & Otto) Standley; NYCTAGINACEAE; Surinam (Cr)

Njan-njan, doifie (poonba-) → *Pagamea guianensis* Aublet; RUBIACEAE; Surinam (Cr)

Njao → *Inga splendens* Willd.; LEGUMINOSAE-MIM.; Caribbean

Njoe fodoe → *Cochlospermum* sp.; COCHLOSPERMACEAE; Surinam; sometimes family Bixaceae used

Noenonjinopo → *Passiflora misera* Kunth; PASSIFLORACEAE; Caribbean

→ *Passiflora vespertilio* L.; PASSIFLORACEAE; Caribbean

Noianjang (nonja-njanjan, noja) → *Quassia multiflora* (A. Jussieu) Nootboom; SIMAROUBACEAE; Surinam (Bn); syn. *Simaba multiflora* A. Jussieu

Noja → *Quassia multiflora* (A. Jussieu) Nootboom; SIMAROUBACEAE; Surinam (Bn); syn. *Simaba multiflora* A. Jussieu

Noja-njanjan → *Quassia guianensis* (Aublet) D. Dietrich; SIMAROUBACEAE; Surinam (Bn); syn. *Simaba cuspidata* Spruce ex Engl. var. *typica* Cronquist

Nonapora → *Henriettea ramiflora* (Swartz) DC.; MELASTOMATACEAE; Caribbean

→ *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Caribbean

Nonja-njanjan (noianjang, noja) → *Quassia multiflora* (A. Jussieu) Nootboom;

SIMAROUBACEAE; Surinam (Bn); syn. *Simaba multiflora* A. Jussieu

Noot, Braziliaanse → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Du); syn. *B. nobilis* Miers

Nopi(e)tja → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Cr); syn. *R. kappleri* Eyma

Nopikiorian → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Caribbean; syn. *R. kappleri* Eyma

Nopitja → *Rheedia benthamiana* Planchon & Triana; GUTTIFERAE; Caribbean

Nopojorogorli → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Caribbean

Not → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Guyana (W)

Noutocochi → *Inga edulis* C. Martius; LEGUMINOSAE-MIM.; French Guiana; syn. *I. scabruscula* Benth.

Noyeau → *Prunus myrtifolia* (L.) Urban; ROSACEAE; Guyana (Cr); var. *accumulans* Koehne

Nut, monkey → *Cuervea kappleriana* (Miquel) A. C. Smith; CELASTRACEAE; Surinam (Cr)

Nut, muscat → *Cassine* sp.; CELASTRACEAE; Puerto Rico; syn. *Elaeodendron xylocarpum* (Ventenat) DC.

→ *Elaeodendron xylocarpum* (Ventenat) DC.; CELASTRACEAE; Puerto Rico; use *Cassine*

Nut, snake → *Ophiocaryon paradoxum* Schomb.; SABIACEAE; Guyana (Cr)

Nut, tallow → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies

Nutmeg, wild → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. *Myristica surinamensis* Rolander ex Rottb.

Obi → *Trichilia* sp.; MELIACEAE; Trinidad

Obodie → *Anacardium giganteum* W. Hancock ex Engl.; ANACARDIACEAE; Surinam (Ar)

Oboramibiaballi → *Memora schomburgkii* (DC.) Miers; BIGNONIACEAE; Surinam (Ar); syn. *M. obovata* (Bureau & K. Schumann) Sprague & Sandwith

Oe → *Couratari* sp.; LECYTHIDACEAE; Surinam

Oeboedi djamaroe → *Anacardium spruceanum* Benth.; ANACARDIACEAE; Surinam (Ar)

Oedasjabina → *Oxalis barrelieri* L.; OXALIDACEAE; Surinam (Ar)

Oil de chat → *Caesalpinia brasiliensis* L.; LEGUMINOSAE-CAES.; French West Indies → *Guilandina* sp.; LEGUMINOSAE-CAES.; French West Indies

Oeja (uya, oja) → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. oppositifolia* Spruce ex Benth.

Oejedi → *Jatropha curcas* L.; EUPHORBIACEAE;

Surinam (Ar); syn. *J. moluccana* Wallich
→*Jatropha urens* L.; EUPHORBIACEAE; Surinam (Ar)

Oekele kwatere →*Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers

Oelana (oelawa) beta →*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Caribbean

Oelanarè →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Oelawa (oelana) beta →*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam

Oelearie →*Phaeosphaerion persicariaefolius* (DC.) Clarke; COMMELINACEAE; Surinam (Ar); syn. *Athyrocarpus persicariaefolius* (DC.) Hemsley

Oelearoe →*Commelina diffusa* Burm.f.; COMMELINACEAE; Surinam (Ar); syn. *C. nudiflora* L.

→*Commelina virginica* L.; COMMELINACEAE; Surinam (Ar)

Oelearoe khalemeroe →*Tradescantia elongata* G.Meyer; COMMELINACEAE; Surinam (Ar)

Oelemali →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Oelemari (-khalemeroe) →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Oelemari, wopoetano toekalaja →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Oelemarie (olemellie, oeremerie) →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Oelo (olo, oelu, ulo, ulu) →*Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam (Ar)

Oeloelaroe koen koedikoro →*Phaeosphaerion persicariaefolius* (DC.) Clarke; COMMELINACEAE; Surinam (Ar); syn. *Athyrocarpus persicariaefolius* (DC.) Hemsley

Oeloeloe-oe (loeloe-oe, ululu) →*Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Caribbean; syn. *P. oppositifolia* Spruce ex Benth.

Oeloemeran →*Pouteria egregia* Sandwith; SAPOTACEAE; Caribbean; syn. *Sandwithiodoxa egregia* (Sandwith) Aubrév. & Pellegrin; syn. *Lucuma*

Oelokaroe →*Gordonia* sp.; THEACEAE; Caribbean; syn. *Laplacea fruticosa* (Schrader) Kobuski; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

→*Laplacea fruticosa* (Schrader) Kobuski; THEACEAE; Caribbean; use *Gordonia*; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

Oelu (ulu, oelo, olo, ulo) →*Trattinickia*

burserifolia C.Martius; BURSERACEAE; Guyana (Ar)

Oeluballi (uluballi) →*Thyrsodium dasytrichum* Sandwith; ANACARDIACEAE; Surinam (Ar)

Oema aneisi →*Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Oema baboen nefi →*Scleria mitis* Berg; CYPERACEAE; Surinam (Cr)

Oema koenami →*Eupatorium lavigatum* Lam.; ASTERACEAE; Surinam (Cr)

Oema koorsoe wiwirie →*Lantana camara* L.; VERBENACEAE; Surinam (Cr); var. *mista* (L.) L.H.Bailey

Oema pienja →*Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Surinam (Cr)
→*Vismia confertiflora* Spruce ex Reichardt; GUTTIFERAE; Surinam (Cr)

Oema pienja (man-) →*Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Cr); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Oema snekie wiwirie →*Clidemia hirta* (L.) D.Don; MELASTOMATAACEAE; Caribbean; var. *elegans* (Aublet) Griseb.

→*Clidemia japurensis* DC.; MELASTOMATAACEAE; Surinam (Cr); var. *heterobasis* (DC.) Wurdack; syn. *C. naevula* (Naudin) Triana

Oema(n) barklaki →*Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *E. odora* (Poeppig) Miers

Oema(n) barkraki (bergi-) →*Eschweilera amara* (Aublet) Niedenzu; LECYTHIDACEAE; Surinam (Cr)

Oema, blaka →*Cordia schomburgkii* DC.; BORAGINACEAE; Surinam (Cr)

→*Diospyros guianensis* (Aublet) Gürke; EBENACEAE; Surinam (Cr); ssp. *akaraiensis* (A.C.Smith) F.White; syn. *D. akaraiensis* A.C.Smith

→*Struchium sparganophora* (L.) Kuntze; ASTERACEAE; Surinam (Au)

Oema, blaka (manblaka-) →*Cordia nodosa* Lam.; BORAGINACEAE; Surinam (Cr)

Oema, manblaka (blaka-) →*Cordia polycephala* (Lam.) I.M.Johnston; BORAGINACEAE; Surinam (Cr)

Oemahodoe →*Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Cr)

Oeman andisè wiwirie →*Elephantopus carolinianus* Willd.; ASTERACEAE; Surinam (Cr)
→*Elephantopus mollis* Kunth; ASTERACEAE; Surinam (Cr); syn. *E. tomentosus* L.

Oeman aneisi wiwirie →*Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Oeman barklak →*Arrabidaea inaequalis* (DC. ex

Splittg.) K.Schumann; BIGNONIACEAE; Surinam (Cr, Du)
 →Eschweilera amara (Aublet) Niedenzu; LECYTHIDACEAE; Surinam (Cr, Du)
 →Lecythis chartacea O.Berg; LECYTHIDACEAE; Surinam (Du); syn. Eschweilera chartacea (O.Berg) Eyma
 →Miconia disparilis (Standley) R.O.Williams; MELASTOMATAACEAE; Surinam (Du); use M. lateriflora Cogniaux
 →Miconia lateriflora Cogniaux; MELASTOMATAACEAE; Surinam (Du); syn. M. disparilis (Standley) R.O.Williams
Oeman barklak (hoogland-) →Lecythis corrugata Poiteau; LECYTHIDACEAE; Surinam (Du); syn. Eschweilera corrugata (Poiteau) Miers
Oeman barklak, meri →Eschweilera poiteau (O.Berg) Niedenzu; LECYTHIDACEAE; Surinam (Cr)
Oeman barkraki →Eschweilera subglandulosa (Steudel) Miers; LECYTHIDACEAE; Surinam (Cr)
 →Lecythis chartacea O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. Eschweilera chartacea (O.Berg) Eyma
 →Lecythis corrugata Poiteau; LECYTHIDACEAE; Surinam (Cr); syn. Eschweilera corrugata (Poiteau) Miers
Oeman koenami →Clibadium surinamense L.; ASTERACEAE; Surinam (Cr)
Oeman tapoeripa →Genipa americana L.; RUBIACEAE; Surinam (Cr); syn. G. caruto Kunth; syn. Gardenia genipa Swartz
Oenbatapo →Brosimum guianense (Aublet) Huber; MORACEAE; Surinam; syn. Piratinera guianensis Aublet; syn. P. scabridula Blake; syn. P. velutina Blake; syn. Brosimum rotundatum Standley; syn. B. velutinum (Blake) Ducke
 →Coccoloba mollis Casar.; POLYGONACEAE; Caribbean
 →Helicostylis tomentosa (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. H. poeppigiana (C.Martius) Trécul
Oenbatappo →Capparis cynophallophora L.; CAPPARACEAE; Surinam
 →Capparis surinamensis J.C.Went; CAPPARACEAE; Caribbean
Oenikiakia →Licania incana Aublet; CHRYSOBALANACEAE; Surinam (Ar)
Oenikiakia djamaro →Couepia guianensis Aublet; CHRYSOBALANACEAE; Surinam (Ar); syn. C. versicolor Benoist
Oenitjatja oenisjirokodi koro →Licania leptostachya Benth.; CHRYSOBALANACEAE; Surinam (Ar); syn. L. incana Aublet var. axilliflora Sagot
Oeno dakheté →Ludwigia sp.; ONAGRACEAE; Surinam (Ar); syn. Jussiaea suffruticosa L.
Oepretété →Cydista aequinoctialis (L.) Miers;

BIGNONIACEAE; Surinam
Oeproehoedoe →Copaifera guianensis Desf.; LEGUMINOSAE-CAES.; Surinam (Cr)
Oera (hora, hoera) →Caryocar nuciferum L.; CARYOCARACEAE; Surinam (Ar)
Oeraliballi (oerallidang, oeralidan) →Strychnos melinoniana Baillon; LOGANIACEAE; Surinam (Ar)
Oerallidang (oeraliballi, oeralidan) →Strychnos melinoniana Baillon; LOGANIACEAE; Surinam (Ar)
Oerama toneme →Syngonium vellozianum Schott; ARACEAE; Caribbean
Oerana peta →Swartzia tomentosa DC.; LEGUMINOSAE-PAP.; Caribbean; var. polyanthera (Steudel) Sandwith
Oeranapeti (oronapeta) →Swartzia grandifolia Bongard ex Benth.; LEGUMINOSAE-PAP.; Caribbean
Oerbina (oerebina) →Lecythis chartacea O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera chartacea (O.Berg) Eyma
Oerebina (oerbina) →Lecythis corrugata Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. Eschweilera corrugata (Poiteau) Miers
Oerémérie (olemallie, oelemarie) →Couratari multiflora (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. C. fagifolia (Miquel) Eyma
Oerio dakethé →Comolia purpurea Miquel; MELASTOMATAACEAE; Surinam (Ar)
Oerman barklak →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Du); syn. E. longipes (Poiteau) Miers
Oeroejatoe →Citharexylum macrophyllum Poirét; VERBENACEAE; Caribbean
Oeroemerian →Pouteria reticulata (Engl.) Eyma; SAPOTACEAE; Caribbean; syn. Lucuma
Oeroeroe-oe (oeloeloe-oe, loeloe-oe) →Parkia nitida Miquel; LEGUMINOSAE-MIM.; Caribbean; syn. P. oppositifolia Spruce ex Benth.
Oeroewa →Calathea ovata (Nees & Martius) Lindley; MARANTACEAE; Surinam
Oeroewasa →Hydrochorea gonggrijpii (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Ar); syn. Arthrosamanea pullei (Kleinh.) Kleinhoonte; syn. A. gonggrijpii (Kleinh.) Kleinhoonte; syn. Pithecellobium gonggrijpii Kleinh.
Oeroewassa (huruasa, horowassa)
 →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Ar); syn. Abarema jupunba (Willd.) Britton & Killip
Oever wallaba →Eperua jenmani Oliver; LEGUMINOSAE-CAES.; Surinam (Du)
 →Eperua rubiginosa Miquel; LEGUMINOSAE-CAES.; Surinam (Du); var. grandiflora Pulle
Oewebina →Lecythis corrugata Poiteau; LECYTHIDACEAE; Surinam (Ar); syn.

Eschweilera corrugata (Poiteau) Miers
Ogoru → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
Ohid → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (Wr)
Oja (oeja, uya) → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. oppositifolia* Spruce ex Benth.
Ojana → *Piper pulleanum* Yuncker; PIPERACEAE; Surinam
Ojédiballi → *Croton hirtus* L'Héritier; EUPHORBIACEAE; Surinam (Ar)
→ *Stachytarpheta cayennensis* (Rich.) Vahl; VERBENACEAE; Surinam (Ar)
Ojibipo → *Duguetia yeshidan* Sandwith; ANNONACEAE; Guyana (Ak)
Ojicito → *Capparis* sp.; CAPPARACEAE; Guyana
Ojo de perdiz → *Brya buxifolia* Urban; LEGUMINOSAE-PAP.; Dominican Republic
Ojodiballi → *Pacourina edulis* Aublet; ASTERACEAE; Surinam (Ar)
Okajomoe menetare → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean
Oker → *Abelmoschus esculentus* (L.) Moench; MALVACEAE; Surinam (Du); syn. *Hibiscus esculentus* L.
→ *Hibiscus esculentus* L.; MALVACEAE; Surinam (Du); use *Abelmoschus esculentus* (L.) Moench
Oker (spook-, wilde jorka-) → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Du)
Okajoembo kerapole → *Allamanda cathartica* L.; APOCYNACEAE; Caribbean; syn. *A. hendersonii* Bulliard
Okokonshi → *Lacunaria crenata* (Tulasne) A.C.Smith; QUIINACEAE; Guyana (Ar)
→ *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Guyana (Ar)
→ *Quiina albiflora* A.C.Smith; QUIINACEAE; Surinam (Ar)
→ *Quiina guianensis* Aublet; QUIINACEAE; Surinam (Ar)
→ *Quiina indigofera* Sandwith; QUIINACEAE; Surinam (Ar)
→ *Quiina obovata* Tulasne; QUIINACEAE; Surinam (Ar); syn. *Q. oblanceolata* Sandwith
Okoro → *Machaerium leiophyllum* (DC.) Benth.; LEGUMINOSAE-PAP.; Guyana (Ar); syn. *Drepanocarpus*
→ *Sloanea guianensis* Benth.; ELAEOCARPACEAE; Guyana (Ak)
Okoromai → *Eschweilera alata* A.C.Smith; LECYTHIDACEAE; Guyana (Ak)
Okotjo → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.
Okrai → *Dioclea hexandra* (Ralph) Mabberley; LEGUMINOSAE-PAP.; Surinam; syn. *D. reflexa* Hook.f.
→ *Dioclea reflexa* Hook.f.; LEGUMINOSAE-PAP.; Surinam; use *D. hexandra* (Ralph) Mabberley
Okraprabu → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Guyana (Ak)
Okro → *Abelmoschus esculentus* (L.) Moench; MALVACEAE; Surinam (Cr); syn. *Hibiscus esculentus* L.
Okro (watra-, jorka-) → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Cr)
Okro, muskus (jorka-) → *Abelmoschus moschatus* Medikus; MALVACEAE; Surinam (Cr); syn. *Hibiscus abelmoschus* L.
Okrohoedoe → *Sterculia excelsa* C.Martius; STERCULIACEAE; Surinam
→ *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Surinam
Olaga → *Malpighia* sp.; MALPIGHIACEAE; Puerto Rico
Old man's beard → *Tillandsia usneoides* (L.) L.; BROMELIACEAE; Guyana (Cr)
Old woman's bitter → *Citharexylum* sp.; VERBENACEAE; Puerto Rico
Ole → *Colocasia esculenta* (L.) Schott; ARACEAE; Surinam (Ar)
→ *Xanthosoma sagittifolium* (L.) Schott; ARACEAE; Surinam (Ar)
Oleballi → *Urospatha hostmanii* Schott; ARACEAE; Surinam (Ar)
Olémélan → *Pouteria reticulata* (Engl.) Eyma; SAPOTACEAE; Caribbean; syn. *Lucuma*
Olemellie (oeremerie, oelemarie) → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma
Olgoi → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Guyana (Ak); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
Oli olirang → *Tabernaemontana albiflora* (Miquel) Pulle; APOCYNACEAE; Caribbean; syn. *Taberna albiflora* (Miquel) Markgraf
Olieba maatsjoe → *Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies
Olijf → *Ziziphus jujuba* (L.) Gaertner auct. non Miller; RHAMNACEAE; Surinam (Du); use *Z. mauritiana* Lam.; syn. *Zizyphus mauritiana* Lam.
→ *Zizyphus mauritiana* Lam.; RHAMNACEAE; Surinam (Du); syn. *Zizyphus mauritiana* Lam.; syn. *Zizyphus jujuba* (L.) Gaertner auct. non Miller
→ *Zizyphus mauritiana* Lam.; RHAMNACEAE; Surinam (Du); use *Zizyphus mauritiana* Lam.; syn. *Zizyphus jujuba* (L.) Gaertner auct. non Miller
Olijfrank → *Guatteria scandens* Ducke;

ANNONACEAE; Surinam (Du)

Olive, black → *Bucida buceras* L.;

COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Olive, mangrove → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Olive, wild → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

→ *Sideroxylon foetidissimum* Jacq.;

SAPOTACEAE; British West Indies

→ *Ximenia americana* L. var. *americana*;

OLACACEAE; British West Indies

Olivewood → *Capparis cynophallophora* L.; CAPPARACEAE; Trinidad

Olivier mangue → *Terminalia* sp.;

COMBRETACEAE; Trinidad

Olivier, white → *Terminalia* sp.;

COMBRETACEAE; Trinidad

Olivier, yellow → *Buchenavia capitata* (Vahl)

Eichler; COMBRETACEAE; Trinidad

→ *Terminalia amazonia* (J.F.Gmelin) Exell;

COMBRETACEAE; Guyana (Cr); syn. *T. obovata* (Ruiz & Pavón) Steudel

Olivo → *Bontia daphnoides* L.; MYOPORACEAE; Dominican Republic

→ *Capparis cynophallophora* L.; CAPPARACEAE; Dominican Republic

Olivo amargo → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Dominican Republic; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet

→ *Quassia simarouba* L.f.; SIMAROUBACEAE; Dominican Republic; syn. *Simarouba amara* Aublet var. *typica* Cronquist

Olo → *Protium heptaphyllum* (Aublet) Marchand; BURSERACEAE; Surinam (Ar)

→ *Protium sagotianum* Marchand;

BURSERACEAE; Surinam (Ar); syn. *P. insigne* (Triana & Planchon) Engl.

Olo (-kaike, -karau-bandikorro) → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam (Ar)

Olo (ulo, ulu, oelo, oelu) → *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Ar)

→ *Trattinickia rhoifolia* Willd.; BURSERACEAE; Surinam (Ar); ssp. *willdenowii* Engl.

Olvi (orvi) → *Anacardium occidentale* L.; ANACARDIACEAE; Caribbean; syn. *A. occidentale* L. var. *indicum* DC.

Ombang → *Duroia eriopila* L.f. var. *eriopila*; RUBIACEAE; Guyana (Ak)

Ombatapo → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. *H.*

poepigiana (C.Martius) Trécul

Omi marmadosoe → *Amaioua guianensis* Aublet; RUBIACEAE; Surinam (Sa); syn. *Amajoua guianensis* Aublet

Omi pienjapau → *Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Sa); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Omi tapoepa → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Sa)

Omirir → *Ternstroemia dentata* (Aublet) Swartz; THEACEAE; Guyana (W)

Omiry → *Humiria* sp.; HUMIRIACEAE; French Guiana

Omitaproepa → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Sa)

Omitien → *Geonoma deversa* (Poiteau) Kunth; ARECACEAE (PALMAE); Guyana (W); syn. *G. paniculigera* C.Martius; syn. *G. paniculigera* C.Martius var. *microspatha* (Spruce) Trail

Omosé → *Cordia sericicalyx* A.DC.;

BORAGINACEAE; Caribbean

→ *Lueheopsis rugosa* (Pulle) Burret; TILIACEAE; Caribbean

Omosé(ran) → *Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Caribbean; syn. *R. broadwayi* R.E.Fries

Omphalier → *Omphalea diandra* L.; EUPHORBIACEAE; French Guiana

Oneka → *Sparattanthelium aruakorum* Tutin; HERNANDIACEAE; Surinam

→ *Sparattanthelium macusiorum* A.C.Smith; HERNANDIACEAE; Caribbean; use *S. wonotoboense* Kosterm.

→ *Sparattanthelium wonotoboense* Kosterm.; HERNANDIACEAE; Caribbean; syn. *S. macusiorum* A.C.Smith

Onguent-pian → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; French Guiana; syn. *Bignonia copaia* Aublet

Onikhia(khia) → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Ar)

Onikhiakhia (-diamaro) → *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Surinam (Ar); syn. *L. grisea* Kleinhoonte

Onikhiakiaballi → *Apeiba intermedia* Uittien; TILIACEAE; Surinam (Ar)

Onitjatja → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Ar)

Onzeballi → *Anemopaegma parkeri* Sprague; BIGNONIACEAE; Surinam (Ar)

Oolemeriballi → *Brosimum rubescens* Taubert; MORACEAE; Surinam; syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Oonoeballi → *Maripa passifloroides* Benth.; CONVOLVULACEAE; Surinam (Ar)

Oonseballi → *Arrabidaea inaequalis* (DC. ex Splitg.) K.Schumann; BIGNONIACEAE; Surinam (Ar)

→*Malouetia tamaquarina* (Aublet) A.DC.; APOCYNACEAE; Surinam (Ar); var. *minor* A.DC.; syn. *M. obtusiloba* A.DC.

Oradapor →*Bauhinia scala-simiae* Sandwith; LEGUMINOSAE-CAES.; Guyana (W)

Orali →*Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Surinam (Ar)

→*Vismia confertiflora* Spruce ex Reichardt; GUTTIFERAE; Surinam (Ar)

→*Vismia falcata* Rusby; GUTTIFERAE; Surinam (Ar)

→*Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Surinam (Ar)

→*Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Surinam (Ar)

→*Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Ar); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

→*Vismia rufescens* (Lam.) Persoon; GUTTIFERAE; Guyana (Ar); var. *sessilifolia* (Aublet) Persoon; use *V. sessilifolia* (Aublet) DC.

→*Vismia sessilifolia* (Aublet) DC.; GUTTIFERAE; Guyana (Ar); syn. *V. rufescens* (Lam.) Persoon var. *sessilifolia* (Aublet) Persoon

Orange (bush-, wild-) →*Hortia regia* Sandwith; RUTACEAE; Guyana (Cr)

Orange, wild →*Swartzia* sp.; LEGUMINOSAE-PAP.; Trinidad

Oranger de montagne (-des falaises) →*Ximenia americana* L. var. *americana*; OLACACEAE; Guadeloupe

Oranger des falaises (-de montagne) →*Ximenia americana* L. var. *americana*; OLACACEAE; Guadeloupe

Oranje désibel →*Wedelia trilobata* (L.) Hitchc.; ASTERACEAE; Surinam (Cr)

Oranjehout →*Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Du)

Orari →*Strychnos toxifera* M.R.Schomb. ex Benth.; LOGANIACEAE; Surinam (Ar)

Oratom →*Byrsonima stipulacea* A.Jussieu; MALPIGHIACEAE; Guyana (W)

Oreganillo →*Eupatorium* sp.; ASTERACEAE; Puerto Rico

→*Turnera* sp.; TURNERACEAE; Dominican Republic

→*Weinmannia hirta* Swartz; CUNONIACEAE; Puerto Rico; use *W. pinnata* L.

→*Weinmannia pinnata* L.; CUNONIACEAE; Puerto Rico; syn. *W. hirta* Swartz

Oregano →*Lippia* sp.; VERBENACEAE; Dominican Republic

Oremeri(-wadili) →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Ori(e)bina →*Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Ar); syn.

Eschweilera chartacea (O.Berg) Eyma

Orio koematang →*Centrosema vexillatum* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)

Orme des Antilles →*Guazuma ulmifolia* Lam.; STERCULIACEAE; Martinique; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

Oro oromé →*Pouteria gonggrijpii* Eyma; SAPOTACEAE; Caribbean; syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*

Orokaïke →*Trattinickia* sp.; BURSERACEAE; Surinam

Orokaikoballi →*Mouriria acutiflora* Naudin; MELASTOMATACEAE; Surinam; var. *oligantha* Gleason

Oronapeta (oeranapeti) →*Swartzia grandifolia* Bongard ex Benth.; LEGUMINOSAE-PAP.; Surinam

Oronoque →*Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh

Orozuz →*Lippia* sp.; VERBENACEAE; Puerto Rico

Oromé →*Pouteria surinamensis* Eyma; SAPOTACEAE; Caribbean; syn. *Neopometia* ?; syn. *Lucuma*

Ortega menuda →*Croton* sp.; EUPHORBIACEAE; Puerto Rico

Ortegón →*Coccoloba* sp.; POLYGONACEAE; Puerto Rico

Ortiga →*Urera caracasana* (Jacq.) Griseb.; URTICACEAE; Puerto Rico

Orükorong →*Hydrochorea corymbosa* (Rich.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Arthrosamanea corymbosa* (Rich.) Kleinhoonte; syn. *Pithecellobium corymbosum* (Rich.) Benth.

→*Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

→*Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Abarema jupunba* (Willd.) Britton & Killip

Orura →*Swietenia mahagoni* (L.) Jacq.; MELIACEAE; Caribbean

Orvi (olvi) →*Anacardium occidentale* L.; ANACARDIACEAE; Caribbean; syn. *A. occidentale* L. var. *indicum* DC.

Oshur →*Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Guyana (W); syn. *Oenocarpus bataua* C.Martius

Oskiboe →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Otahite →*Thespesia populnea* (L.) Solander ex M.N.Correa; MALVACEAE; Puerto Rico; syn.

Malvaviscus populneus (L.) Gaertner; syn.
Hibiscus populneus Willd.; syn. H. bacciferus
Forster

Otdok →Gustavia augusta Alm sensu Berg;
LECYTHIDACEAE; Guyana (W)

Otoba →Virola surinamensis (Rolander ex Rottb.)
Warburg; MYRISTICACEAE; Surinam; syn.
Myristica surinamensis Rolander ex Rottb.

Otokoko addakete →Miconia prasina (Swartz)
DC.; MELASTOMACEAE; Surinam (Ar); syn.
M. pteropoda Benth.

Otokoko sjiri →Voyria rosea Aublet;
GENTIANACEAE; Surinam (Ar)

Otoshimik →Pterocarpus officinalis Jacq.;
LEGUMINOSAE-PAP.; Guyana (Ak); syn. P.
draco L.

Ottepoeloe →Comolia vernicosa (Benth.) Triana;
MELASTOMACEAE; Caribbean

Ouabé →Omphalea diandra L.;
EUPHORBIACEAE; French Guiana

Ouarouchi →Virola surinamensis (Rolander ex
Rottb.) Warburg; MYRISTICACEAE; Guianas;
syn. Myristica surinamensis Rolander ex Rottb.

Oubelt →Pfaffia glauca (Martius) Sprengel;
AMARANTHACEAE; Caribbean

Oulougua-palou →Sloanea sp.;
ELAEOCARPACEAE; French Guiana

Oura-ara →Ouratea sp.; OCHNACEAE; Guianas

Ouregou →Guatteria schomburgkiana C.Martius;
ANNONACEAE; French Guiana

Ourisoura →Vatairea guianensis Aublet;
LEGUMINOSAE-PAP.; Guyana; syn. V.
surinamensis Kleinhoonte; syn. Vataireopsis
speciosa Ducke

Ouroucou-merepa →Parinari campestris Aublet;
CHRYSOBALANACEAE; French Guiana; syn. P.
campestre Aublet ?

Ox-eye →Mucuna urens (L.) DC.;
LEGUMINOSAE-PAP.; Guyana (Cr)

Paardegras →Digitaria horizontalis Willd.;
POACEAE; Surinam (Du)

→Echinochloa polystachya (Kunth) Hitchc.;
POACEAE; Surinam (Du)

Paardeveleeshout →Manilkara bidentata (A.DC.)
A.Chev. ssp. bidentata; SAPOTACEAE; Surinam
(Du); syn. M. balata (Pierre) Dubard

Pacha →Citrullus lanatus (Thunberg) Matsum. &
Nakai; CUCURBITACEAE; Surinam (Ar); ssp.
vulgaris (Schrader) Fursa; syn. C. vulgaris
Schrader ex Ecklon & Zeyer

→Citrullus vulgaris Schrader ex Ecklon & Zeyher;
CUCURBITACEAE; Surinam (Ar); use C. lanatus
(Thunberg) Matsum. & Nakai spp. vulgaris
(Schrader) Fursa

Packy →Crescentia cujete L.; BIGNONIACEAE;
British West Indies

Padapau →Aspidosperma marcgravianum
Woodson; APOCYNACEAE; Surinam (Bn); syn.

A. nitidum Benth. ex Müll.Arg.

Paddlewood →Aspidosperma excelsum Benth.;
APOCYNACEAE; Guyana (Cr)

→Aspidosperma marcgravianum Woodson;
APOCYNACEAE; Surinam (Cr); syn. A. nitidum
Benth. ex Müll.Arg.

→Aspidosperma oblongum A.DC.;
APOCYNACEAE; Guyana (Cr)

Paddlewood, black →Swartzia schomburgkii
Benth. var. schomburgkii; LEGUMINOSAE-PAP.;
Guyana (Cr)

Pagara warimbo →Ischnosiphon arouma
(Aublet) Körnicke; MARANTACEAE; Surinam (Cr)

Pagara wiwirie (kleine-) →Calathea elliptica
(Roscoe) K.Schumann; MARANTACEAE;
Surinam (Cr)

Pahéwé awhamoejihoenda →Palicourea
guianensis Aublet; RUBIACEAE; Surinam (Sa)

Pahoorie →Platonia insignis C.Martius;
GUTTIFERAE; Guyana (Ar); syn. P. esculenta
(Arruda) Rickett & Stafleu

Paida (wekere-) →Brosimum guianense (Aublet)
Huber; MORACEAE; Surinam; syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotumtatum
Standley; syn. B. velutinum (Blake) Ducke

Paida, toekoesi →Helicostylis tomentosa
(Poeppig & Endl.) Rusby; MORACEAE; Surinam;
syn. H. poeppigiana (C.Martius) Trécul

Pain d'épice →Chrysophyllum pomiferum (Eyma)
T.D.Penn.; SAPOTACEAE; French Guiana ; syn.
Achrouteria pomifera Eyma

→Pouteria sp.; SAPOTACEAE; French Guiana;
syn. Lucuma sp.

Pain-in-black →Trema micrantha (L.) Blume;
ULMACEAE; Puerto Rico

Paipayodapiri →Psychotria poeppigiana
Müll.Arg. ssp. poeppigiana; RUBIACEAE;
Caribbean; syn. Cephaelis tomentosa (Aublet)
Vahl

Pair(a) →Brosimum guianense (Aublet) Huber;
MORACEAE; Guyana (M, W); syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Pairawa itoelicki karoto (-korokorosiri) →Inga
edulis C.Martius; LEGUMINOSAE-MIM.; Surinam
(Ar); syn. I. scabriuscula Benth.

Pairawa korokorosiri (-itoelicki karoto) →Inga
edulis C.Martius; LEGUMINOSAE-MIM.; Surinam
(Ar); syn. I. scabriuscula Benth.

Pairawa waikey →Inga edulis C.Martius;
LEGUMINOSAE-MIM.; Guyana (Ar); syn. I.
scabriuscula Benth.

Pairjawa →Inga edulis C.Martius;
LEGUMINOSAE-MIM.; Surinam (Ar); syn. I.
scabriuscula Benth.

- Paishal** → *Casearia celastroides* Klotzsch; FLACOURTIACEAE; Guyana (W); use *C. zizyphoides* Kunth
→ *Casearia zizyphoides* Kunth; FLACOURTIACEAE; Guyana (W); syn. *C. celastroides* Klotzsch
- Pajawaroelang** → *Ixora graciliflora* Benth.; RUBIACEAE; Caribbean; syn. *I. surinamensis* Bremek.
- Pajaweroe** → *Ardisia surinamensis* Miquel; MYRSINACEAE; Caribbean; use *Stylogyne surinamensis* (Miquel) Mez
→ *Stylogyne surinamensis* (Miquel) Mez; MYRSINACEAE; Caribbean; syn. *Ardisia surinamensis* Miquel
- Pajoe(le)rian** → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Caribbean
- Pajoeli(dan)** → *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Caribbean
→ *Iryanthera paraensis* Huber; MYRISTICACEAE; Caribbean
→ *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Caribbean
- Pajoelidan** → *Mabea caudata* Pax & K.Hoffmann; EUPHORBIACEAE; Caribbean; var. *concolor* Lanjouw; use *M. speciosa* Müll.Arg.
→ *Mabea speciosa* Müll.Arg.; EUPHORBIACEAE; Caribbean; syn. *M. caudata* Pax & K.Hoffmann var. *concolor* Lanjouw
- Pajoerian** → *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries
- Pajorian** → *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Caribbean
- Pakarawali** → *Dieffenbachia paludicola* N.E.Brown ex Gleason; ARACEAE; Caribbean
- Pakasa** → *Caraipa densiflora* C.Martius; GUTTIFERAE; Surinam
→ *Caraipa punctulata* Ducke; GUTTIFERAE; Caribbean
- Pakassa** → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean
- Pakééli** → *Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Caribbean
- Pakeri** → *Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Caribbean
→ *Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Caribbean
- Pakira joejoeroe** → *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Caribbean
- Pakira ponapiri** → *Psychotria poeppigiana* Müll.Arg. ssp. *poeppigiana*; RUBIACEAE; Caribbean; syn. *Cephaelis tomentosa* (Aublet) Vahl
- Pakira sipiore (pakiria sipioli)** → *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Caribbean; syn. *T. stevensonii* Standley
- Pakiraeu** → *Elvasia hostmannia* Planchon; OCHNACEAE; Surinam
- Pakirahoedoe** → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Cr)
- Pakirallang** → *Ouratea racemiformis* Ule; OCHNACEAE; Caribbean
- Pakiri(a) sipioli (pakira sipiore)** → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Caribbean
- Pakiria jojoro** → *Henriettea multiflora* Naudin; MELASTOMATACEAE; Caribbean
- Pakiria jojoro (-joejoeroe)** → *Henriettea succosa* (Aublet) DC.; MELASTOMATACEAE; Surinam
- Pakiria sipioli** → *Trattinickia* sp.; BURSERACEAE; Surinam
- Pakiria sipiolo** → *Protium hostmannii* (Miquel) Engl.; BURSERACEAE; Caribbean
- Pakirja (-wesopotare)** → *Loreya mespiloides* Miquel; MELASTOMATACEAE; Surinam
- Pakjira emoeroe** → *Mabea piriri* Aublet; EUPHORBIACEAE; Caribbean; syn. *M. ferruginea* Benth.
- Pakoeli (-ibiberoe)** → *Rheedia benthamiana* Planchon & Triana; GUTTIFERAE; Surinam (Cr)
- Pakoeli(e), swamp(oe) (zwamp-)** → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Cr); syn. *R. kappleri* Eyma
- Pakoeliballi** → *Quassia cedron* (Planchon) Baillon; SIMAROUBACEAE; Surinam (Ar); syn. *Simaba cedron* Planchon
- Pakoelie (papoelie)** → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu
- Pakoema** → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl
- Pakoeri(e), bigi boesi(e)** → *Rheedia macrophylla* (C.Martius) Planchon & Triana; GUTTIFERAE; Surinam (Cr)
- Pakoerian (pakori ibibero, pakorian)** → *Rheedia macrophylla* (C.Martius) Planchon & Triana; GUTTIFERAE; Surinam (Ar)
- Pakori (pakuri)** → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu
- Pakori ibibero (pakoerian, pakorian)** → *Rheedia macrophylla* (C.Martius) Planchon & Triana; GUTTIFERAE; Surinam (Ar)
- Pakorian (pakori ibibero, pakoerian)** → *Rheedia macrophylla* (C.Martius) Planchon & Triana; GUTTIFERAE; Surinam (Ar)
- Paku** → *Catostemma commune* Sandwith; BOMBACACEAE; Guyana (An)
→ *Catostemma fragrans* Benth.; BOMBACACEAE; Guyana (An)
- Pakuri (pakori)** → *Platonia insignis* C.Martius;

GUTTIFERAE; Guyana (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Pakwatöpö → *Emmotum fagifolium* Desvaux; ICACINACEAE; Guyana (Ak)

Pala eh → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean

Palaäta (parata) → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam; syn. *M. balata* (Pierre) Dubard

Palakoea → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam; syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Palakowa (palaloea) → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Caribbean; syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth

Palaloea → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Caribbean; syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth

Palaloea (palakowa) → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Caribbean; syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth

Palam balam wokoeloe → *Sipanea pratensis* Aublet; RUBIACEAE; Caribbean

Palapo → *Senna multijuga* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Caribbean; syn. *Cassia multijuga* A.Rich.

Palatatai → *Desmodium axillare* (Swartz) DC.; LEGUMINOSAE-PAP.; Caribbean; var. *sintenisii* Urban

Pale-ie → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam

Paleö → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean

Palétuvier → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; French Guiana
→ *Inga edulis* C.Martius; LEGUMINOSAE-MIM.; French Guiana; syn. *I. scabriuscula* Benth.

→ *Moronobea coccinea* Aublet; GUTTIFERAE; French Guiana

Palétuvier blanc → *Avicennia germinans* (L.) Stearn; VERBENACEAE; French Guiana; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Palétuvier de montagne → *Clusia* sp.; GUTTIFERAE; French West Indies
→ *Inga bourgonii* (Aublet) DC.; LEGUMINOSAE-MIM.; French West Indies

→ *Tovomita* sp.; GUTTIFERAE; Martinique

Palétuvier noir (-rouge) → *Rhizophora mangle* L.; RHIZOPHORACEAE; French Guiana; syn. *R. racemosa* G.Meyer

Palétuvier rouge (-noir) → *Rhizophora mangle* L.; RHIZOPHORACEAE; French Guiana; syn. *R. racemosa* G.Meyer

Palipali → *Hirtella manigera* Kleinhoonte; CHRYSOBALANACEAE; Caribbean

Palissander, Rio → *Dalbergia nigra* Allemao ex Benth.; LEGUMINOSAE-PAP.; Surinam (Du)

Pallewie → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam

Palm, chocolate → *Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Guyana (Cr); syn. *Oenocarpus bataua* C.Martius

Palm, thatch (wine-) → *Manicaria saccifera* Gaertner; ARECACEAE (PALMAE); Guyana (Cr)

Palm, toddy → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (Cr)

Palm, zwarte → *Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Surinam (Du); syn. *Oenocarpus bataua* C.Martius

Palmhout (westindisch-, maracaibo-)
→ *Casearia praecox* Griseb.; FLACOURTIACEAE; West Indies; syn. *Gossypiospermum praecox* (Griseb.) P.Wilson

Palo (de Santa) Maria → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Puerto Rico; syn. *C. calaba* Jacq.; syn. *C. rekoii* Standley

Palo amargo → *Celtis trinervia* Lam.; ULMACEAE; Dominican Republic
→ *Colubrina reclinata* (L'Héritier) Brongn.; RHAMNACEAE; Dominican Republic
→ *Rauwolfia nitida* Jacq.; APOCYNACEAE; Puerto Rico; syn. *Rauwolfia nitida* Jacq.

→ *Rauwolfia* spp.; APOCYNACEAE; Puerto Rico; use *Rauwolfia* spp.

Palo amarillo → *Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Dominican Republic

Palo bellaco → *Croton glabellus* L.; EUPHORBIACEAE; Dominican Republic

Palo berraco → *Croton glabellus* L.; EUPHORBIACEAE; Dominican Republic

Palo blanco → *Allophylus occidentalis* (Swartz) Radlk.; SAPINDACEAE; Puerto Rico
→ *Casearia praecox* Griseb.; FLACOURTIACEAE; Dominican Republic; syn. *Gossypiospermum praecox* (Griseb.) P.Wilson

→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Puerto Rico
→ *Drypetes variabilis* Uittien; EUPHORBIACEAE; Puerto Rico

Palo bobo → *Brunellia comocladifolia* Humbert & Bonpland; BRUNELLIACEAE; Puerto Rico
→ *Pisonia zapallo* Griseb.; NYCTAGINACEAE; Puerto Rico

Palo bronco → *Malpighia* sp.; MALPIGHIACEAE; Puerto Rico

Palo cachumba → *Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilibertia arborea* (L.) Marchal

Palo colorado → *Beilschmiedia pendula* (Swartz) Benth. & Hook.f.; LAURACEAE; Puerto Rico

- Cyrilla racemiflora* L.; CYRILLACEAE; Puerto Rico; syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown
- Xylosma* sp.; FLACOURTIACEAE; Puerto Rico
- Palo corra** →*Suriana maritima* L.; SURIANACEAE; Curaçao
- Palo damaso** →*Pera* sp.; EUPHORBIACEAE; Dominican Republic
- Palo de aceite** →*Tetragastris* sp.; BURSERACEAE; Puerto Rico
- Palo de aceituna (-de vaca blanca)** →*Drypetes variabilis* Uittien; EUPHORBIACEAE; Puerto Rico
- Palo de anastasio** →*Trichilia* sp.; MELIACEAE; Puerto Rico
- Palo de boyo** →*Erythrina poeppigiana* (Walpers) O.F.Cook; LEGUMINOSAE-PAP.; Puerto Rico; syn. *E. micropteryx* Poeppig; syn. *E. darienensis* Standley; syn. *E. pisamo* Posada-Ar.
- Palo de cabra** →*Trema micrantha* (L.) Blume; ULMACEAE; Puerto Rico
- Palo de candela** →*Xylosma* sp.; FLACOURTIACEAE; Puerto Rico
- Palo de catorro** →*Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Puerto Rico; var. *laevigata* Müll.Arg.
- Palo de cebra** →*Symplocos martinicensis* Jacq.; SYMPLOCACEAE; Puerto Rico
- Palo de cera** →*Myrica cerifera* L.; MYRICACEAE; Dominican Republic
- Palo de chivo** →*Cassia emarginata* L.; LEGUMINOSAE-CAES.; Dominican Republic; use *Isandrina emarginata* (L.) Britton & Rose
- Isandrina emarginata* (L.) Britton & Rose; LEGUMINOSAE-CAES.; Dominican Republic; syn. *Cassia emarginata* L.
- Palo de colorado** →*Ternstroemia* sp.; THEACEAE; Puerto Rico
- Palo de cotorra** →*Randia aculeata* L.; RUBIACEAE; Puerto Rico
- Palo de cucubano** →*Guettarda scabra* (L.) Ventenat; RUBIACEAE; Puerto Rico; syn. *G. scabra* Lam. ?
- Palo de dajao** →*Ixora* sp.; RUBIACEAE; Puerto Rico
- Palo de doncella** →*Byrsonima* sp.; MALPIGHIACEAE; Puerto Rico
- Palo de encaje** →*Lagetta lagetto* (Swartz) Nash; THYMELAEACEAE; Dominican Republic; use *L. lintearia* Lam.
- Lagetta lintearia* Lam.; THYMELAEACEAE; Dominican Republic; syn. *L. lagetto* (Swartz) Nash
- Palo de gallino** →*Alchorneopsis trimeria* Lanjouw; EUPHORBIACEAE; Puerto Rico
- Palo de gangulin** →*Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilibertia arborea* (L.) Marchal
- Palo de gongoli** →*Cassipourea alba* Griseb.; RHIZOPHORACEAE; Puerto Rico
- Palo de hierro** →*Krugiodendron ferreum* (Vahl) Urban; RHAMNACEAE; Dominican Republic
- Palo de hoz** →*Machaerium* sp.; LEGUMINOSAE-PAP.; Puerto Rico; syn. *Drepanocarpus* sp.
- Palo de jagueca** →*Thespesia populnea* (L.) Solander ex M.N.Correa; MALVACEAE; Puerto Rico; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster
- Palo de lana** →*Ochroma lagopus* Swartz; BOMBACACEAE; Caribbean; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee; syn. *O. grandiflora* Rowlee
- Palo de leche** →*Tabernaemontana citrifolia* L.; APOCYNACEAE; Dominican Republic
- Palo de leche chiquito** →*Rauwolfia nitida* Jacq.; APOCYNACEAE; Dominican Republic; syn. *Rauwolfia nitida* Jacq.
- Palo de lechoso** →*Tabernaemontana* sp.; APOCYNACEAE; Puerto Rico
- Palo de maco** →*Capparis cynophallophora* L.; CAPPARACEAE; Dominican Republic
- Palo de matos** →*Ormosia melanocarpa* Kleinhoonte; LEGUMINOSAE-PAP.; Puerto Rico
- Palo de millo** →*Phyllanthus nobilis* (L.f.) Müll.Arg.; EUPHORBIACEAE; Puerto Rico
- Palo de muñeca (de muñeco)** →*Cordia colecocea* L.; BORAGINACEAE; Puerto Rico; syn. *C. collocca* L. ?; syn. *C. collococca* L. ?
- Palo de nuez** →*Juglans* sp.; JUGLANDACEAE; Puerto Rico
- Palo de oreja** →*Cassipourea alba* Griseb.; RHIZOPHORACEAE; Puerto Rico
- Palo de oro** →*Brosimum guianense* (Aublet) Huber; MORACEAE; Caribbean; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
- Palo de perico** →*Cordia* sp.; BORAGINACEAE; Puerto Rico
- Palo de Pez** →*Castela* sp.; SIMAROUBACEAE; Dominican Republic; syn. *Holacantha emoryi* A.Gray
- Holacantha emoryi* A.Gray; SIMAROUBACEAE; Dominican Republic; use *Castela*
- Palo de pollo** →*Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilibertia arborea* (L.) Marchal
- Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Puerto Rico; syn. *P. draco* L.
- Palo de quina** →*Antirrhoea* sp.; RUBIACEAE; Puerto Rico; syn. *Stenostomum* sp. ?
- Palo de rosa** →*Ottoschulzia rhodoxylon* Urban; ICACINACEAE; Puerto Rico
- Palo de tabaco** →*Gymnanthes lucida* Swartz; EUPHORBIACEAE; Dominican Republic; syn. *Sebastiania lucida* Müll.Arg.

Palo de tea →*Amyris balsamifera* L.; RUTACEAE; Puerto Rico

Palo de toro →*Baccharis* sp.; ASTERACEAE; Dominican Republic
→*Cassipourea alba* Griseb.; RHIZOPHORACEAE; Puerto Rico
→*Faramea* sp.; RUBIACEAE; Puerto Rico

Palo de tortuga →*Moutabea* sp.; POLYGALACEAE; Puerto Rico

Palo de vaca →*Bourreria* sp.; BORAGINACEAE; Puerto Rico
→*Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilbertia arborea* (L.) Marchal

Palo de vaca blanca (-de aceituna) →*Drypetes variabilis* Uittien; EUPHORBIACEAE; Puerto Rico

Palo de viento →*Oreopanax argentatus* (Kunth) Decaisne & Planchon; ARALIACEAE; Dominican Republic
→*Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Dominican Republic; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Palo de yagua →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Dominican Republic

Palo hediondo →*Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; Puerto Rico

Palo naranjo →*Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Trinidad

Palo peje →*Castela* sp.; SIMAROUBACEAE; Dominican Republic; syn. *Holacantha emoryi* A.Gray
→*Holacantha emoryi* A.Gray; SIMAROUBACEAE; Dominican Republic; use *Castela*

Palo perrito →*Vitex* sp.; VERBENACEAE; Dominican Republic

Palo robinson →*Cassipourea guianensis* Aublet; RHIZOPHORACEAE; Dominican Republic

Palo santo →*Guaiacum officinale* L.; ZYGOPHYLLACEAE; Caribbean
→*Guaiacum sanctum* L.; ZYGOPHYLLACEAE; Caribbean; syn. *G. guatemalense* Planchon

Palo tobacco →*Pictetia aculeata* (Vahl) Urban; LEGUMINOSAE-PAP.; Dominican Republic

Paloe boontsji →*Erythrina crista-galli* L.; LEGUMINOSAE-PAP.; Dutch West Indies

Paloe de Bonaire →*Casearia sylvestris* Swartz; FLACOURTIACEAE; Curaçao

Paloe die loora →*Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies

Paloe doesji →*Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Curaçao

Paloe pretoe →*Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies

Paloeleoe ibjo →*Erisma pulverulentum* Poeppig; VOCHYSIACEAE; Surinam (Ar); use *E. uncinatum* Warming
→*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Ar); syn. *E. pulverulentum* Poeppig

Paloeleoe, bastaard →*Calathea elliptica* (Roscoe) K.Schumann; MARANTACEAE; Surinam (Cr)

Paloeleopio →*Antonia ovata* Pohl; ANTONIACEAE; Caribbean; syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Paloeoelang →*Elizabetha coccinea* Benth.; LEGUMINOSAE-CAES.; Caribbean

Paloera →*Palicourea guianensis* Aublet; RUBIACEAE; Caribbean

Paloewé →*Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Caribbean; ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Palomino →*Ottoschulzia domingensis* Urban; ICACINACEAE; Dominican Republic
→*Ottoschulzia rhodoxylon* Urban; ICACINACEAE; Dominican Republic

Palu →*Catostemma alstonii* Sandwith; BOMBACACEAE; Guyana (An)
→*Catostemma commune* Sandwith; BOMBACACEAE; Guyana (An)
→*Catostemma fragrans* Benth.; BOMBACACEAE; Guyana (An)

Pama swiri →*Aechmea lateralis* Lor.B.Smith; BROMELIACEAE; Caribbean

Pamoené iria kopje →*Qualea coerulea* Aublet; VOCHYSIACEAE; Caribbean

Pan cimarrón →*Bocconia frutescens* L.; PAPAVERACEAE; Puerto Rico

Pana →*Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilbertia arborea* (L.) Marchal

Pana cimarrona →*Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Puerto Rico; syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Pana pana →*Uncaria guianensis* (Aublet) J.F.Gmelin; RUBIACEAE; Caribbean

Panacoco →*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; French Guiana

Panamwi →*Trichilia schomburgkii* C.DC. ssp. *schomburgkii*; MELIACEAE; Guyana (Ak)

Panapana →*Clitoria arborescens* R.Brown; LEGUMINOSAE-PAP.; Caribbean

Panatro →*Protium crenatum* Sandwith; BURSERACEAE; Guyana (M)
→*Protium sagotianum* Marchand; BURSERACEAE; Guyana (M); syn. *P. insigne* (Triana & Planchon) Engl.

Panda →*Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Caribbean; var. *monophylla* Sandwith
→*Vitex stahelii* Moldenke; VERBENACEAE; Caribbean

Pandara →*Aniba kappleri* Mez; LAURACEAE;

- Guyana (Ak)
 →*Ocotea rhynchophylla* Mez; LAURACEAE; Guyana (Ak)
- Pandarak** →*Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (Ak)
- Pandarang** →*Tabebuia aquatilis* (E.Meyer) Sprague & Sandwith; BIGNONIACEAE; Caribbean
- Pandorana** →*Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam; var. *monophylla* Sandwith
- Panga panga** →*Palicourea guianensis* Aublet; RUBIACEAE; Surinam (Sa)
- Panta** →*Fusaea longifolia* (Aublet) Safford; ANNONACEAE; Surinam (Cr)
 →*Jussiaea affinis* DC.; ONAGRACEAE; Surinam (Cr); use *Ludwigia*
 →*Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
 →*Ludwigia* sp.; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea affinis* DC.
 →*Unonopsis rufescens* (Baillon) R.E.Fries; ANNONACEAE; Surinam (Cr)
- Panta, swampoe (zwamp-)** →*Tabebuia aquatilis* (E.Meyer) Sprague & Sandwith; BIGNONIACEAE; Surinam (Cr)
 →*Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Cr); var. *monophylla* Sandwith
- Panta, watra** →*Unonopsis guatterrioides* (A.DC.) R.E.Fries; ANNONACEAE; Surinam (Cr); var. *elongata* R.E.Fries
- Pantahoedoe** →*Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Cr); var. *monophylla* Sandwith
- Pao d'arco** →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Puerto Rico; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
- Papaja** →*Carica papaya* L.; CARICACEAE; Surinam (Du)
- Papaja, boesi** →*Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Cr)
- Papaja, boesi (bos-)** →*Cecropia surinamensis* Miquel; MORACEAE; Surinam (Cr)
- Papaja, granboesi** →*Pourouma aspera* Trécul; MORACEAE; Surinam (Cr)
 →*Pourouma laevis* Benoist; MORACEAE; Surinam (Cr)
 →*Pourouma mollis* Trécul; MORACEAE; Surinam (Cr)
- Papaja, iawéhe (jawahe-)** →*Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*
- Papaja, manbos (bos-, boesi-)** →*Cecropia palmata* Willd.; MORACEAE; Surinam (Du)
 →*Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Du); syn. *C. juranyiana* V.A.Richter
- Papaja, sranna didon** →*Cyperus comosus* Poiret; CYPERACEAE; Surinam
- Papaja, zwampoe** →*Thalia trichacalyx* Gagnepain; MARANTACEAE; Surinam (Cr)
- Papajahoedoe** →*Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Cr)
 →*Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Surinam (Cr); syn. *R. Broadway* R.E.Fries
- Papajahoedoe, bigi boesi** →*Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam (Cr); syn. *S. paraensis* Huber apud Ducke
 →*Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Surinam (Cr); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon
- Papajahout** →*Bellucia grossularioides* (L.) Triana; MELASTOMATACEAE; Surinam (Du); syn. *B. aubletii* Naudin
 →*Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam (Du); syn. *S. paraensis* Huber apud Ducke
- Papantie-ie apisie** →*Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam (Sa)
- Paparin bale-ie** →*Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam
- Papary leaf** →*Eugenia* sp.; MYRTACEAE; Trinidad
- Papaw** →*Carica papaya* L.; CARICACEAE; Surinam (Cr)
- Papaya, liane** →*Omphalea diandra* L.; EUPHORBIACEAE; Martinique
- Papayagrass** →*Cyperus comosus* Poiret; CYPERACEAE; Surinam (Du)
- Papayo** →*Metopium toxiferum* (L.) Krug & Urban; ANACARDIACEAE; Puerto Rico
- Papipipiakan** →*Trachypogon plumosus* (H.B.) Nees; POACEAE; Caribbean
- Papoelie (pakoelie)** →*Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Ar); syn. *P. esculenta* (Arruda) Rickett & Stafleu
- Para markoesa** →*Passiflora laurifolia* L.; PASSIFLORACEAE; Surinam (Cr)
- Parakatoen** →*Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Du)
- Parakaua** →*Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Caribbean; syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
- Parakusan** →*Swartzia jenmanii* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)
 →*Swartzia polyphylla* A.DC.; LEGUMINOSAE-PAP.; Surinam (Ar)
 →*Swartzia schomburgkii* Benth. var.

schomburgkii; LEGUMINOSAE-PAP.; Surinam (Ar)

Parakwa → *Dinizia excelsa* Ducke; LEGUMINOSAE-MIM.; Guyana (W)

Parakwai → *Mora gonggripii* (Kleinhoonte) Sandwith; LEGUMINOSAE-CAES.; Guyana (Ak)

Paraman → *Symphonia globulifera* L.f.; GUTTIFERAE; Caribbean; syn. *S. gabonensis* (Vesque) Pierre

Paramana → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Guyana (Ak)

Paranga → *Dimorphandra macrostachya* Benth.; LEGUMINOSAE-CAES.; Guyana (An); ssp. *congestiflora* (Sprague & Sandwith) M.F.Silva; syn. *D. congestiflora* Sprague & Sandwith

Parank(a) → *Cedrela odorata* L.; MELIACEAE; Guyana (M); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Paranoot → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Du); syn. *B. nobilis* Miers

→ *Bertholletia nobilis* Miers; LECYTHIDACEAE; Surinam (Du); use *B. excelsa* (Bonpland) Kunth

Parapara → *Phyllanthus acuminatus* Vahl; EUPHORBIACEAE; Surinam (Ar)

→ *Phyllanthus brasiliensis* (Aublet) Poitot; EUPHORBIACEAE; Surinam (Ar)

→ *Phyllanthus piscatorum* Kunth; EUPHORBIACEAE; Surinam (Ar)

Parapi koware → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Caribbean

Parapo → *Petrea bracteata* Steudel; VERBENACEAE; Caribbean

Parata (palaäta) → *Manilkara bidentata* (A.DC.) A.Chev. ssp. *bidentata*; SAPOTACEAE; Surinam; syn. *M. balata* (Pierre) Dubard

Paraveris → *Ambelania acida* Aublet; APOCYNACEAE; French Guiana; syn. *A. sagotii* Müll.Arg.

Parawajaji → *Pentaclethra macroloba* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *P. filamentosa* Benth.

Parawakas → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Guyana (W); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Parcouri (-goupi, -mani) → *Clusia grandiflora* Splitg.; GUTTIFERAE; French Guiana; syn. *C. insignis* C.Martius

Parcouri (-jaune, -soufré) → *Platonia insignis* C.Martius; GUTTIFERAE; French Guiana; syn. *P. esculenta* (Arruda) Rickett & Stafleu

Parcouri manil → *Symphonia globulifera* L.f.; GUTTIFERAE; French Guiana; syn. *S. gabonensis* (Vesque) Pierre

Pardillo → *Cordia alliodora* (Ruiz & Pavón) Oken; BORAGINACEAE; Curaçao

Pare-eh → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam

Pareira brava blanc → *Abuta rufescens* Aublet; MENISPERMACEAE; French Guiana

Pareira root, white → *Abuta rufescens* Aublet; MENISPERMACEAE; Guyana (Cr)

Parelhout, wit → *Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Du); syn. *A. nitidum* Benth. ex Müll.Arg.

Parelhout, zwart → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Surinam (Du)

→ *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Surinam (Du)

→ *Casearia sylvestris* Swartz; FLACOURTIACEAE; Surinam (Du)

→ *Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia corrugata* Benth.; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia corrugata* Benth.; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Surinam (Du)

Parelhout, zwart (klein-) → *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Du)

Parewe → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean

→ *Eperua grandiflora* (Aublet) Benth.; LEGUMINOSAE-CAES.; Caribbean

Pari(pi)balli → *Chrysophyllum pomiferum* (Eyma) T.D.Penn.; SAPOTACEAE; Surinam (Ar); syn. *Achrouteria pomifera* Eyma

Paricá → *Curatella americana* L.; DILLENACEAE; French Guiana

Parihoedoe → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Surinam (Cr)

Parihoedoe, blaka → *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Surinam (Cr)

→ *Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Swartzia schomburgkii* Benth. var. *schomburgkii*; LEGUMINOSAE-PAP.; Surinam (Cr)

Parihoedoe, witie (weti-) → *Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Cr); syn. *A. nitidum* Benth. ex Müll.Arg.

Parika → *Acacia polyphylla* DC.; LEGUMINOSAE-MIM.; Guyana (Cr)

→ *Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

→*Mimosa acacioides* Benth.; LEGUMINOSAE-MIM.; Guyana (Cr); use *Anadenanthera peregrina* (L.) Speg.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

→*Piptadenia peregrina* (L.) Benth.; LEGUMINOSAE-MIM.; Guyana (Cr); use *Anadenanthera peregrina* (L.) Speg.; syn. *Mimosa acacioides* Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

→*Senegalia greggii* (Gray) Britton & Rose; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *Calliandra* sp.

Pariki →*Connarus* sp.; CONNARACEAE; French Guiana

Parinap →*Ficus mathewsii* Miquel; MORACEAE; Guyana (Ak); syn. *F. gleasonii* Standley

Parinari →*Parinari campestris* Aublet; CHRYSOBALANACEAE; French Guiana; syn. *P. campestre* Aublet ?

Paripi →*Astrocaryum aculeatum* G.Meyer; ARECACEAE (PALMAE); Surinam (Ar); syn. *A. tucuma* C.Martius

Paripiballi →*Achrouteria pomifera* Eyma; SAPOTACEAE; Surinam (Ar); use *Chrysophyllum pomiferum* (Eyma) T.D.Penn.

Paripjo →*Hirtella caudata* Kleinhoonte; CHRYSOBALANACEAE; Caribbean

Pariri koeti →*Hirtella manigera* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Ar)

Pariva →*Avicennia germinans* (L.) Stearn; VERBENACEAE; Surinam; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

Parkia →*Mimosa schomburgkii* Benth.; LEGUMINOSAE-MIM.; Surinam (Cr)

Paroekoeroepe →*Mouriria sagotiana* Triana; MELASTOMATACEAE; Caribbean

Paroeroe pio →*Erisma uncinatum* Warming; VOCHYSIACEAE; Caribbean; syn. *E. pulverulentum* Poeppig

Parrewi →*Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam

Parrot weed →*Bocconia frutescens* L.; PAPAVERACEAE; Puerto Rico

Partridgewood →*Caesalpinia barahonensis* Urban; LEGUMINOSAE-CAES.; Guyana (Cr)

Parue →*Dicymbe corymbosa* Spruce ex Benth.; LEGUMINOSAE-CAES.; Guyana (Ak)

Parupa →*Hortia regia* Sandwith; RUTACEAE; Guyana (Ak)

Parwa →*Avicennia germinans* (L.) Stearn; VERBENACEAE; Surinam (Cr); syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

→*Avicennia intermedia* Griffith; VERBENACEAE; Surinam (Cr); use *A. germinans* (L.) Stearn; syn.

A. marina (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.

Parwruwaka →*Guapira eggersiana* (Heimerl) Lundell; NYCTAGINACEAE; Guyana (Ak); syn. *Pisonia eggersiana* Heimerl

→*Pisonia eggersiana* Heimerl; NYCTAGINACEAE; Guyana (Ak); use *Guapira eggersiana* (Heimerl) Lundell

Pasa(i) →*Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Guyana (Ak); syn. *Bignonia copaia* Aublet

Pasami →*Eugenia marowijensis* Miquel; MYRTACEAE; Surinam (Cr)

→*Eugenia schomburgkii* Benth.; MYRTACEAE; Caribbean

Pasayu →*Iriartea exorrhiza* C.Martius; ARECACEAE (PALMAE); Caribbean; syn. *Socratea exorrhiza* (C.Martius) H.Wendland

Pasiorawa →*Eugenia coffeifolia* DC.; MYRTACEAE; Caribbean

Passasmie →*Eugenia wullschlaegeliana* Amshoff; MYRTACEAE; Surinam

Passie moetie →*Copaifera guianensis* Desf.; LEGUMINOSAE-CAES.; Surinam (Sa)

Passion flower →*Passiflora capparidifolia* Killip; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora ceratocarpa* F.Silveira; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora cirrhiflora* Jussieu; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora coccinea* Aublet; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora coerulea* L.; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora costata* Masters; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora deficiens* Masters; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora fuchsiiflora* Hemsley; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora garckeii* Masters; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora glandulosa* Cav.; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora laurifolia* L.; PASSIFLORACEAE; Guyana (Cr)

→*Passiflora lonchophora* Harms; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora longiracemosa* Ducke; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora maguirei* Killip; PASSIFLORACEAE; Surinam (Cr)

→*Passiflora nitida* Kunth; PASSIFLORACEAE; Guyana (Cr)

→*Passiflora pachyantha* Killip; PASSIFLORACEAE; Guyana (Cr)

- Passiflora quadriglandulosa Rodschied;
PASSIFLORACEAE; Surinam (Cr)
- Passiflora retipetala Masters;
PASSIFLORACEAE; Surinam (Cr)
- Passiflora riparia Masters; PASSIFLORACEAE;
Surinam (Cr)
- Passiflora sclerophylla Harms;
PASSIFLORACEAE; Surinam (Cr)
- Pasture tree** →Trymatococcus paraensis Ducke;
MORACEAE; Guyana (Cr)
- Patakai** →Calyptrocarya glomerulata Urban;
CYPERACEAE; Caribbean
- Patakapio** →Manihot esculenta Crantz;
EUPHORBIACEAE; Surinam; syn. M. utilisissima
Pohl
- Patakoe(w)ana** →Chaunochiton kappleri (Sagot
ex Engl.) Ducke; OLACACEAE; Surinam (Cr)
- Patakoe-wana (patakwana)** →Gordonia sp.;
THEACEAE; Surinam (Cr); syn. Laplacea
fruticosa (Schrader) Kobuski; syn. L. semiserrata
(Martius & Zucc.) Cambess.
- Patakoewana (patakwana)** →Laplacea fruticosa
(Schrader) Kobuski; THEACEAE; Surinam (Cr);
use Gordonia; syn. L. semiserrata (Martius &
Zucc.) Cambess.
- Patakwana (patakoe-wana)** →Gordonia sp.;
THEACEAE; Surinam (Cr); syn. Laplacea
fruticosa (Schrader) Kobuski; syn. L. semiserrata
(Martius & Zucc.) Cambess.
- Patakwana (patakoewana)** →Laplacea fruticosa
(Schrader) Kobuski; THEACEAE; Surinam (Cr);
use Gordonia; syn. L. semiserrata (Martius &
Zucc.) Cambess.
- Patata tetee** →Merremia umbellata (L.) Hallier f.;
CONVOLVULACEAE; Surinam
- Patata tetei** →Ipomoea tiliacea Choisy;
CONVOLVULACEAE; Surinam
- Patawa** →Jessenia bataua (C.Martius) Burret;
ARECACEAE (PALMAE); Caribbean; syn.
Oenocarpus bataua C.Martius
- Patawana liane** →Maripa passifloroides Benth.;
CONVOLVULACEAE; Surinam
- Patiara sipioro, pelika** →Tetragastris hostmannii
(Engl.) Kuntze; BURSERACEAE; Surinam (Ar)
- Patjera siepjourie** →Trattinickia burserifolia
C.Martius; BURSERACEAE; Caribbean
- Pato de chivo** →Bauhinia sp.; LEGUMINOSAE-
CAES.; Dominican Republic
- Patoela** →Coccoloba mollis Casar.;
POLYGONACEAE; Caribbean
- Patoelapo** →Sterculia excelsa C.Martius;
STERCULIACEAE; Caribbean
- Patridgewood** →Vouacapoua americana Aublet;
LEGUMINOSAE-CAES.; Guyana (Cr)
- Patte de lièvre** →Ochroma lagopus Swartz;
BOMBACACEAE; Martinique; syn. O. pyramidale
(Cav. ex Lam.) Urban; syn. O. bicolor Rowlee;
syn. O. grandiflora Rowlee
- Pattoera** →Coccoloba mollis Casar.;
POLYGONACEAE; Caribbean
- Patwaia** →Jessenia bataua (C.Martius) Burret;
ARECACEAE (PALMAE); Guyana (Ak); syn.
Oenocarpus bataua C.Martius
- Pau** →Licania divaricata Benth.;
CHRYSOBALANACEAE; Surinam (Sa)
- Pau amarel(I)o** →Euxylophora paraensis Huber;
RUTACEAE; Surinam
- Pau avangolja (-saandri)** →Licania
heteromorpha Benth.; CHRYSOBALANACEAE;
Surinam (Sa)
- Pau foengoe** →Licania robusta Sagot;
CHRYSOBALANACEAE; Surinam (Sa)
- Pau reihna** →Centrolobium paraense Tulasne;
LEGUMINOSAE-PAP.; Guyana (Pg)
- Pau saandri(e) (-avangolja)** →Licania
heteromorpha Benth.; CHRYSOBALANACEAE;
Surinam (Cr)
- Pau shanks** →Aspidosperma woodsonianum
Markgraf; APOCYNACEAE; Guyana (Cr)
- Pau, sabana** →Laetia procera (Poeppig & Endl.)
Eichler; FLACOURTIACEAE; Surinam (Cr)
- Pauarangdja** →Pogonophora schomburgkiana
Miers ex Benth.; EUPHORBIACEAE; Surinam
(Sa)
- Paucipán, red** →Plumeria rubra L.;
APOCYNACEAE; Puerto Rico
- Pauis biaun** →Pseudima frutescens (Aublet)
Radlk.; SAPINDACEAE; Guyana (W)
- Pauisauwun** →Toulicia guianensis Aublet;
SAPINDACEAE; Guyana (W)
- Pauisima** →Aristolochia daemnonoxia Masters;
ARISTOLOCHIACEAE; Guyana (Ak)
- Pauiyeno** →Toulicia guianensis Aublet;
SAPINDACEAE; Guyana (M)
- Pauletoe** →Brosimum guianense (Aublet) Huber;
MORACEAE; Surinam; syn. Piratinera guianensis
Aublet; syn. P. scabridula Blake; syn. P. velutina
Blake; syn. Brosimum rotundatum Standley; syn.
B. velutinum (Blake) Ducke
- Pauletoe aleadin** →Helicostylis tomentosa
(Poeppig & Endl.) Rusby; MORACEAE; Surinam;
syn. H. poeppigiana (C.Martius) Trécul
- Pauwi-eno** →Calycolpus goetheanus (DC.)
O.Berg; MYRTACEAE; Guyana (Ak); syn. C.
glaber (Benth.) O.Berg
- Pauwies mofo** →Mouriria grandiflora A.DC.;
MELASTOMATAACEAE; Surinam (Cr); syn. M.
princeps Naudin
- Pavi-eno** →Pouteria cladantha Sandwith;
SAPOTACEAE; Guyana (Ak); syn. Neoxythece
cladantha (Sandwith) Aubrév. & Pellegrin; syn.
Lucuma
- Pavier blanc** →Ilex guianensis (Aublet) Kuntze;
AQUIFOLIACEAE; French Guiana
- Pawpaw** →Carica papaya L.; CARICACEAE;
Surinam (Cr)

- Pea, butterfly (sweet-)** → *Centrosema triquetrum* Spruce ex Benth.; LEGUMINOSAE-PAP.; Surinam (Cr)
- Pea, sweet** → *Clitoria arborescens* R. Brown; LEGUMINOSAE-PAP.; Caribbean
- Peachwood** → *Haematoxylon campechianum* L.; LEGUMINOSAE-CAES.; Guyana (Cr)
- Pear-leaf silverballi** → *Ocotea acutangula* (Miquel) Mez; LAURACEAE; Surinam (Cr)
- Pebrekou** → *Xylopia sericea* A. St.-Hil.; ANNONACEAE; Surinam (Cr)
- Pedakuruk** → *Diospyros guianensis* (Aublet) Gürke ssp. *guianensis*; EBENACEAE; Guyana (Ak); ssp. *guianensis*
- Pegrekoe** → *Xylopia discreta* (L. f.) Sprague & Hutch.; ANNONACEAE; Surinam (Cr)
→ *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Cr); var. *ferruginea* R. E. Fries
→ *Xylopia longifolia* (Sagot) R. E. Fries; ANNONACEAE; Surinam (Cr)
- Pegrekoe (-pisi)** → *Xylopia nitida* Dunal; ANNONACEAE; Surinam (Cr)
- Pegrekoe (-pisi), man** → *Xylopia aromatica* (Lam.) C. Martius; ANNONACEAE; Surinam (Cr); syn. *X. grandiflora* A. St.-Hil.; syn. *Uvaria aromatica* Lam.
- Pegrekoe, bos** → *Xylopia surinamensis* R. E. Fries; ANNONACEAE; Surinam (Cr)
- Pegrekoe, sabana** → *Guatteria schomburgkiana* C. Martius; ANNONACEAE; Surinam (Cr)
- Péierjan** → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Caribbean; syn. *Aparisthium cordatum* (Jussieu) Baillon ?
- Peihatti** → *Maprounea guianensis* Aublet; EUPHORBIACEAE; Surinam (Cr)
- Peiritiki** → *Marlierea biptera* Amshoff; MYRTACEAE; Surinam (Ar)
- Pekea (pekia)** → *Caryocar nuciferum* L.; CARYOCARACEAE; Guyana
- Pekri** → *Calotropis gigantea* (L.) Dryander; ASCLEPIADACEAE; Caribbean
- Pela** → *Psidium guajava* L.; MYRTACEAE; French Guiana
- Peleka (pelika, poeleka), tamoene**
→ *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar); syn. *T. stevensonii* Standley
- Pelika (-patiara sipioro)** → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Ar)
- Penda** → *Citharexylum fruticosum* L.; VERBENACEAE; Dominican Republic
- Pendula** → *Citharexylum fruticosum* L.; VERBENACEAE; Puerto Rico
- Pendolo blanco** → *Vitex divaricata* Swartz; VERBENACEAE; Puerto Rico
- Penny piece** → *Pouteria* sp.; SAPOTACEAE; Trinidad; syn. *Lucuma* sp.
- Penoga** → *Calophyllum* sp.; GUTTIFERAE; Surinam
- Penpen** → *Palicourea guianensis* Aublet; RUBIACEAE; Surinam
- Penpen (pinpin)** → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam
- Peonia** → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Curaçao; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
- Peper bush (fire-)** → *Croton* sp.; EUPHORBIACEAE; Virgin Islands
- Peper, kaaiman** → *Unonopsis guatterioides* (A. DC.) R. E. Fries; ANNONACEAE; Surinam (Du)
- Peper, savannah** → *Eugenia* sp.; MYRTACEAE; Guyana (Cr)
- Peper, savanne** → *Croton miquelianus* Ferguson; EUPHORBIACEAE; Surinam (Du)
- Peperhout** → *Duguetia longifolia* Baillon; ANNONACEAE; Surinam (Du)
→ *Fusaea longifolia* (Aublet) Safford; ANNONACEAE; Surinam (Du)
→ *Unonopsis glaucopetala* R. E. Fries; ANNONACEAE; Surinam (Du)
→ *Unonopsis rufescens* (Baillon) R. E. Fries; ANNONACEAE; Surinam (Du)
- Pépétjo** → *Mikania trinitaria* DC.; ASTERACEAE; Caribbean
- Pepper cinnamon (wild-)** → *Canella winterana* (L.) Gaertner; CANELLACEAE; Puerto Rico
- Pepper elder** → *Piper* sp.; PIPERACEAE; British West Indies
- Pepe bolletrie (djoe-)** → *Chrysophyllum prieurii* A. DC.; SAPOTACEAE; Surinam (Cr); use *Ecclinusa prieurii* (A. DC.) Aubrév.
→ *Ecclinusa prieurii* (A. DC.) Aubrév.; SAPOTACEAE; Surinam (Cr); syn. *Chrysophyllum prieurii* A. DC.
- Pepe bortri** → *Ecclinusa prieurii* (A. DC.) Aubrév.; SAPOTACEAE; Surinam (Cr); syn. *Chrysophyllum prieurii* A. DC.
- Pepe zoitoe** → *Unonopsis rufescens* (Baillon) R. E. Fries; ANNONACEAE; Surinam (Cr)
- Pepe, boesi** → *Pothomorphe peltata* (L.) Miquel; PIPERACEAE; Surinam (Cr); syn. *Piper peltatum* L.
- Pepehoedoe** → *Pera bicolor* (Klotzsch) Müll. Arg.; EUPHORBIACEAE; Surinam (Cr)
→ *Unonopsis rufescens* (Baillon) R. E. Fries; ANNONACEAE; Surinam (Cr)
- Pequeú** → *Caryocar villosum* (Aublet) Persoon; CARYOCARACEAE; Guyana
- Pequiá** → *Caryocar villosum* (Aublet) Persoon; CARYOCARACEAE; Surinam
- Pera** → *Couma guianensis* (A. Rich.) Aublet;

APOCYNACEAE; Surinam (Ar)

Perakuruk → *Diospyros ierensis* Britton; EBENACEAE; Guyana (Ak)

Perdix → *Swartzia* sp.; LEGUMINOSAE-PAP.; French Guiana

Perdrix → *Cassia siamea* Lam.; LEGUMINOSAE-CAES.; French Guiana
→ *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; French Guiana

Pérépéré → *Clusia* sp.; GUTTIFERAE; Guyana

Perewa moeroetoeto-oe → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Caribbean; syn. *S. paraensis* Huber apud Ducke

Perico → *Phyllanthus* sp.; EUPHORBIACEAE; Dominican Republic

Perit → *Bactris oligoclada* Burret; ARECACEAE (PALMAE); Guyana (W)
→ *Bactris simplicifrons* C.Martius; ARECACEAE (PALMAE); Guyana (W); syn. *B. tenuis* Wallace; syn. *B. mitis* C.Martius

Peritjaloipio → *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Guianas

Pernambouc → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; French Guiana; syn. *Caesalpinia echinata* Lam.

Pernambouco → *Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; Surinam (Cr, Du); syn. *Caesalpinia echinata* Lam.

Pernambuco → *Caesalpinia echinata* Lam.; LEGUMINOSAE-CAES.; Surinam (Cr, Du); use *Guilandina echinata* (Lam.) Sprengel

Pero-ishi-lokodo → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Guyana (Ar); syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers

Peroe alokele → *Adenocalymma inundatum* C.Martius ex DC.; BIGNONIACEAE; Caribbean; var. *surinamense* Bureau & K.Schumann

Peroeloe → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Caribbean; var. *occidentalis* Niedenzu

Peroemé → *Duguetia calycina* Benoist; ANNONACEAE; Surinam (Cr)

Peroeroe → *Sacoglottis cydonioides* Cuatrec.; HUMIRIACEAE; Caribbean; syn. *S. guianensis* Benth. var. *sphaerocarpa* Ducke

Perokoti → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. *H. poeppigiana* (C.Martius) Trécul

Peronía → *Ormosia* sp.; LEGUMINOSAE-PAP.; Puerto Rico

Peru-ishi-lukudu → *Tabernaemontana psychotrifolia* Kunth; APOCYNACEAE; Surinam (Ar); syn. *Bonafousia sananho* (Ruiz & Pavón) Markgraf; syn. *Peschiera* sp.

Perulu → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Caribbean; var. *occidentalis* Niedenzu

Pesie, djari → *Vigna unguiculata* (L.) Walpers; LEGUMINOSAE-PAP.; Surinam

Pesie, wilde → *Vigna luteola* (Jacq.) Benth.; LEGUMINOSAE-PAP.; Surinam (Du)

Pesinirang → *Hirtella manigera* Kleinhoonte; CHRYSOBALANACEAE; Caribbean
→ *Licania densiflora* Kleinhoonte; CHRYSOBALANACEAE; Caribbean

Peste à poux → *Picrasma excelsa* (Swartz) Planchon; SIMAROUBACEAE; French Guiana; syn. *Aeschrion excelsa* Swartz
→ *Quassia amara* L. ex Blom; SIMAROUBACEAE; French Guiana; syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Pet du diable → *Hura crepitans* L.; EUPHORBIACEAE; French West Indies

Petatten, zoete → *Ipomoea batatas* (L.) Poiret; CONVULVULACEAE; Surinam (Du)

Petattentouw → *Ipomoea tiliacea* Choisy; CONVULVULACEAE; Surinam (Du)

Petit buis → *Bumelia obtusifolia* Roemer & Schultes; SAPOTACEAE; French West Indies

Petit palétuvier → *Laguncularia racemosa* (L.) Gaertner f.; COMBRETACEAE; French Guiana

Petit panacoco → *Ormosia coutinhoi* Ducke; LEGUMINOSAE-PAP.; French Guiana; syn. *Macroule coutinhoi* (Ducke) Pierce

Peto (-prakowa) → *Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth

Petpe → *Piper pulleanum* Yuncker; PIPERACEAE; Surinam

Pevinga → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. *H. poeppigiana* (C.Martius) Trécul

Phoboe → *Saxofridericia aculeata* (Rich.) Körnicke; RAPATEACEAE; Surinam

Phootee → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam (Cr); syn. *Bignonia copaia* Aublet

Pi → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Guyana (W); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Piaina-pömai → *Cordia nodosa* Lam.; BORAGINACEAE; Guyana (Ak)

Pianalin alata weri → *Minquartia guianensis* Aublet; OLACACEAE; Caribbean

Piat → *Amanoa guianensis* Aublet; EUPHORBIACEAE; Guyana (Ak)

Piekien fouroe dioifi → *Banara bernardinensis* Briquet; FLACOURTIACEAE; Surinam (Cr)
→ *Banara guianensis* Aublet; FLACOURTIACEAE; Surinam (Cr)

Piekieriepo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima*

Pohl

Piendjalang →Portulaca oleracea L.;
PORTULACACEAE; Caribbean

Pienja →Vismia angusta Miquel; GUTTIFERAE;
Surinam (Du); use V. macrophylla Kunth; syn. V.
ferruginea Kunth

→Vismia ferruginea Kunth; GUTTIFERAE;
Surinam (Du); use V. macrophylla Kunth; syn. V.
angusta Miquel

Pienja (oema-) →Vismia cayennensis (Jacq.)
Persoon; GUTTIFERAE; Surinam (Cr, Du)

Pienja, breedbladige (oema-, man-) →Vismia
macrophylla Kunth; GUTTIFERAE; Surinam (Du);
syn. V. angusta Miquel; syn. V. ferruginea Kunth

Pienja, fijnbladige →Vismia latifolia (Aublet)
Choisy; GUTTIFERAE; Surinam (Du)

Pienja, fijnbladige (witte-) →Vismia guianensis
(Aublet) Choisy; GUTTIFERAE; Surinam (Du)

Pienja, oema →Vismia confertiflora Spruce ex
Reichardt; GUTTIFERAE; Surinam (Cr)

Pienja, redi bakka (witte-, fijnbladige-) →Vismia
guianensis (Aublet) Choisy; GUTTIFERAE;
Surinam (Cr, Du)

Pienjahoedoe →Vismia cayennensis (Jacq.)
Persoon; GUTTIFERAE; Surinam (Cr)

Pienjapau →Vismia guianensis (Aublet) Choisy;
GUTTIFERAE; Surinam (Sa)

Pienjapau (moejë-) →Vismia cayennensis
(Jacq.) Persoon; GUTTIFERAE; Surinam (Sa)

Pienjapau (omi-) →Vismia macrophylla Kunth;
GUTTIFERAE; Surinam (Sa); syn. V. angusta
Miquel; syn. V. ferruginea Kunth

Pienjapau (pieniapau) →Vismia latifolia (Aublet)
Choisy; GUTTIFERAE; Surinam (Sa)

Pienta di trankeer →Agave karatto Miller;
AGAVACEAE; Curaçao; also family
Amaryllidaceae used

Piento bolletrie →Chrysophyllum argenteum
Jacq.; SAPOTACEAE; Surinam (Cr, Du); ssp.
auratum (Miquel) T.D.Penn.; syn. C. auratum
Miquel; syn. C. sericeum A.DC.

→Hyeronima alchorneoides Allemao;
EUPHORBIACEAE; Surinam (Cr, Du); syn. H.
laxiflora (Tulasne) Müll.Arg.; syn. Hieronima
alchorneoides Allemao; syn. Hieronima laxiflora
(Tulasne) Müll.Arg.

→Pouteria cladantha Sandwith; SAPOTACEAE;
Surinam (Cr, Du); syn. Neoxythece cladantha
(Sandwith) Aubrév. & Pellegrin; syn. Lucuma

→Pouteria robusta (C.Martius & Eichler) Eyma;
SAPOTACEAE; Surinam (Cr, Du); var. longifolia
Eyma; syn. Neoxythece robusta (C.Martius &
Eichler) Aubrév. & Pellegrin var. longifolia Eyma;
syn. Lucuma

Piento botrie →Pouteria guianensis Aublet;
SAPOTACEAE; Surinam (Cr); syn. Lucuma

Piento kopie →Laetia procera (Poeppig & Endl.)
Eichler; FLACOURTIACEAE; Surinam (Cr)

Pientrie (pintri) →Virola sebifera Aublet;
MYRISTICACEAE; Surinam (Cr); syn. V.
boliviensis Warburg

Pieta →Agave cocui Trelease; AGAVACEAE;

Curaçao; also family Amaryllidaceae used
Pieterjarie (pritijari), witte →Zanthoxylum
pentandra (Aublet) R.A.Howard; RUTACEAE;
Surinam (Du); syn. Fagara pentandra Aublet; syn.
Xanthoxylum

Pigeon berry →Byrsonima sp.;
MALPIGHIACEAE; British West Indies
→Duranta erecta L.; VERBENACEAE; Puerto
Rico

Pigeonwood →Coccoloba uvifera (L.) Jacq.;
POLYGONACEAE; British West Indies; syn. C.
uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz ?

Pigeonwood (beef-, cork-, pork-) →Torrubia sp.;
NYCTAGINACEAE; British West Indies

Pijlgras, indiaans →Gynerium sagittatum
(Aublet) P.Beauvois; POACEAE; Surinam (Du)

Pika →Calycolpus goetheanus (DC.) O.Berg;
MYRTACEAE; Guyana (M); syn. C. glaber
(Benth.) O.Berg

Pikapika →Diospyros sp.; EBENACEAE;
Surinam (Du)

Pikapika, echte →Oxandra asbeckii (Pulle)
R.E.Fries; ANNONACEAE; Surinam (Du)

Pikien fouroe pepré →Polygonum punctatum
Elliot; POLYGONACEAE; Surinam (Cr)

Pikien fouroe sopo →Peperomia rotundifolia (L.)
Kunth; PIPERACEAE; Surinam (Cr); var.
obcordata (Miquel) Dahlstedt

Pikien kau ai →Dioclea virgata (Rich.) Amshoff;
LEGUMINOSAE-PAP.; Surinam (Cr); syn. D.
lasiocarpa C.Martius

Pikien misikie →Newtonia suaveolens (Miquel)
Brenan; LEGUMINOSAE-MIM.; Surinam (Au) ;
syn. Piptadenia suaveolens Miquel

Pikien ningre kamkam →Apeiba intermedia
Uittien; TILIACEAE; Surinam (Au)

Pikien tiki →Maprounea guianensis Aublet;
EUPHORBIACEAE; Surinam (Cr)

→Miconia myriantha Benth.;
MELASTOMACEAE; Surinam (Cr)

Pikirirang →Machaerium leiophyllum (DC.)
Benth.; LEGUMINOSAE-PAP.; Caribbean; syn.
Drepanocarpus

→Myrcia calycampa Amshoff; MYRTACEAE;
Caribbean

Pileya →Brosimum guianense (Aublet) Huber;
MORACEAE; Guyana (Ak); syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Piliripio (pitjiripio) →Oxandra asbeckii (Pulle)
R.E.Fries; ANNONACEAE; Caribbean

Pilon →Hyeronima oblonga (Tulasne) Müll.Arg.;

EUPHORBIACEAE; Surinam; syn. Hieronima oblonga (Tulasne) Müll.Arg.; syn. Hieronyma oblonga (Tulasne) Müll.Arg.; syn. Stilaginella oblonga Tulasne

Pimento →Pimenta dioica (L.) Merrill; MYRTACEAE; West Indies; syn. P. officinalis (Lindley) Berg

→Pimenta officinalis (Lindley) Berg; MYRTACEAE; West Indies; use P. dioica (L.) Merrill

Pimpin →Clusia grandiflora Splitg.; GUTTIFERAE; Surinam; syn. C. insignis C.Martius

Pine, durban →Pouteria speciosa (Ducke) Baehni; SAPOTACEAE; Guyana (Cr); syn. Englerella speciosa (Ducke) Ducke; syn. Lucuma

Pine, wild →Bromelia karatas L.; BROMELIACEAE; Surinam (Cr)

Pineapple, wild →Ananas comosus (L.) Merrill; BROMELIACEAE; Surinam (Cr)

Pini macho →Zanthoxylum elephantiasis Macfad.; RUTACEAE; Dominican Republic; syn. Xanthoxylum

Pini pini →Exostema caribaeum (Jacq.) Roemer & Schultes; RUBIACEAE; Dominican Republic

Pinja (pienja) →Vismia confertiflora Spruce ex Reichardt; GUTTIFERAE; Surinam (Du)

Pinja, witte (fijnbladige-) →Vismia guianensis (Aublet) Choisy; GUTTIFERAE; Surinam (Du)

Pink poui →Tabebuia pentaphylla (L.) Hemsley; BIGNONIACEAE; Trinidad

Pino →Pinus cubensis Griseb. non Sargent; PINACEAE; Dominican Republic; use P. occidentalis Swartz

→Pinus occidentalis Swartz; PINACEAE; Dominican Republic; syn. P. cubensis Griseb. non Sargent

Pinon (piñón) →Jatropha curcas L.; EUPHORBIACEAE; Guyana; syn. J. moluccana Wallich

Pinon espinoso →Erythrina crista-galli L.; LEGUMINOSAE-PAP.; Puerto Rico

Pinpin →Isertia coccinea (Aublet) J.F.Gmelin; RUBIACEAE; Surinam

→Palicourea guianensis Aublet; RUBIACEAE; Surinam

Pinpin (penpen) →Coussarea paniculata (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam

Pinto bortri →Chrysophyllum argenteum Jacq.; SAPOTACEAE; Surinam (Cr); ssp. auratum (Miquel) T.D.Penn.; syn. C. auratum Miquel; syn. C. sericeum A.DC.

→Pouteria cladantha Sandwith; SAPOTACEAE; Surinam (Cr); syn. Neoxythece cladantha (Sandwith) Aubrév. & Pellegrin; syn. Lucuma

Pinto botrie →Pouteria robusta (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Cr); var. longifolia Eyma; syn. Neoxythece robusta

(C.Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma

Pinto kopie (piento-, basra-) →Laetia procera (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Pintri (pientrie) →Virola sebifera Aublet; MYRISTICACEAE; Surinam (Cr); syn. V. boliviensis Warburg

→Virola venosa (Benth.) Warburg; MYRISTICACEAE; Surinam (Cr)

Pinyaukun →Peltogyne paniculata Benth.; LEGUMINOSAE-CAES.; Guyana (W); ssp. pubescens (Benth.) M.F.Silva; syn. P. pubescens Benth.

Pioepioe →Memora schomburgkii (DC.) Miers; BIGNONIACEAE; Caribbean; syn. M. obovata (Bureau & K.Schumann) Sprague & Sandwith

Pioi →Duguetia cuspidata R.E.Fries; ANNONACEAE; Guyana (Ak)

Piolipioli →Licania leptostachya Benth.; CHRYSOBALANACEAE; Caribbean; syn. L. incana Aublet var. axilliflora Sagot

Pipahodoe →Posoqueria latifolia (Rudge) Roemer & Schultes; RUBIACEAE; Surinam

Pipina →Eschweilera coriacea (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. E. odora (Poeppig) Miers

Piquiarana →Caryocar glabrum (Aublet) Persoon ssp. glabrum; CARYOCARACEAE; Surinam

Pira pisi →Licania hostmannii Fritsch; CHRYSOBALANACEAE; Caribbean

Pirapisi (ietjotono-) →Maprounea guianensis Aublet; EUPHORBIACEAE; Caribbean

Piratinier →Brosimum guianense (Aublet) Huber; MORACEAE; French Guiana; syn. Piratineria guianensis Aublet; syn. P. scabridula Blake; syn. P. velutina Blake; syn. Brosimum rotundatum Standley; syn. B. velutinum (Blake) Ducke

Piri piriang →Dichromena ciliata Vahl; CYPERACEAE; Caribbean; use Rhynchospora hirsuta Grisebach

→Rhynchospora hirsuta Grisebach; CYPERACEAE; Caribbean; syn. Dichromena ciliata Vahl

Pirigaramépé →Gustavia sp.; LECYTHIDACEAE; Surinam

Pirikraipio →Pera bicolor (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Caribbean

Pirimia →Miconia aplostachya (Bonpl.) DC.; MELASTOMATACEAE; Caribbean

Piritjalaipio →Mouriria brevipes Gardner; MELASTOMATACEAE; Surinam

Piritjaloipio →Iryanthera sagotiana (Benth.) Warburg; MYRISTICACEAE; Caribbean

Piritjo →Miconia prasina (Swartz) DC.; MELASTOMATACEAE; Caribbean; syn. M. pteropoda Benth.

- Piriwö** →*Norantea guianensis* Aublet; MARCGRAVIACEAE; Guyana (Ak)
- Pisi** →*Nectandra ambigua* Meisner; LAURACEAE; Surinam (Cr)
 →*Nectandra cuspidata* (C.Martius ex Nees) Nees; LAURACEAE; Surinam (Cr)
 →*Nectandra pisi* Miquel; LAURACEAE; Surinam (Cr)
 →*Ocotea guianensis* Aublet; LAURACEAE; Surinam (Cr)
 →*Ocotea neesiana* (Miquel) Kosterm.; LAURACEAE; Surinam (Cr)
 →*Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Surinam (Cr)
 →*Ocotea splendens* (Meisner) Baillon; LAURACEAE; Surinam (Cr); syn. *O. splendens* (Meisner) Mez
 →*Ocotea splendens* (Meisner) Mez; LAURACEAE; Surinam (Cr); use *O. splendens* (Meisner) Baillon
 →*Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Surinam (Cr)
 →*Systemonodaphne geminiflora* Mez; LAURACEAE; Surinam (Cr)
 →*Systemonodaphne mezii* Kosterm.; LAURACEAE; Surinam (Cr)
 →*Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
- Pisi (-oema)** →*Nectandra kunthiana* (Nees) Kosterm.; LAURACEAE; Surinam (Cr)
- Pisi (bastard-)** →*Ocotea wachenheimii* Benoist; LAURACEAE; Surinam (Cr)
- Pisi (blaka-, harde-, kras-, zwarte-)** →*Ocotea glomerata* (Nees) Benth.; LAURACEAE; Surinam (Du); use *O. glomerata* (Nees) Mez
 →*Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Du); syn. *O. glomerata* (Nees) Benth.
- Pisi (grootbladige-, zachte-, zwarte-)**
 →*Nectandra grandis* (Mez) Kosterm.; LAURACEAE; Surinam (Du)
- Pisi (harde, savanne, wana-, zachte-)** →*Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Du); syn. *O. schomburgkiana* (Nees) Mez
- Pisi (kaneel-)** →*Licaria guianensis* Aublet; LAURACEAE; Surinam (Du); syn. *Acroclididium guianense* Nees
- Pisi (kras-)** →*Ocotea caudata* (Meisner) Mez; LAURACEAE; Surinam (Cr)
- Pisi (magre-)** →*Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acroclididium martinianum* Mez
- Pisi (wane-, weti-, witte-)** →*Ocotea globifera* Mez; LAURACEAE; Surinam (Cr, Du)
- Pisi (witte-, weti-, zachte-)** →*Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Du)
- Pisi(e)** →*Endlicheria multiflora* (Miquel) Mez; LAURACEAE; Surinam (Cr)
 →*Endlicheria pyriformis* (Nees) Mez; LAURACEAE; Surinam (Cr)
- Pisi(e) (wopoetana-)** →*Endlicheria endlicheriopsis* (Mez) Kosterm.; LAURACEAE; Surinam (Cr)
- Pisi, bamba** →*Ocotea barcellensis* (Meisner) Mez; LAURACEAE; Surinam (Cr)
- Pisi, basra (bastard-)** →*Persea nivea* Mez; LAURACEAE; Surinam (Cr); syn. *P. benthamiana* Meisner
- Pisi, hegron** →*Persea coriacea* Kosterm.; LAURACEAE; Surinam (Cr)
- Pisi, jorojoro (zilver-)** →*Ocotea guianensis* Aublet; LAURACEAE; Surinam (Cr)
- Pisi, kaneel** →*Acroclididium aubletii* Kosterm.; LAURACEAE; Surinam (Du); use *Licaria*
 →*Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Du); syn. *Acroclididium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
- Pisi, kaneri** →*Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Cr)
- Pisi, krassi (kressi-)** →*Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Cr)
- Pisi, nagre** →*Ocotea* sp.; LAURACEAE; Surinam (Cr)
- Pisi, pegrekoe** →*Xylopia aromatica* (Lam.) C.Martius; ANNONACEAE; Surinam (Cr); syn. *X. grandiflora* A.St.-Hil.; syn. *Uvaria aromatica* Lam.
- Pisi, pira** →*Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Caribbean
- Pisi, waikarra** →*Aniba taubertiana* Mez; LAURACEAE; Surinam (Cr)
- Pisoï** →*Calathea ovata* (Nees & Martius) Lindley; MARANTACEAE; Surinam
- Pistolet (bois-)** →*Guarea guidonia* (L.) Sleumer; MELIACEAE; French West Indies; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.
- Pitch apple** →*Clusia rosea* Jacq.; GUTTIFERAE; British West Indies
- Pitjiripio (piliripio)** →*Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Caribbean
- Pittorolli** →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl
- Pjawaban wewe (pjoewape-)** →*Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean
- Pjoewape wewe (pjawaban-)** →*Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean
- Plokonie** →*Inga leiocalycina* Benth.; LEGUMINOSAE-MIM.; Surinam (Cr, Du)
 →*Inga pezizifera* Benth.; LEGUMINOSAE-MIM.;

Surinam (Cr, Du); syn. *I. urnifera* Kleinhoonte
→*Parkia nitida* Miquel; LEGUMINOSAE-MIM.;
Surinam (Cr, Du); syn. *P. oppositifolia* Spruce ex
Benth.

Plokonie (-tamarinde) →*Balizia pedicellaris*
(DC.) Barneby & J.W.Grimes; LEGUMINOSAE-
MIM.; Surinam (Du); syn. *Macrosamanea*
pedicellaris (DC.) Kleinhoonte; syn.
Pithecellobium pedicellare (DC.) Benth.; syn.
Samanea pedicellaris (DC.) Killip; syn. *Inga*
pedicellare DC.

Plokonie (prokonie) →*Inga capitata* Desvoux;
LEGUMINOSAE-MIM.; Surinam (Cr, Du)

Plum, hog (Jamaica-) →*Spondias mombin* L.;
ANACARDIACEAE; Guyana (Cr); syn. *S. lutea* L.

Plum, Jamaica →*Spondias mombin* L.;
ANACARDIACEAE; Puerto Rico; syn. *S. lutea* L.

Plum, kartabac →*Quassia cedron* (Planchon)
Baillon; SIMAROUBACEAE; Guyana (Cr); syn.
Simaba cedron Planchon

Plum, seaside →*Coccoloba uvifera* (L.) Jacq.;
POLYGONACEAE; British West Indies; syn. *C.*
uvifera (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
→*Ximenia americana* L. var. *americana*;
OLACACEAE; Trinidad

Plum, Spanish (hog-, mountain-) →*Ximenia*
americana L. var. *americana*; OLACACEAE;
British West Indies

Poekoe, wase (wassé-, asé-, asse-) →*Pouteria*
guianensis Aublet; SAPOTACEAE; Surinam (Ar);
syn. *Lucuma*

Poekoe, wese (wase-, wesse-, kessi-)
→*Pouteria guianensis* Aublet; SAPOTACEAE;
Surinam (Ar); syn. *Lucuma*

Poeleka (peleka, pelika), tamoene
→*Tetragastris panamensis* (Engl.) Kuntze;
BURSERACEAE; Surinam (Ar); syn. *T.*
stevensonii Standley

Poeleka (pelika, peleka) →*Tetragastris*
hostmannii (Engl.) Kuntze; BURSERACEAE;
Caribbean

Poelewa →*Swartzia tomentosa* DC.;
LEGUMINOSAE-PAP.; Caribbean; var.
polyanthera (Steudel) Sandwith

Poelewa ejpoeloe →*Marlierea biptera* Amshoff;
MYRTACEAE; Caribbean

Poelewa moelototo-oe →*Schefflera decaphylla*
(Seemann) Harms; ARALIACEAE; Caribbean;
syn. *S. paraensis* Huber apud Ducke

Poelikoh →*Tetragastris hostmannii* (Engl.)
Kuntze; BURSERACEAE; Caribbean

Poelinari →*Psychotria barbiflora* A.DC.;
RUBIACEAE; Surinam (Ar)

Poeloemoto →*Iryanthera sagotiana* (Benth.)
Warburg; MYRISTICACEAE; Guianas

Poemoelan →*Eugenia cupulata* Amshoff;
MYRTACEAE; Caribbean

Poeprehati →*Peltogyne paniculata* Benth.;

LEGUMINOSAE-CAES.; Surinam; ssp.
pubescens (Benth.) M.F.Silva; syn. *P. pubescens*
Benth.

Poeroema (puruma) →*Pourouma digitata* Trécul;
MORACEAE; Caribbean

Poeromotto →*Ecclinusa guianensis* Eyma;
SAPOTACEAE; Caribbean

Poesi poesi téré, sabana →*Teliostachya*
alopeкуроidea (Vahl) Nees & Eberm.;
ACANTHACEAE; Surinam (Cr)

Poevinga →*Brosimum guianense* (Aublet) Huber;
MORACEAE; Surinam; syn. *Piratinera guianensis*
Aublet; syn. *P. scabridula* Blake; syn. *P. velutina*
Blake; syn. *Brosimum rotundatum* Standley; syn.
B. velutinum (Blake) Ducke

→*Helicostylis tomentosa* (Poeppig & Endl.)
Rusby; MORACEAE; Surinam; syn. H.

poepigiana (C.Martius) Trécul

Poinsettia, wild →*Warszewiczia coccinea* (Vahl)
Klotzsch; RUBIACEAE; Trinidad

Pointed-leaf karohoro →*Schefflera morototoni*
(Aublet) Maguire, St. & Frodin; ARALIACEAE;
Guyana (Cr); syn. *Didymopanax morototoni*
(Aublet) Decaisne & Planchon

Poirier →*Couma guianensis* (A.Rich.) Aublet;
APOCYNACEAE; French Guiana

→*Enterolobium schomburgkii* (Benth.) Benth.;
LEGUMINOSAE-MIM.; French Guiana

→*Terminalia* sp.; COMBRETACEAE; Trinidad

Poirier de pays →*Tabebuia pentaphylla* (L.)
Hemsley; BIGNONIACEAE; Martinique

Pois doux →*Inga acuminata* Benth.;
LEGUMINOSAE-MIM.; French Guiana

→*Inga fagifolia* (L.) Willd. ex Benth.;
LEGUMINOSAE-MIM.; French Guiana

→*Inga pilosa* (A.Rich.) Macbride;
LEGUMINOSAE-MIM.; French Guiana

Pois doux (-sucré) →*Inga ingoides* (A.Rich.)
Willd.; LEGUMINOSAE-MIM.; French Guiana

Pois sucré →*Inga bourgonii* (Aublet) DC.;
LEGUMINOSAE-MIM.; French Guiana

→*Inga capitata* Desvoux; LEGUMINOSAE-MIM.;
French Guiana

→*Inga edulis* C.Martius; LEGUMINOSAE-MIM.;
French Guiana; syn. *I. scabriuscula* Benth.

→*Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-
MIM.; French Guiana

→*Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-
MIM.; French Guiana

→*Inga stipularis* DC.; LEGUMINOSAE-MIM.;
French Guiana

Pois sucré (-doux) →*Inga ingoides* (A.Rich.)
Willd.; LEGUMINOSAE-MIM.; French Guiana

Poison ash →*Comocladia* sp.;
ANACARDIACEAE; Puerto Rico

Poison cherry →*Rhacoma latifolia* Swartz;
CELASTRACEAE; Puerto Rico

- Poison tree** → *Hura crepitans* L.; EUPHORBIACEAE; Guyana (Cr)
→ *Metopium toxiferum* (L.) Krug & Urban; ANACARDIACEAE; Puerto Rico
- Pokhout** → *Guaiacum guatemalense* Planchon; ZYGOPHYLLACEAE; Caribbean; use *G. sanctum* L.
→ *Guaiacum officinale* L.; ZYGOPHYLLACEAE; Surinam (Du)
→ *Guaiacum sanctum* L.; ZYGOPHYLLACEAE; Caribbean; syn. *G. guatemalense* Planchon
- Pokhout, vera** → *Bulnesia arborea* (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean
- Pokiria sipioli** → *Hemicrepidosperrum rhoifolium* (Benth.) Swart; BURSERACEAE; Caribbean
- Pokö** → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Guyana (Ak); syn. *E. odora* (Poeppig) Miers
→ *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (Ak)
- Pokored** → *Attalea regia* (C.Martius) Wess.Boer; ARECACEAE (PALMAE); Guyana (W); syn. *Maximiliana regia* C.Martius; syn. *M. maripa* (M.N.Correa) Drude
- Polatatai** → *Euphorbia brasiliensis* Lam.; EUPHORBIACEAE; Caribbean
→ *Pavonia typhalaea* Cav.; MALVACEAE; Surinam (Cr)
- Poley** → *Lippia* sp.; VERBENACEAE; Puerto Rico
- Poley cimarrón** → *Lantana camara* L.; VERBENACEAE; Puerto Rico
- Poli** → *Oxalis barrelieri* L.; OXALIDACEAE; Caribbean
- Polisthout** → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Cr, Du); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
- Pomitji** → *Phyllanthus fraternus* Webster; EUPHORBIACEAE; Caribbean
→ *Phyllanthus niruri* L.; EUPHORBIACEAE; Caribbean
- Pomme de cythère** → *Spondias cytherea* Sonnerat; ANACARDIACEAE; French Guiana; syn. *S. dulcis* Solander ex Forster f.; syn. *S. mangifera* Willd. var. *tuberculosa* (Blume) Engl.
- Pomme de pin** → *Pouteria* sp.; SAPOTACEAE; French Guiana; syn. *Lucuma* sp.
- Pomme surrette** → *Chrysophyllum cainito* L.; SAPOTACEAE; French West Indies
- Pommerak** → *Syzygium malaccense* (L.) Merrill & Perry; MYRTACEAE; Surinam (Du)
- Pommeroos** → *Eugenia jambos* L.; MYRTACEAE; Surinam (Du); use *Syzygium jambos* (L.) Alston
→ *Syzygium jambos* (L.) Alston; MYRTACEAE; Surinam (Du); syn. *Eugenia jambos* L.
- Pomoierian** → *Eugenia cupulata* Amshoff; MYRTACEAE; Caribbean
- Pomploemoesoe** → *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
- Pondjo-wattare** → *Apeiba petoumo* Aublet; TILIACEAE; Caribbean; syn. *A. echinata* Gaertner
- Ponji (pönji)** → *Rhynchanthera grandiflora* (Aublet) DC.; MELASTOMATACEAE; Guyana (Ak)
- Ponsoe** → *Leonotis nepetaefolia* (L.) R.Brown; LAMIACEAE; Surinam
- Pooleka** → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Caribbean
- Poonba njan-njan** → *Pagamea guianensis* Aublet; RUBIACEAE; Surinam (Sa)
- Popakainangra** → *Uncaria guianensis* (Aublet) J.F.Gmelin; RUBIACEAE; Surinam (Ar)
- Popo-ati (popohatti, popoharti)** → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam; ssp. *densiflora* (Spruce ex Benth.) M.F.Silva
- Popoharti (popohatti, popo-ati)** → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam; syn. *P. confertiflora* Benth.
- Popohatti (popoharti, popo-ati)** → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam; syn. *P. confertiflora* Benth.
- Popokai briengie** → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Cr)
- Popokai kraroen** → *Centropogon surinamensis* (L.) Presl; LOBELIACEAE; Caribbean
- Popokai makra** → *Guettarda aromatica* Poeppig & Endl.; RUBIACEAE; Surinam (Cr); syn. *G. grandiflora* Steudel
→ *Guettarda grandiflora* Steudel; RUBIACEAE; Surinam (Cr); use *G. aromatica* Poeppig & Endl.
- Popolika** → *Hernandia guianensis* Aublet; HERNANDIACEAE; Surinam; syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch
- Popóno** → *Phyllanthus orbiculatus* Rich.; EUPHORBIACEAE; Caribbean
- Poppy** → *Xylopia discreta* (L.f.) Sprague & Hutch.; ANNONACEAE; Guyana (Cr)
- Por** → *Pouteria speciosa* (Ducke) Baehni; SAPOTACEAE; Guyana (W); syn. *Englerella speciosa* (Ducke) Ducke; syn. *Lucuma*
- Poraquebé** → *Poraqueiba sericea* Tulasne; ICACINACEAE; French Guiana
- Porcupine tree** → *Centrolobium paraense* Tulasne; LEGUMINOSAE-PAP.; Surinam (Cr)
- Porcupinewood** → *Cocos nucifera* L.; ARECACEAE (PALMAE); Guyana (Cr)
- Porekai** → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Guyana (Ak)
→ *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Guyana (Ak)
- Poripio** → *Aspidosperma woodsonianum*

Markgraf; APOCYNACEAE; Caribbean
→Pogonophora schomburgkiana Miers ex Benth.;
EUPHORBIACEAE; Caribbean
Porkun →Pouteria cladantha Sandwith;
SAPOTACEAE; Guyana (W); syn. Neoxythece
cladantha (Sandwith) Aubrév. & Pellegrin; syn.
Lucuma
Porkwood (beef-, cork-, pigeon-) →Torrubia sp.;
NYCTAGINACEAE; British West Indies
Pornai (pörnai) →Schefflera morototoni (Aublet)
Maguire, St. & Frodin; ARALIACEAE; Guyana
(Ak); syn. Didymopanax morototoni (Aublet)
Decaisne & Planchon
Poro →Inga nobilis Willd.; LEGUMINOSAE-MIM.;
Guyana (Ak)
Porok →Pouteria jenmanii (Pittier) Sandwith;
SAPOTACEAE; Guyana (Ak); syn. Lucuma
→Pouteria venosa (C.Martius) Baehni;
SAPOTACEAE; Guyana (Ak); syn. Lucuma
Porokai →Cassia cowanii Irwin & Barneby;
LEGUMINOSAE-CAES.; Guyana (Ak); var.
guianensis (Sandwith) Irwin & Barneby; syn. C.
leiandra Benth. var. guianensis Sandwith
→Protium decandrum (Aublet) Marchand;
BURSERACEAE; Surinam (Ar)
→Protium sagotianum Marchand;
BURSERACEAE; Surinam (Ar); syn. P. insigne
(Triana & Planchon) Engl.
Porpratti →Peltogyne paniculata Benth.;
LEGUMINOSAE-CAES.; Surinam; ssp.
pubescens (Benth.) M.F.Silva; syn. P. pubescens
Benth.
Posentri (possentrie) →Hura crepitans L.;
EUPHORBIACEAE; Surinam (Du)
Posiendjo →Inga bourgonii (Aublet) DC.;
LEGUMINOSAE-MIM.; Caribbean
Possentrie (posentri) →Hura crepitans L.;
EUPHORBIACEAE; Surinam (Du)
Possum (-wood) →Hura crepitans L.;
EUPHORBIACEAE; Surinam (Cr)
Postelein (surinaamse-) →Talinum fruticosum
(L.) Jussieu; PORTULACACEAE; Surinam (Du);
syn. T. triangulare (Jacq.) Willd.
Potboom, grote →Lecythis zabucajo Aublet;
LECYTHIDACEAE; Surinam (Du); syn. L. davisii
Sandwith
Poui (black-, white-, vert-, yellow-) →Tabebuia
serratifolia (Vahl) Nicholson; BIGNONIACEAE;
Trinidad; syn. Tecoma leucoxydon (L.) Martius ex
DC.
Pourouma →Pourouma guianensis Aublet;
MORACEAE; French Guiana
Powassa djoemoe →Couratari multiflora
(J.E.Smith) Eyma; LECYTHIDACEAE; Surinam
(Ar); syn. C. fagifolia (Miquel) Eyma
Powistail tree →Hortia regia Sandwith;
RUTACEAE; Guyana (Cr)
Poyak →Pouteria guianensis Aublet;
SAPOTACEAE; Guyana (Ak); syn. Lucuma
Pracuuba →Mora excelsa Benth.;
LEGUMINOSAE-CAES.; Caribbean; syn.
Dimorphandra excelsa Benth. & Hook.f.; syn. D.
mora Kunth
Prakowa →Mora excelsa Benth.;
LEGUMINOSAE-CAES.; Caribbean; syn.
Dimorphandra excelsa Benth. & Hook.f.; syn. D.
mora Kunth
Prapa →Comocladia sp.; ANACARDIACEAE;
Puerto Rico
Prasara →Tovomita cephalostigma Vesque;
GUTTIFERAE; Surinam
Prasara kabbes →Pisonia sp.;
NYCTAGINACEAE; Surinam
Prasara tete →Adenocalymma bilabiatum
(Sprague) Sandwith; BIGNONIACEAE; Surinam
(Cr)
→Macfadyena uncatata (Andrews) Sprague &
Sandwith; BIGNONIACEAE; Guyana (Cr)
Pratakik →Pourouma guianensis Aublet;
MORACEAE; Guyana (Ak)
Pratna →Musa paradisea L.; MUSACEAE;
Surinam (Ar)
Préfontaine rouge →Balizia pedicellaris (DC.)
Barneby & J.W.Grimes; LEGUMINOSAE-MIM.;
French Guiana; syn. Macrosamanea pedicellaris
(DC.) Kleinhoonte; syn. Pithecellobium pedicellare
(DC.) Benth.; syn. Samanea pedicellaris (DC.)
Killip; syn. Inga pedicellare
Près-près →Clusia grandiflora Splitg.;
GUTTIFERAE; Caribbean; syn. C. insignis
C.Martius
Prickle, yellow →Zanthoxylum monophyllum
(Lam.) P.Wilson; RUTACEAE; Puerto Rico; syn.
Fagara monophylla Lam.; syn. Xanthoxylum
Prickly ite →Mauritia aculeata auct. non Kunth;
ARECACEAE (PALMAE); Surinam (Cr) ; use M.
martiana Spruce
→Mauritia martiana Spruce; ARECACEAE
(PALMAE); Surinam (Cr); syn. M. aculeata auct.
non Kunth
Prickly mampoo →Pisonia sp.;
NYCTAGINACEAE; British West Indies
Princewood →Cordia trichotoma (Vell.) Arráb. ex
Steudel; BORAGINACEAE; British West Indies
→Exostema caribaeum (Jacq.) Roemer &
Schultes; RUBIACEAE; Puerto Rico
Pringa leche →Jatropha curcas L.;
EUPHORBIACEAE; Dominican Republic; syn. J.
mouccana Wallich
Pringamoza →Croton sp.; EUPHORBIACEAE;
Puerto Rico
→Tournefortia sp.; BORAGINACEAE; Puerto
Rico
→Urera caracasana (Jacq.) Griseb.;
URTICACEAE; Dominican Republic
Pringjaepite →Maranta arundinacea L.;

MARANTACEAE; Surinam

Prit'jari → *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Cr); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Pritijari → *Matayba miquelii* Uittien; SAPINDACEAE; Surinam (Cr)

→ *Zanthoxylum caribaea* Lam.; RUTACEAE; Guyana (Cr); syn. *Fagara caribaea* (Lam.) Krug & Urban; syn. *Xanthoxylum*

Pritijari (pieterjarie, prit'jari), witte

→ *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Cr, Du); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Pritijari (zwarte-, blaka-) → *Lacmellea aculeata* (Ducke) Monachino; APOCYNACEAE; Surinam (Ar); syn. *Zschokkea aculeata* Ducke

Proekoenie → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)

Proewabino wewe → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean

Prokonie → *Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I. urnifera* Kleinhoonte

Prokonie (plokonie) → *Inga capitata* Desvaux; LEGUMINOSAE-MIM.; Surinam (Cr, Du)

Prokonie (tamaren-) → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Prokonie (tamaren-, tamarin-) → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Prokonie (wane-) → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)

Pruim → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; Surinam (Du)

Prukoi → *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (P)

Prunier coton (-de l'anse) → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; French Guiana

Prunier de l'anse (-coton) → *Chrysobalanus icaco* L.; CHRYSOBALANACEAE; French Guiana

Prunier épineaux → *Ximenia americana* L. var. *americana*; OLACACEAE; Guadeloupe

Prunier mombin → *Spondias mombin* L.; ANACARDIACEAE; French Guiana; syn. *S. lutea* L.

Pua → *Myroxylon peruiferum* L.f.; LEGUMINOSAE-PAP.; Guyana (M)

Puckhout → *Coccoloba* sp.; POLYGONACEAE; Puerto Rico

Puerco → *Amyris balsamifera* L.; RUTACEAE;

Puerto Rico

Pui → *Brosimum rubescens* Taubert; MORACEAE; Guyana (P); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Pui (poui) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Trinidad; syn. *Tecoma leucoxylon* (L.) Martius ex DC.

Puire → *Sacoglottis guianensis* Benth.; HUMIRIACEAE; Guyana (M)

Pukina tayer → *Monstera sagotiana* Engl.; ARACEAE; Surinam (Cr)

Pull-back → *Pisonia* sp.; NYCTAGINACEAE; British West Indies

Pulwapie → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilis* Pohl

Pumpwood → *Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Cr); syn. *C. juranyiana* V.A.Richter

Pumui → *Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Caribbean; var. *coriacea* Ducke; syn. *H. confusa* Hemsley

Puna → *Schefflera morototoni* (Aublet) Maguire, St. & Frodin; ARALIACEAE; Guyana (M); syn. *Didymopanax morototoni* (Aublet) Decaisne & Planchon

Punch berry → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; Puerto Rico

Pure → *Manilkara amazonica* (Huber) A.Chev.; SAPOTACEAE; Guyana (M); use *M. bidentata* (A.DC.) A.Chev. ssp. *surinamensis* (Miquel) T.D.Penn.

→ *Manilkara bidentata* (A.DC.) A.Chev.; SAPOTACEAE; Guyana (M); ssp. *surinamensis* (Miquel) T.D.Penn.; syn. *M. amazonica* (Huber) A.Chev.

Purperhart → *Martusia excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

→ *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Du); ssp. *densiflora* (Spruce ex Benth.) M.F.Silva

Purperhart (bastaard-, rood-, wit-) → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Purperhart, witte → *Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Du)

Purple fiddlewood → *Cornutia pyramidata* L.; VERBENACEAE; British West Indies

Purple wreath → *Petrea bracteata* Steudel; VERBENACEAE; Surinam (Cr)

→ *Petrea macrostachya* Benth.; VERBENACEAE; Surinam (Cr)

Purpleheart → *Peltogyne porphyrocardia* Griseb. ex Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

→ *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Surinam (Cr); ssp.

densiflora (Spruce ex Benth.) M.F.Silva
→Peltogyne venosa (Vahl) Benth. ssp. venosa;
LEGUMINOSAE-CAES.; Surinam (Cr)

Purpleheart, bastard →Peltogyne paniculata
Benth.; LEGUMINOSAE-CAES.; Guyana (Cr);
ssp. pubescens (Benth.) M.F.Silva; syn. P.
pubescens Benth.

Purue →Manilkara bidentata (A.DC.) A.Chev.
ssp. bidentata; SAPOTACEAE; Guyana (M); syn.
M. balata (Pierre) Dubard

Puruma (poeroema) →Pourouma guianensis
Aublet; MORACEAE; Caribbean

Puss-puss →Centrosema triquetrum Spruce ex
Benth.; LEGUMINOSAE-PAP.; Surinam (Cr)
→Clitoria arborescens R.Brown; LEGUMINOSAE-
PAP.; Caribbean

Putalocus →Zygia racemosum (Ducke) Barneby
& J.W.Grimes; LEGUMINOSAE-MIM.; Surinam
(Cr); syn. Marmaroxylon racemosum (Ducke)
Killip; syn. Pithecellobium racemosum Ducke; syn.
Abarema racemosa (Ducke) Kleinh.

Quachi →Picrasma excelsa (Swartz) Planchon;
SIMAROUBACEAE; French West Indies; syn.
Aeschron excelsa Swartz

Qualé →Qualea coerulea Aublet;
VOCHYSIACEAE; French Guiana

Qualier bleu →Qualea coerulea Aublet;
VOCHYSIACEAE; French Guiana

Quamare →Dipteryx odorata (Aublet) Willd.;
LEGUMINOSAE-PAP.; Guyana (Ar); syn.
Coumarouna odorata Aublet

Quapalier →Sloanea sp.; ELAEOCARPACEAE;
French Guiana

Quaru barana →Erisma uncinatum Warming;
VOCHYSIACEAE; Surinam; syn. E.
pulverulentum Poeppig

Quaruba branca →Vochysia densiflora Spruce
ex Warming; VOCHYSIACEAE; Curaçao

Quasha →Caesalpinia crista L.; LEGUMINOSAE-
CAES.; British West Indies
→Guilandina sp.; LEGUMINOSAE-CAES.; British
West Indies

Quashi bitters →Quassia amara L. ex Blom;
SIMAROUBACEAE; Guyana (Cr); syn. Simarouba
amara Aublet; syn. Simaruba amara Aublet

Quata pot →Lecythis zabucajo Aublet;
LECYTHIDACEAE; Surinam (Cr, Du); syn. L.
davisii Sandwith

Quatelé →Lecythis corrugata Poiteau;
LECYTHIDACEAE; French Guiana; syn.
Eschweilera corrugata (Poiteau) Miers

Quebracho →Thouinia striata Radlk.;
SAPINDACEAE; Puerto Rico

Quenepa →Melicoccus bijugatus Jacq.;
SAPINDACEAE; Puerto Rico; syn. Melicocca
bijuga L.

Quiebrahacha →Allophylus occidentalis (Swartz)
Radlk.; SAPINDACEAE; Puerto Rico

→Thouinia striata Radlk.; SAPINDACEAE; Puerto
Rico

→Wallenia pendula (Urban) Mez;
MYRSINACEAE; Puerto Rico

Quienbiendent →Ambelania acida Aublet;
APOCYNACEAE; French Guiana; syn. A. sagotii
Müll.Arg.

Quienet(te) →Melicoccus bijugatus Jacq.;
SAPINDACEAE; Guadeloupe; syn. Melicocca
bijuga L.

Quina →Antirrhoea sp.; RUBIACEAE; Puerto
Rico; syn. Stenostomum sp. ?

Quina de Cayenne →Quassia amara L. ex Blom;
SIMAROUBACEAE; French Guiana; syn.
Simarouba amara Aublet; syn. Simaruba amara
Aublet

Quinam →Eugenia sp.; MYRTACEAE; Trinidad

Quinquina (-caraibe, -piton) →Exostema
caribaeum (Jacq.) Roemer & Schultes;
RUBIACEAE; French West Indies

Quinquina de Cayenne →Quassia amara L. ex
Blom; SIMAROUBACEAE; French Guiana; syn.
Simarouba amara Aublet; syn. Simaruba amara
Aublet

Quitarán →Colubrina ferruginosa Brongn.;
RHAMNACEAE; Puerto Rico

Raba →Capparis cynophallophora L.;
CAPPARACEAE; Dutch West Indies

Raba raba (-karoto) →Inga pezizifera Benth.;
LEGUMINOSAE-MIM.; Surinam (Ar); syn. I.
urnifera Kleinhoonte

Rabaraba →Inga splendens Willd.;
LEGUMINOSAE-MIM.; Guyana (Ar)

Rabba rabba (raba raba karoto) →Inga
pezizifera Benth.; LEGUMINOSAE-MIM.; Surinam
(Ar); syn. I. urnifera Kleinhoonte

Raboratón →Casearia sylvestris Swartz;
FLACOURTIACEAE; Puerto Rico

Racine →Humiria sp.; HUMIRIACEAE; French
Guiana

Racoube de la Guiane →Homalium sp.;
FLACOURTIACEAE; French Guiana

Rafroe-njanjan →Sloanea eichleri K.Schumann;
ELAEOCARPACEAE; Surinam
→Sloanea grandiflora Smith;
ELAEOCARPACEAE; Surinam; syn. S. amplifrons
Johnston; syn. S. dentata L.

Rafroeté →Norantea guianensis Aublet;
MARCGRAVIACEAE; Surinam (Cr)

Raisinier à grappes →Coccoloba uvifera (L.)
Jacq.; POLYGONACEAE; French West Indies;
syn. C. uvifera (L.) L. ?; syn. C. uvifera (L.) Crantz
?

Rakaraha éréparé →Licania hostmannii Fritsch;
CHRYSOBALANACEAE; Caribbean

Rakka rakka →Hebepetalum humiriifolium
(Planch.) Benth. ex Jacks.; LINACEAE; Caribbean

Rama menuda →Myrcia sp.; MYRTACEAE;

Puerto Rico

Ramón de vaca → *Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Dominican Republic; syn. *Gilibertia arborea* (L.) Marchal

Ramoncillo → *Trichilia* sp.; MELIACEAE; Puerto Rico

Ranai → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (W)

→ *Sterculia rugosa* R.Brown; STERCULIACEAE; Guyana (W); use *Xylosterculia rugosa* (R.Brown) Kosterm.

→ *Xylosterculia rugosa* (R.Brown) Kosterm.; STERCULIACEAE; Guyana (W); syn. *Sterculia rugosa* R.Brown

Randegonde → *Macrocatalpa punctata* (Griseb.) Britton; BIGNONIACEAE; Guadeloupe

Ranoi → *Tabebuia capitata* (Bureau & K.Schumann) Sandwith; BIGNONIACEAE; Guyana (M)

→ *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (M); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Rappa rappa → *Hevea brasiliensis* (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); syn. *Siphonia brasiliensis* Willd. ex A.Jussieu

→ *Hevea guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

→ *Siphonia brasiliensis* Willd. ex A.Jussieu; EUPHORBIACEAE; Surinam (Ar); use *Hevea brasiliensis* (Willd. ex A.Jussieu) Müll.Arg.

Rasca garganta → *Parathesis macrantha* D.S.; MYRSINACEAE; Puerto Rico

Ratón → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico

→ *Matayba domingensis* (DC.) Radlk.; SAPINDACEAE; Dominican Republic

Raverienja → *Sloanea eichleri* K.Schumann; ELAEOCARPACEAE; Surinam

→ *Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam; syn. *S. amplifrons* Johnston; syn. *S. dentata* L.

Real balsamo → *Palicourea* sp.; RUBIACEAE; Puerto Rico

Real rosewood → *Aniba rosaeodora* Ducke; LAURACEAE; Guyana (Cr)

Red aishal weir → *Lonchocarpus rariflorus* C.Martius ex Benth.; LEGUMINOSAE-PAP.; Guyana (W)

Red cabbage bark → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Guyana (Cr)

Red cabbage tree → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Red cedar → *Cedrela odorata* L.; MELIACEAE; Surinam (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Red jasmine (- jessamine) → *Plumeria rubra* L.;

APOCYNACEAE; British West Indies

Red light → *Coccoloba* sp.; POLYGONACEAE; British West Indies

Red manariballi → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (Ar); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Red mangrove → *Rhizophora mangle* L.; RHIZOPHORACEAE; Guyana (Cr); syn. *R. racemosa* G.Meyer

Red mangue → *Marila* sp.; GUTTIFERAE; Trinidad

→ *Tovomita brevistaminea* Engl.; GUTTIFERAE; Trinidad

→ *Tovomita eggertii* Vesque; GUTTIFERAE; Trinidad

Red paucipán → *Plumeria rubra* L.; APOCYNACEAE; Puerto Rico

Red rodwood → *Myrcia splendens* (Swartz) DC.; MYRTACEAE; British West Indies

Redi bakka pienja → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Surinam (Cr)

Redi boesi goejaba → *Myrcia amazonica* DC.; MYRTACEAE; Surinam (Cr); syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg

Redi djedoe (-gedoe) → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam (Cr)

Redi gedoe (-djedoe) → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam (Cr)

Redi kabbes → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)

Redi kabisi → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

→ *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)

Redi katoen → *Gossypium barbadense* L.; MALVACEAE; Surinam (Cr)

Redi maka klaroen → *Amaranthus lividus* L.; AMARANTHACEAE; Surinam (Cr)

Redi salie → *Tetragastris altissima* (Aublet) Swart; BURSERACEAE; Surinam (Cr)

Redi tjabesi → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Redi tjabisi → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Sa)

Redihoedoe → *Casearia arborea* (A.Rich.) Urban; FLACOURTIACEAE; Surinam (Cr)

Redwood → *Centrolobium paraense* Tulasne; LEGUMINOSAE-PAP.; Surinam (Cr)

→ *Erythroxyllum areolatum* L.; ERYTHROXYLACEAE; British West Indies

- Redwood, Brazilian** → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Cr); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
- Reejoeloe** → *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Cr)
→ *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke
- Reejoeloelan** → *Parkia pendula* (Willd.) Benth. ex Walpers; LEGUMINOSAE-MIM.; Caribbean; syn. *Inga pendula* Willd.
- Reho** → *Euterpe stenophylla* Trail ex Burret; ARECACEAE (PALMAE); Surinam (Ar)
- Rekö** → *Himatanthus bracteatus* (A.DC.) Woodson; APOCYNACEAE; Surinam (Ar)
- Remoe epo** → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
→ *Pouteria scytalophora* Eyma; SAPOTACEAE; Caribbean; syn. *Pseudocladia scytalophora* (Eyma) Aubrév.; syn. *Lucuma*
- Remoe épo(e)** → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Caribbean; syn. *Sideroxylon guianensis* A.DC.
- Reperepeshi** → *Calycolpus goetheanus* (DC.) O.Berg; MYRTACEAE; Surinam (Ar); syn. *C. glaber* (Benth.) O.Berg
- Rere elepalle** → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Caribbean
- Rere erepare** → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Caribbean; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth
→ *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Caribbean
- Rero** → *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *E. glauca* Willd.; syn. *E. atosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh
→ *Panicum magnum* Hitchc.; POACEAE; Caribbean
- Reroballi** → *Pariana* sp.; POACEAE; Surinam (Ar)
- Reseda** → *Lawsonia inermis* L.; LYTHRACEAE; Surinam (Du); syn. *L. alba* Lam.
- Resida** → *Lawsonia alba* Lam.; LYTHRACEAE; Surinam (Cr); use *L. inermis* L.
→ *Lawsonia inermis* L.; LYTHRACEAE; Surinam (Cr); syn. *L. alba* Lam.
- Resolu** → *Chimarrhis turbinata* DC.; RUBIACEAE; French West Indies
- Retama** → *Sabinea florida* (Vahl) DC.; LEGUMINOSAE-PAP.; Puerto Rico
- Retama prieta** → *Peirania biflora* (L.) Pittier; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Cassia biflora* L.
- Retamo** → *Trichilia* sp.; MELIACEAE; Puerto Rico
- Reukgras** → *Vetiveria zizanioides* (L.) Nash; POACEAE; Surinam (Du)
- Riariadan** → *Cassia multijuga* A.Rich.; LEGUMINOSAE-CAES.; Surinam (Ar); use *Senna multijuga* (A.Rich.) Irwin & Barneby
→ *Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)
→ *Senna multijuga* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Cassia multijuga* A.Rich.
- Riariadan hororodikoro** → *Vatairea guianensis* Aublet; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *V. surinamensis* Kleinhoonte; syn. *Vataireopsis speciosa* Ducke
- Riariadan ojota** → *Dimorphandra pullei* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar)
- Riemhout** → *Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Surinam (Du); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.
→ *Chrysophyllum auratum* Miquel; SAPOTACEAE; Surinam (Du); use *C. argenteum* Jacq. ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. sericeum* A.DC.

→ *Chrysophyllum sericeum* A.DC.; SAPOTACEAE; Surinam (Du); use *C. argenteum* Jacq. ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel
→ *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; Surinam (Du)
→ *Pouteria melanopoda* Eyma; SAPOTACEAE; Surinam (Du); syn. *Lucuma*
- Riemhout (wit-, zwart-)** → *Sideroxylon guianensis* A.DC.; SAPOTACEAE; Surinam (Du); use *Micropholis guianensis* (A.DC.) Pierre (var. *commixta* Lindeman)
- Riemhout (zwart-)** → *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Du); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
- Riemhout, wit (zwart-)** → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); syn. *Sideroxylon guianensis* A.DC.
- Riemhout, zwart (wit-)** → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); var. *commixta* Lindeman; syn. *Sideroxylon guianensis* A.DC.
- Riet** → *Phragmites communis* Trinius; POACEAE; Surinam (Du)
- Rim** → *Xylopia nitida* Dunal; ANNONACEAE; Guyana (W)
- Rio palissander** → *Dalbergia nigra* Allemao ex Benth.; LEGUMINOSAE-PAP.; Surinam (Du)
- Roble** → *Macrocatalpa punctata* (Griseb.) Britton; BIGNONIACEAE; Dominican Republic
→ *Platymiscium polystachyum* Benth.; LEGUMINOSAE-PAP.; Trinidad
- Roble (-blanco, -colorado)** → *Tabebuia heterophylla* (DC.) Britton; BIGNONIACEAE; Puerto Rico

- Roble (-de mona, -de sierra, -prieto)** →*Tabebuia heterophylla* (DC.) Britton; BIGNONIACEAE; Puerto Rico
- Roble amarillo** →*Tecoma stans* (L.) Kunth; BIGNONIACEAE; Puerto Rico; syn. *Stenolobium stans* (L.) Seemann
- Roble blanco** →*Tabebuia pentaphylla* (L.) Hemsley; BIGNONIACEAE; Puerto Rico
- Roble gateano** →*Astronium fraxinifolium* Schott; ANACARDIACEAE; Caribbean
- Roble guayo** →*Bourreria* sp.; BORAGINACEAE; Puerto Rico
- Roble prieto** →*Tabebuia heterophylla* (DC.) Britton; BIGNONIACEAE; Puerto Rico
- Rode bosguave** →*Myrciaria floribunda* (West ex Willd.) O.Berg; MYRTACEAE; Surinam (Du); syn. *M. verticillata* O.Berg
- Rode bosgujave** →*Aulomyrcia hostmanniana* O.Berg; MYRTACEAE; Surinam (Du); var. *robustior* O. Berg; use *Myrcia amazonica* DC. →*Myrcia amazonica* DC.; MYRTACEAE; Surinam (Du); syn. *Aulomyrcia hostmanniana* O.Berg var. *robustior* O.Berg
- Rode cabreuva** →*Myroxylon balsamum* (L.) Harms; LEGUMINOSAE-PAP.; Surinam (Du); syn. *M. toluiferum* Kunth →*Myroxylon toluiferum* Kunth; LEGUMINOSAE-PAP.; Surinam (Du); use *M. balsamiferum* (L.) Harms
- Rode cumarie** →*Dipteryx magnifica* Ducke; LEGUMINOSAE-PAP.; Surinam (Du)
- Rode djedoe (witte-)** →*Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam (Du)
- Rode jakanta** →*Dendrobangia boliviana* Rusby; ICACINACEAE; Surinam (Du); syn. *Clavipetalum surinamense* Pulle
- Rode kabbes** →*Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Du) →*Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth →*Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Du) →*Hymenolobium* sp.; LEGUMINOSAE-PAP.; Surinam (Du)
- Rode katoen** →*Gossypium barbadense* L.; MALVACEAE; Surinam (Du)
- Rode kwarie** →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Du); syn. *V. melinonii* Beckmann
- Rode lokus (-locus)** →*Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Du)
- Rode markoesa** →*Passiflora glandulosa* Cav.; PASSIFLORACEAE; Surinam (Du)
- Rode mora** →*Mora excelsa* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); syn. *Dimorphandra excelsa* Benth. & Hook.f.; syn. *D. mora* Kunth
- Rode salie** →*Tetragastris altissima* (Aublet) Swart; BURSERACEAE; Surinam (Du)
- Rode schijnoten** →*Jatropha curcas* L.; EUPHORBIACEAE; Surinam (Du); syn. *J. moluccana* Wallich →*Jatropha gossypifolia* L.; EUPHORBIACEAE; Surinam (Du) →*Jatropha moluccana* Wallich; EUPHORBIACEAE; Surinam (Du); use *J. curcas* L.
- Rode wallaba** →*Eperua* sp.; LEGUMINOSAE-CAES.; Surinam (Du)
- Rode zuring** →*Hibiscus sabdariffa* L.; MALVACEAE; Surinam (Du)
- Rodwood** →*Eugenia* sp.; MYRTACEAE; British West Indies
- Rodwood, red** →*Myrcia splendens* (Swartz) DC.; MYRTACEAE; British West Indies
- Roecou** →*Bixa orellana* L.; BIXACEAE; French Guiana; syn. *B. americana* Poirlet
- Roekoe** →*Bixa orellana* L.; BIXACEAE; Surinam; syn. *B. americana* Poirlet
- Roi de mapipire** →*Tabernaemontana psychotrifolia* Kunth; APOCYNACEAE; Trinidad; syn. *Bonafousia sananho* (Ruiz & Pavón) Markgraf; syn. *Peschiera* sp.
- Roko-roko** →*Macoubea guianensis* Aublet; APOCYNACEAE; Guyana (Ar); use *Tabernaemontana pauciflora* Blume →*Tabernaemontana pauciflora* Blume; APOCYNACEAE; Surinam (Ar); syn. *Macoubea guianensis* Aublet
- Rolón** →*Pithecellobium* sp.; LEGUMINOSAE-MIM.; Puerto Rico
- Romemand** →*Apeiba petoumo* Aublet; TILIACEAE; Guyana (W); syn. *A. echinata* Gaertner
- Rondeisji** →*Pisonia* sp.; NYCTAGINACEAE; Dutch West Indies
- Rood letterhout** →*Brosimum rubescens* Taubert; MORACEAE; Surinam (Du); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
- Rood purperhart** →*Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
- Rora (-yek)** →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (AK); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
- Roroi** →*Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Guyana (M)
- Rosa cimarrón** →*Samyda* sp.; FLACOURTIACEAE; Dominican Republic
- Rose of the mountain** →*Brownea latifolia* Jacq. sensu Griseb.; LEGUMINOSAE-CAES.; Surinam

(Cr)

Roseta →*Machaonia* sp.; RUBIACEAE; Puerto Rico

→*Sloanea berteriana* Choisy;
ELAEOCARPACEAE; Puerto Rico

→*Xylosma* sp.; FLACOURTIACEAE; Puerto Rico

Rosewood, false (male-) →*Aniba mas* Kosterm.;
LAURACEAE; Surinam (Cr)

Rosewood, real →*Aniba rosaeodora* Ducke;
LAURACEAE; Guianas

Rouge balata singe →*Pouteria* sp.;
SAPOTACEAE; French Guiana; syn. *Lucuma* sp.

Rough-leaf maho →*Sterculia rugosa* R.Brown;
STERCULIACEAE; Guyana (Cr); use
Xylosterculia rugosa (R.Brown) Kosterm.

→*Xylosterculia rugosa* (R.Brown) Kosterm.;
STERCULIACEAE; Guyana (Cr); syn. *Sterculia*
rugosa R.Brown

Rouhahamon →*Strychnos rouhomon* Benth.;
LOGANIACEAE; Caribbean

→*Strychnos toxifera* M.R.Schomb. ex Benth.;
LOGANIACEAE; Caribbean

Rozebloem →*Desmoscelis villosa* (Aublet)
Naudin; MELASTOMATACEAE; Surinam (Du)

Rozenhout →*Acroclidium rigidum* Kosterm.;
LAURACEAE; Surinam (Du); use *Licaria rigida*
Kosterm.

→*Aniba firmula* (Nees & C.Martius ex Nees) Mez;
LAURACEAE; Surinam (Du); use *A. panurensis*
(Meisner) Mez

→*Aniba panurensis* (Meisner) Mez; LAURACEAE;
Surinam (Du); syn. *A. firmula* (Nees & C.Martius
ex Nees) Mez

→*Licaria rigida* Kosterm.; LAURACEAE; Surinam
(Du); syn. *Acroclidium rigidum* Kosterm.

→*Ocotea barcellensis* (Meisner) Mez;
LAURACEAE; Surinam (Du)

Rozenhout (Braziliaans-) →*Dalbergia*
decipularis Rizzini & A.Mattos; LEGUMINOSAE-
PAP.; Surinam (Du)

Rozenhout, echt →*Aniba rosaeodora* Ducke;
LAURACEAE; Surinam (Du)

Rozenhout, mannetjes →*Aniba mas* Kosterm.;
LAURACEAE; Surinam (Du)

Rozenhout, vals →*Aniba gonggrijpii* Kosterm.;
LAURACEAE; Surinam (Du)

Rozenkwarie →*Atuna elata* (King) Kosterm.;
CHRYSOBALANACEAE; Surinam (Du); use *A.*
racemosa Raf. ssp. *excelsa* (Jack) Prance; syn.
A. excelsa (Jack) Kosterm.; syn. *Parinari excelsa*
Sabine

→*Atuna excelsa* (Jack) Kosterm.;
CHRYSOBALANACEAE; Surinam (Du); use *A.*
racemosa Raf. ssp. *excelsa* (Jack) Prance; syn.
A. elata (King) Kosterm.; syn. *Parinari excelsa*
Sabine

→*Atuna racemosa* Raf. ssp. *excelsa* (Jack)
Prance; CHRYSOBALANACEAE; Surinam (Du);

syn. *Parinari excelsa* Sabine; syn. *Atuna elata*
(King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.

→*Parinari excelsa* Sabine;
CHRYSOBALANACEAE; Surinam (Du); use
Atuna racemosa Raf. ssp. *excelsa* (Jack) Prance;
syn. *A. elata* (King) Kosterm.; syn. *A. excelsa*
(Jack) Kosterm.

Rozewood, Brazilian →*Dalbergia nigra* Allemao
ex Benth.; LEGUMINOSAE-PAP.; Guyana (Cr)

Rubber, wild →*Hevea pauciflora* (Spruce ex
Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana
(Cr); var. *coriacea* Ducke; syn. *H. confusa*
Hemsley

→*Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.;
EUPHORBIACEAE; Guyana (Cr); var. *pauciflora*

Rubberwood →*Hevea brasiliensis* (Willd. ex
A.Jussieu) Müll.Arg.; EUPHORBIACEAE;
Surinam (Cr); syn. *Siphonia brasiliensis* Willd. ex
A.Jussieu

Rubia →*Zanthoxylum monophyllum* (Lam.)
P.Wilson; RUTACEAE; Puerto Rico; syn. *Fagara*
monophylla Lam.; syn. *Xanthoxylum*

Ruda, wild →*Diphysa cathagenensis* Jacq.;
LEGUMINOSAE-PAP.; Guyana

Ruibarba →*Tecoma stans* (L.) Kunth;
BIGNONIACEAE; Puerto Rico; syn. *Stenolobium*
stans (L.) Seemann

Rukut →*Mezilaurus lindaviana* Schwacke & Mez;
LAURACEAE; Guyana (W)

Rumak →*Clusia grandiflora* Splitg.;
GUTTIFERAE; Guyana (Ak); syn. *C. insignis*
C.Martius

Rup →*Spondias mombin* L.; ANACARDIACEAE;
Guyana (W); syn. *S. lutea* L.

Rupa, wit →*Castela* sp.; SIMAROUBACEAE;
Curaçao; syn. *Holacantha emoryi* A.Gray

Ruri →*Chaetocarpus schomburgkianus* (Kuntze)
Pax & K.Hoffm.; EUPHORBIACEAE; Guyana (Ar)
→*Chaetocarpus stipularis* Gleason;
EUPHORBIACEAE; Guyana (Ar)

→*Cunuria spruceana* Baillon; EUPHORBIACEAE;
Surinam (Ar); use *Micrandra spruceana* (Baillon)
R.E.Schultes

→*Mammea americana* L.; GUTTIFERAE;
Surinam (Ar)

→*Micrandra spruceana* (Baillon) R.E.Schultes;
EUPHORBIACEAE; Surinam (Ar); syn. *Cunuria*
spruceana Baillon

→*Pera* sp.; EUPHORBIACEAE; Surinam (Ar)

Ruwe sopohoedoe →*Caryocar microcarpum*
Ducke; CARYOCARACEAE; Surinam (Cr); syn.
C. riparium A.C.Smith

Saandoe →*Parkia pendula* (Willd.) Benth. ex
Walpers; LEGUMINOSAE-MIM.; Surinam (Sa);
syn. *Inga pendula* Willd.

Saandoe akwa (-awha) →*Hymenolobium flavum*
Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Sa)

Sabana (blaka) trangahoedoe →*Matayba opaca*

Radlk. var. fallax (Radlk.) Uittien; SAPINDACEAE; Surinam (Cr)

Sabana anaura →*Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)

Sabana bortri →*Himatanthus articulatus* (Vahl) Woodson; APOCYNACEAE; Surinam (Cr); syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce

Sabana flower →*Senna multijuga* (A.Rich.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); syn. *Cassia multijuga* A.Rich.

Sabana foengoe →*Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

→*Licania leptostachya* Benth.; CHRYSOBALANACEAE; Surinam (Cr); syn. *L. incana* Aublet var. *axilliflora* Sagot

Sabana foengoe, ruwe bast →*Couepia cognata* (Steudel) Fritsch; CHRYSOBALANACEAE; Surinam (Cr); syn. *Licania exiguifolia* Standley

Sabana gedoe →*Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

Sabana i(e)ngi(e)-barki(e) →*Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Cr)

Sabana isri-ati →*Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Surinam (Cr)

Sabana kadjoe →*Anacardium occidentale* L.; ANACARDIACEAE; Surinam (Sa); syn. *A. occidentale* L. var. *indicum* DC.

Sabana kasjoe (boesi-, bos-) →*Curatella americana* L.; DILLENIACEAE; Surinam (Cr)

Sabana katoen →*Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Cr)

Sabana keersie →*Eugenia puniceifolia* (Kunth) DC.; MYRTACEAE; Surinam (Cr); var. *dipoda* (DC.) O.Berg

Sabana kokriki →*Ormosia costulata* (Miquel) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Cr); var. *trifoliata* (Huber) Amshoff

Sabana kwarie (-mango) →*Byrsonima crassifolia* (L.) Kunth; MALPIGHIACEAE; Surinam (Cr); var. *spruceana* Niedenzu

Sabana kwarie (savanna-) →*Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Cr); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu f. *propinqua* (Benth.) Niedenzu

Sabana kwepie →*Couepia cognata* (Steudel) Fritsch; CHRYSOBALANACEAE; Surinam (Cr); syn. *Licania exiguifolia* Standley

Sabana letri →*Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Cr); syn. *H. poeppigiana* (C.Martius) Trécul

Sabana mabiara (-mambiara) →*Pouteria trigonosperma* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Radlkoferella trigonosperma* (Eyma) Aubrév.; syn. *Richardella trigonosperma* (Eyma) Baehni; syn. *Lucuma*

Sabana mango →*Byrsonima spicata* (Cav.) DC.; MALPIGHIACEAE; Surinam (Bn); syn. *B. coriacea* (Swartz) DC. var. *spicata* (Cav.) Niedenzu

Sabana mangro →*Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Cr)

→*Lacunaria crenata* (Tulasne) A.C.Smith; QUIINACEAE; Surinam (Cr)

→*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Sa)

Sabana mangro (-mango) →*Clusia nemorosa* G.Meyer; GUTTIFERAE; Surinam (Cr)

Sabana mangro (man-, bos-) →*Tovomita schomburgkii* Planchon & Triana; GUTTIFERAE; Surinam (Cr, Du)

Sabana pau →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Cr)

Sabana pegrekoe →*Guatteria schomburgkiana* C.Martius; ANNONACEAE; Surinam (Cr)

Sabana pisi →*Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Cr); syn. *O. schomburgkiana* (Nees) Mez

Sabana poesi poesi téré →*Teliostachya alopecuroidea* (Vahl) Nees & Eberm.; ACANTHACEAE; Surinam (Cr)

Sabana sisibie wiwirie →*Sida rhombifolia* L. var. *surinamensis* K.Schumann; MALVACEAE; Surinam (Cr)

Sabana trangahoedoe →*Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Cr); var. *frondosa* (Benth.) Radlk.

Sabicu →*Lysiloma latisiliqua* (L.) Benth.; LEGUMINOSAE-MIM.; West Indies; syn. *L. sabicu* (L.) Benth.

→*Lysiloma sabicu* Benth.; LEGUMINOSAE-MIM.; West Indies; use *L. latisiliqua* (L.) Benth.

Sabidan →*Aspidosperma vargasii* A.DC.; APOCYNACEAE; Surinam (Ar)

Sabina →*Juniperus gracilior* Pilger; CUPRESSACEAE; Dominican Republic

Sabinabloem →*Caesalpinia pulcherrima* (L.) Swartz; LEGUMINOSAE-CAES.; Surinam (Du)

Sablier blanc →*Hura crepitans* L.; EUPHORBIACEAE; French Guiana

Sada →*Fagara apiculata* Sandwith; RUTACEAE; Surinam (Ar); use *Zanthoxylum apiculata* (Sandwith) P.G.Waterman

→*Fagara caribaea* (Lam.) Krug & Urban; RUTACEAE; Surinam (Ar); use *Zanthoxylum caribaea* Lam.; syn. *Xanthoxylum* sp.

→*Fagara spiculata* Sandwith; RUTACEAE; Surinam (Ar); use *Zanthoxylum*

→*Zanthoxylum apiculata* (Sandwith) P.G.Waterman; RUTACEAE; Surinam (Ar); syn.

Fagara apiculata Sandwith; syn. *Xanthoxylum* →*Zanthoxylum caribaea* Lam.; RUTACEAE; Surinam (Ar); syn. *Fagara caribaea* (Lam.) Krug & Urban; syn. *Xanthoxylum*

Saffeka →*Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.

Saffoe ka →*Pouteria robusta* (C.Martius &

Eichler) Eyma; SAPOTACEAE; Surinam (Sa); var. longifolia Eyma; syn. Neoxythece robusta (C.Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma

Sage →Croton sp.; EUPHORBIACEAE; Virgin Islands

Sage (sweet-) →Lantana camara L.; VERBENACEAE; Guyana (Cr)

Sage, black →Cordia lomatoloba I.M.Johnston; BORAGINACEAE; Guyana (Cr)

→Cordia macrostachya (Jacq.) Roemer & Schultes; BORAGINACEAE; Guyana (Cr)

→Cordia polycephala (Lam.) I.M.Johnston; BORAGINACEAE; Guyana (Cr)

→Cordia schomburgkii DC.; BORAGINACEAE; Guyana (Cr)

Sagwenkihoedoe →Pouteria cuspidata (A.DC.) Baehni; SAPOTACEAE; Surinam; ssp. dura (Eyma) T.D.Penn.; syn. P. dura Eyma; syn. Neoxythece dura (Eyma) Aubrév. & Pellegrin; syn. Oxythece dura (Eyma) Gilly; syn. Lucuma

Sahkaballi (sakaballi) →Cynometra hostmanniana Tulasne; LEGUMINOSAE-CAES.; Surinam (Ar)

Saint Jean →Coccoloba sp.; POLYGONACEAE; French West Indies

Saint Jean rouge →Virola surinamensis (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. Myristica surinamensis Rolander ex Rottb.

Saint Martin gris →Hymenobium flavum Kleinhoonte; LEGUMINOSAE-PAP.; French Guiana

Saint Martin rouge →Andira coriacea Pulle; LEGUMINOSAE-PAP.; French Guiana

→Andira inermis (W.Wright) DC.; LEGUMINOSAE-PAP.; French Guiana; syn. A. jamaicensis Urban; syn. A. excelsa Kunth

Saintia →Xylopia discreta (L.f.) Sprague & Hutch.; ANNONACEAE; Guyana (Cr)

Saipjara →Miconia plukenetii Naudin; MELASTOMACEAE; Caribbean

Saitjabbé →Calycolpus revolutus (Schauer) O.Berg; MYRTACEAE; Caribbean; syn. C. chnoiophyllus Riley; syn. C. pyrifer Riley
→Myrcia amazonica DC.; MYRTACEAE; Caribbean; syn. Aulomyrcia hostmanniana O.Berg var. robustior O.Berg

Saitjaberan →Myrciaria floribunda (West ex Willd.) O.Berg; MYRTACEAE; Caribbean; syn. M. verticillata O.Berg

Saka →Peltogyne venosa (Vahl) Benth. ssp. venosa; LEGUMINOSAE-CAES.; Surinam (Ar)

Sakaballi →Cynometra bauhiniaefolia Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
→Cynometra marginata Benth.; LEGUMINOSAE-CAES.; Caribbean

→Peltogyne venosa (Vahl) Benth.;

LEGUMINOSAE-CAES.; Surinam (Ar); ssp. densiflora (Spruce ex Benth.) M.F.Silva

Sakaballi (sahkaballi) →Cynometra hostmanniana Tulasne; LEGUMINOSAE-CAES.; Surinam (Ar)

Sakali →Talisia microphylla Uittien; SAPINDACEAE; Surinam (Ar)

Sakar →Coccoloba latifolia Lam.; POLYGONACEAE; Guyana (W)

Sakaraballi →Conceveiba guianensis Aublet; EUPHORBIACEAE; Surinam (Cr); syn. Aparisthmium cordatum (Jussieu) Baillon ?

Sakau →Miconia guianensis (Aublet) Cogniaux; MELASTOMACEAE; Guyana (Ak)

Sakwasepére →Bellucia grossularioides (L.) Triana; MELASTOMACEAE; Surinam (Ar); syn. B. aubletii Naudin

Sakwasepére bibéro →Miconia ciliata (Rich.) DC.; MELASTOMACEAE; Surinam (Ar); syn. M. virgulata Gleason

→Miconia virgulata Gleason; MELASTOMACEAE; Surinam (Ar); use M. ciliata (Rich.) DC.

Sakwosepére →Loreya mespiloides Miquel; MELASTOMACEAE; Surinam (Ar)

Sakwosepére koelero →Miconia lepidota DC.; MELASTOMACEAE; Surinam (Ar)

Salaá →Thurnia sphaerocephala (Rudge) Hook.f.; THURNIACEAE; Caribbean

Salalang →Xiphidium coeruleum Aublet; HAEMODORACEAE; Caribbean

Salebanaroe (salibanaroe) →Heteropsis jenmanii Oliver; ARACEAE; Surinam (Ar)

Salébébé →Macrolobium angustifolium (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam (Ar); syn. M. chrysostachyum (Miquel) Benth.

Salero khoena →Miconia mucronata (Desr.) Naudin; MELASTOMACEAE; Surinam (Ar)

→Miconia tomentosa (Rich.) D.Don; MELASTOMACEAE; Surinam (Ar)

Salibanaroe (salebanaroe) →Heteropsis jenmanii Oliver; ARACEAE; Surinam (Ar)

Salie →Hemicrepidospermum rhoifolium (Benth.) Swart; BURSERACEAE; Surinam (Cr)

→Matayba opaca Radlk. var. fallax (Radlk.) Uittien; SAPINDACEAE; Surinam (Sa)

→Ocotea wachenheimii Benoist; LAURACEAE; Surinam (Cr)

→Protium alstonii Sandwith; BURSERACEAE; Surinam (Cr)

→Trichilia micrantha Benth.; MELIACEAE; Surinam (Du); syn. T. roraimana C.DC.

Salie (rode-, witte-, redi-) →Tetragastris altissima (Aublet) Swart; BURSERACEAE; Surinam (Cr, Du)

Salie (soro-) →Trichilia surinamensis (Miquel) C.DC.; MELIACEAE; Surinam (Du)

- Salie (witte-)** →*Protium polybotryum* (Turcz.) Engl.; BURSERACEAE; Surinam (Du)
- Salie, witte** →*Protium glabrescens* Swart; BURSERACEAE; Surinam (Cr)
→*Protium sagotianum* Marchand; BURSERACEAE; Surinam (Du); syn. *P. insigne* (Triana & Planchon) Engl.
- Salie, zwarte (rode, witte)** →*Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Du)
- Salie, zwarte (witte-)** →*Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Du); syn. *T. stevensonii* Standley
- Salt** →*Pisonia* sp.; NYCTAGINACEAE; British West Indies
- Salt-pond** →*Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A. marina* (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith
- Saly** →*Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam (Cr)
- Samalombo** →*Quassia* sp.; SIMAROUBACEAE; Surinam; syn. *Simarouba* sp.
→*Simarouba* sp.; SIMAROUBACEAE; Surinam; use *Quassia* sp.
- Samalung** →*Pouteria engleri* Eyma; SAPOTACEAE; Guyana (Ak); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
- Saman** →*Samanea saman* (Jacq.) Merrill; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Pithecellobium saman* Benth. & Hook.; syn. *Albizia saman* (Jacq.) Müll.Arg.; syn. *Enterolobium saman* (Jacq.) Prain & King; syn. *Mimosa saman* Jacq.
- Samarie japo** →*Cedrela odorata* L.; MELIACEAE; Surinam; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
- Samariehout** →*Cedrela odorata* L.; MELIACEAE; Surinam (Du); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
- Samaru** →*Hortia regia* Sandwith; RUTACEAE; Guyana (Ak)
- Samboera** →*Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam; syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet
- Sami** →*Crudia glaberrima* (Steudel) Macbride; LEGUMINOSAE-CAES.; Caribbean
- San Domingo boxwood** →*Phyllostylon brasiliensis* Capanema; ULMACEAE; West Indies
- Sand baromalli** →*Catostemma fragrans* Benth.; BOMBACACEAE; Surinam (Cr)
- Sand coker** →*Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh
- Sand dukuria** →*Sacoglottis guianensis* Benth.; HUMIRIACEAE; Surinam (Ar)
- Sand kokorite** →*Attalea sagotii* (Trail ex Thurn) Wess.Boer; ARECACEAE (PALMAE); Guyana (Cr); syn. *Orbignya sagotii* Trail ex Thurn
- Sand mora** →*Dicymbe corymbosa* Spruce ex Benth.; LEGUMINOSAE-CAES.; Guyana (Cr)
→*Talisia squarrosa* Radlk.; SAPINDACEAE; Guyana (Cr)
- Sand trysil** →*Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Guyana (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer
- Sandbox (-tree)** →*Hura crepitans* L.; EUPHORBIACEAE; Guyana (Cr)
- Sandelwood, false** →*Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
- Sanders, yellow** →*Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Trinidad
→*Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
→*Zanthoxylum flavum* Vahl; RUTACEAE; British West Indies; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*
- Sandpaper tree** →*Curatella americana* L.; DILLENACEAE; Guyana (Cr)
- Sandpaper vine** →*Petrea bracteata* Steudel; VERBENACEAE; Surinam (Cr)
→*Petrea macrostachya* Benth.; VERBENACEAE; Surinam (Cr)
- Sangafotoe soela** →*Miconia myriantha* Benth.; MELASTOMATACEAE; Surinam
- Sanguinaria** →*Euphorbia* sp.; EUPHORBIACEAE; Dominican Republic
- Sanième** →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl
- Saniki (-pisi)** →*Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr)
- Santa Maria** →*Calophyllum brasiliense* Cambess.; GUTTIFERAE; Dominican Republic; syn. *C. calaba* Jacq.; syn. *C. rekoii* Standley
→*Eupatorium* sp.; ASTERACEAE; Puerto Rico
→*Thespesia populnea* (L.) Solander ex M.N.Corréa; MALVACEAE; Puerto Rico; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster
→*Vernonia cinera* (L.) Lesson; ASTERACEAE; Puerto Rico
- Santi wiwiri** →*Alternanthera sessilis* (L.) R.Brown; AMARANTHACEAE; Surinam (Cr); syn. *A. triandra* Lam.
→*Alternanthera triandra* Lam.; AMARANTHACEAE; Surinam (Cr); use *A. sessilis* (L.) R.Brown
- Santihodoe** →*Licania ovalifolia* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Cr)
- Santo** →*Miconia prasina* (Swartz) DC.; MELASTOMATACEAE; Surinam (Au); syn. *M.*

pteropoda Benth.
→*Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Surinam (Au)
Santo Domingo →*Clerodendrum* sp.; VERBENACEAE; Puerto Rico
→*Pachira macrocarpa* Walpers; BOMBACACEAE; Puerto Rico
Santoe koepépé →*Duguetia calycina* Benoist; ANNONACEAE; Surinam (Sa)
Saoelajale →*Calathea micans* (Klotzsch) Körnicke; MARANTACEAE; Caribbean
Saona →*Coccoloba* sp.; POLYGONACEAE; Dominican Republic
→*Sarcomphalus domingensis* Krug & Urban; RHAMNACEAE; Dominican Republic
Saouarou →*Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Ar)
Saouary →*Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Ar)
Sapahaki apolli →*Symmeria paniculata* Benth.; POLYGONACEAE; Guyana
→*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Guyana; syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet
Saparapa →*Hevea guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)
Saparau →*Myrciaria vismeifolia* (Benth.) O.Berg; MYRTACEAE; Guyana (Ak)
Sapater →*Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Trinidad; ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
Sapatija →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; Dutch West Indies; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.
Sapodilla, wild →*Couepia comosa* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
→*Morisonia americana* L.; CAPPARACEAE; Trinidad
→*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Guyana (Cr)
Sapota de costa →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; Puerto Rico; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.
Sapote (mamee-) →*Pouteria sapota* (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; British West Indies; syn. *Calocarpum sapota* (Jacq.) Merrill; syn. *Lucuma*
Sapote, mamey →*Mammea americana* L.; GUTTIFERAE; Trinidad
Sapotier →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; French West Indies; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.
Sapotille →*Achras sapota* L.; SAPOTACEAE; Surinam (Cr); use *Manilkara zapota* (L.) P.Royen; syn. *Achras zapota* L.; syn. *Sapota sideroxylon* Griseb.
→*Manilkara zapota* (L.) P.Royen; syn. *Achras sapota* L.; syn. *Sapota sideroxylon* Griseb.
→*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; Surinam (Cr); syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.
→*Sapota sideroxylon* Griseb.; SAPOTACEAE; Surinam (Cr); use *Manilkara zapota* (L.) P.Royen; syn. *Achras zapota* L.; syn. *A. sapota* L.
Sapotillier →*Manilkara zapota* (L.) P.Royen; SAPOTACEAE; French West Indies; syn. *Achras zapota* L.; syn. *A. sapota* L.; syn. *Sapota sideroxylon* Griseb.
Saprieran →*Tapirira guianensis* Aublet; ANACARDIACEAE; Caribbean
Sapucaia →*Lecythis pisonis* Cambess.; LECYTHIDACEAE; Surinam; syn. *L. usitata* Miers var. *paraensis* (Ducke) R.Kunth
→*Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam; syn. *L. davisii* Sandwith
Sapupira →*Hymenolobium flavum* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam
Sara →*Lagenocarpus tremulus* Nees; CYPERACEAE; Caribbean
Sarabebe (sarebebe) →*Macrolobium multijugum* (DC.) Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
Sarabebeballi (sarebebeballi) →*Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Ar)
Saraguaso (-prieto) →*Cordia* sp.; BORAGINACEAE; Puerto Rico
Saraguero →*Cordia* sp.; BORAGINACEAE; Puerto Rico
Sarama-kushi →*Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; Surinam (Ar)
Saran →*Norantea guianensis* Aublet; MARCGRAVIACEAE; Guyana (Ak)
Sararai →*Cecropia sciadophylla* C.Martius; MORACEAE; Guyana (Ak); syn. *C. juranyiana* V.A.Richter
Saraurai →*Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (Ak)
→*Xylosterculia rugosa* (R.Brown) Kosterm.; STERCULIACEAE; Guyana (Ak); syn. *Sterculia rugosa* R.Brown
Sardine →*Miconia* sp.; MELASTOMATACEAE; Trinidad
Sarebanaro →*Heteropsis jenmanii* Oliver; ARACEAE; Surinam (Ar)
Sarebebe →*Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); var. *acaciaefolium*
→*Macrolobium angustifolium* (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam (Ar); syn. M.

chrysostachyum (Miquel) Benth.
→Macrobium bifolium (Aublet) Persoon;
LEGUMINOSAE-CAES.; Surinam (Ar)
Sarebebeballi →Vouacapoua americana Aublet;
LEGUMINOSAE-CAES.; Surinam (Ar)
Sarebebeballi (sarabebeballi) →Vouacapoua
macropetala Sandwith; LEGUMINOSAE-CAES.;
Guyana (Ar)
Sarero khona →Miconia plukenetii Naudin;
MELASTOMATACEAE; Surinam (Ar)
Sarerokono →Miconia tomentosa (Rich.) D.Don;
MELASTOMATACEAE; Surinam (Ar)
Sarna de perro →Casearia sylvestris Swartz;
FLACOURTIACEAE; Puerto Rico
Saroraye →Ficus mathewsii Miquel;
MORACEAE; Guyana (M); syn. F. gleasonii
Standley
Sarrapia →Dipteryx odorata (Aublet) Willd.;
LEGUMINOSAE-PAP.; Surinam (Cr); syn.
Coumarouna odorata Aublet
Sarsaparilla, grand (gran-) →Dioscorea
trichanthera Gleason; DIOSCOREACEAE;
Surinam (Cr)
Sasanhoedoe →Terminalia amazonia
(J.F.Gmelin) Exell; COMBRETACEAE; Surinam
(Cr); syn. T. obovata (Ruiz & Pavón) Steudel
→Terminalia obovata (Ruiz & Pavón) Steudel;
COMBRETACEAE; Surinam; use T. amazonia
(J.F.Gmelin) Exell
Sasoboro →Passiflora auriculata Kunth;
PASSIFLORACEAE; Caribbean
Sassafras →Licaria sp.; LAURACEAE; French
Guiana; syn. Acrodiclidium sp.
→Nectandra sp.; LAURACEAE; French Guiana
→Sassafras albidum (Nuttall) Nees;
LAURACEAE; French Guiana; syn. S. officinale
Nees & Ebermaier; syn. S. variifolium (Salisbury)
Kuntze; syn. S. sassafras L.
→Sassafras officinale Nees & Ebermaier;
LAURACEAE; French Guiana; use S. albidum
(Nuttall) Nees; syn. S. variifolium (Salisbury)
Kuntze; syn. S. sassafras L.
→Sassafras sassafras L.; LAURACEAE; French
Guiana; use S. albidum (Nuttall) Nees; syn. S.
officinale Nees & Ebermaier; syn. S. variifolium
(Salisbury) Kuntze
→Sassafras variifolium (Salisbury) Kuntze;
LAURACEAE; French Guiana; use S. albidum
(Nuttall) Nees; syn. S. officinale Nees &
Ebermaier; syn. S. sassafras L.
Sassafras amarelo →Ocotea odorifera (Vellozo)
Rohwer; LAURACEAE; Puerto Rico
Sassafras, swamp →Magnolia virginiana L.;
MAGNOLIACEAE; Surinam (Cr)
Satenhoedoe →Brosimum rubescens Taubert;
MORACEAE; Surinam (Cr); syn. B. paraense
Huber; syn. Ferolia guianensis Aublet; syn.
Piratinera sp.
→Ferolia guianensis Aublet; MORACEAE;
Surinam (Cr); use Brosimum rubescens Taubert;
syn. B. paraense Huber
Satijnhout →Chloroxylon swietenia DC.;
RUTACEAE; Surinam (Du)
→Fagara flava (Vahl) Krug & Urban; RUTACEAE;
Surinam (Du); use Zanthoxylum flavum Vahl
→Zanthoxylum flavum Vahl; RUTACEAE;
Surinam (Du); syn. Fagara flava (Vahl) Krug &
Urban; syn. Xanthoxylum
Satijnhout (gevlamd-) →Brosimum rubescens
Taubert; MORACEAE; Surinam (Du); syn. B.
paraense Huber; syn. Ferolia guianensis Aublet;
syn. Piratinera sp.
Satiné (-rubané) →Brosimum rubescens Taubert;
MORACEAE; French Guiana; syn. B. paraense
Huber; syn. Ferolia guianensis Aublet; syn.
Piratinera sp.
Satiné jaune →Zanthoxylum flavum Vahl;
RUTACEAE; French West Indies; syn. Fagara
flava (Vahl) Krug & Urban; syn. Xanthoxylum
Satiné, true →Trymatococcus paraensis Ducke;
MORACEAE; Surinam (Cr)
Satinee →Brosimum rubescens Taubert;
MORACEAE; Guyana (Cr); syn. B. paraense
Huber; syn. Ferolia guianensis Aublet; syn.
Piratinera sp.
Satinwood →Brosimum rubescens Taubert;
MORACEAE; Surinam (Cr); syn. B. paraense
Huber; syn. Ferolia guianensis Aublet; syn.
Piratinera sp.
→Zanthoxylum flavum Vahl; RUTACEAE; West
Indies; syn. Fagara flava (Vahl) Krug & Urban;
syn. Xanthoxylum
Satinwood, Brazilian →Euxylophora paraensis
Huber; RUTACEAE; Surinam (Cr)
Sauoero nani →Conceveibum guianensis Aublet;
EUPHORBIACEAE; Caribbean; syn.
Aparisthmium cordatum (Jussieu) Baillon
Sauwarai →Astrocaryum jauari C.Martius;
ARECACEAE (PALMAE); Caribbean
Savanna kwaepie →Licania exiguifolia Standley;
CHRYSOBALANACEAE; Surinam (Cr); use
Coeupia cognata (Steudel) Fritsch
Savanna kwarie →Byrsonima crassifolia (L.)
Kunth; MALPIGHIACEAE; Surinam (Cr); var.
spruceana Niedenzu
Savanna kwepie →Coeupia cognata (Steudel)
Fritsch; CHRYSOBALANACEAE; Surinam (Du);
syn. Licania exiguifolia Standley
Savanna mango →Byrsonima spicata (Cav.)
DC.; MALPIGHIACEAE; Surinam (Bn); syn. B.
coriacea (Swartz) DC. var. spicata (Cav.)
Niedenzu
Savanna mangroe →Lacunaria crenata
(Tulasne) A.C.Smith; QUIINACEAE; Surinam (Cr)
Savanna peper →Eugenia sp.; MYRTACEAE;

Guyana (Cr)

Savanna yoke → *Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Trinidad; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

Savanne bolletrie → *Himatanthus articulatus* (Vahl) Woodson; APOCYNACEAE; Surinam (Du); syn. *Plumeria articulata* Vahl; syn. *P. sucuuba* Spruce

Savanne djedoe → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Savanne gras → *Eleocharis sulcata* Nees; CYPERACEAE; Surinam (Du)

→ *Syngonanthus umbellatus* (Lam.) Ruhland; ERIOCAULACEAE; Surinam (Du)

Savanne ijzerhart → *Swartzia bannia* Sandwith; LEGUMINOSAE-PAP.; Surinam (Du)

Savanne kokriki → *Ormosia costulata* (Miquel) Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du); var. *trifoliata* (Huber) Amshoff

Savanne mangro → *Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Surinam (Du)

Savanne mangrove → *Clusia fockeana* Miquel; GUTTIFERAE; Surinam (Du)

Savanne peper → *Croton miquelianus* Ferguson; EUPHORBIACEAE; Surinam (Du)

Savanne pisi → *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Du); syn. *O. schomburgkiana* (Nees) Mez

Savanne speldekop → *Panicum polycomum* Trinius; POACEAE; Surinam (Du)

Savonetier (savonette, savonnier) → *Sapindus saponaria* L.; SAPINDACEAE; French West Indies; syn. *S. microcarpa* Radlk.

Savonette (-jaune, -rivièrè, white-)

→ *Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; French Guiana

Savonette grand bois → *Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; French Guiana

Savonette grandes feuilles → *Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; French Guiana

Savonnier (savonetier, savonette) → *Sapindus saponaria* L.; SAPINDACEAE; French West Indies; syn. *S. microcarpa* Radlk.

Sawa → *Genipa americana* L.; RUBIACEAE; Caribbean; syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Sawajoe → *Scleria foliosa* C.Wright; CYPERACEAE; Caribbean

Sawara → *Calathea cyclophora* Baker; MARANTACEAE; Surinam (Ar)

Sawarama → *Oreodoxa oleracea* Masters; ARECACEAE (PALMAE); Surinam (Ar); use *Roystonea oleracea* (Jacq.) O.F.Cook

→ *Roystonea oleracea* (Jacquin) O.F.Cook;

ARECACEAE (PALMAE); Surinam (Ar); syn. *Oreodoxa oleracea* Masters

Sawari (bats-, water-) → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Cr); syn. *C. riparium* A.C.Smith

Sawari (sawali) → *Caryocar nuciferum* L.; CARYOCARACEAE; Surinam (Cr)

Sawari (water-) → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Surinam (Cr)

Sawari-skin silverballi → *Nectandra* sp.; LAURACEAE; Guyana (Cr)

→ *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Cr)

Schijtnoten (rode-) → *Jatropha curcas* L.; EUPHORBIACEAE; Surinam (Du); syn. *J. moluccana* Wallich

Schijtnoten, rode → *Jatropha gossypifolia* L.; EUPHORBIACEAE; Surinam (Du)

Schildpadhout → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Schildpadpoot → *Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Surinam (Du); syn. *I. coriacea* (Persoon) Desvaux

Schiraboeliballi → *Bixa orellana* L.; BIXACEAE; Surinam (Ar); syn. *B. americana* Poirè

Schlaunko-loko-loko → *Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Surinam (Cr); syn. *Anomospermum schomburgkii* Miers

Schokkie → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Caribbean

Schopsteelhout → *Bocagea asbecki* Pulle; ANNONACEAE; Surinam (Du)

→ *Lacmellea aculeata* (Ducke) Monachino; APOCYNACEAE; Surinam (Du); syn. *Zschokkea aculeata* Ducke

→ *Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Surinam (Du)

→ *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Du); var. *monophylla* Sandwith

→ *Zschokkea aculeata* Ducke; APOCYNACEAE; Surinam (Du); use *Lacmellea aculeata* (Ducke) Monachino

Scot hugging Creole → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Guyana (Cr)

Scotchman tree → *Clusia rosea* Jacq.; GUTTIFERAE; Trinidad

Scots attorney → *Norantea guianensis* Aublet; MARCGRAVIACEAE; Guyana (Cr)

Sea grape → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Sea myrtle → *Jacquinia* sp.; THEOPHRASTACEAE; British West Indies

Seaside grape → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Seaside mahoe → *Thespesia populnea* (L.) Solander ex M.N. Correa; MALVACEAE; British West Indies; syn. *Malvaviscus populneus* (L.) Gaertner; syn. *Hibiscus populneus* Willd.; syn. *H. bacciferus* Forster

Seaside plum → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
→ *Ximenia americana* L. var. *americana*; OLACACEAE; Trinidad

Seca garganta → *Parathesis* sp.; MYRSINACEAE; Puerto Rico

Seda blanca → *Hura crepitans* L.; EUPHORBIACEAE; Dominican Republic

Sedre → *Cedrela odorata* L.; MELIACEAE; Surinam (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

See gotro → *Pavonia typhalaea* Cav.; MALVACEAE; Caribbean

Seebralala → *Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Caribbean

Seeng → *Mimosa polydactyla* Kunth; LEGUMINOSAE-MIM.; Surinam (Cr)

Seepialala → *Miconia rufescens* (Aublet) DC.; MELASTOMATAACEAE; Caribbean

Seepjalala (seipjalala, seibrallala) → *Vismia macrophylla* Kunth; GUTTIFERAE; Surinam; syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Seibrallala (seipjalala) → *Vismia macrophylla* Kunth; GUTTIFERAE; Caribbean; syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Seigotro → *Struchium sparganophora* (L.) Kuntze; ASTERACEAE; Surinam

Seipjalala (seibrallala) → *Vismia macrophylla* Kunth; GUTTIFERAE; Caribbean; syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Seisabana katoen → *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Cr)

Sekema → *Combretum cacoucia* (Baillon) Exell; COMBRETACEAE; Caribbean
→ *Combretum rotundifolium* A. Rich.; COMBRETACEAE; Caribbean

Sekerau → *Xylosterculia rugosa* (R. Brown) Kosterm.; STERCULIACEAE; Guyana (Ak); syn. *Sterculia rugosa* R. Brown

Sekrepatoe orogoetoe → *Eugenia coffeifolia* DC.; MYRTACEAE; Surinam (Cr)

Sekrepatoe trapoe → *Bauhinia surinamensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Cr)

Sekrepatoe wiwirie → *Ilex guianensis* (Aublet) Kuntze; AQUIFOLIACEAE; Surinam (Cr); var. *elliptica* Amshoff

Selele bélétère → *Miconia acinodendron* (L.) Sweet; MELASTOMATAACEAE; Surinam (Ar)
→ *Miconia prasina* (Swartz) DC.; MELASTOMATAACEAE; Surinam (Ar); syn. *M. pteropoda* Benth.

Selele boerowin (serere-) → *Micropholis guianensis* (A. DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A. DC.

Seloe(loe) borwin (-boerwin) → *Micropholis guianensis* (A. DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A. DC.

Seloeloe boerwin (-borwin) → *Micropholis guianensis* (A. DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A. DC.

Semari apo → *Cedrela odorata* L.; MELIACEAE; Caribbean; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Semeheyuballi → *Lantana camara* L.; VERBENACEAE; Caribbean

Semirie, tamoene → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam

Semirie, topoeloe → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Caribbean

Semmarie-apo → *Cedrela odorata* L.; MELIACEAE; Surinam; syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Semoéyu → *Guzmania minor* Mez; BROMELIACEAE; Caribbean

Sen del país → *Cassia* sp.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Adipera* sp.

Seneki bieta (snekie-) → *Lecythis chartacea* O. Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O. Berg) Eyma

Sengrie kwarie → *Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig

Senna, wild → *Allamanda cathartica* L.; APOCYNACEAE; Surinam (Cr); syn. *A. hendersonii* Bulliard
→ *Caesalpinia pulcherrima* (L.) Swartz; LEGUMINOSAE-CAES.; Dutch West Indies

Sepeipjo → *Caraipa densifolia* C. Martius; GUTTIFERAE; Caribbean

Sepeiro → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v. d. W.; LAURACEAE; Guyana; syn. *Ocotea rodiei* (R. H. Schomb.) Mez; syn. *Nectandra rodiei* R. H. Schomb.

Seperalip(i)o → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Sepiepabo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Sepietoena → *Swartzia* sp.; LEGUMINOSAE-PAP.; Surinam

Sepira → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v. d. W.; LAURACEAE; Guyana (An); syn. *Ocotea rodiei* (R. H. Schomb.) Mez; syn. *Nectandra*

rodiei R.H.Schomb.

Sepronie → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam
→ *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam

Sera → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.

Serapi → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Coumarouna odorata* Aublet

Serapihout → *Platonia insignis* C.Martius; GUTTIFERAE; Surinam (Du); syn. *P. esculenta* (Arruda) Rickett & Stafleu

Serdani → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Guyana (Ar); syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Serebebé → *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Surinam (Bn)

Serebedan → *Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Ar)
→ *Swartzia longipedicellata* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)
→ *Swartzia oblanceolata* Sandwith; LEGUMINOSAE-PAP.; Surinam (Ar)

Serebedan (-djamaro) → *Swartzia apetala* Raddi var. *acuminata* Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)

Serena → *Calophyllum lucidum* Benth.; GUTTIFERAE; Guyana (M)

Serere boerowin → *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Ar); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Serere boerwin (selele-) → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.

Sererö borowin → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Ar); syn. *Sideroxylon guianensis* A.DC.

Serette → *Eugenia* sp.; MYRTACEAE; Trinidad

Sergeanteklotten → *Henriettella patrisiana* (DC.) Naudin; MELASTOMATACEAE; Surinam (Du)

Sergeanto klotoe → *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Au)

Seroe joeballi → *Hevea guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

Serowa → *Endlicheria* sp.; LAURACEAE; Guyana

Serrasuela → *Guettarda scabra* (L.) Ventenat; RUBIACEAE; Puerto Rico; syn. *G. scabra* Lam. ?
→ *Thouinia striata* Radlk.; SAPINDACEAE; Puerto Rico

Serrette → *Byrsonima spicata* A.Richard; MALPIGHIACEAE; Trinidad

Sesabana katoen → *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Cr)

Seteballi korero → *Vochysia* sp.; VOCHYSIACEAE; Surinam

Setorie karoto → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Seue joeballi → *Hevea brasiliensis* (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); syn. *Siphonia brasiliensis* Willd. ex A.Jussieu
→ *Hevea guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

Sewanna → *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Guianas

Sewaran (sewaran) → *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Caribbean

Sewejoballi → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)

Sewekihoe → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Cr)

Seweran (sewaran), koe- → *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Surinam

Seweyu → *Thevetia neriifolia* Jussieu; APOCYNACEAE; Surinam (Ar); use *T. peruviana* (Persoon) K.Schumann
→ *Thevetia peruviana* (Persoon) K.Schumann; APOCYNACEAE; Surinam (Ar); syn. *T. neriifolia* Jussieu ex Steudel

Seweyuballi → *Connarus perrottetii* (DC.) Planchon; CONNARACEAE; Surinam (Ar)
→ *Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); var. *coriacea* Ducke; syn. *H. confusa* Hemsley

Sha → *Byrsonima aerugo* Sagot; MALPIGHIACEAE; Guyana (Ak); var. *occidentalis* Niedenzu

Shero → *Rinorea brevipes* (Benth.) Blake; VIOLACEAE; Guyana (W)
→ *Rinorea endotricha* Sandwith; VIOLACEAE; Guyana (W)
→ *Rinorea flavescens* (Aublet) Kuntze; VIOLACEAE; Guyana (W)
→ *Rinorea lindeniana* (Tulasne) Kuntze; VIOLACEAE; Guyana (W)
→ *Rinorea pubiflora* (Benth.) Sprague & Sandwith; VIOLACEAE; Guyana (W)
→ *Rinorea riana* (DC.) Kuntze; VIOLACEAE; Guyana (W)

Shiba → *Cassia cowanii* Irwin & Barneby; LEGUMINOSAE-CAES.; Guyana (Ak); var. *guianensis* (Sandwith) Irwin & Barneby; syn. *C. leiandra* Benth. var. *guianensis* Sandwith

Shibadan → *Aspidosperma album* (Vahl) Benoist; APOCYNACEAE; Surinam (Ar); syn. *A. spruceanum* Benth.
→ *Aspidosperma cruentum* Woodson; APOCYNACEAE; Guyana (Ar)

→*Aspidosperma desmanthum* Benth. ex Müll.Arg.; APOCYNACEAE; Guyana (Ar)
 →*Aspidosperma sandwithianum* Markgraf; APOCYNACEAE; Surinam (Ar)
 →*Aspidosperma ulei* Markgraf; APOCYNACEAE; Surinam (Ar)
 →*Aspidosperma vargasii* A.DC.; APOCYNACEAE; Surinam (Ar)
 →*Aspidosperma woodsonianum* Markgraf; APOCYNACEAE; Surinam (Ar)
 →*Casearia combaymensis* Tulasne; FLACOURTIACEAE; Surinam (Ar); syn. *C. subopaca* Triana & Planchon
 →*Casearia subopaca* Triana & Planchon; FLACOURTIACEAE; Surinam (Ar); use *C. combaymensis* Tulasne
Shiballidan →*Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Ar)
Shibu →*Dioscorea amazonum* C.Martius ex Griseb.; DIOSCOREACEAE; Guyana (Ak)
Shika →*Licania densiflora* Kleinhoonte; CHRYSOBALANACEAE; Guyana (M)
Shikaro →*Saccharum officinarum* L.; POACEAE; Surinam (Ar)
Shikishikidan →*Stachytarpheta* sp.; VERBENACEAE; Surinam (Ar)
Shimaila →*Cespedesia amazonica* Huber; OCHNACEAE; Guyana (Ak)
Shimarashiri →*Mouriria sagotiana* Triana; MELASTOMATAACEAE; Surinam (Ar)
Shipiye →*Rinorea brevipes* (Benth.) Blake; VIOLACEAE; Guyana (M)
 →*Rinorea endotricha* Sandwith; VIOLACEAE; Guyana (M)
 →*Rinorea flavescens* (Aublet) Kuntze; VIOLACEAE; Guyana (M)
 →*Rinorea lindeniana* (Tulasne) Kuntze; VIOLACEAE; Guyana (M)
 →*Rinorea pubiflora* (Benth.) Sprague & Sandwith; VIOLACEAE; Guyana (M)
 →*Rinorea riana* (DC.) Kuntze; VIOLACEAE; Guyana (M)
Shipuradai →*Centrolobium paraense* Tulasne; LEGUMINOSAE-PAP.; Guyana (W)
Shiraballi →*Bixa orellana* L.; BIXACEAE; Surinam (Ar); syn. *B. americana* Poiret
Shirabuliballi (-kibele koeberoebana)
 →*Sloanea amplifrons* Johnston; ELAEOCARPACEAE; Surinam (Ar); use *S. grandiflora* Smith; syn. *S. dentata* L.
 →*Sloanea grandiflora* Smith; ELAEOCARPACEAE; Surinam (Ar); syn. *S. amplifrons* Johnston; syn. *S. dentata* L.
Shirabuliballi (sieraboliballi) →*Sloanea guianensis* Benth.; ELAEOCARPACEAE; Surinam (Ar)

Shirabuliballi (sierabolieballi) →*Sloanea obtusa* K.Schumann; ELAEOCARPACEAE; Surinam (Ar)
 →*Sloanea robusta* Uittien; ELAEOCARPACEAE; Surinam (Ar)
Shirada (-waikey) →*Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar)
Shiraip →*Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; Guyana (W)
Shirik →*Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Guyana (M); syn. *R. broadwayi* R.E.Fries
Shirima →*Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (M); syn. *Simarouba amara* Aublet var. *typica* Cronquist
Shirimai →*Newtonia suaveolens* (Miquel) Brenan; LEGUMINOSAE-MIM.; Guyana (Ak); syn. *Piptadenia suaveolens* Miquel
Shirint →*Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (W)
Shiritikan →*Aspidosperma vargasii* A.DC.; APOCYNACEAE; Guyana (M)
Shirua →*Nectandra ambigua* Meisner; LAURACEAE; Guyana (Ar)
 →*Nectandra cuspidata* (C.Martius ex Nees) Nees; LAURACEAE; Guyana (Ar)
 →*Nectandra guianensis* Meisner; LAURACEAE; Guyana (Ar); use *N. sanguinea* Rolander ex Rottb.
 →*Nectandra lucida* Nees; LAURACEAE; Guyana (Ar)
 →*Nectandra pisi* Miquel; LAURACEAE; Guyana (Ar)
 →*Nectandra sanguinea* Rolander ex Rottb.; LAURACEAE; Guyana (Ar); syn. *N. guianensis* Meisner
 →*Nectandra surinamensis* Mez; LAURACEAE; Guyana (Ar)
Shiruaballi →*Ocotea globifera* Mez; LAURACEAE; Surinam (Ar)
 →*Ocotea guianensis* Aublet; LAURACEAE; Surinam (Ar)
Shiruaballi (kharemeroe-) →*Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
Shiruaballi, hariraro →*Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Surinam (Ar)
Shiruaballi, kurero →*Aniba hypoglauca* Sandwith; LAURACEAE; Surinam (Ar); syn. *A. ovalifolia* Kosterm. non Mez
Shiwishiwi →*Bromelia karatas* L.; BROMELIACEAE; Surinam (Ar)
Shuin →*Pouteria venosa* (C.Martius) Baehni; SAPOTACEAE; Guyana (W); syn. *Lucuma*
Sibadan (sibidan) →*Pogonophora schomburgkiana* Miers ex Benth.;

EUPHORBIACEAE; Surinam (Ar)

Sibadan(ni) → *Aspidosperma woodsonianum* Markgraf; APOCYNACEAE; Surinam (Ar)

Sibaldan → *Tapura capitulifera* Baillon; DICHAPETALACEAE; Surinam (Ar)

Sibaldan (-oenabokalidikoro) → *Tapura guianensis* Aublet; DICHAPETALACEAE; Surinam (Ar)

Sibidan (sibadan) → *Pogonophora schomburgkiana* Miers ex Benth.; EUPHORBIACEAE; Surinam (Ar)

Sibisibi → *Hevea brasiliensis* (Willd. ex A.Jussieu) Müll.Arg.; EUPHORBIACEAE; Guyana (Ak); syn. *Siphonia brasiliensis* Willd. ex A.Jussieu

→ *Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Ak); var. *coriacea* Ducke; syn. *H. confusa* Hemsley

Siborodorokon → *Coccocypselum guianense* (Aublet) K.Schumann; RUBIACEAE; Surinam (Ar)

Siemaroepa (sjiemaroepa) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Cr); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Siemorowi → *Mouriria sagotiana* Triana; MELASTOMATACEAE; Surinam (Ar)

Sien sien → *Mimosa pudica* L.; LEGUMINOSAE-MIM.; Surinam (Cr)

Siendjaplé → *Lonchocarpus hedyosmus* Miquel; LEGUMINOSAE-PAP.; Surinam

Sienga bosoe → *Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Surinam (Au)

Siengdia apeto → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *D. paraensis* Benth.

Siengdja peto (-speto) → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *D. paraensis* Benth.

Siengiehoedoe → *Duroia eriopila* L.f.; RUBIACEAE; Surinam (Cr)

Siengri kwarie → *Erismia uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig

Sienja pretoe → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Sa); syn. *D. paraensis* Benth.

Sienjahoedoe → *Chimarrhis turbinata* DC.; RUBIACEAE; Surinam (Cr)

Sienjahoedoe, marmados → *Duroia aquatica* (Aublet) Bremek.; RUBIACEAE; Surinam (Cr)

Sienkwatta → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Sa); syn. *Eschweilera corrugata* (Poiteau) Miers

Sienson → *Bombax crassum* Uittien; BOMBACACEAE; Surinam (Cr)

→ *Bombax surinamensis* Uittien; BOMBACACEAE; Surinam (Cr)

Sienson → *Bombax flaviflorum* Pulle; BOMBACACEAE; Surinam (Cr)

Sienson (-wekelau-manloeloe) → *Bombax globosum* Aublet; BOMBACACEAE; Surinam (Cr)

Siepio → *Protium octandrum* Swart; BURSERACEAE; Caribbean

Sieraboeliballi → *Sloanea robusta* Uittien; ELAEOCARPACEAE; Surinam (Ar)

Sieraboeloballi → *Sloanea eichleri* K.Schumann; ELAEOCARPACEAE; Surinam (Ar)

Sieraboeloballi (sieraboeliballi) → *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Surinam (Ar)

Sierabolieballi (shirabuliballi) → *Sloanea guianensis* Benth.; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea obtusa* K.Schumann; ELAEOCARPACEAE; Surinam (Ar)

→ *Sloanea robusta* Uittien; ELAEOCARPACEAE; Surinam (Ar)

Sierada → *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar)

Sierietjo → *Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Caribbean; syn. *Sweetia nitens* (Vogel) Benth.

→ *Pacourina edulis* Aublet; ASTERACEAE; Caribbean

Sieroeaballi → *Acroclidium aubletii* Kosterm.; LAURACEAE; Surinam (Ar); use *Licaria*

Sieroeaballi (-kjanarie, -tataroe) → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Sierwaballi tataro → *Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Ar)

Siete cueros → *Phyllanthus nobilis* (L.f.) Müll.Arg.; EUPHORBIACEAE; Puerto Rico

Sietjoebie → *Monstera pertusa* (L.) de Vriese; ARACEAE; Caribbean

Siewa arna → *Protium heptaphyllum* (Aublet) Marchand; BURSERACEAE; Caribbean

Siferoe adda → *Aspidosperma desmanthum* Benth. ex Müll.Arg.; APOCYNACEAE; Surinam (Ar)

Sigua blanco → *Nectandra* sp.; LAURACEAE; Dominican Republic

→ *Phoebe ambigens* Blake; LAURACEAE; Dominican Republic

Sikarik → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Guyana (An)

Siki sikidan → *Borreria capitata* (Ruiz & Pavón) DC.; RUBIACEAE; Surinam (Ar)

→ *Borreria latifolia* (Aublet) K.Schumann; RUBIACEAE; Surinam (Ar)

→ *Diodia ocimifolia* (Willd.) Bremek.; RUBIACEAE; Surinam (Ar)

Siki sikidan (-kaboeji dikoro) → *Emilia sonchifolia* (L.) DC.; ASTERACEAE; Surinam (Ar)

Siki sikidan (-koloekondo) → *Borreria verticillata* (Willd.) G.Meyer; RUBIACEAE; Surinam (Ar)

Sikki sikkidan oenilefoe → *Diodia hyssopifolia* (Kunth) C. & S.; RUBIACEAE; Surinam (Ar)

Silir silir lioeti → *Aeschynomene paniculata* Willd.; LEGUMINOSAE-PAP.; Surinam (Ar)

Silk → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Surinam (Cr); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Silk cotton tree → *Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Guyana (Cr); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.

Silverballi → *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Cr); syn. *O. schomburgkiana* (Nees) Mez

Silverballi, bastard → *Endlicheria multiflora* (Miquel) Mez; LAURACEAE; Guyana (Cr)

Silverballi, broad-leaved → *Nectandra* sp.; LAURACEAE; Guyana (Cr)

Silverballi, brown → *Cordia alliodora* (Ruiz & Pavón) Oken; BORAGINACEAE; Surinam (Cr)
→ *Cordia trichotoma* (Vell.) Arráb. ex Steudel; BORAGINACEAE; Guyana (Cr)
→ *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
→ *Ocotea* sp.; LAURACEAE; Guyana (Cr)

Silverballi, dolly-pear → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Guyana (Cr); syn. *O. glomerata* (Nees) Benth.

Silverballi, gele (bastard, kurero-, yellow-) → *Aniba hypoglaucula* Sandwith; LAURACEAE; Surinam (Cr, Du); syn. *A. ovalifolia* Kosterm. non Mez

Silverballi, kurahara → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Cr); syn. *O. glomerata* (Nees) Benth.

Silverballi, pear-leaf → *Ocotea acutangula* (Miquel) Mez; LAURACEAE; Surinam (Cr)

Silverballi, sawari-skin → *Nectandra* sp.; LAURACEAE; Guyana (Cr)
→ *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Cr)

Silverballi, water → *Endlicheria* sp.; LAURACEAE; Guyana (Cr)

Silverballi, white → *Nectandra* sp.; LAURACEAE; Guyana (Cr)
→ *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Cr)

Silverballi, yellow → *Licaria* sp.; LAURACEAE; Guyana (Cr); syn. *Acroclidium* sp.
→ *Nectandra* sp.; LAURACEAE; Guyana (Cr)
→ *Ocotea rhynchophylla* Mez; LAURACEAE; Guyana (Cr)

Silvicensie wiwirie → *Peperomia rotundifolia* (L.) Kunth; PIPERACEAE; Surinam (Cr); var. *obcordata* (Miquel) Dahlstedt

Simana → *Catostemma alstonii* Sandwith; BOMBACACEAE; Guyana (Ak)
→ *Catostemma commune* Sandwith; BOMBACACEAE; Guyana (Ak)
→ *Catostemma fragrans* Benth.; BOMBACACEAE; Guyana (Ak)

Simaroepa (simarupa, simarouba) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Simarouba (simarupa, simaroepa) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Simarouba, faux → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; French Guiana; syn. *Bignonia copaia* Aublet

Simaruba → *Simaruba amara* Aublet; SIMAROUBACEAE; Surinam (Ar); use *Quassia amara* L. ex Blom; syn. *Simarouba amara* Aublet

Simarupa → *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (Ar); syn. *Simarouba amara* Aublet var. *typica* Cronquist
→ *Simarouba amara* Aublet var. *typica* Cronquist; SIMAROUBACEAE; Guyana (Ar); use *Quassia simarouba* L.f.

Simarupa (simaroepa, simarouba) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Ar); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Simere → *Quassia simarouba* L.f.; SIMAROUBACEAE; Guyana (W); syn. *Simarouba amara* Aublet var. *typica* Cronquist

Simia chimi → *Terminalia dichotoma* G.Meyer; COMBRETACEAE; Guyana (Ak)

Simio → *Anemopaegma parkeri* Sprague; BIGNONIACEAE; Caribbean
→ *Drejera boliviensis* Nees; ACANTHACEAE; Caribbean

Simira → *Psychotria* sp.; RUBIACEAE; French Guiana

Simiri → *Hymenaea davisii* Sandwith; LEGUMINOSAE-CAES.; Surinam (Ar); use *H. oblongifolia* Huber var. *davisii* (Sandwith) Lee & Langenh.
→ *Hymenaea oblongifolia* Huber; LEGUMINOSAE-CAES.; Surinam (Ar); var. *davisii* (Sandwith) Lee & Langenh.; syn. *H. davisii* Sandwith

Simiri (-locust) → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Simirirang → *Peltogyne paniculata* Benth.;

- LEGUMINOSAE-CAES.; Caribbean; ssp. pubescens (Benth.) M.F.Silva; syn. *P. pubescens* Benth.
→*Peltogyne venosa* (Vahl) Benth.;
- LEGUMINOSAE-CAES.; Caribbean; ssp. densiflora (Spruce ex Benth.) M.F.Silva
- Simitho (simitu)** →*Passiflora laurifolia* L.; PASSIFLORACEAE; Surinam (Ar)
- Simitu (simitho)** →*Passiflora laurifolia* L.; PASSIFLORACEAE; Surinam (Ar)
- Simo sisi** →*Heteropsis jenmanii* Oliver; ARACEAE; Caribbean
- Simopere** →*Mendoncia aspera* Ruiz & Pavón; ACANTHACEAE; Caribbean
- Simorowiballi** →*Eugenia coffeifolia* DC.; MYRTACEAE; Surinam (Ar)
- Simosjiesie** →*Heteropsis jenmanii* Oliver; ARACEAE; Caribbean
- Sinaso** →*Pithecellobium* sp.; LEGUMINOSAE-MIM.; Dominican Republic
- Sinayariku** →*Banisteria elegans* (Triana & Planchon) Sandwith; MALPIGHIACEAE; Surinam (Ar); ssp. *cordata* (Niedenzu) Sandwith var. *pulcherrima* Sandwith; use *Banisteriopsis pulcherrima* (Sandwith) B.Gates
→*Banisteriopsis pulcherrima* (Sandwith) B.Gates; MALPIGHIACEAE; Surinam (Ar); syn. *Banisteria elegans* (Triana & Planchon) Sandwith ssp. *cordata* (Niedenzu) Sandwith var. *pulcherrima* Sandwith
- Sindjaplé** →*Lonchocarpus hedyosmus* Miquel; LEGUMINOSAE-PAP.; Surinam
- Singri kwarie (sengrie-, siengri-)** →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Cr); syn. *E. pulverulentum* Poeppig
- Sinjahoedoe** →*Chimarrhis turbinata* DC.; RUBIACEAE; Surinam (Cr)
- Sinjahoedoe, marmados** →*Duroia aquatica* (Aublet) Bremek.; RUBIACEAE; Surinam (Cr)
- Sinjapetoe** →*Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Bn); syn. *D. paraensis* Benth.
- Sio** →*Tabebuia stenocalyx* Sprague & Stapf; BIGNONIACEAE; Guyana (W)
- Sipio** →*Protium heptaphyllum* (Aublet) Marchand; BURSERACEAE; Caribbean
- Sipio(li)** →*Trattinickia* sp.; BURSERACEAE; Surinam
- Sipiri** →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana (An); syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
- Sipiroe** →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Caribbean; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
- Sipiropipo** →*Aniba hostmanniana* (Nees) Mez; LAURACEAE; Caribbean
- Sipoeloejoeroe maladi** →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma
- Sipoeroelan** →*Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Caribbean
- Sipoeroeni** →*Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam
→*Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam
- Sipu** →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Caribbean; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.
- Sirada (-waikey)** →*Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar)
- Sirada djamaro** →*Matayba miquelii* Uittien; SAPINDACEAE; Surinam (Ar)
- Siri katoen** →*Gossypium barbadense* L.; MALVACEAE; Surinam (Cr)
- Siribidanni** →*Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Guyana
- Siriki** →*Guazuma tomentosa* Kunth; STERCULIACEAE; Guyana (M); use *G. ulmifolia* Lam.; syn. *Theobroma guazuma* L.
→*Guazuma ulmifolia* Lam.; STERCULIACEAE; Guyana (M); syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.
→*Theobroma guazuma* L.; STERCULIACEAE; Guyana (M); use *Guazuma ulmifolia* Lam.; syn. *G. tomentosa* Kunth
- Sirioeaballi** →*Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Surinam (Ar)
- Siritio** →*Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Caribbean; syn. *Sweetia nitens* (Vogel) Benth.
- Siritjo** →*Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Caribbean; syn. *Sweetia nitens* (Vogel) Benth.
- Siritjo kajoea** →*Hibiscus furcellatus* Desr.; MALVACEAE; Caribbean; var. *afurva* Uittien
- Siritjolang** →*Lonchocarpus pterocarpus* DC.; LEGUMINOSAE-PAP.; Caribbean; syn. *Muelleria moniliformis* L.f.
→*Muelleria moniliformis* L.f.; LEGUMINOSAE-PAP.; Caribbean; use *Lonchocarpus pterocarpus* DC. ?
- Sirkir** →*Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Guyana (W); var. *acaciaefolium*
→*Macrolobium multijugum* (DC.) Benth.; LEGUMINOSAE-CAES.; Guyana (W)
- Siroeaballi** →*Mezilaurus navalium* Taubert; LAURACEAE; Surinam (Ar); syn. *Sylvia navalium* Benth.
→*Nectandra* sp.; LAURACEAE; Surinam (Ar)
→*Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Ar); syn. *O. glomerata* (Nees) Benth.

→*Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Cr); syn. *O. schomburgkiana* (Nees) Mez
→*Sylvia navalium* Benth.; LAURACEAE; Surinam (Ar); use *Mezilaurus navalium* Taubert
Siroeaballi (-kharemeroe, -ojokto) →*Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Ar)
Siroeaballi (-tataroe, -tjanara, -kjanarie)
→*Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
Siroeaballi (siruballi) tataro →*Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Ar)
Siroeaballi fediedan (-foelidan) →*Oxandra asbeckii* (Pulle) R.E.Fries; ANNONACEAE; Surinam (Ar)
Siroeaballi hehoro (-tetero) →*Aniba taubertiana* Mez; LAURACEAE; Surinam (Ar)
Siroeaballi ibikoro tataro →*Ocotea* sp.; LAURACEAE; Surinam (Ar)
Siroeaballi karowatsiamaro (-ojotak) →*Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium martinianum* Mez
Siroeaballi kheretie diamaro →*Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Surinam (Ar)
Siroeaballi kheretie wadili diamaro →*Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Ar)
Siroeaballi ojotak (-karowatsiamaro) →*Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium martinianum* Mez
Siroeaballi tetero →*Aniba taubertiana* Mez; LAURACEAE; Surinam (Ar)
Siroewaballi →*Licaria* sp.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium aubletii* Kosterm.
→*Nectandra* sp.; LAURACEAE; Surinam (Ar)
Siroewaballi ibiberoe →*Acrodiclidium guianense* Nees; LAURACEAE; Surinam (Ar); use *Licaria guianensis* Aublet
→*Licaria guianensis* Aublet; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium guianense* Nees
Siroewaballi ibiberoe hororodikoro →*Licaria rigida* Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium rigidum* Kosterm.
Siroewaballi kereti djamara →*Ocotea globifera* Mez; LAURACEAE; Surinam (Ar)
→*Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Ar); syn. *O. glomerata* (Nees) Benth.
Siroewaballi oenilebobandokoro →*Endlicheria multiflora* (Miquel) Mez; LAURACEAE; Surinam (Ar)
Sirowa →*Mezilaurus itauba* (Meisner) Taubert ex Mez; LAURACEAE; Surinam (Ar)
Sirowaballi →*Ocotea globifera* Mez; LAURACEAE; Surinam (Ar)
Siruaballi (siroeaballi) →*Endlicheria endlicheriopsis* (Mez) Kosterm.; LAURACEAE; Surinam (Ar)
Siruaballi (siroeaballi) tetero →*Aniba taubertiana* Mez; LAURACEAE; Surinam (Ar)
Sisibie wiwirie, sabana →*Sida rhombifolia* L. var. *surinamensis* K.Schumann; MALVACEAE; Surinam (Cr)
Siwaarwah ajawa →*Trattinickia* sp.; BURSERACEAE; Surinam
Siwaroewa →*Guarea guidonia* (L.) Sleumer; MELIACEAE; Surinam; syn. *G. guara* (Jacq.) Paul G.Wilson; syn. *G. trichilioides* L.
Sjaroen →*Senna bacillaris* (L.f.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam; syn. *Cassia fruticosa* Miller
Sjiemaroepa (siemaroepa) →*Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Cr); syn. *Simarouba amara* Aublet; syn. *Simarouba amara* Aublet
Sjimio →*Cydista aequinoctialis* (L.) Miers; BIGNONIACEAE; Caribbean
→*Passiflora misera* Kunth; PASSIFLORACEAE; Caribbean
Sjimio sisi →*Heteropsis jenmanii* Oliver; ARACEAE; Caribbean
Sjing-sjing, water →*Aeschynomene sensitiva* Swartz; LEGUMINOSAE-PAP.; Surinam (Cr)
Sjoewinani (soeinjani, sjoewinjani) →*Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Caribbean
→*Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Caribbean
→*Vismia macrophylla* Kunth; GUTTIFERAE; Caribbean; syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth
Sjoewinjani (sjoewinani, soeinjani) →*Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Caribbean
Sjoro wallaba →*Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Ar); var. *grandiflora* Pulle
Skijntotto →*Stemmadenia grandiflora* (Jacq.) Miers; APOCYNACEAE; Surinam (Du); syn. *Tabernaemontana grandiflora* Jacq.
→*Tabernaemontana grandiflora* Jacq.; APOCYNACEAE; Surinam (Du); use *Stemmadenia grandiflora* (Jacq.) Miers
Skorowararin →*Randia armata* (Swartz) DC.; RUBIACEAE; Guyana (W); syn. *Basanacantha spinosa* (Jacq.) K.Schumann
Slabriki →*Cassia alata* L.; LEGUMINOSAE-CAES.; Surinam
→*Cassia reticulata* Willd.; LEGUMINOSAE-CAES.; Surinam
→*Chamaesenna reticulata* (Willd.) Pittier; LEGUMINOSAE-CAES.; Surinam

Slangenhout → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Slangenhout (bastard-) → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Du)

Slangenhout, Braziliaans → *Myrocarpus frondosus* Allemao; LEGUMINOSAE-PAP.; Surinam (Du)

Slanghoedoe → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Smeri wiwirie → *Croton miquelianus* Ferguson; EUPHORBIACEAE; Surinam (Cr)
→ *Ocimum micranthum* Willd.; LAMIACEAE; Surinam (Cr)

Smooth snake bark → *Colubrina reclinata* (L'Héritier) Brongn.; RHAMNACEAE; Puerto Rico

Smooth-leaf kakaralli → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Guyana (Ar); syn. *E. odora* (Poeppig) Miers
→ *Eschweilera decolorans* Sandwith; LECYTHIDACEAE; Guyana (Ar)
→ *Eschweilera odora* (Poeppig) Miers; LECYTHIDACEAE; Guyana (Ar); use *E. coriacea* (A.DC.) C.Martius ex O.Berg

Smooth-leaf maho → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; Guyana (Cr)

Smooth-leaf wadara → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Cr); syn. *C. fagifolia* (Miquel) Eyma

Snake bark → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico

Snake bark, smooth → *Colubrina reclinata* (L'Héritier) Brongn.; RHAMNACEAE; Puerto Rico

Snake nut → *Ophiocaryon paradoxum* Schomb.; SABIACEAE; Guyana (Cr)

Snakewood → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
→ *Brosimum rubescens* Taubert; MORACEAE; Surinam (Cr); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
→ *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Cr)
→ *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Sneeuw-wit → *Breynia nivosa* (W.G.Smith) Small; EUPHORBIACEAE; Surinam (Du)

Snek'oedoe → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Cr)

Sneki wiwirie → *Eryngium foetidum* L.; APIACEAE; Surinam (Cr)

Snekie bita → *Elephantopus carolinianus* Willd.; ASTERACEAE; Surinam (Cr)
→ *Elephantopus mollis* Kunth; ASTERACEAE; Surinam (Cr); syn. *E. tomentosus* L.
→ *Elephantopus tomentosus* L.; ASTERACEAE; Surinam (Cr); use *E. mollis* Kunth

Snekie bita (seneki-) → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma

Snekie markoesa → *Passiflora coccinea* Aublet; PASSIFLORACEAE; Surinam (Cr)
→ *Passiflora foetida* L.; PASSIFLORACEAE; Surinam (Cr); var. *hispida* (DC.) Killip ex Gleason

Snekiehoedoe → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam (Cr)
→ *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Snijgras → *Paspalum virgatum* L.; POACEAE; Surinam (Du)

Snoï → *Hibiscus bifurcatus* Cav.; MALVACEAE; Caribbean

Soap tree → *Colubrina ferruginosa* Brongn.; RHAMNACEAE; Puerto Rico

Soapwood → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *Abarema jupunba* (Willd.) Britton & Killip

Sobolero → *Solanum juripeba* Rich.; SOLANACEAE; Surinam (Ar)
→ *Solanum paludosum* Moricand; SOLANACEAE; Surinam (Ar)
→ *Solanum rubigonosum* Vahl; SOLANACEAE; Surinam (Ar)

Soboleroballi → *Trichilia micrantha* Benth.; MELIACEAE; Surinam (Ar); syn. *T. roraimana* C.DC.
→ *Trichilia roraimana* C.DC.; MELIACEAE; Surinam (Ar); use *T. micrantha* Benth.

Sodimè (sondimè, sondemé) → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)

Soearie (souari) → *Caryocar nuciferum* L.; CARYOCARACEAE; Caribbean

Soebroë djarsa → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Caribbean

Soeijnani (sjoewijnani, sjoewinani) → *Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Caribbean

Soekerdjap → *Connarus coriaceus* Schellenb.; CONNARACEAE; Surinam (Cr)

Soekioë kasa → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Surinam

Soekroehoeoe → *Antonia ovata* Pohl;

ANTONIACEAE; Surinam (Cr); syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae

Soela gujave → *Psidium guianense* Swartz; MYRTACEAE; Surinam (Du); syn. *P. benthamianum* O.Berg

Soeladan (soeradan, sorrodan) → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Surinam (Ar); syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Soemaroeba (soemaroepa) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Cr); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Soemaroepa (soemaroeba) → *Quassia amara* L. ex Blom; SIMAROUBACEAE; Surinam (Cr); syn. *Simarouba amara* Aublet; syn. *Simaruba amara* Aublet

Soematalan → *Phaseolus campestris* Martius ex Benth.; LEGUMINOSAE-PAP.; Caribbean

Soepoepe → *Talisia hemidasia* Radlk.; SAPINDACEAE; Caribbean

Soepronie → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam

→ *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam

Soeradan (suradan, sorrodan) → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Surinam (Ar); syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Soeroema imbaliloiré → *Licania robusta* Sagot; CHRYSOBALANACEAE; Caribbean

Soeroen die moondi → *Crateva tapia* L.; CAPPARACEAE; Surinam

Soerorme umbakeloiré → *Licania* sp.; CHRYSOBALANACEAE; Surinam

Soersaka, boesi → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Cr)

Soewana → *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

Soewinjani, tamoené (tapirin-, wakare-) → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Caribbean

Soft kereti → *Ocotea oblonga* (Meisner) Mez; LAURACEAE; Surinam (Cr)

Soft wallaba → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Guyana (Cr)

Sohodéwè → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)

Sokjabé tamoéné → *Calycolpus revolutus* (Schauer) O.Berg; MYRTACEAE; Caribbean; syn. *C. chnoiophyllus* Riley; syn. *C. pyrifer* Riley

Sokko-sokko → *Tabernaemontana aubletii* Pulle; APOCYNACEAE; Surinam (Cr)

→ *Tabernaemontana pauciflora* Blume; APOCYNACEAE; Surinam (Ar); syn. *Macoubea*

guianensis Aublet

Soko soko (sokko-sokko) → *Tabernaemontana pauciflora* Blume; APOCYNACEAE; Surinam (Ar); syn. *Macoubea guianensis* Aublet

Soko-ibina → *Homalium guianense* (Aublet) Warburg; FLACOURTIACEAE; Surinam (Ar)

Sokoné (-firoberoe, -koereroe) → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Ar); syn. *H. poeppigiana* (C.Martius) Trécul

Sokoné biberoe → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Ar); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Sokoné firiberoe → *Naucleopsis guianensis* (Mildbr.) C.C.Berg; MORACEAE; Surinam (Ar); syn. *Ogcodeia guianensis* Mildbr.

→ *Ogcodeia guianensis* Mildbr.; MORACEAE; Surinam (Ar); use *Naucleopsis guianensis* (Mildbr.) C.C.Berg

Sokoné ibiberoe → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam (Ar); syn. *H. poeppigiana* (C.Martius) Trécul

→ *Pseudolmedia laevis* (Ruiz & Pavón) Macbr.; MORACEAE; Surinam (Ar); syn. *P. sagotii* Benoist

→ *Pseudolmedia sagotii* Benoist; MORACEAE; Surinam (Ar); use *P. laevis* (Ruiz & Pavón) Macbr.

Sokoné probero → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Surinam (Ar)

Sokoné(-balli) → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Ar); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Sokonéballi djamaro → *Perebea laurifolia* Trécul; MORACEAE; Surinam (Ar)

Sokonéballi wabo → *Trymatococcus paraensis* Ducke; MORACEAE; Surinam (Ar)

Soldatenthee → *Lantana camara* L.; VERBENACEAE; Surinam (Du)

→ *Waltheria americana* L.; STERCULIACEAE; Surinam (Du); syn. *W. indica* L.

→ *Waltheria indica* L.; STERCULIACEAE; Surinam (Du); use *W. americana* L.

Soldier's cap → *Cephaelis barcellana* (Müll.Arg.) Standley; RUBIACEAE; Guyana (Cr); use *Psychotria poeppigiana* Müll.Arg. ssp. *barcellana* (Müll.Arg.) Steyerm.

→ *Cephaelis tomentosa* (Aublet) Vahl; RUBIACEAE; Guyana (Cr); use *Psychotria poeppigiana* Muell.Arg. ssp. *poeppigiana*

→ *Psychotria poeppigiana* Müll.Arg.; RUBIACEAE; Guyana (Cr); ssp. *barcellana* (Müll.Arg.) Steyerm.; syn. *Cephaelis barcellana* (Müll.Arg.) Standley

→ *Psychotria poeppigiana* Müll.Arg. ssp.

poeppigiana; RUBIACEAE; Guyana (Cr); syn. *Cephaelis tomentosa* (Aublet) Vahl
Soldier's wip → *Croton* sp.; EUPHORBIACEAE; Virgin Islands
Solosolo-bakkelotje → *Licania robusta* Sagot; CHRYSOBALANACEAE; Surinam (Du)
Sonabonaroeballi → *Anthurium scandens* (Aublet) Engl.; ARACEAE; Surinam (Ar)
Sonbogienhatti → *Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam; syn. *Sweetia nitens* (Vogel) Benth.
Sondemé (sodimè, sondimè) → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)
Sondimè (sodimè, sondemé) → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)
Sopaipo → *Sarcomphalus domingensis* Krug & Urban; RHAMNACEAE; Dominican Republic
Sopo sirie → *Sapindus microcarpa* Radlk.; SAPINDACEAE; Surinam (Cr); use *S. saponaria* L.
 → *Sapindus saponaria* L.; SAPINDACEAE; Surinam (Cr); syn. *S. microcarpa* Radlk.
Sopo, ingi → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Abarema jupunba* (Willd.) Britton & Killip
Sopohoedoe → *Endlicheria multiflora* (Miquel) Mez; LAURACEAE; Surinam (Cr)
Sopohoedoe (ruwe-) → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Cr); syn. *C. riparium* A.C.Smith
Sopohoedoe, fijnbladige → *Pithecellobium jupunba* (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Du); syn. *Abarema jupunba* (Willd.) Britton & Killip
Sopohoedoe, gladde → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Surinam (Du)
Sopronie → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam
 → *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam
Soribibidan → *Palicourea* sp.; RUBIACEAE; Surinam (Ar)
Soro salie → *Trichilia surinamensis* (Miquel) C.DC.; MELIACEAE; Surinam (Du)
Soro soro → *Cecropia juranyiana* V.A.Richter; MORACEAE; Caribbean; use *C. sciadophylla* C.Martius var. *decurrens* Snethl.
 → *Cecropia sciadophylla* C.Martius; MORACEAE; Caribbean; var. *decurrens* Snethl.; syn. *C. juranyiana* V.A.Richter
Soro unbahaboire → *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Caribbean
Soroma (-oembakokoloire) → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Caribbean
Soroporo → *Passiflora laurifolia* L.; PASSIFLORACEAE; Caribbean
Sororo (-borieng) → *Pouteria* sp.; SAPOTACEAE; Guyana; syn. *Lucuma* sp.
Sorosaka → *Annona muricata* L.; ANNONACEAE; Surinam (Ar)
Sorosali → *Trichilia micrantha* Benth.; MELIACEAE; Surinam (Du); syn. *T. roraimana* C.DC.
Sorosoro (-oembakoloire, -umbakaloire) → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Caribbean
Sorrodan (soeradan, suradan) → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Surinam (Ar); syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.
Souari (soearie) → *Caryocar nuciferum* L.; CARYOCARACEAE; Caribbean
Soursakka, bousi → *Apeiba glabra* Aublet; TILIACEAE; Surinam (Cr)
Soursakki, bousi → *Annona glabra* L.; ANNONACEAE; Surinam (Cr); syn. *A. palustris* L.
Soursop, mountain → *Annona montana* Macfarlane; ANNONACEAE; Guyana (Cr)
Soursop, wild → *Annona muricata* L.; ANNONACEAE; Guyana (Cr)
Southern leatherwood → *Cyrilla racemiflora* L.; CYRILLACEAE; Puerto Rico; syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown
Soutoe koepèpè → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Surinam (Sa)
Souwtmetiehoedoe → *Maytenus myrsinoides* Reissek; CELASTRACEAE; Surinam (Cr)
Spanish cedar (red-) → *Cedrela odorata* L.; MELIACEAE; Guyana (Cr); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer
Spanish elm → *Cordia trichotoma* (Vell.) Arráb. ex Steudel; BORAGINACEAE; British West Indies
Spanish jasmine → *Plumeria* sp.; APOCYNACEAE; British West Indies
Spanish moss → *Tillandsia usneoides* (L.) L.; BROMELIACEAE; Surinam (Cr)
Spanish plum → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
Speckledwood → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke
Speldeknop, boesi → *Nepsera aquatica* (Aublet) Naudin; MELASTOMATACEAE; Surinam (Cr)
Speldeknop, savanne → *Panicum polycomum* Trinius; POACEAE; Surinam (Du)
Speldekop → *Panicum trichoides* Swartz; POACEAE; Surinam (Du)
Speldekussens → *Paepalanthus congestus* (Kunth) Kunth; ERIOCAULACEAE; Surinam (Du)
Spicewood → *Ocotea* sp.; LAURACEAE; British

West Indies

Spijkerhout → *Mouriria acutiflora* Naudin; MELASTOMATACEAE; Surinam (Du)
→ *Mouriria anomala* Pulle; MELASTOMATACEAE; Surinam (Du); use *M. plasschaertii* Pulle
→ *Mouriria crassifolia* Sagot; MELASTOMATACEAE; Surinam (Du)
→ *Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Surinam (Du); syn. *M. princeps* Naudin
→ *Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Surinam (Du); syn. *M. anomala* Pulle
→ *Mouriria sagotiana* Triana; MELASTOMATACEAE; Surinam (Du)
Spikriehoedoe → *Mouriria sagotiana* Triana; MELASTOMATACEAE; Surinam (Cr)
Spikrietiekie → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Surinam (Cr)
Spikrihoedoe → *Mouriria acutiflora* Naudin; MELASTOMATACEAE; Surinam (Cr)
→ *Mouriria crassifolia* Sagot; MELASTOMATACEAE; Surinam (Cr)
→ *Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Surinam (Cr); syn. *M. princeps* Naudin
→ *Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Surinam (Cr); syn. *M. anomala* Pulle
Spineless acacia → *Senegalia* sp.; LEGUMINOSAE-MIM.; Puerto Rico
Spirit weed → *Aegiphila* sp.; VERBENACEAE; British West Indies
Spiroerian → *Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Caribbean
Sponshout → *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Du)
Sponsoehoedoe → *Licania macrophylla* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
Spook oker → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Cr)
Spookerwten → *Cassia occidentalis* L.; LEGUMINOSAE-CAES.; Surinam (Du)
Spoon tree → *Bourreria* sp.; BORAGINACEAE; Puerto Rico
→ *Cassine* sp.; CELASTRACEAE; Puerto Rico; syn. *Elaeodendron xylocarpum* (Ventenat) DC.
→ *Elaeodendron xylocarpum* (Ventenat) DC.; CELASTRACEAE; Puerto Rico; use *Cassine*
Spotai → *Smilax schomburgkiana* Kunth; SMILACACEAE; Guyana (Ak)
Squarewood → *Discocarpus essequiensis* Klotzsch; EUPHORBIACEAE; Guyana (Cr)
Sranna didon papaja → *Cyperus comosus* Poir.; CYPERACEAE; Surinam (Cr)
Srebebe → *Iryanthera hostmanni* (Benth.)

Warburg; MYRISTICACEAE; Surinam (Cr)
→ *Iryanthera paraensis* Huber; MYRISTICACEAE; Surinam (Cr)
→ *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Surinam (Cr)
Srimapio → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Caribbean
St. Martin rouge → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; French Guiana
Staartgras → *Imperata brassiliensis* Trinius; POACEAE; Surinam (Du)
Star'apra → *Chrysophyllum cainito* L.; SAPOTACEAE; Surinam (Cr)
Stavewood → *Coccoloba* sp.; POLYGONACEAE; British West Indies
→ *Quassia simarouba* L.f.; SIMAROUBACEAE; British West Indies; syn. *Simarouba amara* Aublet var. *typica* Cronquist
Sterappel → *Chrysophyllum cainito* L.; SAPOTACEAE; Surinam (Du)
Stinging bush → *Malpighia* sp.; MALPIGHIACEAE; Puerto Rico
Stink casha → *PoPONAX* sp.; LEGUMINOSAE-MIM.; Puerto Rico
Stinkhout → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Du)
Stinking l'épinet → *Zanthoxylum* sp.; RUTACEAE; Trinidad; syn. *Xanthoxylum* sp.
Stinking toe → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Cr)

Stinkwood → *Ampelocera edentula* Kuhlmann; ULMACEAE; Guyana (Cr)
→ *Goupia glabra* Aublet; CELASTRACEAE; Guyana (Cr); syn. *G. tomentosa* Aublet; sometimes family *Goupiaceae* used
Stockvishout → *Chlorophora tinctoria* (L.) Gaudich.; MORACEAE; Surinam (Du)
Stoelgras → *Paspalum densum* Poir.; POACEAE; Surinam (Du)
Stoeloe-hi-i-kaloetoe → *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)
Stokki → *Capparis cynophallophora* L.; CAPPARACEAE; Dutch West Indies
Stopper → *Eugenia* sp.; MYRTACEAE; British West Indies
Strong back → *Bourreria* sp.; BORAGINACEAE; British West Indies
Strong bark → *Bourreria* sp.; BORAGINACEAE; British West Indies
Struisriet → *Phragmites communis* Trinius; POACEAE; Surinam (Du)
Styver bush → *Adipera* sp.; LEGUMINOSAE-CAES.; Puerto Rico; use *Cassia* sp.
→ *Cassia* sp.; LEGUMINOSAE-CAES.; Puerto Rico; syn. *Adipera* sp.
Suburutin → *Enterolobium schomburgkii* (Benth.)

Benth.; LEGUMINOSAE-MIM.; Guyana (W)
Sucrier des montagnes →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. floribunda (C.Martius) Cuatrec.; syn. H. floribunda C.Martius
→Tetragastris balsamifera (Swartz) Kuntze; BURSERACEAE; French Guiana
Sucupira (sucuripa) →Diploptropis purpurea (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam; syn. D. guianensis (Tulasne) Benth.; syn. Bowdichia guianensis Ducke
Sucuripa (sucupira) →Diploptropis purpurea (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam; syn. D. guianensis (Tulasne) Benth.; syn. Bowdichia guianensis Ducke
Sueparatarie →Pouteria sp.; SAPOTACEAE; Surinam; syn. Lucuma sp.
Suikerhout →Micropholis guianensis (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); syn. Sideroxylon guianensis A.DC.
Suikerriet →Saccharum officinarum L.; POACEAE; Surinam (Du)
Sukune →Helicostylis tomentosa (Poeppig & Endl.) Rusby; MORACEAE; Guyana (Ar); syn. H. poeppigiana (C.Martius) Trécul
Sulparatarie →Pouteria cuspidata (A.DC.) Baehni; SAPOTACEAE; Surinam; ssp. dura (Eyma) T.D.Penn.; syn. P. dura Eyma; syn. Neoxythece dura (Eyma) Aubrév. & Pellegrin; syn. Oxythece dura (Eyma) Gilly; syn. Lucuma
Supeira →Chlorocardium rodiei (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana; syn. Ocotea rodiei (R.H.Schomb.) Mez; syn. Nectandra rodiei R.H.Schomb.
Supple Jack →Combretum laxum Jacq.; COMBRETACEAE; Guyana (Cr); syn. C. jacquinii Griseb.
→Connarus guianensis Lambert; CONNARACEAE; Guyana (Cr); use C. lambertii (DC.) Sagot
→Connarus lambertii (DC.) Sagot; CONNARACEAE; Guyana (Cr); syn. C. guianensis Lambert
→Connarus megacarpus S.F.Blake; CONNARACEAE; Guyana (Cr)
→Rourea frutescens Aublet; CONNARACEAE; Surinam (Cr)
→Rourea ligulata Baker; CONNARACEAE; Surinam (Cr)
→Rourea revoluta Planchon; CONNARACEAE; Surinam (Cr)
→Rourea surinamensis Miquel; CONNARACEAE; Surinam (Cr)
Suradan →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Surinam (Ar); use Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
→Hieronima laxiflora (Tulasne) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); use Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
→Hieronyma laxiflora (Tulasne) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); use Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
→Hieronyma laxiflora (Tulasne) Müll.Arg.; EUPHORBIACEAE; Surinam (Ar); use Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
Suradan (soeradan, sorrodan) →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Surinam (Ar); syn. H. laxiflora (Tulasne) Müll.Arg.; syn. Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
Surdina →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Guyana (Ar); syn. H. laxiflora (Tulasne) Müll.Arg.; syn. Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.
Surette →Byrsonima sp.; MALPIGHIACEAE; French West Indies
Surette de grand bois →Byrsonima crassifolia (L.) Kunth; MALPIGHIACEAE; Trinidad; syn. B. cubensis A.Jussieu
Surinaams ceder →Cedrela odorata L.; MELIACEAE; Surinam (Du); syn. C. guianensis Jussieu; syn. C. mexicana Roemer
Surinaams geelhart →Platonia insignis C.Martius; GUTTIFERAE; Surinam (Du); syn. P. esculenta (Arruda) Rickett & Stafleu
Surinaams groenhart →Tabebuia serratifolia (Vahl) Nicholson; BIGNONIACEAE; Surinam (Du); syn. Tecoma leucoxydon (L.) Martius ex DC.
Surinaams mahonie →Carapa guianensis Aublet; MELIACEAE; Surinam (Du); syn. C. nicaraguensis DC.; syn. C. slateri Standley
Surinaams teakhout →Hymenaea courbaril L.; LEGUMINOSAE-CAES.; Surinam (Du)
Surinaamse kers →Eugenia uniflora L.; MYRTACEAE; Surinam (Du)
Surinaamse postelein →Talinum fruticosum (L.) Jussieu; PORTULACACEAE; Surinam (Du); syn. T. triangulare (Jacq.) Willd.
Surinaamse zuring →Hibiscus sabdariffa L.; MALVACEAE; Surinam (Du)
Surinam bitter →Phyllanthus sp.; EUPHORBIACEAE; Dutch West Indies
Surinam cherry →Eugenia uniflora L.; MYRTACEAE; British West Indies

Suruburuen (surruburuen) →Chrysophyllum argenteum Jacq.; SAPOTACEAE; Surinam (Ar); ssp. auratum (Miquel) T.D.Penn.; syn. C. auratum Miquel; syn. C. sericeum A.DC.

Surukulimukru →Ischnosiphon foliosus Gleason; MARANTACEAE; Surinam (Ar)

Susanna →Citharexylum macrophyllum Poiret; VERBENACEAE; Trinidad

Suwarrow →Caryocar nuciferum L.; CARYOCARACEAE; Guyana (Ar)

Suya →Englerella speciosa (Ducke) Ducke; SAPOTACEAE; Surinam (Cr); use Pouteria speciosa (Ducke) Baehni

→Pouteria speciosa (Ducke) Baehni; SAPOTACEAE; Surinam (Cr); syn. Englerella speciosa (Ducke) Ducke; syn. Lucuma

Swamma →Iryanthera hostmanni (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

→Iryanthera sagotiana (Benth.) Warburg; MYRISTICACEAE; Surinam (Sa)

Swamp baromalli →Catostemma commune Sandwith; BOMBACACEAE; Surinam (Cr)

Swamp corkwood →Pterocarpus officinalis Jacq.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. P. draco L.

Swamp dalli →Virola surinamensis (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Cr); syn. Myristica surinamensis Rolander ex Rottb.

Swamp fukadi (djamaro-) →Terminalia dichotoma G.Meyer; COMBRETACEAE; Guyana (Cr)

Swamp kirikaua →Iryanthera lancifolia Ducke; MYRISTICACEAE; Surinam (Cr)

Swamp mabua (-mabwa) →Sapium sp.; EUPHORBIACEAE; Guyana

Swamp magnolia →Magnolia virginiana L.; MAGNOLIACEAE; Surinam (Cr)

Swamp sassafras →Magnolia virginiana L.; MAGNOLIACEAE; Surinam (Cr)

Swamp(oe) pakoeli(e) →Rheedia acuminata (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Surinam (Cr); syn. R. kappleri Eyma

Swampoe miendjoe →Licania heteromorpha Benth.; CHRYSOBALANACEAE; Surinam (Sa)

Swampoe panta →Tabebuia aquatilis (E.Meyer) Sprague & Sandwith; BIGNONIACEAE; Surinam (Cr)

→Tabebuia insignis (Miquel) Sandwith; BIGNONIACEAE; Surinam (Cr); var. monophylla Sandwith

Swampoe tamaren →Pithecellobium adiantifolium (Kunth) Benth.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. Macrosamanea discolor (Humbert & Bonpl.) Britton & Rose

Sweet myers →Nectandra sp.; LAURACEAE; Trinidad

Sweet pea →Centrosema triquetrum Spruce ex Benth.; LEGUMINOSAE-PAP.; Surinam (Cr)
→Clitoria arborescens R.Brown; LEGUMINOSAE-PAP.; Caribbean

Sweet sage →Lantana camara L.; VERBENACEAE; Guyana (Cr)

Sweet torchwood →Ocotea sp.; LAURACEAE; British West Indies

Sweet watra sara sara wiwirie →Mayaca fluviatilis Aublet; MAYACACEAE; Surinam (Cr)

Sweetheart tree →Talisia elephantipes Sandwith; SAPINDACEAE; Guyana (Cr)

Sweetie →Souroubea guianensis Aublet; MARCGRAVIACEAE; Surinam (Cr)

Sweetwood →Licaria cannella (Meisner) Kosterm.; LAURACEAE; Surinam (Cr); syn. Acrodiclidium cannella (Meisner) Mez; syn. A. cayennensis (Meisner) Mez; syn. Licaria cayennensis (Meisner) Kosterm.

Sweetwood, black (loblolly-) →Ocotea sp.; LAURACEAE; British West Indies

Sweetwood, white →Ocotea canaliculata (Rich.) Mez; LAURACEAE; Surinam (Cr)

Swietenia →Swietenia mahagoni (L.) Jacq.; MELIACEAE; Surinam (Du)

Swietie aneisi wiwirie →Pothomorphe peltata (L.) Miquel; PIPERACEAE; Surinam (Cr); syn. Piper peltatum L.

Swietie boonkie →Inga edulis C.Martius; LEGUMINOSAE-MIM.; Surinam (Cr); syn. I. scabriuscula Benth.

Swietie boontje (-boonkie) →Inga ingoides (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Surinam (Cr, Du)

Swietie merie →Humiria balsamifera (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. guianensis (Benth.) Cuatrec.; syn. H. floribunda C.Martius var. guianensis Urban

Swietie patata →Ipomoea batatas (L.) Poiret; CONVULVULACEAE; Surinam (Cr)

Swietie sopie wiwirie →Merremia dissecta (Jacq.) Hallier f.; CONVULVULACEAE; Surinam (Cr)

Swietie watra mangro →Clusia purpurea (Splitg.) Engl.; GUTTIFERAE; Surinam (Cr)

Swietieboontje →Inga bourgonii (Aublet) DC.; LEGUMINOSAE-MIM.; Surinam (Du)

→Inga capitata Desvoux; LEGUMINOSAE-MIM.; Surinam (Du)

→Inga coriacea (Persoon) Desvoux; LEGUMINOSAE-MIM.; Surinam (Du); use I. sertulifera DC.

→Inga edulis C.Martius; LEGUMINOSAE-MIM.; Surinam (Du); syn. I. scabriuscula Benth.

→Inga edulis C.Martius; LEGUMINOSAE-MIM.; Surinam (Du); syn. I. scabriuscula Benth.

→Inga myriantha Poeppig & Endl.; LEGUMINOSAE-MIM.; Surinam (Du); syn. I.

sciadon Steudel
 →*Inga nobilis* Willd.; LEGUMINOSAE-MIM.; Surinam (Du)
 →*Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Surinam (Du); syn. *I. urnifera* Kleinhoonte
 →*Inga scabriuscula* Benth.; LEGUMINOSAE-MIM.; Surinam (Du); use *I. edulis* C.Martius
 →*Inga sciadon* Steudel; LEGUMINOSAE-MIM.; Surinam (Du); use *I. myriantha* Poeppig & Endl.
 →*Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Surinam (Du); syn. *I. coriacea* (Persoon) Desvoux
 →*Inga splendens* Willd.; LEGUMINOSAE-MIM.; Surinam (Du)
 →*Inga stipularis* DC.; LEGUMINOSAE-MIM.; Surinam (Du)
 →*Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Surinam (Du)
 →*Inga urnifera* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); use *I. pezizifera* Benth.
Swietieboontje (baboen-) →*Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Du)
Swietieboontje, kleinbladig →*Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Du)
 →*Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Du)
Swit'anini →*Ecclinusa sanguinolenta* (Pierre) Aubrév.; SAPOTACEAE; Surinam (Cr); syn. *E. sanguinolenta* (Pierre) Engl. ?; syn. *Chrysophyllum sanguinolentum* (Pierre) Monachino
Swit'bonki →*Inga bourgonii* (Aublet) DC.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga capitata* Desvoux; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I. scabriuscula* Benth.
 →*Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga myriantha* Poeppig & Endl.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I. sciadon* Steudel
 →*Inga nobilis* Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I. urnifera* Kleinhoonte
 →*Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga splendens* Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga stipularis* DC.; LEGUMINOSAE-MIM.; Surinam (Cr)
 →*Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Surinam (Cr)
Swit'bonki (switi boonki) →*Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *I. coriacea* (Persoon) Desvoux
Swit'meri →*Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. *balsamifera*; syn. *H. floribunda* C.Martius
Swizzlestick →*Mabea argutissima* Croizat; EUPHORBIACEAE; Guyana (Cr); use *M. subsessilis* Pax & K.Hoffmann
 →*Mabea caudata* Pax & K.Hoffmann; EUPHORBIACEAE; Guyana (Cr); use *M. speciosa* Müll.Arg.
 →*Mabea ciliata* Gleason; EUPHORBIACEAE; Guyana (Cr)
 →*Mabea schomburgkii* Benth.; EUPHORBIACEAE; Guyana (Cr); use *M. taquari* Aublet
 →*Mabea speciosa* Müll.Arg.; EUPHORBIACEAE; Guyana (Cr); syn. *M. caudata* Pax & K.Hoffmann
 →*Mabea subsessilis* Pax & K.Hoffmann; EUPHORBIACEAE; Guyana (Cr); syn. *M. argutissima* Croizat
 →*Mabea taquari* Aublet; EUPHORBIACEAE; Guyana (Cr); syn. *M. schomburgkii* Benth.
 →*Quararibea guianensis* Aublet; BOMBACACEAE; Puerto Rico
Tabaca →*Samanea saman* (Jacq.) Merrill; LEGUMINOSAE-MIM.; Surinam; syn. *Pithecellobium saman* Benth. & Hook.; syn. *Albizia saman* (Jacq.) Müll.Arg.; syn. *Enterolobium saman* (Jacq.) Prain & King; syn. *Mimosa saman* Jacq.
Tabaiba (tapaiba) →*Plumeria* sp.; APOCYNACEAE; Puerto Rico
Tabakabron →*Croton matourensis* Aublet; EUPHORBIACEAE; Surinam (Du)
Tabara-hui →*Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Guyana (Ak); syn. *T. stevensonii* Standley
Tabari →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma
Tableiba →*Diospyros* sp.; EBENACEAE; Puerto Rico
 →*Plumeria alba* L.; APOCYNACEAE; Puerto Rico
 →*Sapium* sp.; EUPHORBIACEAE; Puerto Rico
Table tree →*Cordia bicolor* A.DC.; BORAGINACEAE; Surinam (Cr)
 →*Cordia exaltata* Lam.; BORAGINACEAE; Guyana (Cr); var. *melanoneura* I.M.Johnston
 →*Cordia fallax* I.M.Johnston; BORAGINACEAE; Surinam (Cr)
 →*Cordia hirta* I.M.Johnston; BORAGINACEAE; Guyana (Cr)
 →*Cordia sericalyx* A.DC.; BORAGINACEAE; Guyana (Cr)

- Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Cr); syn. *C. umbraculifera* DC.
- Tabloncillo** →*Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; Puerto Rico; use *Spondogona* sp.
- Sideroxylon foetidissimum* Jacq.; SAPOTACEAE; Puerto Rico
- Spondogona* sp.; SAPOTACEAE; Puerto Rico; syn. *Dipholis salicifolia* (L.) A.DC.
- Tabonuco** →*Dacryodes excelsa* Vahl; BURSERACEAE; Puerto Rico
- Tacarigue** →*Ochroma lagopus* Swartz; BOMBACACEAE; Caribbean; syn. *O. pyramidale* (Cav. ex Lam.) Urban; syn. *O. bicolor* Rowlee; syn. *O. grandiflora* Rowlee
- Tachuelo** →*Pictetia aculeata* (Vahl) Urban; LEGUMINOSAE-PAP.; Puerto Rico
- Tacke(l)boom** →*Melicoccus bijugatus* Jacq.; SAPINDACEAE; Surinam (Du); syn. *Melicocca bijuga* L.
- Tafelboom** →*Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Du); syn. *C. umbraculifera* DC.
- Tafelboom (bos-, boesi-)** →*Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Du)
- Tafelboom, berg (bos-, boesi-)** →*Cordia panicularis* Rudge; BORAGINACEAE; Surinam (Du)
- Tafetán** →*Palicourea* sp.; RUBIACEAE; Dominican Republic
- Tafraboom** →*Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Cr); syn. *C. umbraculifera* DC.
- Tagahoedoe** →*Quararibea guianensis* Aublet; BOMBACACEAE; Caribbean
- Tahoerewe** →*Rollinia exsucca* (DC. ex Dunal) A.DC.; ANNONACEAE; Caribbean; syn. *R. broadwayi* R.E.Fries
- Taja tatai** →*Curatella americana* L.; DILLENACEAE; Surinam (Sa)
- Tajahoedoe** →*Paypayrola guianensis* Aublet; VIOLACEAE; Surinam (Bn)
- Rudgea cornigera* Bremek.; RUBIACEAE; Surinam (Cr)
- Tajamama** →*Parinari campestris* Aublet; CHRYSOBALANACEAE; Surinam (Cr); syn. *P. campestre* Aublet ?
- Takajoe** →*Chimarrhis turbinata* DC.; RUBIACEAE; Surinam (Sa)
- Takamal(a)** →*Ecclinusa cuneifolia* (Rudge) Aubrév.; SAPOTACEAE; Caribbean; syn. *Chrysophyllum cuneifolium* (Rudge) A.DC.
- Takariwa** →*Hernandia guianensis* Aublet; HERNANDIACEAE; Guyana (Ak); syn. *H. sonora* L.; syn. *H. beninensis* Welwitsch
- Takaruva** →*Hernandia voyroni* Jumelle; HERNANDIACEAE; Guyana (Ak)
- Takau** →*Piper aduncum* L.; PIPERACEAE; Guyana (M)
- Piper arboreum* Aublet; PIPERACEAE; Guyana (M)
- Piper avellanum* (Miquel) C.DC.; PIPERACEAE; Guyana (M); syn. *P. moraballianum* Trelease
- Piper citrifolium* Lam.; PIPERACEAE; Guyana (M); var. *parkerianum* (Miquel) Trelease & Yuncker; syn. *P. parkerianum* (Miquel) C.DC.
- Piper citrifolium* Lam. var. *citrifolium*; PIPERACEAE; Guyana (M); syn. *P. anonaefolium* Kunth
- Piper demeraranum* (Miquel) C.DC.; PIPERACEAE; Guyana (M)
- Piper dilatatum* Rich.; PIPERACEAE; Guyana (M); syn. *P. corylifolium* Kunth
- Piper divaricatum* G.Meyer; PIPERACEAE; Guyana (M); syn. *P. nitidum* Vahl
- Piper flexicaule* (Miquel) C.DC.; PIPERACEAE; Guyana (M); syn. *P. flexuosum* Rudge
- Piper glabrescens* (Miquel) C.DC.; PIPERACEAE; Guyana (M); var. *caparonum* (C.DC.) Yuncker
- Piper gleasonii* Yuncker; PIPERACEAE; Guyana (M)
- Piper hispidum* Swartz; PIPERACEAE; Guyana (M); syn. *P. asperifolium* Rich.; syn. *P. scabrum* Swartz
- Piper hostmannianum* (Miquel) C.DC.; PIPERACEAE; Guyana (M)
- Piper kappleri* C.DC.; PIPERACEAE; Guyana (M); syn. *P. marowinianum* C.DC.
- Piper kegelianum* (Miquel) C.DC.; PIPERACEAE; Guyana (M); syn. *P. berbicense* Miquel
- Piper miquelii* C.DC.; PIPERACEAE; Guyana (M); syn. *P. brachystachyum* Miquel
- Piper obliquum* Ruiz & Pavón; PIPERACEAE; Guyana (M)
- Piper rupununianum* Trelease & Yuncker; PIPERACEAE; Guyana (M)
- Piper wachenheimii* Trelease; PIPERACEAE; Guyana (M)
- Takuba** →*Swartzia dipetala* Willd. ex Vogel; LEGUMINOSAE-PAP.; Guyana (W)
- Talekirang** →*Hiraea chrysophylla* A.Jussieu; MALPIGHIACEAE; Surinam; use *H. faginea* (Swartz) Niedenzu
- Hiraea faginea* (Swartz) Niedenzu; MALPIGHIACEAE; Surinam; syn. *H. chrysophylla* A.Jussieu
- Talemo méréhé** →*Conceveiba guianensis* Aublet; EUPHORBIACEAE; Caribbean; syn. *Aparisthium cordatum* (Jussieu) Baillon ?
- Talepi** →*Ernestia pullei* Gleason; MELASTOMATACEAE; Caribbean
- Talikji** →*Hiraea faginea* (Swartz) Niedenzu; MALPIGHIACEAE; Caribbean; syn. *H. chrysophylla* A.Jussieu

- Talipi** → *Calyptanthus fasciculata* O.Berg; MYRTACEAE; Caribbean
→ *Capirona decorticans* Spruce; RUBIACEAE; Caribbean
→ *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean
- Tallifer** → *Nectandra* sp.; LAURACEAE; Guyana
- Tallow nut** → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
- Tallowwood** → *Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
- Taloekewepe** → *Vismia ramuliflora* Miquel; GUTTIFERAE; Caribbean
- Talyu** → *Byrsonima schomburgkiana* Benth.; MALPIGHIACEAE; Guyana (W)
- Tam maatsjoe** → *Clusia rosea* Jacq.; GUTTIFERAE; Dutch West Indies
- Tama kalemoe** → *Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Caribbean; syn. *Anomospermum schomburgkii* Miers
→ *Talisia megaphylla* Sagot; SAPINDACEAE; Caribbean
- Tamad** → *Eschweilera sagotiana* Miers; LECYTHIDACEAE; Guyana (W)
→ *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Guyana (W)
- Tamaka(kale)moe (tamakolemoe)** → *Talisia megaphylla* Sagot; SAPINDACEAE; Caribbean
- Tamakoeseji** → *Clidemia hirta* (L.) D.Don; MELASTOMATAACEAE; Caribbean; var. *elegans* (Aublet) Griseb.
→ *Clidemia japurensis* DC.; MELASTOMATAACEAE; Caribbean; var. *heterobasis* (DC.) Wurdack; syn. *C. naevula* (Naudin) Triana
→ *Clidemia naevula* (Naudin) Triana; MELASTOMATAACEAE; Caribbean; use *C. japurensis* DC. var. *heterobasis* (DC.) Wurdack
→ *Commelina virginica* L.; COMMELINACEAE; Caribbean
→ *Lasiacis anomala* Hitchcock; POACEAE; Caribbean
→ *Olyra latifolia* L.; POACEAE; Caribbean
→ *Oplismenus hirtellus* (L.) P.Beauvois; POACEAE; Caribbean
→ *Phaeosphaerion persicariaefolius* (DC.) Clarke; COMMELINACEAE; Caribbean; syn. *Athyrocarpus persicariaefolius* (DC.) Hemsley
→ *Tradescantia elongata* G.Meyer; COMMELINACEAE; Caribbean
- Tamakolemoe (tamakalemoe)** → *Talisia megaphylla* Sagot; SAPINDACEAE; Caribbean
- Tamalin** → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.
Tamalin, boesi → *Macrolobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; Surinam (Cr); var. *vestitum* Sandwith
Tamalin, boesi (bos-) → *Stryphnodendron flammatum* Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Cr)
→ *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
Tamanokware → *Antonia ovata* Pohl; ANTONIACEAE; Caribbean; syn. *A. ovata* Pohl var. *pilosa* Hook.; sometimes in Loganiaceae
→ *Antonia ovata* Pohl var. *pilosa* Hook.; ANTONIACEAE; Caribbean; use *A. ovata* Pohl; sometimes in Loganiaceae
Tamaoele → *Sauvagesia sprengelii* St.-Hil.; OCHNACEAE; Caribbean
Tamara → *Posoqueria latifolia* (Rudge) Roemer & Schultes; RUBIACEAE; Caribbean
Tamaren → *Maieta guianensis* Aublet; MELASTOMATAACEAE; Guyana (Ak)
Tamaren (tamarin, tamalin), boesi → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
Tamaren prokoni → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; Surinam (Cr)
Tamaren prokonie → *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.
→ *Balizia pedicellaris* (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea pedicellaris* (DC.) Kleinhoonte; syn. *Pithecellobium pedicellare* (DC.) Benth.; syn. *Samanea pedicellaris* (DC.) Killip; syn. *Inga pedicellare* DC.
Tamaren, swampoe → *Pithecellobium adiantifolium* (Kunth) Benth.; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Macrosamanea discolor* (Humbert & Bonpl.) Britton & Rose
Tamarin (tamaren, tamalin), boesi → *Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Cr); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.
Tamarind, cow → *Samanea saman* (Jacq.)

Merrill; LEGUMINOSAE-MIM.; Trinidad; syn. Pithecellobium saman Benth. & Hook.; syn. Albizia saman (Jacq.) Müll.Arg.; syn. Enterolobium saman (Jacq.) Prain & King; syn. Mimosa saman Jacq.

Tamarind, wild →Cassia cowanii Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); var. guianensis (Sandwith) Irwin & Barneby; syn. C. leiandra Benth. var. guianensis Sandwith →Chamaecrista adiantifolia (Benth.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); var. pteridophylla (Sandwith) Irwin & Barneby; syn. Cassia pteridophylla Sandwith →Leucaena leucocephala (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. L. glauca (L.) Benth.; syn. L. glauca auct. non Benth.; syn. L. latisiliqua (L.) Gillis →Lysiloma latisiliqua (L.) Benth.; LEGUMINOSAE-MIM.; Puerto Rico; syn. L. sabicu (L.) Benth. →Poponax sp.; LEGUMINOSAE-MIM.; Puerto Rico

Tamarinde →Tamarindus indica L.; LEGUMINOSAE-CAES.; Surinam (Du); syn. T. officinalis Hooker →Tamarindus officinalis Hooker; LEGUMINOSAE-CAES.; Surinam (Du); use T. indica L.

Tamarinde plokonië →Balizia pedicellaris (DC.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. Macrosamanea pedicellaris (DC.) Kleinhoonte; syn. Pithecellobium pedicellare (DC.) Benth.; syn. Samanea pedicellaris (DC.) Killip; syn. Inga pedicellare DC.

Tamarinde, bos →Parkia nitida Miquel; LEGUMINOSAE-MIM.; Surinam (Du); syn. P. oppositifolia Spruce ex Benth.

Tamarinde, bos (boesi-) →Hydrochorea corymbosa (Rich.) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Surinam (Du); syn. Arthrosamanea corymbosa (Rich.) Kleinhoonte; syn. Pithecellobium corymbosum (Rich.) Benth.

Tamarindo cimarrón →Senegalia sp.; LEGUMINOSAE-MIM.; Puerto Rico

Tamarotan →Terminalia amazonia (J.F.Gmelin) Exell; COMBRETACEAE; Guyana (W); syn. T. obovata (Ruiz & Pavón) Steudel

Tamaujaballi →Adelobotrys guianensis (DC.) Gleason; MELASTOMATACEAE; Surinam (Ar)

Tambaol →Apeiba aspera Aublet; TILIACEAE; Trinidad

Taméjéerang →Dolioscarpus major J.F.Gmelin; DILLENIACEAE; Caribbean; syn. D. rolandri J.F.Gmelin; syn. D. scandens Poiret

Tamejoeoe →Tetracera asperula Miquel; DILLENIACEAE; Caribbean

Taminlo mereké →Conceveiba guianensis Aublet; EUPHORBIACEAE; Caribbean; syn.

Aparisthium cordatum (Jussieu) Baillon ?

Tamkun →Touroulia guianensis Aublet; QUIINACEAE; Guyana (W)

Tamoené →Eperua schomburgkiana Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)

Tamoené apoekoetja →Aspidosperma marcgravianum Woodson; APOCYNACEAE; Surinam (Ar); syn. A. nitidum Benth. ex Müll.Arg.

Tamoené araurama →Sclerolobium albiflorum Benoist; LEGUMINOSAE-CAES.; Caribbean →Sclerolobium guianense Benth.; LEGUMINOSAE-CAES.; Caribbean

→Sclerolobium melinonii Harms; LEGUMINOSAE-CAES.; Caribbean

Tamoené kereoe →Dicorynia guianensis Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar); syn. D. paraensis Benth.

Tamoené koerahara →Calophyllum brasiliense Cambess.; GUTTIFERAE; Surinam (Ar); syn. C. calaba Jacq.; syn. C. rekoi Standley

Tamoené koesali epo (-paratare) →Pouteria robusta (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. longifolia Eyma; syn. Neoxythece robusta (C.Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma

Tamoene kwatere (tapirin-) →Lecythis corrugata Poiteau; LECYTHIDACEAE; Caribbean; syn. Eschweilera corrugata (Poiteau) Miers

Tamoené malako →Peltogyne paniculata Benth.; LEGUMINOSAE-CAES.; Caribbean; ssp. pubescens (Benth.) M.F.Silva; syn. P. pubescens Benth.

Tamoené nooitjano-atapiriri →Tapirira guianensis Aublet; ANACARDIACEAE; Caribbean

Tamoené oeloeloe →Parkia nitida Miquel; LEGUMINOSAE-MIM.; Caribbean; syn. P. oppositifolia Spruce ex Benth.

Tamoené paleö →Eperua falcata Aublet; LEGUMINOSAE-CAES.; Caribbean

Tamoené parata(re) (-koesali epo) →Pouteria robusta (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Ar); var. longifolia Eyma; syn. Neoxythece robusta (C.Martius & Eichler) Aubrév. & Pellegrin var. longifolia Eyma; syn. Lucuma

Tamoené peleka (-pelika, -poeleka) →Tetragastris panamensis (Engl.) Kuntze; BURSERACEAE; Surinam (Ar); syn. T. stevensonii Standley

Tamoené poeleka →Protium polybotryum (Turcz.) Engl.; BURSERACEAE; Caribbean

Tamoené semirie →Hymenaea courbaril L.; LEGUMINOSAE-CAES.; Surinam

Tamoené soewinjani (-sjoewinani) →Vismia guianensis (Aublet) Choisy; GUTTIFERAE; Caribbean

Tamoené tonorebjo (ietjoeroe-) →Cupania scrobiculata L.C.Rich.; SAPINDACEAE; Caribbean; var. frondosa (Benth.) Radlk.

Tamoené wajaka →Ocotea petalanthera (Meisner) Mez; LAURACEAE; Caribbean

Tamoené wawe →Aniba taubertiana Mez; LAURACEAE; Caribbean

Tamoenin kwatere (-kwaterie) →Eschweilera coriacea (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. E. odora (Poeppig) Miers

Tamoenin kwatere (tapoeroe-) →Eschweilera pedicellata (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. E. longipes (Poiteau) Miers

Tamoenin waiki →Inga thibaudiana DC.; LEGUMINOSAE-MIM.; Caribbean

Tamoenin wéwé →Isertia spiciformis DC.; RUBIACEAE; Caribbean

Tamoesji toelalali →Calea sp.; ASTERACEAE; Caribbean; syn. Geissopappus caleoides Benth.

→Geissopappus caleoides Benth.; ASTERACEAE; Caribbean; use Calea

Tamoetoe →Ischnosiphon obliquus (Rudge) Körnicke; MARANTACEAE; Caribbean

Tamoipio →Casearia javitensis Kunth; FLACOURTIACEAE; Caribbean

Tamuna wawaé →Aniba taubertiana Mez; LAURACEAE; Caribbean

Tan pikien so →Mimosa myriadena (Benth.) Benth.; LEGUMINOSAE-MIM.; Surinam (Cr); means 'wait a moment'

Tanibouca →Terminalia tanibouca Smith; COMBRETACEAE; French Guiana

Tanimbuia →Terminalia amazonia (J.F.Gmelin) Exell; COMBRETACEAE; Surinam; syn. T. obovata (Ruiz & Pavón) Steudel

Tanimme asakalli →Duroia eriopila L.f.; RUBIACEAE; Caribbean

Tantan →Leucaena leucocephala (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. L. glauca (L.) Benth.; syn. L. glauca auct. non Benth.; syn. L. latisiliqua (L.) Gillis

Tantarantan →Bonafousia sananho (Ruiz & Pavón) Markgraf; APOCYNACEAE; Surinam (Cr); use Tabernaemontana psychotrifolia Kunth; syn. Peschiera sp.

→Tabernaemontana psychotrifolia Kunth; APOCYNACEAE; Surinam (Cr); syn. Bonafousia sananho (Ruiz & Pavón) Markgraf; syn. Peschiera sp.

→Tabernaemontana undulata Vahl; APOCYNACEAE; Guyana (Cr); syn. T. meyeri G.Don; syn. Bonafousia undulata (Vahl) A.DC.; syn. B. attenuata Miers

Tanwaye →Mezilaurus lindaviana Schwacke & Mez; LAURACEAE; Guyana (M)

Tapa camino →Vernonia cinera (L.) Lesson;

ASTERACEAE; Puerto Rico

Tapai (tabaiba) →Plumeria sp.; APOCYNACEAE; Puerto Rico

Tapana(re) →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Trinidad; syn. H. laxiflora (Tulasne) Müll.Arg.; syn. Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.

Taparai →Cordia alliodora (Ruiz & Pavón) Oken; BORAGINACEAE; Guyana (W)

→Cordia trichotoma (Vell.) Arráb. ex Steudel; BORAGINACEAE; Guyana (W)

Taparaime →Carpotroche longifolia (Poeppig & Endl.) Benth.; FLACOURTIACEAE; Surinam (Ar)

→Carpotroche surinamensis Uittien; FLACOURTIACEAE; Surinam (Ar)

Taparau →Myrciaria vismeifolia (Benth.) O.Berg; MYRTACEAE; Guyana (Ar)

Taparin (-wonoe) →Nectandra rubra (Mez) Allen; LAURACEAE; Caribbean; syn. Ocotea rubra Mez

Taparoepa (taproepa) →Genipa americana L.; RUBIACEAE; Surinam (Cr); syn. G. caruto Kunth; syn. Gardenia genipa Swartz

Taperi →Capirona decorticans Spruce; RUBIACEAE; Caribbean

Tapierin →Hieronima alchorneoides Allemao; EUPHORBIACEAE; Caribbean; syn. H. laxiflora (Tulasne) Müll.Arg.; syn. Hieronima alchorneoides Allemao; syn. Hieronima laxiflora (Tulasne) Müll.Arg.

Tapireng araulama (tapirin araulama)

→Sclerolobium melinonii Harms; LEGUMINOSAE-CAES.; Caribbean

Tapirero →Chrysochlamys weberbaueri Engl.; GUTTIFERAE; Guyana (Ar); use Tovomitopsis standleyana (L.O.Williams) D'Arcy

→Tovomitopsis standleyana (L.O.Williams) D'Arcy; GUTTIFERAE; Guyana (Ar); syn. Chrysochlamys weberbaueri Engl.

Tapirin (-wonoe) →Nectandra rubra (Mez) Allen; LAURACEAE; Caribbean; syn. Ocotea rubra Mez

Tapirin araulama (tapireng araulama)

→Sclerolobium melinonii Harms; LEGUMINOSAE-CAES.; Surinam

Tapirin joepoe →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam; syn. M. utilis Pohl

Tapirin kwalie →Vochysia densiflora Spruce ex Warming; VOCHYSIACEAE; Caribbean

Tapirin kwatere →Eschweilera subglandulosa (Steudel) Miers; LECYTHIDACEAE; Caribbean

Tapirin kwatere (tamoene-) →Lecythis corrugata Poiteau; LECYTHIDACEAE; Caribbean; syn. Eschweilera corrugata (Poiteau) Miers

Tapirin pipio →Pogonophora schomburgkiana Miers ex Benth.; EUPHORBIACEAE; Caribbean

Tapirin soewinjani →Vismia guianensis (Aublet)

Choisy; GUTTIFERAE; Caribbean

Tapiring tonorebjo → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Sa)

Tapiriri (tapiré) → *Tapirira guianensis* Aublet; ANACARDIACEAE; French Guiana

Tapitjie → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; var. *sprucei* (Pax) Lanjouw; syn. *M. utilissima* Pohl

Tapoekim mopiekjo → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE; Caribbean; syn. *R. kappleri* Eyma

Tapoekin mani → *Symphonia globulifera* L.f.; GUTTIFERAE; Surinam; syn. *S. gabonensis* (Vesque) Pierre

Tapoekjan ajawa → *Protium octandrum* Swartz; BURSERACEAE; Caribbean

Tapoekjen ajawa → *Trattinickia* sp.; BURSERACEAE; Surinam

Tapoekoe → *Lacunaria crenata* (Tulasne) A.C.Smith; QUIINACEAE; Caribbean

→ *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Tapoekoeroe joepoekoetjale → *Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Caribbean

Tapoelioepio → *Myrcia coumeta* (Aublet) DC.; MYRTACEAE; Caribbean

Tapoeloe koesiri palatali → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Tapoeloe kwatellie → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam

Tapoeloegra (tapoeloepa) → *Genipa americana* L.; RUBIACEAE; Caribbean; syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Tapoeloepa (tapoeloegra) → *Genipa americana* L.; RUBIACEAE; Caribbean; syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Tapoenoe wanoe → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam; syn. *Ocotea rubra* Mez

Tapoeripa → *Amanoa guianensis* Aublet; EUPHORBIACEAE; Surinam (Cr)

Tapoeripa (oeman-) → *Genipa americana* L.; RUBIACEAE; Surinam (Cr); syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Tapoeripa, hoogland → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Du)

→ *Gustavia pterocarpa* Poiteau; LECYTHIDACEAE; Surinam (Du)

→ *Licania* sp.; CHRYSOBALANACEAE; Surinam (Du)

Tapoeripa, laagland → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Du)

Tapoeroe erere (-vienga) → *Amajoua guianensis* Aublet; RUBIACEAE; Caribbean; syn. *Amajoua guianensis* Aublet

Tapoeroe kwatere (tamoerin-) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Caribbean; syn. *E. longipes* (Poiteau) Miers

Tapoeroe vienga (-erere) → *Amajoua guianensis* Aublet; RUBIACEAE; Surinam (Sa); syn. *Amajoua guianensis* Aublet

Tapopirè → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Taproepa (taparoepa) → *Genipa americana* L.; RUBIACEAE; Surinam (Cr); syn. *G. caruto* Kunth; syn. *Gardenia genipa* Swartz

Taproepa, hegron (mattoe-, omi-) → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Sa)

Taproepa, omi → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Sa)

Tara → *Miconia guianensis* (Aublet) Cogniaux; MELASTOMACEAE; Guyana (Wr)

Tarala → *Dipteryx oppositifolia* (Aublet) Willd.; LEGUMINOSAE-PAP.; French Guiana; syn. *Taralea oppositifolia* Aublet; syn. *Coumarouna oppositifolia* Taubert

→ *Taralea oppositifolia* Aublet; LEGUMINOSAE-PAP.; French Guiana; use *Dipteryx oppositifolia* (Aublet) Willd.; syn. *Coumarouna oppositifolia* Taubert

Tarana → *Chionanthus* sp.; OLEACEAE; Dominican Republic; syn. *Linociera domingensis* (Lam.) Knoblauch

Tarara → *Diospyros guianensis* (Aublet) Gürke; EBENACEAE; Caribbean; ssp. *akaraiensis* (A.C.Smith) F.White; syn. *D. akaraiensis* A.C.Smith

→ *Diospyros ierensis* Britton; EBENACEAE; Caribbean

Tararongye → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Guyana (M)

Tarepi → *Calyptanthus fasciculata* O.Berg; MYRTACEAE; Caribbean

→ *Capirona surinamensis* Bremek.; RUBIACEAE; Caribbean

Tarewone → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Caribbean

Taroema → *Vitex compressa* Turcz.; VERBENACEAE; Caribbean

Taroon → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Tarosieppo → *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Caribbean

Tarrekrojen → *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Caribbean

- Tarroema** → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.
- Tartago** → *Jatropha curcas* L.; EUPHORBIACEAE; Puerto Rico; syn. *J. moluccana* Wallich
- Tashi** → *Tachigali pubiflora* Benth.; LEGUMINOSAE-CAES.; Guyana (Ak); syn. *Tachigalia pubiflora* Benth.
- Tasie (tassi)** → *Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Caribbean; syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet
- Tassi** → *Croton cuneatus* Klotzsch; EUPHORBIACEAE; Caribbean
- Tassi (tasie)** → *Symmeria paniculata* Benth.; POLYGONACEAE; Caribbean
→ *Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Caribbean; syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet
- Tata-kaboro** → *Axonopus compressus* (Swartz) P.Beauvois; POACEAE; Surinam (Ar)
- Tatabedi-eh bina** → *Ptychopetalum olacoides* Benth.; OLACACEAE; Surinam (Ar)
- Tatabo djamaro** → *Copaifera epunctata* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar)
- Tataboballi** → *Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Surinam (Ar)
→ *Swartzia apetala* Raddi var. *acuminata* Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar)
- Tataboe** → *Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Ar)
- Tatabu (tataboe)** → *Diplotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
- Tatabuballi** → *Martiodendron excelsum* (Benth.) Gleason; LEGUMINOSAE-CAES.; Surinam (Ar)
→ *Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar)
- Tatai** → *Clytostoma binatum* (Thunberg) Sandwith; BIGNONIACEAE; Surinam
- Tatajuba** → *Bagassa guianensis* Aublet; MORACEAE; Surinam; syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?
- Tatang** → *Aldina insignis* (Benth.) Endl.; LEGUMINOSAE-PAP.; Guyana (Ak)
- Tataro sierwaballi** → *Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Caribbean; syn. *Acrodiclidium martinianum* Mez
- Tatebojotok** → *Ormosiopsis flava* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar)
- Tatobaballi** → *Coutarea hexandra* (Jacq.) K.Schumann; RUBIACEAE; Surinam (Ar)
- Tatoe** → *Toulicia pulvinata* Radlk.; SAPINDACEAE; Surinam (Au)
- Tauaranru** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Guyana (Ar); var. *balsamifera*; syn. *H. floribunda* C.Martius
- Tauari** → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma
- Tauraru** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar)
- Tauroniro** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. *balsamifera*; syn. *H. floribunda* C.Martius
→ *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Cr); var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius
→ *Humiria floribunda* C.Martius; HUMIRIACEAE; Surinam (Cr); use *H. balsamifera* (Aublet) A.St.-Hil. var. *floribunda* (C.Martius) Cuatrec.
→ *Humiria floribunda* C.Martius; HUMIRIACEAE; Surinam (Cr); use *H. balsamifera* (Aublet) A.St.-Hil. var. *balsamifera*
- Tautaipio** → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Caribbean
- Tauwaweru** → *Retiniphyllum schomburgkii* (Benth.) Müll.Arg.; RUBIACEAE; Guyana (Ak); ssp. *schomburgkii*
- Tawaanroe (tawaraanroe)** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Sa); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban
- Tawai** → *Thevetia peruviana* (Persoon) K.Schumann; APOCYNACEAE; Surinam; syn. *T. neriifolia* Jussieu ex Steudel
- Tawalangro** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar)
- Tawanonero** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban
- Tawara(an)roe** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban
- Tawararoe** → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; Surinam (Ar); var. *guianensis* (Benth.) Cuatrec.; syn. *H. floribunda* C.Martius var. *guianensis* Urban
- Tawararoeballi** → *Ouratea racemiformis* Ule; OCHNACEAE; Surinam (Ar)
- Tawatti** → *Myrcia servata* McVaugh; MYRTACEAE; Guyana; syn. *M. schomburgkiana* O.Berg
- Tawayor** → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Guyana (W)
- Tayer** → *Xanthosoma belophyllum* (Willd.) Kunth; ARACEAE; Surinam
→ *Xanthosoma sagittifolium* (L.) Schott; ARACEAE; Surinam

- Tayer (wilde-)** → *Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam (Du)
- Té Chino** → *Lippia* sp.; VERBENACEAE; Dominican Republic
- Té del mar** → *Tournefortia* sp.; BORAGINACEAE; Puerto Rico
- Tea** → *Amyris balsamifera* L.; RUTACEAE; Puerto Rico
- Teabotano matoesi** → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Caribbean; syn. *P. draco* L.
- Teakhout, Surinaams** → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Du)
- Tebejoe** → *Bidens cynapiifolia* Kunth; ASTERACEAE; Surinam (Ar); var. *portoricensis* (Sprengel ex DC.) O.E.Schulz
- Tebejoe fierebéroe** → *Pavonia typhalaea* Cav.; MALVACEAE; Surinam
- Tebejoeballi** → *Porophyllum ellipticum* (L.) Cassini; ASTERACEAE; Surinam (Ar)
→ *Spigelia anthelmia* L.; SPIGELIACEAE; Surinam (Ar); sometimes in family Loganiaceae
- Tebepau** → *Siparuna guianensis* Aublet; MONIMIACEAE; Surinam (Sa)
- Tebeyu** → *Cenchrus echinatus* L.; POACEAE; Surinam (Ar)
→ *Desmodium* sp.; LEGUMINOSAE-PAP.; Surinam (Ar)
- Teck de la Guyane** → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; French Guiana; syn. *D. paraensis* Benth.
- Tekaljing apokuita** → *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Caribbean
- Tekara** → *Couepia guianensis* Aublet; CHRYSOBALANACEAE; Caribbean; syn. *C. versicolor* Benoist
- Tekarajan kwatere** → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Caribbean
- Tekröma** → *Eschweilera alata* A.C.Smith; LECYTHIDACEAE; Guyana (Ak)
- Teleloema (teteroma, tétéloema)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea rubra* Mez
- Teloko-enoeroe** → *Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.
- Temene japopare** → *Licania heteromorpha* Benth.; CHRYSOBALANACEAE; Caribbean
- Temporana** → *Suriana maritima* L.; SURIANACEAE; Puerto Rico
→ *Tournefortia* sp.; BORAGINACEAE; Puerto Rico
- Tensen** → *Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Guyana (Ak)
- Tepjori pjorikin** → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
- Tepoeroe kwatere** → *Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Caribbean
- Tepoeroe kwatere (-kwaterie)** → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. *E. odora* (Poeppig) Miers
- Terciopodo** → *Heterotrichum* sp.; MELASTOMACEAE; Puerto Rico
- Tererumaballi** → *Conomorpha rigida* Mez; MYRSINACEAE; Surinam (Ar); use *Cybianthus fulvopulverulentus* (Mez) Agostini ssp. *fulvopulverulentus*; syn. *Conomorpha fulvopulverulenta* Mez
- Teta de burra (-cimarrón)** → *Hirtella triandra* Swartz; CHRYSOBALANACEAE; Puerto Rico
- Teta de burro** → *Chrysophyllum* sp.; SAPOTACEAE; Puerto Rico
- Teta prieta** → *Eurya* sp.; THEACEAE; Puerto Rico
- Tete birihodoe (witte-)** → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Au); var. *grandiflora* Pulle
- Tete, prasara** → *Adenocalymma bilabiatum* (Sprague) Sandwith; BIGNONIACEAE; Surinam (Cr)
→ *Macfadyena uncata* (Andrews) Sprague & Sandwith; BIGNONIACEAE; Guyana (Cr)
- Teteabo** → *Chondodendron candicans* (Rich.) Sandwith; MENISPERMACEAE; Surinam (Ar); use *Curarea candicans* (Rich.) Barneby & Krukoff
→ *Curarea candicans* (Rich.) Barneby & Krukoff; MENISPERMACEAE; Surinam (Ar); syn. *Chondodendron candicans* (Rich.) Sandwith
- Tetehoedoe (teteihoedoe)** → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma
- Tetei merie (titei-)** → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma
- Tetei switie boontje** → *Dalbergia monetaria* L.f.; LEGUMINOSAE-PAP.; Surinam (Cr)
- Teteihoedoe (tetehoedoe)** → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma
- Tétéloema (tétéroma, teleloema)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea rubra* Mez
- Tetero sierwaballi** → *Ocotea guianensis* Aublet; LAURACEAE; Caribbean
- Teteroema (-hariraro)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea rubra* Mez
- Teteroema (-haroraro, -kharemeroe)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea rubra* Mez
- Teteroema (-kala-oembandikora)** → *Cybianthus*

fulvopulverulentus (Mez) Agostini;
MYRSINACEAE; Surinam (Ar); ssp. magnoliifolius
(Mez) Pipoly; syn. Conomorpha magnoliifolia Mez

Teteroma (tétéloema, teleloema) →Nectandra
rubra (Mez) Allen; LAURACEAE; Surinam (Ar);
syn. Ocotea rubra Mez

Teteruma (teteroema, tetruma) →Nectandra
rubra (Mez) Allen; LAURACEAE; Surinam (Ar);
syn. Ocotea rubra Mez

→Ocotea rubra Mez; LAURACEAE; Surinam (Ar);
use Nectandra rubra (Mez) Allen

Teterumaballi →Conomorpha fulvopulverulenta
Mez; MYRSINACEAE; Surinam (Ar); use
Cybianthus fulvopulverulentus (Mez) Agostini ssp.
fulvopulverulentus; syn. Conomorpha rigida Mez
→Conomorpha magnoliifolia Mez;

MYRSINACEAE; Surinam (Ar); use Cybianthus
fulvopulverulentus (Mez) Agostini ssp.
magnoliifolius (Mez) Pipoly

→Conomorpha peruviana DC.; MYRSINACEAE;
Surinam (Ar); var. guianensis Mez; use
Cybianthus

→Conomorpha sessilis A.C. Smith;
MYRSINACEAE; Guyana (Ar); use Cybianthus
→Cybianthus fulvopulverulentus (Mez) Agostini;
MYRSINACEAE; Surinam (Ar); ssp.
fulvopulverulentus; syn. Conomorpha
fulvopulverulenta Mez; syn. Conomorpha rigida
Mez

→Cybianthus fulvopulverulentus (Mez) Agostini;
MYRSINACEAE; Guyana (Ar); ssp. magnoliifolius
(Mez) Pipoly; syn. Conomorpha magnoliifolia Mez
→Cybianthus sp.; MYRSINACEAE; Surinam (Ar);
syn. Conomorpha peruviana DC. var. guianensis
Mez; syn. Conomorpha sessilis A.C. Smith

Tetet negresse →Calyptanthus sp.;
MYRTACEAE; Guadeloupe

Tetoka (totoka) →Bertholletia excelsa (Bonpland)
Kunth; LECYTHIDACEAE; Surinam (Ar); syn. B.
nobilis Miers

Tetroema →Nectandra rubra (Mez) Allen;
LAURACEAE; Surinam (Ar); syn. Ocotea rubra
Mez

Tetruma →Nectandra rubra (Mez) Allen;
LAURACEAE; Surinam (Ar); syn. Ocotea rubra
Mez

Thatch palm →Manicaria saccifera Gaertner;
ARECACEAE (PALMAE); Guyana (Cr)

Thick-skin (thin-skin) kaditiri →Sclerolobium
micropetalum Ducke; LEGUMINOSAE-CAES.;
Surinam (Ar)

Thick-skin kaditiri →Sclerolobium guianense
Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

Thick-skin ulu →Trattinickia demerarae
Sandwith; BURSERACEAE; Surinam (Cr)

Thin-skin ulu →Trattinickia rhoifolia Willd.;
BURSERACEAE; Guyana (Cr)

Thoraro diamaroe →Erisma uncinatum

Warming; VOCHYSIACEAE; Surinam (Ar); syn. E.
pulverulentum Poeppig

Thoraroe firiberoe →Erisma uncinatum
Warming; VOCHYSIACEAE; Surinam (Ar); syn. E.
pulverulentum Poeppig

Thoraroe hariraroe →Antonia ovata Pohl;
ANTONIACEAE; Surinam (Ar); syn. A. ovata Pohl
var. pilosa Hook.; sometimes in Loganiaceae

Tiana →Manihot esculenta Crantz;
EUPHORBIACEAE; Surinam; syn. M. utilissima
Pohl

Tianalin wéwé →Brosimum guianense (Aublet)
Huber; MORACEAE; Surinam; syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Tiapotano →Adenocalymma bilabiatum
(Sprague) Sandwith; BIGNONIACEAE; Caribbean
→Qualea albiflora Warming; VOCHYSIACEAE;
Surinam; use Ruizterania albiflora (Warming)
Marcono-Berti ?

→Qualea coerulea Aublet; VOCHYSIACEAE;
Surinam

Tibicus(h)i →Brosimum guianense (Aublet)
Huber; MORACEAE; Guyana (Ar); syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Tibid →Thoracocarpus bissectus (Vell.) Harling;
CYCLANTHACEAE; Guyana (W); syn.
Carludovica sarmentosa Sagot ex Drude

Tibokushi →Brosimum guianense (Aublet)
Huber; MORACEAE; Surinam (Ar); syn. Piratinera
guianensis Aublet; syn. P. scabridula Blake; syn.
P. velutina Blake; syn. Brosimum rotundatum
Standley; syn. B. velutinum (Blake) Ducke

Tibrie wiwirie →Peperomia rotundifolia (L.)
Kunth; PIPERACEAE; Surinam (Cr); var.
obcordata (Miquel) Dahlstedt

Tie-tongue →Coccoloba sp.; POLYGONACEAE;
British West Indies

Tiengimonie →Protium polybotryum (Turcz.)
Engl.; BURSERACEAE; Surinam (Du)

Tiengimonie (tiengimonnie) →Protium
sagotianum Marchand; BURSERACEAE; Surinam
(Cr); syn. P. insigne (Triana & Planchon) Engl.

Tiengimonie (tingimonnie) →Protium
aracouchini (Aublet) Marchand; BURSERACEAE;
Surinam (Du)

Tiengimonie, bigi →Vouarana guianensis Aublet;
SAPINDACEAE; Surinam (Au)

Tiengimonnie →Protium giganteum Engl.;
BURSERACEAE; Surinam (Cr)

→Protium hostmannii (Miquel) Engl.;
BURSERACEAE; Surinam (Du)

→Protium insigne (Triana & Planchon) Engl.;
BURSERACEAE; Surinam (Cr); use P.

sagotianum Marchand
 →Protium octandrum Swart; BURSERACEAE; Surinam (Cr)

Tiengimonnie (tiengimonie) →Protium tenuifolium (Engl.) Engl.; BURSERACEAE; Surinam (Du); syn. *P. neglectum* Swart var. *intermedium* Swart

Tiengimonnie (tingimoni) →Protium heptaphyllum (Aublet) Marchand; BURSERACEAE; Surinam (Du)

Tieni menti →Chenopodium ambrosioides L.; CHENOPODIACEAE; Surinam

Tieta wiwirie (atieta-) →Oldenlandia corymbosa L.; RUBIACEAE; Surinam

Tigri-ston →Cynodon dactylon (L.) Persoon; POACEAE; Surinam (Cr)

Tijapotano kwepierjan →Licania hypoleuca Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Caribbean; syn. *L. grisea* Kleinhoonte

Tiki topichi →Cordia laevifrons I.M. Johnston; BORAGINACEAE; French Guiana

Tiki, melki →Tabernaemontana psychotrifolia Kunth; APOCYNACEAE; Surinam (Cr); syn. *Bonafousia sananho* (Ruiz & Pavón) Markgraf; syn. *Peschiera* sp.

Tikonatha →Geonoma deversa (Poiteau) Kunth; ARECACEAE (PALMAE); Guyana (M); syn. *G. paniculigera* C. Martius; syn. *G. paniculigera* C. Martius var. *microspatha* (Spruce) Trail

Tikum →Phyllanthus brasiliensis (Aublet) Poitet; EUPHORBIACEAE; Guyana (W)

Timeri →Brosimum guianense (Aublet) Huber; MORACEAE; Caribbean; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Timiti →Manicaria saccifera Gaertner; ARECACEAE (PALMAE); Surinam (Ar)

Timmenelin →Licania heteromorpha Benth.; CHRYSOBALANACEAE; Caribbean

Tin tin →Vochysia densiflora Spruce ex Warming; VOCHYSIACEAE; Curaçao

Tingi fouroe →Ichthyothere terminalis (Sprengel) Malme; ASTERACEAE; Surinam (Cr)

Tingiemonnie (tingimoni) →Trattinickia burserifolia C. Martius; BURSERACEAE; Surinam (Cr)

Tingimoni →Protium hostmannii (Miquel) Engl.; BURSERACEAE; Surinam (Cr)
 →Protium polybotryum (Turcz.) Engl.; BURSERACEAE; Surinam (Cr)
 →Protium sagotianum Marchand; BURSERACEAE; Surinam (Cr); syn. *P. insigne* (Triana & Planchon) Engl.
 →Protium tenuifolium (Engl.) Engl.; BURSERACEAE; Surinam (Cr); syn. *P. neglectum* Swart var. *intermedium* Swart
 →Trattinickia rhoifolia Willd.; BURSERACEAE; Surinam (Cr); ssp. *willdenowii* Engl.

Tingimoni (tiengimonnie) →Protium heptaphyllum (Aublet) Marchand; BURSERACEAE; Surinam (Cr)
 →Trattinickia demerarae Sandwith; BURSERACEAE; Surinam (Cr)

Tingimoni (tingiemonnie) →Trattinickia burserifolia C. Martius; BURSERACEAE; Surinam (Cr)

Tingimoni, getande (ajawa-)
 →Hemicrepidosperrum rhoifolium (Benth.) Swart; BURSERACEAE; Surinam (Cr, Du)

Tingimonnie (tiengimonie) →Protium aracouchini (Aublet) Marchand; BURSERACEAE; Surinam (Cr)

Tiniari →Licaria cannella (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acroclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Tintillo →Randia aculeata L.; RUBIACEAE; Puerto Rico

Tioamote →Eperua rubiginosa Miquel; LEGUMINOSAE-CAES.; Caribbean; var. *grandiflora* Pulle

Tiopoe →Diodia hyssopifolia (Kunth) C. & S.; RUBIACEAE; Caribbean

Tipopolipoli kinwèwè →Pouteria engleri Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Tipoporin (-ieriakopie) →Siparuna guianensis Aublet; MONIMIACEAE; Caribbean

Tira →Clathrotropis paradoxa Sandwith; LEGUMINOSAE-PAP.; Guyana (Ak)

Tiratira →Jatropha curcas L.; EUPHORBIACEAE; Puerto Rico; syn. *J. moluccana* Wallich

Tiriti (titiriti) →Ischnosiphon arouma (Aublet) Körnicke; MARANTACEAE; Surinam (Ar)

Tiro beokaieriballi →Couepia guianensis Aublet; CHRYSOBALANACEAE; Caribbean; syn. *C. versicolor* Benoist

Tisie kiboe →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Tisie moenè →Manihot esculenta Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Titè barkraki (-meri) →Lecythis chartacea O. Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O. Berg) Eyma

Titè meri (-barkraki) →Lecythis chartacea O. Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O. Berg) Eyma

Titè, asrika (dialoppoe-) →Davilla vaginata Eichler; DILLENACEAE; Surinam (Cr)

Titèhoedoe, gele bast →Eschweilera poiteaui (O. Berg) Niedenzu; LECYTHIDACEAE; Surinam

(Cr, Du)

Titéhoedoe, witte bast → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr, Du); syn. *Eschweilera chartacea* (O.Berg) Eyma → *Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Cr, Du); syn. *Eschweilera simiorum* (Benoist) Eyma

Titei barkraki → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma

Titei merie (tetei-) → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma

Titiriti (tiriti) → *Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Surinam (Ar)

Tiwowatan → *Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Guyana (W)

Tjabesi (tjabisi) → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Tjabesi, redi → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

Tjabisi → *Swartzia* sp.; LEGUMINOSAE-PAP.; Surinam (Sa)

Tjabisi (redi-, rode-) → *Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Sa)

Tjabisi, blaka (baäka-) → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Tjabisihoedoe → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Tjanaren wakapoe → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Caribbean

Tjari-tjanari → *Geissospermum sericeum* (Sagot) Benth.; APOCYNACEAE; Caribbean

Tjata → *Cynometra parvifolia* Tulasne; LEGUMINOSAE-CAES.; Surinam (Au)

Tjatjaboetja → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Tjawa → *Hirtella racemosa* Lam.; CHRYSOBALANACEAE; Surinam (Sa)

Tjirikawa → *Iryanthera hostmanni* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)

Tjoekoenda → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam; syn. *Bignonia copaia* Aublet

Tjoepoe → *Galactia jussieuana* Kunth.; LEGUMINOSAE-PAP.; Caribbean

Tjuwa basoka → *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Sa)

Tobi toetoe → *Schefflera decaphylla* (Seemann) Harms; ARALIACEAE; Surinam (Sa); syn. *S.*

paraensis Huber apud Ducke

Tobihoeedoe → *Ecclinusa cuneifolia* (Rudge) Aubrév.; SAPOTACEAE; Surinam (Cr); syn. *Chrysophyllum cuneifolium* (Rudge) A.DC.

Toco → *Morisonia americana* L.; CAPPARACEAE; Trinidad

Tocque → *Crateva tapia* L.; CAPPARACEAE; Trinidad

Toddy palm → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (Cr)

Toeka → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Ar); syn. *B. nobilis* Miers

Toekadi → *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Surinam (Ar)

Toekoeleroe kanta → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)

Toekoeli → *Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Surinam (Ar)

Toekoemawhoeedoe → *Jacaratia spinosa* (Aublet) A.DC.; CARICACEAE; Surinam

Toekoesi paida → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Surinam; syn. *H. poeppigiana* (C.Martius) Trécul

Toekoesji aloemale → *Maranta divaricata* Roscoe; MARANTACEAE; Caribbean

Toelalahoeedoe → *Capirona decorticans* Spruce; RUBIACEAE; Surinam (Cr)

→ *Capirona surinamensis* Bremek.; RUBIACEAE; Surinam (Cr)

Toelaroe fieroberoe → *Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Ar); syn. *E. pulverulentum* Poeppig

Toelisi → *Talisia megaphylla* Sagot; SAPINDACEAE; Caribbean

→ *Toulicia pulvinata* Radlk.; SAPINDACEAE; Caribbean

Toemoene keroe → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *D. paraensis* Benth.

Toena → *Opuntia wentiana* Britton & Rose; CACTACEAE; Curaçao

Toena spanjool → *Opuntia elatior* Miller; CACTACEAE; Curaçao

Toenase jono asjeroewa → *Cynometra marginata* Benth.; LEGUMINOSAE-CAES.; Caribbean

Toenataletano koesoewé → *Bixa orellana* L.; BIXACEAE; Caribbean; syn. *B. americana* Poiret

Toenbalobbi → *Cordia sagotii* I.M.Johnston; BORAGINACEAE; Surinam (Sa)

→ *Cordia tetrandra* Aublet; BORAGINACEAE; Surinam (Sa); syn. *C. umbraculifera* DC.

Toeparikjen → *Crudia aromatica* (Aublet) Willd.; LEGUMINOSAE-CAES.; Caribbean

Toepoeloe koesoliepo → *Chaetocarpus*

schomburgkianus (Kuntze) Pax & K.Hoffm.;
EUPHORBIACEAE; Caribbean

Toepoeroe apoekoetja(-rang) →Swartzia
arborescens (Aublet) Pittier; LEGUMINOSAE-
PAP.; Surinam

Toepoeroe apoekoetja(ngrang) →Swartzia
remiger Amshoff; LEGUMINOSAE-PAP.;
Caribbean

Toepoeroe apoekoetja(rang) →Swartzia
schomburgkii Benth. var. schomburgkii;
LEGUMINOSAE-PAP.; Caribbean

Toepoeroe kieeroe →Dicorynia guianensis
Amshoff; LEGUMINOSAE-CAES.; Surinam (Ar);
syn. D. paraensis Benth.

Toepoeroe kwatere →Eschweilera
subglandulosa (Steudel) Miers;
LECYTHIDACEAE; Surinam

Toepoeroe kwepielan →Licania hypoleuca
Benth. var. hypoleuca; CHRYSOBALANACEAE;
Caribbean; syn. L. grisea Kleinhoonte

Toepoeroe proeroem →Zanthoxylum sp.;
RUTACEAE; Surinam; syn. Xanthoxylum sp.

Toepoeroe tonorebjo →Matayba opaca Radlk.
var. fallax (Radlk.) Uittien; SAPINDACEAE;
Surinam (Sa)

Toepoewe →Pouteria engleri Eyma;
SAPOTACEAE; Caribbean; syn. Nematula
engleri (Eyma) Aubrév.; syn. Lucuma

Toeraroë fieroeberoe →Erisma uncinatum
Warming; VOCHYSIACEAE; Surinam (Ar); syn. E.
pulverulentum Poeppig

Toerelie →Inga heterophylla Willd.;
LEGUMINOSAE-MIM.; Surinam (Ar)

Toeriri →Inga heterophylla Willd.;
LEGUMINOSAE-MIM.; Caribbean

Toewasa karajan kwatere →Eschweilera
subglandulosa (Steudel) Miers;
LECYTHIDACEAE; Surinam

Toewonoele →Pouteria hispida Eyma;
SAPOTACEAE; Caribbean; syn. Lucuma

Tokabia →Geonoma deversa (Poiteau) Kunth;
ARECACEAE (PALMAE); Guyana (Ak); syn. G.
paniculigera C.Martius; syn. G. paniculigera
C.Martius var. microspatha (Spruce) Trail

Tokadieballi →Hieronima alchorneoides
Allemão; EUPHORBIACEAE; Surinam (Ar); syn.
H. laxiflora (Tulasne) Müll.Arg.; syn. Hieronima
alchorneoides Allemão; syn. Hieronima laxiflora
(Tulasne) Müll.Arg.

Tokené mania potano wewe →Ocotea
guianensis Aublet; LAURACEAE; Surinam

Toker (tokor) →Licania alba (Bernoulli) Cuatrec.;
CHRYSOBALANACEAE; Guyana (W); syn. L.
venosa Rusby

Tokkéwé (tokowe, tokené) →Ocotea guianensis
Aublet; LAURACEAE; Surinam

Toko →Lecythis chartacea O.Berg;
LECYTHIDACEAE; Caribbean; syn. Eschweilera

chartacea (O.Berg) Eyma

Tokolo apolikiri →Helicostylis tomentosa
(Poeppig & Endl.) Rusby; MORACEAE; Surinam;
syn. H. poeppigiana (C.Martius) Trécul

Tokolo pomoeide →Eugenia punicifera (Kunth)
DC.; MYRTACEAE; Caribbean; var. dipoda (DC.)
O.Berg

Tokor →Licania densiflora Kleinhoonte;
CHRYSOBALANACEAE; Guyana (W)

→Licania majuscula Sagot;
CHRYSOBALANACEAE; Guyana (W)

Tokor (toker) →Licania alba (Bernoulli) Cuatrec.;
CHRYSOBALANACEAE; Guyana (W); syn. L.
venosa Rusby

Tokora apolinore →Helicostylis tomentosa
(Poeppig & Endl.) Rusby; MORACEAE; Surinam;
syn. H. poeppigiana (C.Martius) Trécul

Tokoro apolli marie →Brosimum guianense
(Aublet) Huber; MORACEAE; Surinam; syn.
Piratinera guianensis Aublet; syn. P. scabridula
Blake; syn. P. velutina Blake; syn. Brosimum
rotundatum Standley; syn. B. velutinum (Blake)
Ducke

Tokotoro kjin wéwé →Duroia sprucei Rusby;
RUBIACEAE; Caribbean

Tokovero kaumta →Chaetocarpus
schomburgkianus (Kuntze) Pax & K.Hoffm.;
EUPHORBIACEAE; Surinam (Ar)

Tokowe (tokkéwé, tokené) →Ocotea guianensis
Aublet; LAURACEAE; Caribbean

Tokropomtjé →Coccocypselum guianense
(Aublet) K.Schumann; RUBIACEAE; Caribbean

Tokwit-manko →Notopora schomburgkii Hook.f.;
ERICACEAE; Guyana (Ak)

Tokwiwako →Chimarrhis cymosa Jacq.;
RUBIACEAE; Guyana (M)

Toledowood →Eschweilera pedicellata
(L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam
(Cr); syn. E. longipes (Poiteau) Miers

Tolelie →Inga heterophylla Willd.;
LEGUMINOSAE-MIM.; Surinam (Ar)

Toliman →Bidens cynapiifolia Kunth;
ASTERACEAE; Surinam (Ar); var. portoricensis
(Sprengel ex DC.) O.E.Schulz

Toliolio →Adelobotrys guianensis (DC.) Gleason;
MELASTOMACEAE; Caribbean

Tollokopo →Manihot esculenta Crantz;
EUPHORBIACEAE; Surinam; syn. M. utilisima
Pohl

Tometome kjiu kwatere →Pouteria filipes Eyma;
SAPOTACEAE; Caribbean; syn. Lucuma

Tomoené ira (iria) kopi →Qualea coerulea
Aublet; VOCHYSIACEAE; Surinam (Cr)

→Qualea rosea Aublet; VOCHYSIACEAE;
Surinam (Cr)

Tomopio →Minquartia guianensis Aublet;
OLACACEAE; Surinam

Tomoto mokjin →Amaioua guianensis Aublet;

RUBIACEAE; Caribbean; syn. *Amajoua guianensis* Aublet
Tona → *Piper aduncum* L.; PIPERACEAE; Caribbean
→ *Piper arboreum* Aublet; PIPERACEAE; Caribbean
→ *Piper avellanum* (Miquel) C.DC.; PIPERACEAE; Caribbean; syn. *P. moraballianum* Trelease
→ *Piper citrifolium* Lam.; PIPERACEAE; Caribbean; var. *parkerianum* (Miquel) Trelease & Yuncker; syn. *P. parkerianum* (Miquel) C.DC.
→ *Piper citrifolium* Lam. var. *citrifolium*; PIPERACEAE; Caribbean; syn. *P. anonaefolium* Kunth
→ *Piper demeraranum* (Miquel) C.DC.; PIPERACEAE; Caribbean
→ *Piper dilatatum* Rich.; PIPERACEAE; Caribbean; syn. *P. corylifolium* Kunth
→ *Piper divaricatum* G.Meyer; PIPERACEAE; Caribbean; syn. *P. nitidum* Vahl
→ *Piper flexicaule* (Miquel) C.DC.; PIPERACEAE; Caribbean; syn. *P. flexuosum* Rudge
→ *Piper glabrescens* (Miquel) C.DC.; PIPERACEAE; Caribbean; var. *caparonum* (C.DC.) Yuncker
→ *Piper gleasonii* Yuncker; PIPERACEAE; Caribbean
→ *Piper hispidum* Swartz; PIPERACEAE; Caribbean; syn. *P. asperifolium* Rich.; syn. *P. scabrum* Swartz
→ *Piper hostmannianum* (Miquel) C.DC.; PIPERACEAE; Caribbean
→ *Piper kappleri* C.DC.; PIPERACEAE; Caribbean; syn. *P. marowinianum* C.DC.
→ *Piper kegelianum* (Miquel) C.DC.; PIPERACEAE; Caribbean; syn. *P. berbicense* Miquel
→ *Piper miquelii* C.DC.; PIPERACEAE; Caribbean; syn. *P. brachystachyum* Miquel
→ *Piper obliquum* Ruiz & Pavón; PIPERACEAE; Caribbean
→ *Piper rupunianum* Trelease & Yuncker; PIPERACEAE; Caribbean
→ *Piper wachenheimii* Trelease; PIPERACEAE; Caribbean
Tonka (-bean) → *Coumarouna oppositifolia* Taubert; LEGUMINOSAE-PAP.; Guyana (Cr); use *Dipteryx oppositifolia* (Aublet) Willd.; syn. *Taralea oppositifolia* Aublet
→ *Dipteryx oppositifolia* (Aublet) Willd.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Taralea oppositifolia* Aublet; syn. *Coumarouna oppositifolia* Taubert
→ *Dipteryx punctata* (Blake) Amshoff; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Coumarouna*
Tonka (-bean, -boon) → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Cr, Du);

syn. *Coumarouna odorata* Aublet
Tonkahout → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *Coumarouna odorata* Aublet
Tonkawood → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Coumarouna odorata* Aublet
Tonolo epoelele → *Mikania trinitaria* DC.; ASTERACEAE; Caribbean
Tonoloipio → *Matayba camptoneura* Radlk.; SAPINDACEAE; Caribbean
→ *Talisia hemidasys* Radlk.; SAPINDACEAE; Caribbean
Tonololi → *Adenocalymma bilabiatum* (Sprague) Sandwith; BIGNONIACEAE; Caribbean
Tonorebio (tonoroipio, tonorebjo) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Caribbean
Tonorebjo (toepoeroe-, tapiring-) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Sa)
Tonorebjo (witte-, tamoene-, ietjoeroe-)
→ *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Du); var. *frondosa* (Benth.) Radlk.
Tonorebjo, zwarte → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Du)
Tonorebjo → *Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Caribbean
→ *Matayba guianensis* Aublet; SAPINDACEAE; Surinam (Sa)
Tonorepjo(e) → *Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Caribbean
Tonoroipio (tonorebio, tonorebjo) → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Caribbean
Tonquina bean → *Dipteryx odorata* (Aublet) Willd.; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Coumarouna odorata* Aublet
Tontoeawha → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Sa); syn. *P. oppositifolia* Spruce ex Benth.
Toopoonoo wonoe → *Nectandra rubra* (Mez) Allen; LAURACEAE; Caribbean; syn. *Ocotea rubra* Mez
Toorban → *Triumfetta semitriloba* Jacq.; TILIACEAE; Surinam (Cr)
Topee → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Trinidad; syn. *Sideroxylon guianensis* A.DC.
Topi(e) → *Mouriria crassifolia* Sagot; MELASTOMACEAE; Surinam (Sa)
Topie (-njambokka) → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Sa); syn. *Lucuma*
Topie a bakawan → *Pouteria cladantha* Sandwith; SAPOTACEAE; Surinam (Sa); syn. *Neoxythece*

cladantha (Sandwith) Aubrév. & Pellegrin; syn. Lucuma

Topillo → *Erythroxylum* sp.; ERYTHROXYLACEAE; Dominican Republic

Topitjie → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; var. *sprucei* (Pax) Lanjouw; syn. *M. utilissima* Pohl

Topitoe → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Topoe kéng (-king) → *Odontadenia grandiflora* (G.F.W.Meyer) Kuntze; APOCYNACEAE; Surinam

Topoe king (-kèng) → *Odontadenia nitida* (Vahl) Müll.Arg.; APOCYNACEAE; Caribbean; var. *angustifolia* (DC.) Müll.Arg.

Topoekoe → *Blepharodon nitidus* (Vellozo) Macbr.; ASCLEPIADACEAE; Caribbean

Topoeloe alomé → *Micrandra brownsbergensis* Lanjouw; EUPHORBIACEAE; Caribbean
→ *Micrandra spruceana* (Baillon) R.E.Schultes; EUPHORBIACEAE; Caribbean; syn. *Cunuria spruceana* Baillon

Topoeloe semiri → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Caribbean

Topoeroe → *Nectandra rubra* (Mez) Allen; LAURACEAE; Caribbean; syn. *Ocotea rubra* Mez

Topoeroe (-alaoelama) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam

Topoetjeng → *Ipomoea digitata* L.; CONVOLVULACEAE; Caribbean

Topoporen wéwé → *Aniba taubertiana* Mez; LAURACEAE; Caribbean

Topoporin wéwé → *Ocotea petalanthera* (Meisner) Mez; LAURACEAE; Caribbean

Topoprin wéwé → *Licaria martiniana* (Mez) Kosterm.; LAURACEAE; Caribbean; syn. *Acroclidium martinianum* Mez

Toppie → *Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Surinam (Sa); syn. *M. anomala* Pulle

Tor → *Cecropia sciadophylla* C.Martius; MORACEAE; Guyana (W); syn. *C. juranyiana* V.A.Richter

Toraro → *Ocotea acutangula* (Miquel) Mez; LAURACEAE; Surinam (Ar)

Torch tree → *Cordia sericicalyx* A.DC.; BORAGINACEAE; Guyana (Cr)
→ *Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Cr); syn. *C. umbraculifera* DC.

Torch, black → *Erithalis fruticosa* L.; RUBIACEAE; Puerto Rico

Torch, black (bastard-) → *Ocotea* sp.; LAURACEAE; British West Indies

Torch, yellow → *Exostema caribaeum* (Jacq.) Roemer & Schultes; RUBIACEAE; Puerto Rico

Torchwood → *Amyris balsamifera* L.; RUTACEAE; Puerto Rico

Torchwood, sweet → *Ocotea* sp.; LAURACEAE; British West Indies

Toreli(e) → *Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)

Toriman → *Triumfetta semitriloba* Jacq.; TILIACEAE; Surinam (Cr)

Toriman, blaka → *Cyathula achyranthoides* (Kunth) Moq.; AMARANTHACEAE; Surinam (Cr)

Torimangras → *Cenchrus borwnii* Roemer & Schultes; POACEAE; Surinam (Du)
→ *Cenchrus echinatus* L.; POACEAE; Surinam (Du)

Toro → *Chytroma praeclara* (Sandwith) Kunth; LECYTHIDACEAE; Guyana (M); syn. *Eschweilera praeclara* Sandwith
→ *Lecythis holcogyne* (Sandwith) S.A.Mori; LECYTHIDACEAE; Guyana (M); syn. *Eschweilera holcogyne* Sandwith

Toron → *Matayba oligandra* Sandwith; SAPINDACEAE; Guyana (Ak)

Tortoise shellwood → *Brosimum guianense* (Aublet) Huber; MORACEAE; Guyana (Cr); syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Tortugo amarillo → *Sideroxylon foetidissimum* Jacq.; SAPOTACEAE; Puerto Rico

Tortuguillo → *Antirrhoea* sp.; RUBIACEAE; Puerto Rico; syn. *Stenostomum* sp. ?
→ *Stenostomum* sp.; RUBIACEAE; Puerto Rico; use *Antirrhoea* sp. ?

Tossie kojo → *Conceveibum guianensis* Aublet; EUPHORBIACEAE; Surinam (Sa); syn. *Aparisthium cordatum* (Jussieu) Baillon

Tostado (-prieto) → *Homalium racemosum* Jacq.; FLACOURTIACEAE; Puerto Rico; syn. *H. hondurensense* Donn.Sm.

Toto amo(e)té → *Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam

Totohout → *Miconia ruficalyx* Gleason; MELASTOMATACEAE; Surinam (Du)

Totoka (tetoka) → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Surinam (Ar); syn. *B. nobilis* Miers

Totto amote → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean

Totui → *Jacaranda copaia* (Aublet) D.Don; BIGNONIACEAE; Surinam (Ar); syn. *Bignonia copaia* Aublet

Touckpong (tukpong) → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (P)

Toulici → *Toulicia pulvinata* Radlk.; SAPINDACEAE; Caribbean

Tounou → *Swartzia* sp.; LEGUMINOSAE-PAP.; French Guiana

Tourou → *Sterculia pruriens* (Aublet) K.Schumann; STERCULIACEAE; French Guiana

Tourou tourou →*Sterculia excelsa* C.Martius; STERCULIACEAE; French Guiana
→*Sterculia surinamensis* Sandwith; STERCULIACEAE; French Guiana

Towe sipio →*Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilissima* Pohl

Towekin cremariri →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam; syn. *C. fagifolia* (Miquel) Eyma

Towekin oremariri →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma

Towerir →*Astrocaryum munbaca* C.Martius; ARECACEAE (PALMAE); Guyana (W)

Toweroeni(e)rou →*Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius

Trangahoedoe, sabana →*Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Cr); var. *frondosa* (Benth.) Radlk.

Trangahoedoe, sabana (blaka-) →*Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Cr)

Trapotanoë iriakopi →*Qualea albiflora* Warming; VOCHYSIACEAE; Caribbean; use *Ruizterania albiflora* (Warming) Marcono-Berti ?

Trebol →*Platymiscium ulei* Harms; LEGUMINOSAE-PAP.; Surinam; syn. *P. paraense* Huber

Tres palabras →*Allophylus occidentalis* (Swartz) Radlk.; SAPINDACEAE; Dominican Republic

Triane →*Humiria* sp.; HUMIRIACEAE; French Guiana

Troesinan →*Protium tenuifolium* (Engl.) Engl.; BURSERACEAE; Caribbean; syn. *P. neglectum* Swart var. *intermedium* Swart

Troko-enoeroe →*Hieronima alchorneoides* Allemao; EUPHORBIACEAE; Caribbean; syn. *H. laxiflora* (Tulasne) Müll.Arg.; syn. *Hieronima alchorneoides* Allemao; syn. *Hieronima laxiflora* (Tulasne) Müll.Arg.

Trompette →*Cecropia sciadophylla* C.Martius; MORACEAE; Guadeloupe; syn. *C. juranyiana* V.A.Richter

True satiné →*Trymatococcus paraensis* Ducke; MORACEAE; Surinam (Cr)

Truli →*Manicaria saccifera* Gaertner; ARECACEAE (PALMAE); Guyana (Cr)

Trumpet flower →*Stenolobium stans* (L.) Seemann; BIGNONIACEAE; British West Indies; use *Tecoma stans* (L.) Kunth
→*Tecoma stans* (L.) Kunth; BIGNONIACEAE; British West Indies; syn. *Stenolobium stans* (L.) Seemann

Trumpet tree →*Cecropia angulata* I.W.Bailey; MORACEAE; Surinam (Cr)

→*Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Cr); syn. *C. juranyiana* V.A.Richter
→*Pourouma guianensis* Aublet; MORACEAE; Guyana (Cr)

Trumpetwood →*Cecropia palmata* Willd.; MORACEAE; Surinam (Cr)

Trysil →*Pentaclethra macroloba* (Willd.) Kuntze; LEGUMINOSAE-MIM.; Guyana (Cr); syn. *P. filamentosa* Benth.

Trysil, sand →*Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Guyana (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Tugul →*Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Tukpong (touckpong) →*Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (P)

Tukumu →*Astrocaryum aculeatum* G.Meyer; ARECACEAE (PALMAE); Caribbean; syn. *A. tucuma* C.Martius

Tukushuahiru →*Brownea latifolia* Jacq. sensu Griseb.; LEGUMINOSAE-CAES.; Caribbean

Tukwoinanku →*Licania parviflora* Benth.; CHRYSOBALANACEAE; Guyana (An)

Tumoreng →*Tachigali rusbyi* Harms; LEGUMINOSAE-CAES.; Guyana (Ak); syn. *Tachigalia rusbyi* Harms

Tun →*Aspidosperma desmanthum* Benth. ex Müll.Arg.; APOCYNACEAE; Guyana (M)

Turar →*Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Guyana (W)

Tureli →*Inga gracilifolia* Ducke; LEGUMINOSAE-MIM.; Surinam (Ar)
→*Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)
→*Zygia racemosum* (Ducke) Barneby & J.W.Grimes; LEGUMINOSAE-MIM.; Guyana (Ar); syn. *Marmaroxylon racemosum* (Ducke) Killip; syn. *Pithecellobium racemosum* Ducke; syn. *Abarema racemosa* (Ducke) Kleinh.

Turi →*Humiria* sp.; HUMIRIACEAE; French Guiana

Turkey berry →*Cordia sericicalyx* A.DC.; BORAGINACEAE; Guyana (Cr)
→*Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Cr); syn. *C. umbraculifera* DC.

Turkey victuals →*Morinda* sp.; RUBIACEAE; Guyana (Cr); syn. *Appunia* sp.

Turpentine tree →*Bursera simaruba* (L.) Sargent; BURSERACEAE; Puerto Rico; syn. *B. gummifera* L.; syn. *Elaphrium simaruba* (L.) Rose

Turtle berry →*Eugenia patrisii* Vahl; MYRTACEAE; Guyana (Cr)

Turtle food →*Quassia cedron* (Planchon) Baillon; SIMAROUBACEAE; Guyana (Cr); syn. *Simaba cedron* Planchon

Turtle steps → *Bauhinia kunthiana* Vogel; LEGUMINOSAE-CAES.; Guyana (Cr)
→ *Bauhinia scala-simiae* Sandwith; LEGUMINOSAE-CAES.; Surinam (Cr)
Turu → *Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Surinam (Ar); syn. *Oenocarpus bataua* C.Martius
→ *Jessenia oligocarpa* Griffith & Wendland; ARECACEAE (PALMAE); Surinam (Ar)
Turuli → *Manicaria saccifera* Gaertner; ARECACEAE (PALMAE); Caribbean
Tuun → *Aspidosperma sandwithianum* Markgraf; APOCYNACEAE; Guyana (Ak)
Tuwne → *Bagassa guianensis* Aublet; MORACEAE; Guyana (M); syn. *B. tiliaefolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?
Uapa → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Caribbean
Ubudi → *Anacardium giganteum* W.Hancock ex Engl.; ANACARDIACEAE; Surinam (Ar)
Ubudiballi → *Sloanea schomburgkii* Spruce ex Benth.; ELAEOCARPACEAE; Surinam (Ar)
Ucar → *Bucida angustifolia* DC.; COMBRETACEAE; Trinidad; use *B. buceras* L.
→ *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.
Ulo (olo, oelo, ulu, oelu) → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Surinam (Ar)
Ulu (oelu, oelo, olo) → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Guyana (Ar)
Ulu, thick-skin → *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Cr)
Ulu, thin-skin → *Trattinickia rhoifolia* Willd.; BURSERACEAE; Guyana (Cr)
Uluballi (oeluballi) → *Thyrsodium dasytrichum* Sandwith; ANACARDIACEAE; Surinam (Ar)
Ulukara → *Laplacea fruticosa* (Schrader) Kobuski; THEACEAE; Caribbean; use *Gordonia*; syn. *L. semiserrata* (Martius & Zucc.) Cambess.
Ululu (oeloeloe-oe, loeloe-oe) → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Caribbean; syn. *P. oppositifolia* Spruce ex Benth.
Ulumaruru → *Bombax globosum* Aublet; BOMBACACEAE; Caribbean
→ *Bombax surinamensis* Uittien; BOMBACACEAE; Caribbean
Umiri balsamo (umiry-, houmiri-) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius
Umiry (umiri, houmiri, homiry) → *Humiria balsamifera* (Aublet) A.St.-Hil.; HUMIRIACEAE; French Guiana; var. *floribunda* (C.Martius) Cuatrec.; syn. *H. floribunda* C.Martius
Uña de gato → *Pisonia* sp.; NYCTAGINACEAE; Puerto Rico
→ *Pithecellobium* sp.; LEGUMINOSAE-MIM.; Puerto Rico
→ *Senegalia greggii* (Gray) Britton & Rose; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Calliandra* sp.
Unabai → *Astrocaryum candescens* Barb.Rodr.; ARECACEAE (PALMAE); Guyana (W)
Unbatapo(e) → *Helicostylis tomentosa* (Poeppig & Endl.) Rusby; MORACEAE; Caribbean; syn. *H. poeppigiana* (C.Martius) Trécul
Unikiakia → *Licania grisea* Kleinhoonte; CHRYSOBALANACEAE; Surinam (Ar); use *L. hypoleuca* Benth. var. *hypoleuca*
→ *Licania hypoleuca* Benth. var. *hypoleuca*; CHRYSOBALANACEAE; Guyana (Ar); syn. *L. grisea* Kleinhoonte
→ *Licania incana* Aublet; CHRYSOBALANACEAE; Surinam (Ar)
→ *Licania incana* Aublet var. *axilliflora* Sagot; CHRYSOBALANACEAE; Surinam (Ar); use *L. leptostachya* Benth.
→ *Licania leptostachya* Benth.; CHRYSOBALANACEAE; Surinam (Ar); syn. *L. incana* Aublet var. *axilliflora* Sagot
→ *Licania microphylla* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana (Ar)
→ *Licania stipata* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana (Ar)
Ur → *Pera schomburgkiana* (Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (W)
Urari → *Strychnos toxifera* M.R.Schomb. ex Benth.; LOGANIACEAE; Guyana (Ak)
Uratkiye → *Curatella americana* L.; DILLENIACEAE; Guyana (M)
Uridan → *Ophiocaryon paradoxum* Schomb.; SABIACEAE; Guyana (Ar)
Urimari → *Couratari guianensis* Aublet; LECYTHIDACEAE; Caribbean; syn. *C. pulchra* Sandwith
Uriridan → *Pithecellobium collinum* Sandwith; LEGUMINOSAE-MIM.; Surinam (Ar)
Urishi → *Astrocaryum gynacanthum* C.Martius; ARECACEAE (PALMAE); Surinam (Ar); var. *dasychaetum* Burret
→ *Astrocaryum munbaca* C.Martius; ARECACEAE (PALMAE); Guyana (Ar)
Urucú → *Bixa orellana* L.; BIXACEAE; Surinam; syn. *B. americana* Poiré
Urumaröpö → *Licania mollis* Benth.; CHRYSOBALANACEAE; Guyana (Ak)
Uva → *Wallenia pendula* (Urban) Mez; MYRSINACEAE; Puerto Rico
Uva (-del mar) → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; Puerto Rico; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
Uvero → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; Puerto Rico; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

- Uvero del monte** → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; Trinidad; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
- Uvillo** → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; Puerto Rico; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
- Uya (oeja, oja)** → *Parkia nitida* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *P. oppositifolia* Spruce ex Benth.
→ *Parkia oppositifolia* Spruce ex Benth.; LEGUMINOSAE-MIM.; Surinam (Ar); use *P. nitida* Miquel
→ *Parkia ulei* (Harms) Kuhlmann; LEGUMINOSAE-MIM.; Surinam (Ar); var. *surinamensis* Kleinhoonte
- Uya, brown** → *Enterolobium schomburgkii* (Benth.) Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)
- Vaja dja** → *Hyptis lanceolata* Poiret; LAMIACEAE; Surinam
- Vallahonda** → *Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Dominican Republic; syn. *P. chilensis* (Molina) Stuntz
- Vals rozenhout** → *Aniba gonggrijpii* Kosterm.; LAURACEAE; Surinam (Du)
- Valse bolletrie** → *Manilkara huberi* (Ducke) A.Chev.; SAPOTACEAE; Surinam (Du)
- Vanilla kamaye** → *Vanilla pompona* Schiede; ORCHIDACEAE; Guyana (Ar)
- Varilla** → *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Dominican Republic; syn. *C. calaba* Jacq.; syn. *C. rekoi* Standley
- Varital** → *Dipholis salicifolia* (L.) A.DC.; SAPOTACEAE; Puerto Rico; use *Spondogona* sp.
→ *Drypetes variabilis* Uittien; EUPHORBIACEAE; Puerto Rico
→ *Spondogona* sp.; SAPOTACEAE; Puerto Rico; syn. *Dipholis salicifolia* (L.) A.DC.
- Vataki** → *Geissospermum argenteum* Woodson; APOCYNACEAE; Guyana (Ww)
- Velvet berry** → *Guettarda scabra* (L.) Ventenat; RUBIACEAE; Puerto Rico; syn. *G. scabra* Lam. ?
- Velvet seed tree** → *Quiina indigofera* Sandwith; QUIINACEAE; Guyana (Cr)
- Venbatapo** → *Coccoloba* sp.; POLYGONACEAE; Surinam
- Venezolaans palmhout** → *Casearia praecox* Griseb.; FLACOURTIACEAE; Surinam (Du); syn. *Gossypiospermum praecox* (Griseb.) P.Wilson
- Ventiera** → *Piscidia piscipula* (L.) Sargent; LEGUMINOSAE-PAP.; Puerto Rico
- Vera aceituna** → *Bulnesia arborea* (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean
- Vera pokhout** → *Bulnesia arborea* (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean
- Verawood** → *Bulnesia arborea* (Jacq.) Engl.; ZYGOPHYLLACEAE; Caribbean
- Verde-seco** → *Tetrazygia pallens* Cogniaux; MELASTOMATACEAE; Puerto Rico
- Vergeet-mij-nietjes (bos-, boesi-)** → *Nepsera aquatica* (Aublet) Naudin; MELASTOMATACEAE; Surinam (Du)
- Vetiver** → *Vetiveria zizanioides* (L.) Nash; POACEAE; Surinam (Du)
- Vibona** → *Dendropanax arboreus* (L.) Decaisne & Planchon; ARALIACEAE; Puerto Rico; syn. *Gilibertia arborea* (L.) Marchal
- Vijfvinger** → *Paullinia pinnata* L.; SAPINDACEAE; Surinam (Du)
- Vine, sandpeper** → *Petrea bracteata* Steudel; VERBENACEAE; Surinam (Cr)
→ *Petrea macrostachya* Benth.; VERBENACEAE; Surinam (Cr)
- Vineger leaf** → *Aciotis purpurascens* (Aublet) Triana; MELASTOMATACEAE; Surinam (Cr)
- Violet tree** → *Moutabea* sp.; POLYGALACEAE; Puerto Rico
- Violetwood** → *Peltogyne venosa* (Vahl) Benth.; LEGUMINOSAE-CAES.; Guyana (Cr); syn. *P. confertiflora* Benth.
- Viroba** → *Oreopanax argentatus* (Kunth) Decaisne & Planchon; ARALIACEAE; Dominican Republic
- Virola** → *Virola bicuhyba* Warburg; MYRISTICACEAE; Guianas
→ *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Surinam (Du); syn. *Myristica surinamensis* Rolander ex Rottb.
- Visibia** → *Paypayrola guianensis* Aublet; VIOLACEAE; Surinam (Bn)
- Visie man habakka** → *Erechtites hieraciifolia* (L.) Raf. ex DC.; ASTERACEAE; Surinam (Au)
- Vive éperou** → *Perebea* sp.; MORACEAE; French Guiana
- Voekoe voekoe menti voe boesi** → *Hyptis atrorubens* Poiteau; LAMIACEAE; Surinam (Cr)
- Voekoe voekoe tolman** → *Priva lappulacea* (L.) Persoon; VERBENACEAE; Surinam (Cr)
- Vogelkop** → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); syn. *Sideroxylon guianensis* A.DC.
→ *Micropholis venulosa* (C.Martius & Eichler) Pierre; SAPOTACEAE; Surinam (Du)
- Voirouchi** → *Virola* sp.; MYRISTICACEAE; Guianas
- Vonkhout** → *Hirtella* sp.; CHRYSOBALANACEAE; Surinam (Du)
→ *Licania cymosa* Fritsch; CHRYSOBALANACEAE; Surinam (Du)
→ *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Surinam (Du)
→ *Licania micrantha* Miquel; CHRYSOBALANACEAE; Surinam (Du)
→ *Licania ovalifolia* Kleinhoonte;

CHRYSOBALANACEAE; Surinam (Du)
 →*Licania pachystachya* Kleinhoonte;
 CHRYSOBALANACEAE; Surinam (Du)
 →*Licania robusta* Sagot;
 CHRYSOBALANACEAE; Surinam (Du)
 →*Parinari campestris* Aublet;
 CHRYSOBALANACEAE; Surinam (Du); syn. *P. campestre* Aublet ?
Vonkhout, man →*Licania* sp.;
 CHRYSOBALANACEAE; Surinam (Du)
Votomite →*Clusia* sp.; GUTTIFERAE; Guyana
Vreemoesoe noto →*Combretum rotundifolium* A.Rich.; COMBRETACEAE; Surinam (Cr)
Vreemoesoe wisie →*Combretum cacoucia* (Baillon) Exell; COMBRETACEAE; Surinam (Cr)
Vreemoesoehoedoe →*Andira coriacea* Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)
 →*Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth
 →*Andira surinamensis* (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Cr)
Vulnéraire →*Siparuna* sp.; MONIMIACEAE; French Guiana
Waabi →*Acaciella* sp.; LEGUMINOSAE-MIM.; Curaçao
Waaka →*Rhynchospora barbata* Kunth; CYPERACEAE; Surinam; syn. *Dichromena*
Waata gwe-gwe →*Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *P. draco* L.
Waan alaan kopie →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Sa); syn. *E. pulverulentum* Poeppig
Wab →*Euterpe stenophylla* Trail ex Burret; ARECACEAE (PALMAE); Guyana (W)
Wabaima →*Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
Wabi →*Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; French Guiana; syn. *E. longipes* (Poiteau) Miers
Wabin →*Eugenia* sp.; MYRTACEAE; Trinidad
Wabu →*Euterpe stenophylla* Trail ex Burret; ARECACEAE (PALMAE); Caribbean
Wacapou (wakabu, wakaboe, acapu)
 →*Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)
Waccawai →*Licaria* sp.; LAURACEAE; Guyana; syn. *Acrodiclidium* sp.
Wachi-wachi blanc →*Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; French Guiana
Wacht-een-beetje →*Acacia paniculata* Willd.; LEGUMINOSAE-MIM.; Caribbean
Wadadoeli hororodikoro →*Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. *E. odora* (Poeppig) Miers
Wadaduri →*Lecythis davisii* Sandwith; LECYTHIDACEAE; Surinam (Ar); use *L. zabucajo* Aublet
 →*Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *L. davisii* Sandwith
Wadala (wadara) →*Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *C. pulchra* Sandwith
 →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma
Wadara →*Couratari calycina* Sandwith ex Tutin; LECYTHIDACEAE; Surinam (Ar)
 →*Couratari coriacea* C.Martius ex O.Berg; LECYTHIDACEAE; Guyana (Ar)
 →*Couratari gloriosa* Sandwith; LECYTHIDACEAE; Surinam (Ar)
 →*Couratari reticulata* A.C.Smith; LECYTHIDACEAE; Guyana (Ar)
 →*Couratari riparia* Sandwith; LECYTHIDACEAE; Guyana (Ar)
Wadara (-kakaralli), smooth-leaf →*Couratari fagifolia* (Miquel) Eyma; LECYTHIDACEAE; Surinam (Ar); use *C. multiflora* (J.E.Smith) Eyma
 →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma
Wadara (wadala) →*Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *C. pulchra* Sandwith
 →*Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma
Wadara, fine-leaf →*Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *C. pulchra* Sandwith
 →*Couratari pulchra* Sandwith; LECYTHIDACEAE; Surinam (Ar); use *C. guianensis* Aublet
Wadiehie koro →*Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Ar); syn. *Aparisthium cordatum* (Jussieu) Baillon ?
Wadili hoerowassa →*Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Sweetia nitens* (Vogel) Benth.
Wadilie kakaralie →*Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Ar)
Wadilie kakerali →*Eschweilera subglandulosa* (Steudel) Miers; LECYTHIDACEAE; Surinam (Ar)
Wadilie lanaballi diamaro →*Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera simiorum* (Benoist) Eyma
Wadodori lanaballi diamaro →*Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera simiorum* (Benoist) Eyma
Wadodorie (wadoedoli) →*Eschweilera pedicellata* (L.C.Rich.) S.A.Mori;

LECYTHIDACEAE; Surinam (Ar); syn. *E. longipes* (Poiteau) Miers

Wadodorie (wadoedoelie) → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. *E. odora* (Poeppig) Miers

Wadoduri → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Guyana (Ar); syn. *L. davisii* Sandwith

Wadoedoeli (-hororodikoro) → *Eschweilera coriacea* (A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Surinam (Ar); syn. *E. odora* (Poeppig) Miers

Wadoedoeli (wadodorie) → *Eschweilera pedicellata* (L.C.Rich.) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. *E. longipes* (Poiteau) Miers

Wadoedoelie → *Couratari multiflora* (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. *C. fagifolia* (Miquel) Eyma

Waduduri (wadaduri) → *Lecythis zabucajo* Aublet; LECYTHIDACEAE; Surinam (Ar); syn. *L. davisii* Sandwith

Wae → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam; syn. *O. glomerata* (Nees) Benth.

→ *Ocotea wachenheimii* Benoist; LAURACEAE; Caribbean

Wagoe ston → *Tabernaemontana undulata* Vahl; APOCYNACEAE; Surinam; syn. *T. meyeri* G.Don; syn. *Bonafousia undulata* (Vahl) A.DC.; syn. *B. attenuata* Miers

Wagukwa-eba → *Cephaelis alstonii* Sandwith; RUBIACEAE; Guyana (Ak); use *Psychotria alstonii* (Sandwith) Steyererm.

→ *Psychotria alstonii* (Sandwith) Steyererm.; RUBIACEAE; Guyana (Ak); syn. *Cephaelis alstonii* Sandwith

Wai → *Ocotea guianensis* Aublet; LAURACEAE; Guyana (Ak)

Wai yareme yushi → *Campsiandra comosa* Benth. var. *comosa*; LEGUMINOSAE-CAES.; Surinam (Ar)

Waiaballi → *Tapura cubensis* (Poeppig & Endl.) Griseb.; DICHAPETALACEAE; Surinam (Ar)

→ *Tapura guianensis* Aublet; DICHAPETALACEAE; Surinam (Ar)

Waiaballi (wajaballi) → *Hebepetalum humiriifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Ar)

Waiadan → *Tapura guianensis* Aublet; DICHAPETALACEAE; Surinam (Ar)

Waiama → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Guyana (Ak)

Waiamutuka → *Eugenia patrisii* Vahl; MYRTACEAE; Guyana (Ak)

Waiba(i)ma → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Guyana; syn.

Acrodiclidium cannella (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.

Waijanaka erepaloe → *Cordia schomburgkii* DC.; BORAGINACEAE; Surinam

Waikarra → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Caribbean

Waikarra pisi → *Aniba taubertiana* Mez; LAURACEAE; Surinam (Cr)

Waikarra pisi(e) (-sipiropipo) → *Aniba hostmanniana* (Nees) Mez; LAURACEAE; Surinam (Cr)

Waikarra sipiropipo → *Aniba hostmanniana* (Nees) Mez; LAURACEAE; Caribbean

Waikay (waiki) → *Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)

→ *Inga pilosa* (A.Rich.) Macbride;

LEGUMINOSAE-MIM.; Surinam (Ar)

→ *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Waikay (waiki) (-ingaoe, karoto-) → *Inga stipularis* DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Waikay (waiki), koroti- (maparakoni-) → *Inga* sp.; LEGUMINOSAE-MIM.; Surinam (Ar)

Waikay (waiki), tamoenan → *Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Caribbean

Waiki (waikay) → *Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Caribbean; syn. *I. urnifera* Kleinhoonte

→ *Inga pilosa* (A.Rich.) Macbride;

LEGUMINOSAE-MIM.; Surinam (Ar)

→ *Inga rubiginosa* (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

→ *Inga setifera* DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Waiki (waikay), sirada (shirada-) → *Inga lateriflora* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar)

Waiking-pomö → *Cyrilla racemiflora* L.; CYRILLACEAE; Guyana (Ak); syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown

Waikoeléli → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Surinam (Ar)

Waikureli → *Symplocos guianensis* Aublet; SYMPLOCACEAE; Surinam (Ar)

Wain → *Glycydendron amazonicum* Ducke; EUPHORBIACEAE; Guyana (W)

Wainop → *Chlorocardium rodiei* (Sch.) Rohwer, Richt. & v.d. W.; LAURACEAE; Guyana; syn. *Ocotea rodiei* (R.H.Schomb.) Mez; syn. *Nectandra rodiei* R.H.Schomb.

Wainya → *Glycydendron amazonicum* Ducke; EUPHORBIACEAE; Guyana (M)

Wait-a-bit → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Guyana (Cr); syn. *Drepanocarpus lunatus* (L.f.) G.Meyer

Waitiara → *Aniba excelsa* Kosterm.; LAURACEAE; Caribbean
→ *Aniba hostmanniana* (Nees) Mez; LAURACEAE; Caribbean

Waitjara → *Aniba hostmanniana* (Nees) Mez; LAURACEAE; Caribbean
→ *Nectandra ambigua* Meisner; LAURACEAE; Caribbean

Waiuriballi → *Xiphidium coeruleum* Aublet; HAEMODORACEAE; Surinam (Ar)

Waiwe → *Brosimum rubescens* Taubert; MORACEAE; Guyana (W); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.

Waiye → *Mauritia flexuosa* L.f.; ARECACEAE (PALMAE); Guyana (M)

Waiye-bido → *Desmoncus guianensis* Trail; ARECACEAE (PALMAE); Guyana (Ak)

Waiyu → *Telitoxicum inopinatum* Mold.; MENISPERMACEAE; Guyana (Cr)

Wajaaka → *Licaria cannella* (Meisner) Kosterm.; LAURACEAE; Caribbean; syn. *Acrodiclidium cannella* (Meisner) Mez; syn. *A. cayennensis* (Meisner) Mez; syn. *Licaria cayennensis* (Meisner) Kosterm.
→ *Nectandra ambigua* Meisner; LAURACEAE; Caribbean
→ *Ocotea puberula* (A.Rich.) Nees; LAURACEAE; Caribbean

Wjaballi (-koeleroe) → *Hebepetalum humirifolium* (Planch.) Benth. ex Jacks.; LINACEAE; Surinam (Ar)

Wjaballi khamereroe → *Dendrobanhia boliviana* Rusby; ICACINACEAE; Surinam (Ar); syn. *Clavipetalum surinamense* Pulle

Wjaballi kharemeroe → *Clavipetalum surinamense* Pulle; ICACINACEAE; Surinam (Ar); use *Dendrobanhia boliviana* Rusby

Wajaka → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Caribbean; syn. *O. glomerata* (Nees) Benth.

Wajaka jaro → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Ar)

Wajakoe jeha edan → *Acalypha scandens* Benth.; EUPHORBIACEAE; Surinam (Ar)

Wajam moesesamoer → *Ilex guianensis* (Aublet) Kuntze; AQUIFOLIACEAE; Surinam (Cr); var. *elliptica* Amshoff

Wajama kándekele → *Buettneria scabra* Loefling; STERCULIACEAE; Caribbean

Wajamalia amosaitjèlè → *Acacia paniculata* Willd.; LEGUMINOSAE-MIM.; Caribbean

Wajamoe nepoe(a)loe → *Bauhinia surinamensis* Amshoff; LEGUMINOSAE-CAES.; Caribbean

Wajamoe samamoeroe → *Ilex jenmanii* Loesener; AQUIFOLIACEAE; Caribbean

Wajamoe sansamoeroe → *Palicourea guianensis* Aublet; RUBIACEAE; Caribbean

Wajamoe tapoeroe → *Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Caribbean; syn. *I. coriacea* (Persoon) Desvaux

Wajewoe → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Surinam (Sa); syn. *Bocoa prouacensis* Aublet
→ *Swartzia tomentosa* DC.; LEGUMINOSAE-PAP.; Surinam (Sa); var. *polyanthera* (Steudel) Sandwith

Wajoeli → *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Caribbean
→ *Xylopia frutescens* Aublet; ANNONACEAE; Surinam (Ar); var. *ferruginea* R.E.Fries

Wajoelidan → *Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Caribbean

Wajoewoe → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam (Sa)

Wajokorelli → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Surinam (Ar)

Waka popi (wako-, woko-) → *Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Surinam; syn. *M. princeps* Naudin

Wakaboe (wakabu, wacapou, acapu) → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Wakabu (wakaboe, wacapou, acapu) → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Surinam (Cr)

Wakaladan hororodikoro → *Croton matourensis* Aublet; EUPHORBIACEAE; Surinam (Ar)

Wakapoe (tjanaren-) → *Vouacapoua americana* Aublet; LEGUMINOSAE-CAES.; Caribbean

Wakapu → *Sapium jenmanii* Hemsley; EUPHORBIACEAE; Guyana (M)

Wakaradan → *Miconia hypoleuca* (Benth.) Triana; MELASTOMATACEAE; Surinam (Ar)
→ *Miconia kappleri* Naudin; MELASTOMATACEAE; Surinam (Ar)
→ *Miconia myriantha* Benth.; MELASTOMATACEAE; Surinam (Ar)
→ *Miconia ruficalyx* Gleason; MELASTOMATACEAE; Surinam (Ar)
→ *Miconia surinamensis* Gleason; MELASTOMATACEAE; Surinam (Ar)
→ *Miconia tomentosa* (Rich.) D.Don; MELASTOMATACEAE; Surinam (Ar)

Wakare soewinjani → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Caribbean

Wakatikie → *Loxopterygium sagotii* Hook.f.; ANACARDIACEAE; Surinam

Wakenaam, lilac → *Jacaranda obtusifolia* Humbert & Bonpl.; BIGNONIACEAE; Guyana (Cr); ssp. *rhombifolia* (G.Meyer) A.H.Gentry; syn. *J. rhombifolia* G.Meyer

Wakie → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Sa)

Wako → *Tabernaemontana tetrastachya* Kunth;

APOCYNACEAE; Caribbean; syn. *T. repanda* E.Meyer; syn. *Bonafousia tetrastachya* (Kunth) Markgraf

Wakoekwa tokon → *Cordia tetrandra* Aublet; BORAGINACEAE; Surinam; syn. *C. umbraculifera* DC.

Wakome → *Tovomita albiflora* A.C.Smith; GUTTIFERAE; Guyana (An)

Wakopopi → *Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Caribbean; syn. *M. princeps* Naudin

Wakorira batibati → *Ambelania acida* Aublet; APOCYNACEAE; Surinam (Ar); syn. *A. sagotii* Müll.Arg.

Wakorokoda → *Lonchocarpus chrysophyllus* Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Ar)

Wakradanni → *Miconia myriantha* Benth.; MELASTOMATACEAE; Guyana (Ar)

Wakuku → *Eugenia patrisii* Vahl; MYRTACEAE; Guyana (Wr)

Wakwame → *Thoracocarpus bissectus* (Vell.) Harling; CYCLANTHACEAE; Guyana (Ak); syn. *Carludovica sarmentosa* Sagot ex Drude

Wakwami → *Clusia fockeana* Miquel; GUTTIFERAE; Guyana (Ak)

→ *Clusia jenmanii* Engl.; GUTTIFERAE; Guyana (Ak)

→ *Tovomita obovata* Engl.; GUTTIFERAE; Guyana (Ak)

Wal(l)aba (-kharemeroe, -koeleroe) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Ar)

Wala wala → *Anemopaegma paraense* Bureau & K.Schumann; BIGNONIACEAE; Caribbean

Walababadan → *Aspidosperma vargasii* A.DC.; APOCYNACEAE; Surinam (Ar)

Walaballi → *Crudia glaberrima* (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Ar)

→ *Phyllanthus niruri* L.; EUPHORBIACEAE; Surinam (Ar)

Walaballi ibikoro (-ibikoro) → *Sauvagesia sprengelii* St.-Hil.; OCHNACEAE; Surinam (Ar)

Walakabadan → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Surinam

Walaloppo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl

Walama → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Guyana (M)

Walapa koewalarie → *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Caribbean

Walatapa → *Macrolobium angustifolium* (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam; syn. *M. chrysostachyum* (Miquel) Benth.

→ *Macrolobium bifolium* (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam

Wale kopo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; var. *sprucei* (Pax)

Lanjouw; syn. *M. utilisissima* Pohl

Wale miepjo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl

Walgö → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Guyana (Ak)

Walimbo (wallimbo, wariembo) → *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)

Walimiaballi → *Prunus myrtifolia* (L.) Urban; ROSACEAE; Surinam (Ar)

Waliro bimé → *Eugenia puniceifera* (Kunth) DC.; MYRTACEAE; Surinam (Ar); var. *dipoda* (DC.) O.Berg

Walitidan → *Toulicia pulvinata* Radlk.; SAPINDACEAE; Surinam (Ar)

Walkara → *Quassia simarouba* L.f.; SIMAROUBACEAE; Surinam; syn. *Simarouba amara* Aublet var. *typica* Cronquist

Wallaba, clump → *Dicymbe alstonii* Sandwith; LEGUMINOSAE-CAES.; Guyana (Cr)

→ *Dicymbe corymbosa* Spruce ex Benth.; LEGUMINOSAE-CAES.; Guyana (Cr)

Wallaba, itoeli → *Elizabetha coccinea* Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

Wallaba, itoeli (baboen-) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Ar)

Wallaba, ituri → *Campsiandra comosa* Benth. var. *comosa*; LEGUMINOSAE-CAES.; Surinam (Ar)

Wallaba, ituri (itoeri-, baboen-) → *Eperua grandiflora* (Aublet) Benth.; LEGUMINOSAE-CAES.; Surinam (Cr)

Wallaba, ituri (itoeri-, baboen-, oever-)

→ *Eperua jenmani* Oliver; LEGUMINOSAE-CAES.; Surinam (Cr)

Wallaba, rode → *Eperua* sp.; LEGUMINOSAE-CAES.; Surinam (Du)

Wallaba, water → *Crudia glaberrima* (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Du)

→ *Macrolobium bifolium* (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Du)

Wallaba, water (ituri-, hariraroe-) → *Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Wallaba, water (oever-, sjoro-, witte-) → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Du); var. *grandiflora* Pulle

Wallaba, white (soft-) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Guyana (Cr)

Wallaba, witte (baboen-, zwarte-) → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Du)

Wallababalli olakodoro → *Cassia flexuosa* L.; LEGUMINOSAE-CAES.; Surinam (Ar)

Walimbo (walimbo, wariembo) → *Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE;

Surinam (Cr)

Wallololo → *Virola venosa* (Benth.) Warburg;
MYRISTICACEAE; Caribbean

Walokoelie → *Tabebuia insignis* (Miquel)
Sandwith; BIGNONIACEAE; Surinam (Ar); var.
monophylla Sandwith

Waloemale → *Ischnosiphon gracilis* (Rudge)

Körnigke; MARANTACEAE; Caribbean

Waloesji → *Caraipa densiflora* C.Martius;
GUTTIFERAE; Caribbean

→ *Caraipa punctulata* Ducke; GUTTIFERAE;
Caribbean

Wamara (womara) → *Swartzia leiocalycina*
Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)

Wamaratan → *Piper arboreum* Aublet;
PIPERACEAE; Guyana (W)

→ *Piper avellanum* (Miquel) C.DC.; PIPERACEAE;
Guyana (W); syn. *P. moraballianum* Trelease

→ *Piper citrifolium* Lam.; PIPERACEAE; Guyana
(W); var. *parkerianum* (Miquel) Trelease &
Yuncker; syn. *P. parkerianum* (Miquel) C.DC.

→ *Piper citrifolium* Lam. var. *citrifolium*;
PIPERACEAE; Guyana (W); syn. *P. anonaefolium*
Kunth

→ *Piper demeraranum* (Miquel) C.DC.;
PIPERACEAE; Guyana (W)

→ *Piper dilatatum* Rich.; PIPERACEAE; Guyana
(W); syn. *P. corylifolium* Kunth

→ *Piper divaricatum* G.Meyer; PIPERACEAE;
Guyana (W); syn. *P. nitidum* Vahl

→ *Piper flexicaule* (Miquel) C.DC.; PIPERACEAE;
Guyana (W); syn. *P. flexuosum* Rudge

→ *Piper glabrescens* (Miquel) C.DC.;
PIPERACEAE; Guyana (W); var. *caparonum*
(C.DC.) Yuncker

→ *Piper gleasonii* Yuncker; PIPERACEAE;
Guyana (W)

→ *Piper hispidum* Swartz; PIPERACEAE; Guyana
(W); syn. *P. asperifolium* Rich.; syn. *P. scabrum*
Swartz

→ *Piper hostmannianum* (Miquel) C.DC.;
PIPERACEAE; Guyana (W)

→ *Piper kappleri* C.DC.; PIPERACEAE; Guyana
(W); syn. *P. marowinianum* C.DC.

→ *Piper kegelianum* (Miquel) C.DC.;
PIPERACEAE; Guyana (W); syn. *P. berbicense*
Miquel

→ *Piper miquelii* C.DC.; PIPERACEAE; Guyana
(W); syn. *P. brachystachyum* Miquel

→ *Piper obliquum* Ruiz & Pavón; PIPERACEAE;
Guyana (W)

→ *Piper rupunianum* Trelease & Yuncker;
PIPERACEAE; Guyana (W)

→ *Piper wachenheimii* Trelease; PIPERACEAE;
Guyana (W)

Wamaratan (waramatan) → *Piper aduncum* L.;
PIPERACEAE; Guyana (W)

Wamiriaballi → *Helicostylis tomentosa* (Poeppig
& Endl.) Rusby; MORACEAE; Surinam; syn. *H.*
poepigiana (C.Martius) Trécul

Wamkoam → *Sclerolobium guianense* Benth.;
LEGUMINOSAE-CAES.; Guyana (W)

→ *Sclerolobium micropetalum* Ducke;
LEGUMINOSAE-CAES.; Guyana (W)

Wamuk → *Hirtella obidensis* Ducke;
CHRYSOBALANACEAE; Guyana (W)

Wamuk(u) → *Parinari campestris* Aublet;
CHRYSOBALANACEAE; Guyana (M, W); syn. *P.*
campestre Aublet ?

→ *Parinari montana* Aublet;
CHRYSOBALANACEAE; Guyana (M, W)

Wan hon na wan njari → *Clerodendrum*
japonicum (Thunberg) Sweet; VERBENACEAE;
Surinam (Cr)

Wana → *Apeiba petoumo* Aublet; TILIACEAE;
Guyana (W); syn. *A. echinata* Gaertner

Wana (-iesie-amain-domaala-andola)
→ *Nectandra rubra* (Mez) Allen; LAURACEAE;
Surinam (Sa); syn. *Ocotea rubra* Mez

Wana kwallie → *Vochysia tomentosa* (G.Meyer)
DC.; VOCHYSIACEAE; Surinam (Du)

Wana kwarie (goebaja-) → *Vochysia densiflora*
Spruce ex Warming; VOCHYSIACEAE; Surinam
(Cr)

Wana kwarie (warra-, watra-) → *Vochysia*
tomentosa (G.Meyer) DC.; VOCHYSIACEAE;
Surinam (Cr)

Wana pisi → *Ocotea schomburgkiana* (Nees)
Benth. & Hook.f.; LAURACEAE; Surinam (Cr);
syn. *O. schomburgkiana* (Nees) Mez

Wana soro → *Cecropia sciadophylla* C.Martius;
MORACEAE; Surinam (Ar); syn. *C. juranyiana*
V.A.Richter

Wana, blaka → *Nectandra rubra* (Mez) Allen;
LAURACEAE; Surinam (Sa); syn. *Ocotea rubra*
Mez

Wanabiaballi → *Duroia sprucei* Rusby;
RUBIACEAE; Surinam (Ar)

Wanaitan → *Swartzia schomburgkii* Benth. var.
schomburgkii; LEGUMINOSAE-PAP.; Guyana
(W)

Wanaka → *Ormosia coutinhoi* Ducke;
LEGUMINOSAE-PAP.; Guyana (M); syn.
Macroule coutinhoi (Ducke) Pierce

Wananin → *Minuartia guianensis* Aublet;
OLACACEAE; Surinam (Ar)

Wanasoro → *Cecropia angulata* I.W.Bailey;
MORACEAE; Surinam (Ar)

→ *Pourouma guianensis* Aublet; MORACEAE;
Guyana (Ar)

Wanauwanari → *Cyclanthus bipartitus* Poiteau;
CYCLANTHACEAE; Surinam (Ar)

Wane → *Humiria balsamifera* (Aublet) A.St.-Hil.;
HUMIRIACEAE; Surinam (Cr)

→*Ocotea glomerata* (Nees) Mez; LAURACEAE; Caribbean; syn. *O. glomerata* (Nees) Benth.

Wane (witte-, blaka-) →*Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Du); syn. *Ocotea rubra* Mez

Wane kwali →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Wane lisie amain →*Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Sa); syn. *Ocotea rubra* Mez

Wane pisi →*Ocotea globifera* Mez; LAURACEAE; Surinam (Cr)

Wane prokonie →*Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Surinam (Cr)

Wanebala →*Swartzia* sp.; LEGUMINOSAE-PAP.; Guyana

Waniaballi →*Duroia sprucei* Rusby; RUBIACEAE; Surinam (Ar)

Wanikore →*Zanthoxylum apiculata* (Sandwith) P.G.Waterman; RUTACEAE; Guyana (M); syn. *Fagara apiculata* Sandwith; syn. *Xanthoxylum*

Wanini →*Aegiphila* sp.; VERBENACEAE; Guyana

Wano wewe topooloo →*Nectandra rubra* (Mez) Allen; LAURACEAE; Caribbean; syn. *Ocotea rubra* Mez

Wanoë (tapoenoe-) →*Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam; syn. *Ocotea rubra* Mez

Wanosoro wadilikoro →*Cecropia sciadophylla* C.Martius; MORACEAE; Surinam (Ar); var. *decurrens* Snethl.; syn. *C. juranyiana* V.A.Richter

Wansiri wokoeloe →*Polygala longicaulis* Kunth; POLYGALACEAE; Caribbean

Wansjiri →*Adenocalymma inundatum* C.Martius ex DC.; BIGNONIACEAE; Caribbean; var. *surinamense* Bureau & K.Schumann

Wanu (wana, wane, wano, wanoë) →*Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam; syn. *Ocotea rubra* Mez

Wapa (-blanc, -gris, -huileux) →*Eperua falcata* Aublet; LEGUMINOSAE-CAES.; French Guiana

Wapa sec →*Maclobium acaciaefolium* (Benth.) Benth.; LEGUMINOSAE-CAES.; French Guiana; var. *acaciaefolium*

Wapi →*Pouteria* sp.; SAPOTACEAE; French Guiana; syn. *Lucuma* sp.

Wapo →*Ecclinusa prieurii* (A.DC.) Aubrév.; SAPOTACEAE; French Guiana; syn. *Chrysophyllum prieurii* A.DC.

→*Pouteria* sp.; SAPOTACEAE; Surinam; syn. *Lucuma* sp.

Wara →*Voyria rosea* Aublet; GENTIANACEAE; Caribbean

Warabari →*Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Guyana (Ak)

Warabokkadan →*Macroule coutinhoi* (Ducke)

Pierce; LEGUMINOSAE-PAP.; Surinam (Ar); use *Ormosia coutinhoi* Ducke

→*Ormosia coutinhoi* Ducke; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Macroule coutinhoi* (Ducke) Pierce

Warad →*Psidium aquaticum* Benth.; MYRTACEAE; Guyana (W)

→*Psidium ovatifolium* O.Berg var. *glabrum* Amshoff; MYRTACEAE; Guyana (W)

→*Psidium striatulum* DC.; MYRTACEAE; Guyana (W); syn. *P. parviflorum* Benth.

Warahaja →*Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Ar); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth

Warahaja (warohaja) hariraroe →*Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Surinam (Ar)

Warahaja (warohaja) koeleroe →*Vismia latifolia* (Aublet) Choisy; GUTTIFERAE; Surinam (Ar)

Waraiia →*Meriania urceolata* Triana; MELASTOMATACEAE; Guyana (Ar)

→*Miconia albicans* (Swartz) Triana; MELASTOMATACEAE; Surinam (Ar)

→*Miconia chrysophylla* (Rich.) Urban; MELASTOMATACEAE; Surinam (Ar)

→*Miconia guianensis* (Aublet) Cogniaux; MELASTOMATACEAE; Surinam (Ar)

→*Miconia longifolia* (Aublet) DC.; MELASTOMATACEAE; Surinam (Ar)

→*Miconia marginata* Triana; MELASTOMATACEAE; Surinam (Ar)

→*Miconia nervosa* (Smith) Triana; MELASTOMATACEAE; Surinam (Ar)

→*Miconia panicularis* Gleason; MELASTOMATACEAE; Surinam (Ar)

→*Miconia plukenetii* Naudin; MELASTOMATACEAE; Surinam (Ar)

→*Miconia plumosa* Gleason; MELASTOMATACEAE; Surinam (Ar); use *M. rugosa* Triana

→*Miconia prasina* (Swartz) DC.; MELASTOMATACEAE; Surinam (Ar); syn. *M. pteropoda* Benth.

→*Miconia pteropoda* Benth.; MELASTOMATACEAE; Surinam (Ar); use *M. prasina* (Swartz) DC.

→*Miconia pubipetala* Miquel; MELASTOMATACEAE; Surinam (Ar)

→*Miconia punctata* (Desr.) D.Don; MELASTOMATACEAE; Surinam (Ar)

→*Miconia rubiginosa* (Bonpl.) DC.; MELASTOMATACEAE; Surinam (Ar)

→*Miconia rugosa* Triana; MELASTOMATACEAE; Surinam (Ar); syn. *M. plumosa* Gleason

Waraioballi →*Calotropis gigantea* (L.) Dryander; ASCLEPIADACEAE; Surinam (Ar)

Warajoewa →*Hura crepitans* L.;

EUPHORBIACEAE; Surinam (Ar)

Waraka joeroe (-jaroë, -jaharoë) →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Ar)

Warakabakoro →*Piper aduncum* L.; PIPERACEAE; Surinam (Ar)

→*Piper anonaefolium* Kunth; PIPERACEAE; Surinam (Ar); use *P. citrifolium* Lam. var. *citrifolium*

→*Piper arboreum* Aublet; PIPERACEAE; Surinam (Ar)

→*Piper asperifolium* Rich.; PIPERACEAE; Surinam (Ar); use *P. hispidum* Swartz; syn. *P. scabrum* Swartz

→*Piper avellanum* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar); syn. *P. moraballianum* Trelease

→*Piper berbicense* Miquel; PIPERACEAE; Surinam (Ar); use *P. kegelianum* (Miquel) C.DC.

→*Piper brachystachyum* Miquel; PIPERACEAE; Surinam (Ar); use *P. miquelii* C.DC.

→*Piper citrifolium* Lam.; PIPERACEAE; Surinam (Ar); var. *parkerianum* (Miquel) Trelease & Yuncker; syn. *P. parkerianum* (Miquel) C.DC.

→*Piper citrifolium* Lam. var. *citrifolium*; PIPERACEAE; Surinam (Ar); syn. *P. anonaefolium* Kunth

→*Piper corylifolium* Kunth; PIPERACEAE; Surinam (Ar); use *P. dilatatum* Rich.

→*Piper demeraranum* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar)

→*Piper dilatatum* Rich.; PIPERACEAE; Surinam (Ar); syn. *P. corylifolium* Kunth

→*Piper divaricatum* G.Meyer; PIPERACEAE; Surinam (Ar); syn. *P. nitidum* Vahl

→*Piper flexicaule* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar); syn. *P. flexuosum* Rudge

→*Piper flexuosum* Rudge; PIPERACEAE; Surinam (Ar); use *P. flexicule* (Miquel) C.DC.

→*Piper glabrescens* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar); var. *caparonum* (C.DC.) Yuncker

→*Piper gleasonii* Yuncker; PIPERACEAE; Surinam (Ar)

→*Piper hispidum* Swartz; PIPERACEAE; Surinam (Ar); syn. *P. asperifolium* Rich.; syn. *P. scabrum* Swartz

→*Piper hostmannianum* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar)

→*Piper kappleri* C.DC.; PIPERACEAE; Surinam (Ar); syn. *P. marowinianum* C.DC.

→*Piper kegelianum* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar); syn. *P. berbicense* Miquel

→*Piper marowinianum* C.DC.; PIPERACEAE; Surinam (Ar); use *P. kappleri* C.DC.

→*Piper miquelii* C.DC.; PIPERACEAE; Surinam (Ar); syn. *P. brachystachyum* Miquel

→*Piper moraballianum* Trelease; PIPERACEAE; Surinam (Ar); use *P. avellanum* (Miquel) C.DC.

→*Piper nitidum* Vahl; PIPERACEAE; Surinam (Ar); use *P. divaricatum* G.Meyer

→*Piper obliquum* Ruiz & Pavón; PIPERACEAE; Surinam (Ar)

→*Piper parkerianum* (Miquel) C.DC.; PIPERACEAE; Surinam (Ar); use *P. citrifolium* Lam. var. *parkerianum* (Miquel) Trelease & Yuncker

→*Piper rupunianum* Trelease & Yuncker; PIPERACEAE; Surinam (Ar)

→*Piper scabrum* Swartz; PIPERACEAE; Surinam (Ar); use *P. hispidum* Swartz; syn. *P. asperifolium* Rich.

→*Piper wachenheimii* Trelease; PIPERACEAE; Surinam (Ar)

Warakabakoro mukru →*Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Ar)

→*Ischnosiphon leucophaeus* (Poeppig & Endl.) Körnicke; MARANTACEAE; Surinam (Ar); syn. *I. surinamensis* (Miquel) Körnicke

→*Ischnosiphon surinamensis* (Miquel) Körnicke; MARANTACEAE; Surinam (Ar); use *I. leucophaeus* (Poeppig & Endl.) Körnicke

Warakadan djamaro →*Guarea* sp.; MELIACEAE; Surinam (Ar)

Warakaioero →*Casearia grandiflora* Cambess.; FLACOURTIACEAE; Surinam (Ar)

→*Casearia rusbyana* Briquet; FLACOURTIACEAE; Surinam (Ar)

→*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Ar)

Warakaja(ha)roe →*Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Surinam (Ar)

Warakana kobie (-koebia) →*Rhynchospora hirsuta* Grisebach; CYPERACEAE; Surinam (Ar); syn. *Dichromena ciliata* Vahl

Warakana koebia (-kobie) →*Dichromena pubera* Vahl; CYPERACEAE; Surinam (Ar); use *Rhynchospora pubera* Boeckeler

→*Rhynchospora pubera* Boeckeler; CYPERACEAE; Surinam (Ar); syn. *Dichromena pubera* Vahl

Warakkajaroë harilaroë →*Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Ar)

Warakosa →*Inga aggregata* G.Don; LEGUMINOSAE-MIM.; Surinam (Ar)

→*Inga bourgonii* (Aublet) DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

→*Inga brevipes* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)

→*Inga capitata* Desvaux; LEGUMINOSAE-MIM.; Surinam (Ar)

→*Inga disticha* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)

→*Inga edulis* C.Martius; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *I. scabriuscula* Benth.
 →*Inga heterophylla* Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga huberi* Ducke; LEGUMINOSAE-MIM.; Guyana (Ar)
 →*Inga ingoides* (A.Rich.) Willd.; LEGUMINOSAE-MIM.; Guyana (Ar)
 →*Inga jenmanii* Sandwith; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga leiocalycina* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga meissneriana* Miquel; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga myriantha* Poeppig & Endl.; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *I. sciadon* Steudel
 →*Inga nobilis* Willd.; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga pezizifera* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *I. urnifera* Kleinhoonte
 →*Inga rhynchocalyx* Sandwith; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga sertulifera* DC.; LEGUMINOSAE-MIM.; Surinam (Ar); syn. *I. coriacea* (Persoon) Desvoux
 →*Inga stipularis* DC.; LEGUMINOSAE-MIM.; Guyana (Ar)
 →*Inga strigillosa* Spruce ex Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)
 →*Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Surinam (Ar)
 →*Inga umbellifera* (Vahl) Steudel; LEGUMINOSAE-MIM.; Guyana (Ar)
Warakuri (warukuri, warokoeri) →*Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Waramai →*Goupia glabra* Aublet; CELASTRACEAE; Guyana (Ak); syn. *G. tomentosa* Aublet; sometimes family Goupiaceae used
 →*Henriettea multiflora* Naudin; MELASTOMATACEAE; Guyana (Ar)
Waramatan (wamaratan) →*Piper aduncum* L.; PIPERACEAE; Guyana (W)
Waramia →*Ocotea* sp.; LAURACEAE; Guyana (Ar)
Waramia (warimira) →*Tapirira guianensis* Aublet; ANACARDIACEAE; Guyana (Ar)
Waranaka →*Couratari guianensis* Aublet; LECYTHIDACEAE; Guyana (Ak); syn. *C. pulchra* Sandwith
Warapa →*Tabernaemontana pauciflora* Blume; APOCYNACEAE; Guyana (P); syn. *Macoubea guianensis* Aublet
Warapa kware(re) →*Erisma uncinatum* Warming; VOCHYSIACEAE; Caribbean; syn. *E. pulverulentum* Poeppig

Warapotere →*Inga thibaudiana* DC.; LEGUMINOSAE-MIM.; Caribbean
Warau →*Pterocarpus vernalis* Pittier; LEGUMINOSAE-PAP.; Guyana
Ware honne →*Alchorneopsis trimeria* Lanjouw; EUPHORBIACEAE; Caribbean
Ware koenami(e) →*Clibadium sylvestre* (Aublet) Baillon; ASTERACEAE; Caribbean
Warekopo →*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Caribbean; var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*
Waremesuri →*Inga graciliflora* Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)
Wargamieho →*Quiina indigofera* Sandwith; QUIINACEAE; Guyana (Ak)
Wariembo (warimba) →*Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Wariembo (warimbo) →*Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Warife →*Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Surinam (Ar)
Warigi →*Couepia exflexa* Fanshawe & Maguire; CHRYSOBALANACEAE; Guyana (Ak)
Warilipipio →*Ocotea glomerata* (Nees) Mez; LAURACEAE; Caribbean; syn. *O. glomerata* (Nees) Benth.
Warimba (wariembo) →*Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Warimbo →*Calathea cyclophora* Baker; MARANTACEAE; Surinam (Ar)
 →*Hylaeanthus hexantha* (Poeppig & Endl.) A.M.E.Jonker; MARANTACEAE; Surinam
 →*Ischnosiphon martianus* Eichl.; MARANTACEAE; Surinam (Cr)
Warimbo (kleine-) →*Monotagma plurispicatum* (Körnicke) K.Schumann; MARANTACEAE; Surinam (Cr)
Warimbo, (baksi-) →*Ischnosiphon obliquus* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Warimbo, echte (pagara-) →*Ischnosiphon arouma* (Aublet) Körnicke; MARANTACEAE; Surinam (Cr)
Warimbo, kleine →*Ischnosiphon leucophaeus* (Poeppig & Endl.) Körnicke; MARANTACEAE; Surinam (Cr); syn. *I. surinamensis* (Miquel) Körnicke
 →*Monotagma spicatum* (Aublet) Macbr.; MARANTACEAE; Surinam (Cr); syn. *M. parkeri* (Roscoe) K.Schumann
Warimbo, knopo (kolibri-) →*Ischnosiphon gracilis* (Rudge) Körnicke; MARANTACEAE; Surinam (Cr)
Warimia (waramia) →*Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Ar)

Warimiaballi → *Brosimum rubescens* Taubert; MORACEAE; Surinam (Ar); syn. *B. paraense* Huber; syn. *Ferolia guianensis* Aublet; syn. *Piratinera* sp.
→ *Capparis cynophallophora* L.; CAPPARACEAE; Surinam (Ar)
→ *Capparis surinamensis* J.C.Went; CAPPARACEAE; Surinam (Ar)
Warimiri → *Cyrilla antillana* Michaux; CYRILLACEAE; Guyana (Ar); use *C. racemiflora* L.; syn. *C. brevifolia* N.E.Brown
→ *Cyrilla brevifolia* N.E.Brown; CYRILLACEAE; Guyana (Ar); use *C. racemiflora* L.; syn. *C. antillana* Michaux
→ *Cyrilla racemiflora* L.; CYRILLACEAE; Guyana (Ar); syn. *C. antillana* Michaux; syn. *C. brevifolia* N.E.Brown
Wariri riepjo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; var. *sprucei* (Pax) Lanjouw; syn. *M. utilissima* Pohl
Warirodan → *Roupala montana* Aublet; PROTEACEAE; Surinam (Ar)
Wariru-bime → *Eugenia* sp.; MYRTACEAE; Guyana
Warishi (waroesie) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Caribbean; syn. *Myristica surinamensis* Rolander ex Rottb.
Warjoewaballi → *Erythrina fusca* Loureiro; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *E. glauca* Willd.; syn. *E. atrosanguinea* Ridley; syn. *E. ovalifolia* Roxburgh
Waro → *Hirtella triandra* Swartz ssp. *triandra*; CHRYSOBALANACEAE; Guyana (W)
Waro koeli djamaro → *Vitex compressa* Turcz.; VERBENACEAE; Surinam (Ar)
Waroe koemakoebia → *Paepalanthus bifidus* (Schrader) Kunth; ERIOCAULACEAE; Surinam (Ar)
Waroe koemakoebia diamaroe → *Paepalanthus polytrichoides* Kunth; ERIOCAULACEAE; Surinam (Ar)
Waroekoelie (warukuri) → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Waroema → *Ischnosiphon aromum* (Aublet) Körnicke; MARANTACEAE; Caribbean
Waroemalan → *Maranta divaricata* Roscoe; MARANTACEAE; Caribbean
Waroesie (warishi) → *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Caribbean; syn. *Myristica surinamensis* Rolander ex Rottb.
Waroesierjan → *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Caribbean
Warohaja iebi beroebana → *Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Surinam (Ar)
Warohaja iebi korobana → *Vismia cayennensis* (Jacq.) Persoon; GUTTIFERAE; Surinam (Ar)
Warohaja sarerokeena → *Vismia macrophylla* Kunth; GUTTIFERAE; Surinam (Ar); syn. *V. angusta* Miquel; syn. *V. ferruginea* Kunth
Warokoeli (warokorie, warokoeri) → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Warokoeri (warukuri, warakuri) → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Warokoma-kubia → *Paepalanthus bifidus* (Schrader) Kunth; ERIOCAULACEAE; Surinam (Ar)
→ *Sipanea pratensis* Aublet; RUBIACEAE; Surinam (Ar)
Warokorie → *Licania divaricata* Benth.; CHRYSOBALANACEAE; Surinam (Ar)
Warokorie (warokoeli, warokoeri) → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Warokoroballi → *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
Warokoti → *Virola sebifera* Aublet; MYRISTICACEAE; Surinam (Ar); syn. *V. boliviensis* Warburg
→ *Virola venosa* (Benth.) Warburg; MYRISTICACEAE; Surinam (Ar)
Waroro → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean
Warosiran → *Virola sebifera* Aublet; MYRISTICACEAE; Caribbean; syn. *V. boliviensis* Warburg
Warra cabradanni → *Hirtella* sp.; CHRYSOBALANACEAE; Guyana
Warra kwarie (watra- wana-) → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)
Warrossieran → *Pouteria engleri* Eyma; SAPOTACEAE; Caribbean; syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*
Warua → *Cassia cowanii* Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Ar); var. *guianensis* (Sandwith) Irwin & Barneby; syn. *C. leiandra* Benth. var. *guianensis* Sandwith
→ *Cassia grandis* L.f.; LEGUMINOSAE-CAES.; Surinam (Ar)
Waruidak → *Solanum macranthum* Dunal; SOLANACEAE; Guyana (W)
Waruko → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Guyana (Ak)
Warukuri (warakuri, warokoeri) → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Surinam (Ar); var. *monophylla* Sandwith
Warunana → *Hortia regia* Sandwith; RUTACEAE; Surinam (Ar)
Waruwai → *Protium decandrum* (Aublet) Marchand; BURSERACEAE; Guyana (Ak)
Was-wassi kwarie (wossie-wossie-) → *Vochysia*

guianensis Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Wasang → *Cordia exaltata* Lam.; BORAGINACEAE; Surinam (Ar); var. *melanoneura* I.M. Johnston

Wasar → *Sloanea bracteosa* Ducke; ELAEOCARPACEAE; Guyana (W)
→ *Sloanea echinocarpa* Uittien; ELAEOCARPACEAE; Guyana (W)

Wase poekoe (wese-, wesse-, kessi-)
→ *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam; syn. *Lucuma*

Wase poekoerian (-poekoelan) → *Pouteria melanopoda* Eyma; SAPOTACEAE; Caribbean; syn. *Lucuma*

Wasepoekoe → *Ecclinusa guianensis* Eyma; SAPOTACEAE; Caribbean
→ *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam; syn. *Sideroxylon guianensis* A.DC.
→ *Swartzia arborescens* (Aublet) Pittier; LEGUMINOSAE-PAP.; Caribbean

Washiba (wassiba, wasieba) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Ar); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Wasi → *Euterpe oleracea* C. Martius; ARECACEAE (PALMAE); Caribbean; syn. *E. edulis* auct. non C. Martius

Wasieba (wassiba, washiba) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Ar); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Wasiliwo koeroe → *Mapouria ornithophila* Bremek.; RUBIACEAE; Caribbean
→ *Psychotria* sp.; RUBIACEAE; Caribbean

Wasipa → *Elizabetha princeps* Benth.; LEGUMINOSAE-CAES.; Surinam

Wasiye → *Euterpe oleracea* C. Martius; ARECACEAE (PALMAE); Guyana (M); syn. *E. edulis* auct. non C. Martius

Wassé poekoe (asé-, asse-) → *Pouteria guianensis* Aublet; SAPOTACEAE; Surinam (Ar); syn. *Lucuma*

Wassi-wassi kwarie (wajie-wasjie-) → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs

Wassiba (wasieba, washiba) → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam (Ar); syn. *Tecoma leucoxydon* (L.) Martius ex DC.
→ *Tecoma leucoxydon* (L.) Martius ex DC.; BIGNONIACEAE; Surinam (Ar); use *Tabebuia serratifolia* (Vahl) Nicholson

Wassiba-omera-kodikoro → *Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *Sweetia nitens* (Vogel) Benth.

Wassoko → *Tapura guianensis* Aublet; DICHAPETALACEAE; Caribbean

Wat(r)apa → *Macrobium bifolium* (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Sa)

Wata → *Machaerium lunatum* (L.f.) Ducke; LEGUMINOSAE-PAP.; Guyana (Wr); syn. *Drepanocarpus lunatus* (L.f.) G. Meyer

Wata djemoe → *Couratari* sp.; LECYTHIDACEAE; Surinam (Sa)

Wata pana → *Acaciella* sp.; LEGUMINOSAE-MIM.; Caribbean

Watafa → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Ar); var. *grandiflora* Pulle

Watala (wadara) → *Couratari guianensis* Aublet; LECYTHIDACEAE; Caribbean; syn. *C. pulchra* Sandwith
→ *Couratari guianensis* Aublet; LECYTHIDACEAE; Caribbean; syn. *C. pulchra* Sandwith
→ *Couratari multiflora* (J.E. Smith) Eyma; LECYTHIDACEAE; Caribbean; syn. *C. fagifolia* (Miquel) Eyma

Watapa → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Ar); var. *grandiflora* Pulle

Water bebe → *Pterocarpus officinalis* Jacq.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *P. draco* L.

Water cacao (bos-) → *Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Du); syn. *Bombax aquatica* (Aublet) K. Schumann

Water cocoa → *Pachira insignis* (Swartz) Savatier; BOMBACACEAE; Surinam (Cr); syn. *Bombax spectabile* Ulbrich

Water djoemoe → *Couratari multiflora* (J.E. Smith) Eyma; LECYTHIDACEAE; Surinam (Cr); syn. *C. fagifolia* (Miquel) Eyma

Water grege → *Bucida buceras* L.; COMBRETACEAE; Puerto Rico; syn. *B. angustifolia* DC.

Water guave → *Psidium guajava* L.; MYRTACEAE; Surinam (Du)

Water kwarie → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam (Du)
→ *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Du); var. *glabrifolia* Meurs

Water lagaga → *Sipanea pratensis* Aublet; RUBIACEAE; Surinam (Du)

Water locust → *Crudia obliqua* Griseb.; LEGUMINOSAE-CAES.; Trinidad

Water mampoo → *Pisonia* sp.; NYCTAGINACEAE; Puerto Rico

Water sawari → *Caryocar glabrum* (Aublet) Persoon ssp. *glabrum*; CARYOCARACEAE; Surinam (Cr)
→ *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Cr); syn. *C. riparium* A.C. Smith

- Water silverballi** →Endlicheria sp.; LAURACEAE; Guyana (Cr)
- Water sjing-sjing** →Aeschynomene sensitiva Swartz; LEGUMINOSAE-PAP.; Surinam (Cr)
- Water tamarinde** →Arthrosamanea gonggripii (Kleinhoonte) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); use Hydrochorea gonggripii (Kleinhoonte) Barneby & J.W.Grimes; syn. A. pullei (Kleinhoonte) Kleinhoonte; syn. Pithecellobium gonggripii Kleinhoonte →Macrosamanea kegelii (Meisner) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du) →Pithecellobium gonggripii Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Du); use Hydrochorea gonggripii (Kleinh.) Barneby & J.W.Grimes; syn. Arthrosamanea gonggripii (Kleinh.) Kleinhoonte; syn. A. pullei (Kleinhoonte) Kleinhoonte →Pithecellobium jupunba (Willd.) Urban; LEGUMINOSAE-MIM.; Surinam (Du); syn. Abarema jupunba (Willd.) Britton & Killip
- Water tamarinde (watra tamalin)** →Arthrosamanea pullei (Kleinhoonte) Kleinhoonte; LEGUMINOSAE-MIM.; Surinam (Cr, Du); use Hydrochorea gonggripii (Kleinhoonte) Barneby & J.W.Grimes; syn. A. gonggripii (Kleinhoonte) Kleinhoonte; syn. Pithecellobium gonggripii Kleinhoonte →Hydrochorea gonggripii (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Cr, Du); syn. Arthrosamanea pullei (Kleinh.) Kleinhoonte; syn. A. gonggripii (Kleinh.) Kleinhoonte; syn. Pithecellobium gonggripii Kleinh.
- Water wallaba** →Crudia glaberrima (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Du) →Eperua rubiginosa Miquel; LEGUMINOSAE-CAES.; Surinam (Du); var. grandiflora Pulle →Eperua schomburgkiana Benth.; LEGUMINOSAE-CAES.; Surinam (Du) →Macrolobium bifolium (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Du)
- Waterbijlhout** →Crudia glaberrima (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Du) →Macrolobium angustifolium (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam (Du); syn. M. chrysostachyum (Miquel) Benth. →Macrolobium bifolium (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Du) →Macrolobium chrysostachyum (Miquel) Benth.; LEGUMINOSAE-CAES.; Surinam (Du); use M. angustifolium (Benth.) Cowan
- Watergras** →Hymenachne amplexicaulis (Rudge) Nees; POACEAE; Surinam (Du); syn. H. myurus P.Beauvois →Hymenachne myurus P.Beauvois; POACEAE; Surinam (Du); use H. amplexicaulis (Rudge) Nees →Paspalum distichum L.; POACEAE; Surinam (Du); syn. P. vaginatum Swartz →Paspalum vaginatum Swartz; POACEAE; Surinam (Du); use P. distichum L.
- Watergroenhart** →Acosmium nitens (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Du); syn. Sweetia nitens (Vogel) Benth. →Sweetia nitens (Vogel) Benth.; LEGUMINOSAE-PAP.; Surinam (Du); use Acosmium nitens (Vogel) Yakovlev
- Waterhout** →Trichanthera gigantea (Kunth) Steudel; ACANTHACEAE; Surinam (Du)
- Waterkanon** →Ruellia tuberosa L.; ACANTHACEAE; Surinam (Du)
- Watharapoboye** →Pouteria venosa (C.Martius) Baehni; SAPOTACEAE; Guyana (M); syn. Lucuma
- Watia lagaga** →Sipanea pratensis Aublet; RUBIACEAE; Surinam
- Watiepa oepa(d)jarè(rè)** →Tovomita choisyana Planchon & Triana; GUTTIFERAE; Surinam
- Watiepa opodjaré** →Tovomita schomburgkii Planchon & Triana; GUTTIFERAE; Caribbean
- Watjarang** →Nectandra grandis (Mez) Kosterm.; LAURACEAE; Caribbean
- Watjie** →Inga edulis C.Martius; LEGUMINOSAE-MIM.; Surinam; syn. I. scabriuscula Benth.
- Watoewena katopa** →Miconia plukenetii Naudin; MELASTOMATACEAE; Caribbean
- Watopari** →Pera bicolor (Klotzsch) Müll.Arg.; EUPHORBIACEAE; Guyana (Ak)
- Watra bebe** →Pterocarpus officinalis Jacq.; LEGUMINOSAE-PAP.; Surinam (Cr); syn. P. draco L.
- Watra berihoe doe** →Crudia glaberrima (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Cr)
- Watra birie** →Crudia glaberrima (Steudel) Macbride; LEGUMINOSAE-CAES.; Surinam (Cr)
- Watra birie (watra birihoe doe)** →Macrolobium angustifolium (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam (Cr); syn. M. chrysostachyum (Miquel) Benth. →Macrolobium bifolium (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Cr)
- Watra birihoe doe (watra birie)** →Macrolobium angustifolium (Benth.) Cowan; LEGUMINOSAE-CAES.; Surinam (Cr); syn. M. chrysostachyum (Miquel) Benth. →Macrolobium bifolium (Aublet) Persoon; LEGUMINOSAE-CAES.; Surinam (Cr)
- Watra djoe(moe)** →Couratari panamensis Standley; LECYTHIDACEAE; Surinam (Cr)
- Watra donkin** →Dieffenbachia paludicola N.E.Brown ex Gleason; ARACEAE; Surinam (Cr)
- Watra gouaba** →Psidium guajava L.; MYRTACEAE; Surinam (Cr)
- Watra green** →Acosmium nitens (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Cr); syn. Sweetia nitens (Vogel) Benth.

Watra grin → *Acosmium nitens* (Vogel) Yakovlev; LEGUMINOSAE-PAP.; Surinam (Cr); syn. *Sweetia nitens* (Vogel) Benth.

Watra houteté → *Doloiocarpus major* J.F.Gmelin; DILLENACEAE; Surinam (Cr); syn. *D. rolandri* J.F.Gmelin; syn. *D. scandens* Poiret

Watra kakaw → *Pachira aquatica* Aublet; BOMBACACEAE; Surinam (Cr); syn. *Bombax aquatica* (Aublet) K.Schumann

Watra kaneel → *Miconia tomentella* Cogniaux; MELASTOMACEAE; Surinam (Cr)

Watra kanoe → *Jussiaea linifolia* Vahl; ONAGRACEAE; Surinam (Cr); use *Ludwigia hyssopifolia* (G.Don) Exell
→ *Ludwigia hyssopifolia* (G.Don) Exell; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea linifolia* Vahl

Watra kopi → *Qualea coerulea* Aublet; VOCHYSIACEAE; Surinam (Cr)

Watra kwarie → *Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Cr); var. *glabrifolia* Meurs
→ *Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Surinam (Cr)

Watra kwarie (warra-, wana-) → *Vochysia tetraphylla* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Cr)

Watra mama-kasabatiki → *Allamanda cathartica* L.; APOCYNACEAE; Surinam (Cr); syn. *A. hendersonii* Bulliard

Watra mamabobbi → *Gustavia augusta* Alm sensu Berg; LECYTHIDACEAE; Surinam (Cr)

Watra mamabobbi, hoogland (egron-)
→ *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Surinam (Cr)

Watra mangro → *Clusia colorans* Klotzsch ex Engl.; GUTTIFERAE; Surinam (Cr); use *C. pana-panari* (Aublet) Choisy
→ *Clusia pana-panari* (Aublet) Choisy; GUTTIFERAE; Surinam (Cr); syn. *C. colorans* Klotzsch ex Engl.
→ *Souroubea guianensis* Aublet; MARCGRAVIACEAE; Surinam (Cr)

Watra okro → *Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Cr)

Watra panta → *Unonopsis guatterioides* (A.DC.) R.E.Fries; ANNONACEAE; Surinam (Cr); var. *elongata* R.E.Fries

Watra tamalin (watertamarinde) → *Hydrochorea gonggrijpii* (Kleinh.) Barneby & Grimes; LEGUMINOSAE-MIM.; Surinam (Cr, Du); syn. *Arthrosamanea pullei* (Kleinh.) Kleinhoonte; syn. *A. gonggrijpii* (Kleinh.) Kleinhoonte; syn. *Pithecellobium gonggrijpii* Kleinh.

Watra wiwirie → *Clibadium surinamense* L.; ASTERACEAE; Surinam (Cr)

Watschir → *Calophyllum lucidum* Benth.; GUTTIFERAE; Guyana (W)

Watson → *Cordia sericicalyx* A.DC.; BORAGINACEAE; Guyana (Ak)

Wattapana → *Sabinea florida* (Vahl) DC.; LEGUMINOSAE-PAP.; Puerto Rico

Wattle, black → *Acacia decurrens* (Wendl.) Willd.; LEGUMINOSAE-MIM.; British West Indies
→ *Eugenia* sp.; MYRTACEAE; British West Indies

Wattle, man → *Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Guyana (Cr)

Watuwai → *Laetia procera* (Poeppig & Endl.) Eichler; FLACOURTIACEAE; Guyana (Ak)
→ *Quassia multiflora* (A.Jussieu) Nootboom; SIMAROUBACEAE; Guyana (Ak); syn. *Simaba multiflora* A.Jussieu

Waurinit → *Bromelia karatas* L.; BROMELIACEAE; Guyana (W)

Wawahi → *Prosopis juliflora* (Swartz) DC.; LEGUMINOSAE-MIM.; Curaçao; syn. *P. chilensis* (Molina) Stuntz

Wawe (wawa) naton → *Alchorneopsis trimera* Lanjouw; EUPHORBIACEAE; Surinam

Wawe eran → *Ocotea caudata* (Meisner) Mez; LAURACEAE; Caribbean
→ *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam

Wawerjan → *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Caribbean

Wax berry → *Myrica cerifera* L.; MYRICACEAE; Puerto Rico

Wayaloepo → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisima* Pohl

Wayam-cosh → *Talisia* sp.; SAPINDACEAE; Guyana

Wayama → *Trattinickia burserifolia* C.Martius; BURSERACEAE; Guyana (Ak)
→ *Trattinickia demerarae* Sandwith; BURSERACEAE; Guyana (Ak)
→ *Trattinickia rhoifolia* Willd.; BURSERACEAE; Guyana (Ak)

Wayamoe menepoeloe → *Connarus perrottetii* (DC.) Planchon; CONNARACEAE; Surinam

Wayamu menepulu → *Connarus perrottetii* (DC.) Planchon; CONNARACEAE; Surinam

Wayomzo → *Swartzia benthamiana* Miquel; LEGUMINOSAE-PAP.; Surinam

Wayuwa → *Hibiscus tiliaceus* L.; MALVACEAE; Surinam (Ar); syn. *H. celebicus* Koorders

We → *Rhynchospora gigantea* Link; CYPERACEAE; Surinam (Ar); syn. *Dichromena*
→ *Thurnia sphaerocephala* (Rudge) Hook.f.; THURNIACEAE; Surinam (Ar)
→ *Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guyana (Ak); syn. *Myristica surinamensis* Rolander ex Rottb.

We konikodikoro → *Displasia kerataefolia*

L.C.Rich.; CYPERACEAE; Surinam (Ar)

Webiaku → *Pachira aquatica* Aublet; BOMBACACEAE; Guyana (Ak); syn. *Bombax aquatica* (Aublet) K.Schumann

Weerde kooisie wiwirie → *Bidens pilosa* L.; ASTERACEAE; Surinam (Cr)

Wehelu hoepesienie → *Licania hostmannii* Fritsch; CHRYSOBALANACEAE; Caribbean

Weheyu → *Desmoncus guianensis* Trail; ARECACEAE (PALMAE); Surinam (Ar)

Wekeleu mauoloeloe → *Bombax nervosum* Uittien; BOMBACACEAE; Caribbean

Wekere japoepare → *Apeiba intermedia* Uittien; TILIACEAE; Caribbean

Wekere paida → *Brosimum guianense* (Aublet) Huber; MORACEAE; Surinam; syn. *Piratinera guianensis* Aublet; syn. *P. scabridula* Blake; syn. *P. velutina* Blake; syn. *Brosimum rotundatum* Standley; syn. *B. velutinum* (Blake) Ducke

Wekeroe koepésinirian → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Surinam

Wekie → *Inga stipularis* DC.; LEGUMINOSAE-MIM.; Surinam (Ar)

Wekoenomie → *Wulffia baccata* (L.f.) Kuntze; ASTERACEAE; Surinam (Au)

Wekoloe koepesine → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Caribbean

Welle kensie → *Allamanda cathartica* L.; APOCYNACEAE; Caribbean; syn. *A. hendersonii* Bulliard

Weneran → *Byrsonima obversa* Miquel; MALPIGHIACEAE; Caribbean

Wenko werik → *Tachigali paniculata* Aublet; LEGUMINOSAE-CAES.; Surinam; var. *cavipes* Benth.; syn. *Tachigalia paniculata* Aublet var. *cavipes* Benth.

Wepe lana noe takalli → *Mabea piriri* Aublet; EUPHORBIACEAE; Caribbean; syn. *M. ferruginea* Benth.

Wepenjana atakarie → *Mabea piriri* Aublet; EUPHORBIACEAE; Caribbean; syn. *M. ferruginea* Benth.

Wepetano tamoené → *Swartzia prouacensis* (Aublet) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *Bocoa prouacensis* Aublet

Wepoetana kilikili-maroeeroe → *Bombax nervosum* Uittien; BOMBACACEAE; Caribbean

Wepoetanoë pajaloe → *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Caribbean

Weputana → *Iryanthera lancifolia* Ducke; MYRISTICACEAE; Guyana (Cr)

Weputano → *Iryanthera macrophylla* (Benth.) Warburg; MYRISTICACEAE; Caribbean

Weputano waroesie → *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Curaçao

Werkens better → *Allamanda cathartica* L.; APOCYNACEAE; Caribbean; syn. *A. hendersonii* Bulliard

Werkense → *Allamanda cathartica* L.; APOCYNACEAE; Caribbean; syn. *A. hendersonii* Bulliard

Weroeto → *Jatropha curcas* L.; EUPHORBIACEAE; Caribbean; syn. *J. moluccana* Wallich

→ *Jatropha urens* L.; EUPHORBIACEAE; Caribbean

Werweri → *Gordonia* sp.; THEACEAE; Surinam (Ar); syn. *Laplacea fruticosa* (Schrader) Kobuski; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

→ *Laplacea fruticosa* (Schrader) Kobuski; THEACEAE; Surinam (Ar); use *Gordonia*; syn. *L. semiserrata* (Martius & Zucc.) Cambess.

→ *Laplacea semiserrata* (Martius & Zucc.) Cambess.; THEACEAE; Surinam (Ar); use *Gordonia*; syn. *L. fruticosa* (Schrader) Kobuski

Wesepi → *Ixora graciliflora* Benth.; RUBIACEAE; Caribbean; syn. *I. surinamensis* Bremek.

→ *Ixora surinamensis* Bremek.; RUBIACEAE; Caribbean; use *I. graciliflora* Benth.

Wesepoekoe → *Pouteria multiflora* (A.DC.) Eyma; SAPOTACEAE; Surinam (Ar); syn. *Lucuma multiflora* A.DC.

Weshiraure → *Xylopiya benthamii* R.E.Fries; ANNONACEAE; Surinam (Ar)

Wesopotare (pakirja-) → *Loreya mespiloides* Miquel; MELASTOMATACEAE; Surinam

Wesse poekoe kessipoeloe → *Pouteria guianensis* Aublet; SAPOTACEAE; Caribbean; syn. *Lucuma*

Wessé poekoelan (wase-) → *Pouteria melanopoda* Eyma; SAPOTACEAE; Caribbean; syn. *Lucuma*

West Indian cherry → *Malpighia glabra* L.; MALPIGHIACEAE; Puerto Rico

West Indian elm → *Guazuma ulmifolia* Lam.; STERCULIACEAE; British West Indies; syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.

West Indian gamboge → *Clusia* sp.; GUTTIFERAE; British West Indies

Westindisch palmhout → *Casearia praecox* Griseb.; FLACOURTIACEAE; West Indies; syn. *Gossypiospermum praecox* (Griseb.) P.Wilson

Wete koeloekoerang → *Clathrotropis brachypetala* (Tulasne) Kleinhoonte; LEGUMINOSAE-PAP.; Caribbean

Wetède → *Emilia sonchifolia* (L.) DC.; ASTERACEAE; Surinam (Ar)

Weti aneisi → *Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Weti apakwi → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Sa); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Weti foengoe → *Drypetes variabilis* Uittien;

EUPHORBIACEAE; Surinam (Cr)

Weti hede → *Alternanthera sessilis* (L.) R. Brown; AMARANTHACEAE; Surinam (Cr); syn. *A. triandra* Lam.

Weti lohoedoe → *Micropholis guianensis* (A. DC.) Pierre; SAPOTACEAE; Surinam (Cr); syn. *Sideroxylon guianensis* A. DC.

Weti parihoedoe (witte-) → *Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Cr); syn. *A. nitidum* Benth. ex Müll. Arg.

Weti pisi (witte pisi) → *Ocotea globifera* Mez; LAURACEAE; Surinam (Cr)

→ *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Cr)

Wetie abia → *Merremia umbellata* (L.) Hallier f.; CONVOLVULACEAE; Surinam (Cr)

Wetie été → *Ageratum conyzoides* L.; ASTERACEAE; Surinam (Cr)

Wetihoeedoe (witte hoeedoe) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Cr)

Wettie slinger voe boesi → *Thunbergia fragrans* Roxburgh; ACANTHACEAE; Surinam (Cr); sometimes family Thunbergiaceae

Wewe, pjawaban (pjoewape-, proewabino-) → *Siparuna decipiens* (Tulasne) A. DC.; MONIMIACEAE; Caribbean

Whalebone greenheart → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Guyana (Cr); syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Whéhètè → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

White aishal → *Lonchocarpus martyonii* A. C. Smith; LEGUMINOSAE-PAP.; Guyana (Cr)

White alling → *Bontia daphnoides* L.; MYOPORACEAE; Puerto Rico

White cedar → *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Guyana (Cr); var. *monophylla* Sandwith

→ *Tabebuia pentaphylla* (L.) Hemsley; BIGNONIACEAE; Puerto Rico

→ *Tabebuia stenocalyx* Sprague & Stapf; BIGNONIACEAE; Guyana (Cr)

→ *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Cr)

White haia → *Malouetia tamaquarina* (Aublet) A. DC.; APOCYNACEAE; Guyana (Cr); var. *minor* A. DC.; syn. *M. obtusiloba* A. DC.

White haiari → *Lonchocarpus martyonii* A. C. Smith; LEGUMINOSAE-PAP.; Guyana (Cr)

White kuyama → *Xylopiia frutescens* Aublet; ANNONACEAE; Guyana (Ar); var. *ferruginea* R. E. Fries

White mangrove → *Laguncularia racemosa* (L.) Gaertner f.; COMBRETACEAE; Guyana (Cr)

White mangrove (black-) → *Avicennia germinans* (L.) Stearn; VERBENACEAE; Puerto Rico; syn. *A.*

marina (Forsskal) Vierhapper; syn. *A. nitida* Jacq.; syn. *A. mindanaense* Elmer; syn. *A. africana* Toml.; syn. *A. intermedia* Griffith

White mangue → *Bravaisia floribunda* DC.; ACANTHACEAE; Trinidad

White olivier → *Terminalia* sp.; COMBRETACEAE; Trinidad

White Pareira root → *Abuta rufescens* Aublet; MENISPERMACEAE; Guyana (Cr)

White savonette → *Lonchocarpus latifolius* (Willd.) Kunth; LEGUMINOSAE-PAP.; Surinam (Cr)

White silverballi → *Nectandra* sp.; LAURACEAE; Guyana (Cr)

→ *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Guyana (Cr)

White sweetwood → *Ocotea canaliculata* (Rich.) Mez; LAURACEAE; Surinam (Cr)

White wallaba → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Guyana (Cr)

Whitewood → *Ocotea* sp.; LAURACEAE; British West Indies

Whoua-whoua → *Tabebuia* sp.; BIGNONIACEAE; Guyana

Whykee → *Inga stipularis* DC.; LEGUMINOSAE-MIM.; Guyana (Ar)

Wichabai → *Manilkara bidentata* (A. DC.) A. Chev.; SAPOTACEAE; Guyana (W); ssp. *surinamensis* (Miquel) T. D. Penn.; syn. *M. amazonica* (Huber) A. Chev.

Wies wies kwarie (wosjie-wosjie-) → *Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann

Wikens bita → *Allamanda cathartica* L.; APOCYNACEAE; Caribbean; syn. *A. hendersonii* Bulliard

Wild boulanger → *Solanum macranthum* Dunal; SOLANACEAE; Guyana (Cr)

Wild cacao (-cocoa) → *Theobroma bicolor* Humbert & Bonpland; STERCULIACEAE; Surinam (Cr)

Wild calabash → *Aiouea* sp.; LAURACEAE; Guyana (Cr)

→ *Calophyllum brasiliense* Cambess.; GUTTIFERAE; Guyana (Cr); syn. *C. calaba* Jacq.; syn. *C. rekoii* Standley

Wild calebash → *Crescentia cujete* L.; BIGNONIACEAE; British West Indies

Wild carpel → *Palicourea* sp.; RUBIACEAE; Puerto Rico

Wild cashew → *Anacardium giganteum* W. Hancock ex Engl.; ANACARDIACEAE; Guyana (Cr)

Wild chataigne → *Pachira aquatica* Aublet; BOMBACACEAE; Trinidad; syn. *Bombax aquatica* (Aublet) K. Schumann

Wild cherry → *Eugenia patrisii* Vahl;

- MYRTACEAE; Guyana (Cr)
 →*Rhacoma latifolia* Swartz; CELASTRACEAE; Puerto Rico
- Wild cinnamon (pepper-)** →*Canella winterana* (L.) Gaertner; CANELLACEAE; Puerto Rico
- Wild egg** →*Appunia* sp.; RUBIACEAE; Guyana (Cr); use *Morinda* sp.
 →*Morinda* sp.; RUBIACEAE; Guyana (Cr); syn. *Appunia* sp.
- Wild genip** →*Muellera frutescens* (Aublet) Standley; LEGUMINOSAE-PAP.; Guyana (Cr); use *Lonchocarpus*
- Wild grape** →*Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; British West Indies; syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?
- Wild guava** →*Aulomyrcia divaricata* O.Berg; MYRTACEAE; Surinam (Cr); use *Myrcia rufipila* McVaugh
 →*Myrcia rufipila* McVaugh; MYRTACEAE; Surinam (Cr); syn. *Aulomyrcia divaricata* O.Berg
 →*Psidium guajava* L.; MYRTACEAE; Guyana (Cr)
 →*Samyda* sp.; FLACOURTIACEAE; Virgin Islands
- Wild haia** →*Malouetia tamaquarina* (Aublet) A.DC.; APOCYNACEAE; Guyana (Cr); var. *minor* A.DC.; syn. *M. obtusifolia* A.DC.
- Wild jasmine** →*Tabernaemontana psychotrifolia* Kunth; APOCYNACEAE; Trinidad; syn. *Bonafousia sananho* (Ruiz & Pavón) Markgraf; syn. *Peschiera* sp.
- Wild jessamine** →*Clerodendrum* sp.; VERBENACEAE; Puerto Rico
- Wild lime (muri-)** →*Ximenia americana* L. var. *americana*; OLACACEAE; Guyana (Cr)
- Wild mammee** →*Clusia grandiflora* Splitg.; GUTTIFERAE; British West Indies; syn. *C. insignis* C.Martius
- Wild mammee apple** →*Platonia insignis* C.Martius; GUTTIFERAE; Guyana (Cr); syn. *P. esculenta* (Arruda) Rickett & Stafleu
- Wild mangro** →*Tovomita obovata* Engl.; GUTTIFERAE; Surinam (Cr)
- Wild maran** →*Amanoa guianensis* Aublet; EUPHORBIACEAE; Guyana (Cr)
- Wild maran daurobona** →*Caraipa richardiana* Cambess.; GUTTIFERAE; Guyana (Wr)
- Wild mespili** →*Morisonia americana* L.; CAPPARACEAE; Puerto Rico
- Wild nutmeg** →*Virola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Trinidad; syn. *Myristica surinamensis* Rolander ex Rottb.
- Wild olive** →*Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Guyana; syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth
 →*Sideroxylon foetidissimum* Jacq.; SAPOTACEAE; British West Indies
 →*Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies
- Wild orange** →*Hortia regia* Sandwith; RUTACEAE; Guyana (Cr)
 →*Swartzia* sp.; LEGUMINOSAE-PAP.; Trinidad
- Wild pineapple** →*Ananas comosus* (L.) Merrill; BROMELIACEAE; Surinam (Cr)
 →*Bromelia karatas* L.; BROMELIACEAE; Surinam (Cr)
- Wild poinsettia** →*Warszewiczia coccinea* (Vahl) Klotzsch; RUBIACEAE; Trinidad
- Wild rubber** →*Hevea confusa* Hemsley; EUPHORBIACEAE; Guyana (Cr); use *H. pauciflora* (Spruce ex Benth.) Muell.Arg. var. *coriacea* Ducke
 →*Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Cr); var. *coriacea* Ducke; syn. *H. confusa* Hemsley
 →*Hevea pauciflora* (Spruce ex Benth.) Müll.Arg.; EUPHORBIACEAE; Guyana (Cr); var. *pauciflora*
- Wild ruda** →*Diphysa cathagenensis* Jacq.; LEGUMINOSAE-PAP.; Guyana
- Wild sapodilla** →*Couepia comosa* Benth.; CHRYSOBALANACEAE; Surinam (Cr)
 →*Morisonia americana* L.; CAPPARACEAE; Trinidad
 →*Tovomita choisyana* Planchon & Triana; GUTTIFERAE; Guyana (Cr)
- Wild senna** →*Allamanda cathartica* L.; APOCYNACEAE; Surinam (Cr); syn. *A. hendersonii* Bulliard
 →*Caesalpinia pulcherrima* (L.) Swartz; LEGUMINOSAE-CAES.; Dutch West Indies
- Wild silk cotton** →*Bombax flaviflorum* Pulle; BOMBACACEAE; Guyana (Cr)
 →*Bombax globosum* Aublet; BOMBACACEAE; Guyana (Cr)
 →*Bombax surinamensis* Uittien; BOMBACACEAE; Guyana (Cr)
- Wild soursop** →*Annona muricata* L.; ANNONACEAE; Guyana (Cr)
- Wild star apple** →*Chrysophyllum argenteum* Jacq.; SAPOTACEAE; Surinam (Cr); ssp. *auratum* (Miquel) T.D.Penn.; syn. *C. auratum* Miquel; syn. *C. sericeum* A.DC.
 →*Couma guianensis* (A.Rich.) Aublet; APOCYNACEAE; Guyana (Cr)
 →*Couma macrocarpa* Barb.Rodr.; APOCYNACEAE; Guyana (Cr)
 →*Couma rigida* Müll.Arg.; APOCYNACEAE; Guyana (Cr)
- Wild tamarind** →*Cassia cowanii* Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); var. *guianensis* (Sandwith) Irwin & Barneby; syn. *C. leiandra* Benth. var. *guianensis* Sandwith
 →*Cassia leiandra* Benth. var. *guianensis* Sandwith; LEGUMINOSAE-CAES.; Surinam (Cr); use *C. cowanii* Irwin & Barneby var. *guianensis* (Sandwith) Irwin & Barneby

→*Chamaecrista adiantifolia* (Benth.) Irwin & Barneby; LEGUMINOSAE-CAES.; Surinam (Cr); var. *pteridophylla* (Sandwith) Irwin & Barneby; syn. *Cassia pteridophylla* Sandwith
→*Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis
→*Lysiloma latisiliqua* (L.) Benth.; LEGUMINOSAE-MIM.; Puerto Rico; syn. *L. sabicu* (L.) Benth.
→*Poponax* sp.; LEGUMINOSAE-MIM.; Puerto Rico
Wild yam →*Dioscorea amazonum* C.Martius ex Griseb.; DIOSCOREACEAE; Surinam (Ar)
→*Dioscorea crotalariifolia* Uline; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea guianensis* Kunth; DIOSCOREACEAE; Surinam (Cr)
→*Dioscorea megacarpa* Gleason; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea oblonga* Gleason; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea polygonoides* Humbert & Bonpl. ex Willd.; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea potarensis* Kunth; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea riparia* Kunth & Schomb.; DIOSCOREACEAE; Guyana (Cr)
→*Dioscorea trichanthera* Gleason; DIOSCOREACEAE; Guyana (Cr)
Wilde abrikoos →*Couroupita guianensis* Aublet; LECYTHIDACEAE; Surinam (Du)
Wilde ananas →*Aechmea bromeliifolia* (Rudge) Baker; BROMELIACEAE; Surinam (Du)
Wilde bamboe →*Olyra latifolia* L.; POACEAE; Surinam (Du)
Wilde cachon →*Curatella americana* L.; DILLENACEAE; Surinam (Du)
Wilde guave →*Psidium guajava* L.; MYRTACEAE; Surinam (Du)
Wilde jorka oker →*Hibiscus bifurcatus* Cav.; MALVACEAE; Surinam (Du)
Wilde kers →*Mouriria plasschaertii* Pulle; MELASTOMATACEAE; Surinam (Du); syn. *M. anomala* Pulle
Wilde malva →*Waltheria americana* L.; STERCULIACEAE; Surinam (Du); syn. *W. indica* L.
Wilde markoesa →*Passiflora glandulosa* Cav.; PASSIFLORACEAE; Surinam (Du)
Wilde pesie →*Vigna luteola* (Jacq.) Benth.; LEGUMINOSAE-PAP.; Surinam (Du)
Wilde tayer →*Caladium bicolor* (Aiton) Ventenat; ARACEAE; Surinam (Du)
Wilkins jasmijn →*Gardenia jasminoides* Ellis; RUBIACEAE; Surinam (Du)

Wilkins tetei →*Mandevilla hirsuta* (Rich.) K.Schumann; APOCYNACEAE; Surinam
Wina →*Eschweilera corrugata* (Poiteau) Miers; LECYTHIDACEAE; Guyana (Ar); use *Lecythis corrugata* Poiteau
Wina (-kakaralli) →*Lecythis corrugata* Poiteau; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera corrugata* (Poiteau) Miers
Winamoro →*Euterpe stenophylla* Trail ex Burret; ARECACEAE (PALMAE); Guyana (Wr)
Wine palm →*Manicaria saccifera* Gaertner; ARECACEAE (PALMAE); Guyana (Cr)
Winter bark →*Canella winterana* (L.) Gaertner; CANELLACEAE; Puerto Rico
Wintje, blaka →*Cordia schomburgkii* DC.; BORAGINACEAE; Surinam (Cr)
Wiri →*Astrocaryum munbaca* C.Martius; ARECACEAE (PALMAE); Caribbean
→*Ximenia americana* L. var. *americana*; OLACACEAE; Surinam (Ar)
Wirichu →*Hyptis arborea* Benth.; LAMIACEAE; Guyana (An)
Wirimiri →*Eschweilera confertiflora* A.C.Smith; LECYTHIDACEAE; Surinam (Ar); use *Lecythis confertiflora* (A.C.Smith) S.A.Mori
→*Lecythis confertiflora* (A.C.Smith) S.A.Mori; LECYTHIDACEAE; Surinam (Ar); syn. *Eschweilera confertiflora* A.C.Smith
Wirimiridja uara →*Sacoglottis guianensis* Benth. var. *guianensis*; HUMIRIACEAE; Surinam (Ar); syn. *S. guianensis* Benth. var. *dolichocarpa* Ducke
Wirin →*Ceiba pentandra* (L.) Gaertner; BOMBACACEAE; Guyana (W); syn. *C. occidentalis* (Sprengel) Burkill; syn. *C. thoningii* Chevalier; syn. *Bombax pentandrum* L.
Wiriri mekuru →*Lonchocarpus floribundus* Benth.; LEGUMINOSAE-PAP.; Surinam (Ar)
Wisi-wisi →*Bulbostylis junciformis* Kunth; CYPERACEAE; Caribbean; use *Fimbristylis*
→*Fimbristylis* sp.; CYPERACEAE; Caribbean; syn. *Bulbostylis junciformis* Kunth
Wiswis kwalie →*Vochysia surinamensis* Stafleu; VOCHYSIACEAE; Surinam (Cr)
Wiswis kwar(r)ie →*Qualea dinizii* Ducke; VOCHYSIACEAE; Surinam (Du); var. *glabrifolia* Meurs
Wiswis kwarie (wies wies-) →*Vochysia guianensis* Aublet; VOCHYSIACEAE; Surinam (Cr); syn. *V. melinonii* Beckmann
Wit bijlhout →*Eperua schomburgkiana* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)
Wit parelhout →*Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Du); syn. *A. nitidum* Benth. ex Müll.Arg.
→*Aspidosperma nitidum* Benth. ex Müll.Arg.; APOCYNACEAE; Surinam (Du); use *A. marcgravianum* Woodson

Wit puperhart → *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Surinam (Du); ssp. pubescens (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Wit riemhout → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); syn. *Sideroxylon guianensis* A.DC.

Wit rupa → *Castela* sp.; SIMAROUBACEAE; Curaçao; syn. *Holacantha emoryi* A.Gray

Wit-bloem kalebashout → *Citharexylum macrophyllum* Poiret; VERBENACEAE; Surinam (Du)

Witbaka → *Sipanea pratensis* Aublet; RUBIACEAE; Surinam (Cr)

Withe, black → *Serjania* sp.; SAPINDACEAE; Puerto Rico

Without → *Croton matourensis* Aublet; EUPHORBIACEAE; Surinam (Du)

Witie parihoedoe → *Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Cr); syn. *A. nitidum* Benth. ex Müll.Arg.

Witte apakwie-ie → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Sa)

Witte apisie-ie → *Aniba taubertiana* Mez; LAURACEAE; Surinam (Sa)

Witte apokita (-apohita) → *Aspidosperma marcgravianum* Woodson; APOCYNACEAE; Surinam (Du); syn. *A. nitidum* Benth. ex Müll.Arg.

Witte bast titéhoedoe → *Lecythis chartacea* O.Berg; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera chartacea* (O.Berg) Eyma
→ *Lecythis simiorum* Benoist; LECYTHIDACEAE; Surinam (Cr); syn. *Eschweilera simiorum* (Benoist) Eyma

Witte birihoedoe → *Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Cr); var. *grandiflora* Pulle

Witte ceder → *Trattinickia demerarae* Sandwith; BURSERACEAE; Surinam (Du)

Witte djedoe → *Sclerolobium albiflorum* Benoist; LEGUMINOSAE-CAES.; Surinam (Du)

→ *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Du)

Witte djedoe (rode-) → *Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Surinam (Du)

Witte djoe bo(ile)trie → *Chaetocarpus schomburgkianus* (Kuntze) Pax & K.Hoffm.; EUPHORBIACEAE; Surinam (Du)

Witte djoe bolletrie → *Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Du); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Witte doeka → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Du)

Witte foengoe → *Drypetes variabilis* Uittien; EUPHORBIACEAE; Surinam (Du)

Witte foengoe (blaka-) → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Surinam (Cr)

Witte foeta (-foeta) → *Coussarea paniculata* (Vahl) Standley ex Will. & Ch.; RUBIACEAE; Surinam (Sa)

Witte hede (witti-, weti-) → *Alternanthera sessilis* (L.) R.Brown; AMARANTHACEAE; Surinam (Du); syn. *A. triandra* Lam.

Witte hoedoe → *Conceveiba guianensis* Aublet; EUPHORBIACEAE; Surinam (Du); syn. *Aparisthium cordatum* (Jussieu) Baillon ?

Witte hoedoe (wetihoedoe) → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Cr)

Witte katoen → *Gossypium barbadense* L.; MALVACEAE; Surinam (Du)

Witte kjinkjinhoedoe (witti-) → *Isertia spiciformis* DC.; RUBIACEAE; Surinam (Sa)

Witte koelisiri (zwarte-, black-) → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Ar); var. *frondosa* (Benth.) Radlk.

Witte kwarie → *Vochysia tomentosa* (G.Meyer) DC.; VOCHYSIACEAE; Surinam (Du)

Witte locust (simiri-, zwarte-) → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Du)

Witte pinja (-pienja) → *Vismia guianensis* (Aublet) Choisy; GUTTIFERAE; Surinam (Du)

Witte pisi (wane-, weti-) → *Ocotea globifera* Mez; LAURACEAE; Surinam (Du)

Witte pisi (weti pisi) → *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Du)

Witte pritijari (pieterjarie) → *Fagara pentandra* Aublet; RUTACEAE; Surinam (Du); use *Zanthoxylum pentandra* (Aublet) R.A.Howard
→ *Zanthoxylum pentandra* (Aublet) R.A.Howard; RUTACEAE; Surinam (Du); syn. *Fagara pentandra* Aublet; syn. *Xanthoxylum*

Witte purperhart → *Martusia parviflora* Amshoff; LEGUMINOSAE-CAES.; Surinam (Du)

Witte salie → *Protium glabrescens* Swart; BURSERACEAE; Surinam (Cr)

→ *Protium polybotryum* (Turcz.) Engl.; BURSERACEAE; Surinam (Du)

→ *Protium sagotianum* Marchand; BURSERACEAE; Surinam (Du); syn. *P. insigne* (Triana & Planchon) Engl.

→ *Tetragastris altissima* (Aublet) Swart; BURSERACEAE; Surinam (Du)

→ *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Du); syn. *T. stevensonii* Standley

Witte tonorebjo (tamoene-, ietjoeroe-)

→ *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Du); var. *frondosa* (Benth.) Radlk.

Witte wallaba → *Eperua falcata* Aublet;

LEGUMINOSAE-CAES.; Surinam (Du)
→*Eperua rubiginosa* Miquel; LEGUMINOSAE-CAES.; Surinam (Du); var. *grandiflora* Pulle

Witte wane (-wana, -wano, -wanoe)
→*Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam (Du); syn. *Ocotea rubra* Mez

Witti boeka →*Miconia acinodendron* (L.) Sweet; MELASTOMATACEAE; Surinam (Au)

Witti djoe botrie →*Pouteria robusta* (C.Martius & Eichler) Eyma; SAPOTACEAE; Surinam (Cr); var. *longifolia* Eyma; syn. *Neoxythece robusta* (C.Martius & Eichler) Aubrév. & Pellegrin var. *longifolia* Eyma; syn. *Lucuma*

Wittihoedoe →*Erisma uncinatum* Warming; VOCHYSIACEAE; Surinam (Sa); syn. *E. pulverulentum* Poeppig

Wiwirie, (kleine) pagara →*Calathea elliptica* (Roscoe) K.Schumann; MARANTACEAE; Surinam (Cr)

Wiwirie, a dede →*Dichorisandra hexandra* (Aublet) Standley; COMMELINACEAE; Surinam (Au)

Wiwirie, ajé →*Monstera sagotiana* Engl.; ARACEAE; Surinam (Ar)

Wiwirie, aneisi →*Piper arboreum* Aublet; PIPERACEAE; Surinam (Cr); var. *arboreum*

Wiwirie, aneisi (anijsie-) →*Piper marginatum* Jacq.; PIPERACEAE; Surinam (Cr); var. *clausum* Yuncker

Wiwirie, bakioe →*Palicourea crocea* (Swartz) DC.; RUBIACEAE; Surinam (Cr)

Wiwirie, bakroe →*Aphelandra deppeana* Schlttdl. & Chamisso; ACANTHACEAE; Surinam (Cr); syn. *A. pectinata* Willd. ex Nees
→*Justicia acuminatissima* (Miquel) Bremek.; ACANTHACEAE; Caribbean

Wiwirie, bita →*Phyllanthus niruri* L.; EUPHORBIACEAE; Caribbean

Wiwirie, blaka →*Phytolacca rivinoides* Kunth & Bouché; PHYTOLACCACEAE; Surinam (Cr)

Wiwirie, boesi smeri →*Miconia laterifolia* Cogniaux; MELASTOMATACEAE; Surinam (Cr); syn. *M. disparilis* (Standley) R.O.Williams

Wiwirie, boko boko →*Croton hirtus* L'Héritier; EUPHORBIACEAE; Surinam (Cr)

Wiwirie, Curaçao smeroe →*Ocimum tenuiflorum* L.; LAMIACEAE; Surinam (Cr); syn. *O. sanctum* L.

Wiwirie, doifie →*Vernonia cinera* (L.) Lesson; ASTERACEAE; Surinam (Cr)

Wiwirie, gobo-gobo →*Jacaranda filicifolia* (Anderson) D.Don; BIGNONIACEAE; Surinam (Cr)

Wiwirie, grote pagara →*Calathea grandis* Peters; MARANTACEAE; Surinam (Cr)

Wiwirie, hedde-hatti →*Calotropis gigantea* (L.) Dryander; ASCLEPIADACEAE; Surinam (Cr)

Wiwirie, kanarie →*Orthomene schomburgkii* (Miers) Barneby & Krukoff; MENISPERMACEAE; Surinam (Cr); syn. *Anomospermum schomburgkii* Miers

Wiwirie, konsaka →*Peperomia pellucida* (L.) Kunth; PIPERACEAE; Surinam (Cr)

Wiwirie, koorsoe →*Clibadium surinamense* L.; ASTERACEAE; Surinam (Cr)

Wiwirie, koorsoe (oema koorsoe-) →*Lantana camara* L.; VERBENACEAE; Surinam (Cr)

Wiwirie, krassi →*Amaranthus lividus* L.; AMARANTHACEAE; Surinam (Cr)

Wiwirie, kromantie →*Struchium sparganophora* (L.) Kuntze; ASTERACEAE; Surinam (Cr)

Wiwirie, leta →*Erechtites hieraciifolia* (L.) Raf. ex DC.; ASTERACEAE; Surinam (Cr)

Wiwirie, loso (louisa-) →*Eclipta prostrata* (L.) L.; ASTERACEAE; Caribbean; syn. *E. alba* (L.) Hasskarl

Wiwirie, man aneisi →*Piper bartlingianum* (Miquel) C.DC.; PIPERACEAE; Surinam (Cr)

Wiwirie, man sisibie →*Sida acuta* Burman; MALVACEAE; Surinam (Cr)

Wiwirie, man snekie →*Clidemia rubra* (Aublet) C.Martius; MELASTOMATACEAE; Surinam (Cr); syn. *C. aphanantha* Sagot

Wiwirie, manie (bana louisa-) →*Ludwigia hyssopifolia* (G.Don) Exell; ONAGRACEAE; Surinam (Cr); syn. *Jussiaea linifolia* Vahl

Wiwirie, oema snekie →*Clidemia hirta* (L.) D.Don; MELASTOMATACEAE; Surinam (Cr); var. *elegans* (Aublet) Griseb.
→*Clidemia japurensis* DC.; MELASTOMATACEAE; Surinam (Cr); var. *heterobasis* (DC.) Wurdack; syn. *C. naevula* (Naudin) Triana

Wiwirie, oeman andisè →*Elephantopus carolinianus* Willd.; ASTERACEAE; Surinam (Cr)
→*Elephantopus mollis* Kunth; ASTERACEAE; Surinam (Cr); syn. *E. tomentosus* L.

Wiwirie, sabana sisibie →*Sida rhombifolia* L. var. *surinamensis* K.Schumann; MALVACEAE; Surinam (Cr)

Wiwirie, santi →*Alternanthera sessilis* (L.) R.Brown; AMARANTHACEAE; Surinam (Cr); syn. *A. triandra* Lam.

Wiwirie, sekrepatoe →*Ilex guianensis* (Aublet) Kuntze; AQUIFOLIACEAE; Surinam (Cr); var. *elliptica* Amshoff

Wiwirie, silvicensie (tibrise-) →*Peperomia rotundifolia* (L.) Kunth; PIPERACEAE; Surinam (Cr); var. *obcordata* (Miquel) Dahlstedt

Wiwirie, smeri →*Croton miquelianus* Ferguson; EUPHORBIACEAE; Surinam (Cr)
→*Ocimum micranthum* Willd.; LAMIACEAE; Surinam (Cr)

Wiwirie, sneki (losau-) →*Eryngium foetidum* L.; APIACEAE; Surinam (Cr)

Wiwirie, sweet watra sara sara →*Mayaca fluviatilis* Aublet; MAYACACEAE; Surinam (Cr)

- Wiwirie, swietie aneisi (aneisi-)** → *Pothomorphe peltata* (L.) Miquel; PIPERACEAE; Surinam (Cr); syn. *Piper peltatum* L.
- Wiwirie, swietie sopie** → *Merremia dissecta* (Jacq.) Hallier f.; CONVOLVULACEAE; Surinam (Cr)
- Wiwirie, weerde kooisie** → *Bidens pilosa* L.; ASTERACEAE; Surinam (Cr)
- Wladilikoro** → *Bombax nervosum* Uittien; BOMBACACEAE; Surinam (Ar)
- Wo-oppoetanoepoeleka** → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Caribbean
- Woenowo** → *Hirtella paniculata* Swartz; CHRYSOBALANACEAE; Caribbean
- Woepa** → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam
- Woité** → *Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Surinam; syn. *Tecoma leucoxydon* (L.) Martius ex DC.
- Woka** → *Paepalanthus bifidus* (Schrader) Kunth; ERIOCAULACEAE; Caribbean
→ *Paepalanthus polytrichoides* Kunth; ERIOCAULACEAE; Caribbean
- Wokere apoekoesja** → *Siparuna decipiens* (Tulasne) A.DC.; MONIMIACEAE; Caribbean
- Wokere besoerie** → *Atuna racemosa* Raf. ssp. *excelsa* (Jack) Prance; CHRYSOBALANACEAE; Caribbean; syn. *Parinari excelsa* Sabine; syn. *Atuna elata* (King) Kosterm.; syn. *A. excelsa* (Jack) Kosterm.
- Wokko moloko tëllè** → *Pouteria gonggrijpii* Eyma; SAPOTACEAE; Caribbean; syn. *Franchetella gonggrijpii* (Eyma) Aubrév.; syn. *Lucuma*
- Woko isjaré** → *Diploptropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Caribbean; syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke
- Woko mapiri** → *Endlicheria pyriformis* (Nees) Mez; LAURACEAE; Caribbean
- Woko melekotore (-merokotele)** → *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Caribbean
- Woko merokotele (-melekotore)** → *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Caribbean
- Woko mollekotoré (-molotokolé)** → *Lacunaria crenata* (Tulasne) A.C.Smith; QUIINACEAE; Caribbean
- Woko molokotele (-melekotore)** → *Lacunaria jenmanii* (Oliver) Ducke; QUIINACEAE; Caribbean
- Woko molotokolé (-mollekotoré)** → *Lacunaria crenata* (Tulasne) A.C.Smith; QUIINACEAE; Caribbean
- Woko morokotore** → *Iryanthera sagotiana* (Benth.) Warburg; MYRISTICACEAE; Caribbean
- Woko popi (waka-, wako-)** → *Mouriria grandiflora* A.DC.; MELASTOMATACEAE; Surinam; syn. *M. princeps* Naudin
- Woko potele** → *Justicia acuminatissima* (Miquel) Bremek.; ACANTHACEAE; Caribbean
- Wokoeloe allowe** → *Pouteria* sp.; SAPOTACEAE; Surinam; syn. *Lucuma* sp.
- Wokomolo kotele** → *Gustavia hexapetala* (Aublet) A.C.Smith; LECYTHIDACEAE; Caribbean
- Wokowokoeloe** → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Caribbean; syn. *Sideroxylon guianensis* A.DC.
- Woli kwatele** → *Lecythis corrugata* Poiteau; LECYTHIDACEAE; Caribbean; syn. *Eschweilera corrugata* (Poiteau) Miers
- Woliféballi** → *Conyza chilensis* Sprengel; ASTERACEAE; Surinam (Ar)
→ *Synedrella nodiflora* (L.) Gaertner; ASTERACEAE; Surinam (Ar)
- Wolo wolo** → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam; syn. *M. utilisissima* Pohl
- Womara (wamara)** → *Swartzia leiocalycina* Benth.; LEGUMINOSAE-PAP.; Guyana (Ar)
- Womi marmadosoe** → *Amaioua guianensis* Aublet; RUBIACEAE; Surinam (Sa); syn. *Amajoua guianensis* Aublet
- Wonam** → *Guazuma ulmifolia* Lam.; STERCULIACEAE; Guyana (W); syn. *G. tomentosa* Kunth; syn. *Theobroma guazuma* L.
- Wonderolieboon** → *Ricinus communis* L.; EUPHORBIACEAE; Surinam (Du)
- Wondohedoe** → *Myrcia coumeta* (Aublet) DC.; MYRTACEAE; Surinam (Au)
- Wonoë** → *Miconia acinodendron* (L.) Sweet; MELASTOMATACEAE; Caribbean
- Wonoë (tapirin-)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Surinam; syn. *Ocotea rubra* Mez
- Wonoë (toopoonoo-)** → *Nectandra rubra* (Mez) Allen; LAURACEAE; Caribbean; syn. *Ocotea rubra* Mez
- Wonoë kwarie** → *Vochysia densiflora* Spruce ex Warming; VOCHYSIACEAE; Caribbean
- Wonojen-panda** → *Persea nivea* Mez; LAURACEAE; Caribbean; syn. *P. benthamiana* Meisner
- Wonosoro wadilikoro** → *Cecropia palmata* Willd.; MORACEAE; Surinam (Ar)
- Wooi toela lali** → *Mitracarpus discolor* Miquel; RUBIACEAE; Caribbean
- Wooitano ajawa** → *Trattinickia* sp.; BURSERACEAE; Surinam
- Wooitano kombetassi** → *Hirtella* sp.; CHRYSOBALANACEAE; Surinam
- Wooitjano anakoko** → *Ormosia paraensis* Ducke; LEGUMINOSAE-PAP.; Caribbean
- Wopa** → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Guyana (P)
- Wopetanoë kwatele** → *Eschweilera coriacea*

(A.DC.) C.Martius ex O.Berg; LECYTHIDACEAE; Caribbean; syn. E. odora (Poeppig) Miers

Wopoetana pisi →Endlicheria endlicheriopsis (Mez) Kosterm.; LAURACEAE; Caribbean

Wopoetano toekalaja oelemari →Couratari multiflora (J.E.Smith) Eyma; LECYTHIDACEAE; Surinam (Ar); syn. C. fagifolia (Miquel) Eyma

Woracoori →Tabebuia insignis (Miquel) Sandwith; BIGNONIACEAE; Guyana (Cr); var. monophylla Sandwith

Worisjeporo apotopo →Inga pezizifera Benth.; LEGUMINOSAE-MIM.; Caribbean; syn. I. urnifera Kleinhoonte

Wormbast →Andira surinamensis (Bondt) Splitg. ex Pulle; LEGUMINOSAE-PAP.; Surinam (Du)

→Vatairea guianensis Aublet; LEGUMINOSAE-PAP.; Surinam (Du); syn. V. surinamensis Kleinhoonte; syn. Vataireopsis speciosa Ducke

Wormbast (wormboom) →Hymenolobium flavum Kleinhoonte; LEGUMINOSAE-PAP.; Surinam (Du)

Wortelboom →Rhizophora mangle L.; RHIZOPHORACEAE; Surinam (Du); syn. R. racemosa G.Meyer

Wosijono →Bombax flaviflorum Pulle; BOMBACACEAE; Caribbean

Wosiono sipio →Trattinickia sp.; BURSERACEAE; Surinam

Wosjie-wosjie kwarie (wies wies-) →Vochysia guianensis Aublet; VOCHYSIACEAE; Surinam (Cr); syn. V. melinonii Beckmann

Wossie-jossie →Qualea dinizii Ducke; VOCHYSIACEAE; Caribbean

Wossie-wossie →Qualea dinizii Ducke; VOCHYSIACEAE; Surinam (Cr); var. glabrifolia Meurs

Wossie-wossie kwarie (was-wassi-) →Vochysia guianensis Aublet; VOCHYSIACEAE; Surinam (Cr); syn. V. melinonii Beckmann

Wotamba téra →Mikania congesta DC.; ASTERACEAE; Caribbean

Wotjie →Inga rubiginosa (A.Rich.) DC.; LEGUMINOSAE-MIM.; Surinam (Cr)

Woto kasjimate →Annona hypoglauca Martius; ANNONACEAE; Caribbean

Woto kwaleli (-kwarie, -kwerli) →Qualea coerulea Aublet; VOCHYSIACEAE; Surinam (Cr)

Woto kwarie (-kwaleli) →Qualea dinizii Ducke; VOCHYSIACEAE; Surinam (Cr); var. glabrifolia Meurs

Wouapa →Eperua falcata Aublet; LEGUMINOSAE-CAES.; Surinam

Wreath, purple →Petrea bracteata Steudel; VERBENACEAE; Surinam (Cr)

→Petrea macrostachya Benth.; VERBENACEAE; Surinam (Cr)

Wütük →Marlierea schomburgkiana O.Berg; MYRTACEAE; Guyana (Ak)

Yagrumo (-macho) →Schefflera morototoni (Aublet) Maguire, St. & Frodin; ARALIACEAE; Puerto Rico; syn. Didymopanax morototoni (Aublet) Decaisne & Planchon

Yagrumo hembra →Cecropia peltata L.; MORACEAE; Puerto Rico

Yagrumo macho →Bocconia frutescens L.; PAPAVERACEAE; Dominican Republic

Yagua →Casearia sylvestris Swartz; FLACOURTIACEAE; Dominican Republic
→Ziziphus rhodoxylon Urban; RHAMNACEAE; Dominican Republic

Yaho →Gossypium barbadense L.; MALVACEAE; Surinam (Ar)

Yahoballi →Hibiscus bifurcatus Cav.; MALVACEAE; Surinam (Ar)

Yahu →Xylosterculia rugosa (R.Brown) Kosterm.; STERCULIACEAE; Surinam (Ar); syn. Sterculia rugosa R.Brown

Yahui →Manicaria saccifera Gaertner; ARECACEAE (PALMAE); Guyana (Wr)

Yaití →Gymnanthes lucida Swartz; EUPHORBIACEAE; Puerto Rico; syn. Sebastiana lucida Müll.Arg.

Yakelele →Swartzia sp.; LEGUMINOSAE-PAP.; French Guiana

Yaki →Guettarda acreana Krause; RUBIACEAE; Guyana (An)

Yakopi (jakopi, jakoppi, jokopi) →Qualea albiflora Warming; VOCHYSIACEAE; Caribbean; use Ruizterania albiflora (Warming) Marcono-Berti ?

Yakopi (jakopi, jokopi) →Qualea dinizii Ducke; VOCHYSIACEAE; Caribbean
→Qualea rosea Aublet; VOCHYSIACEAE; Caribbean

Yaksa(u)ru →Vatairea guianensis Aublet; LEGUMINOSAE-PAP.; Guyana; syn. V. surinamensis Kleinhoonte; syn. Vataireopsis speciosa Ducke

Yaku →Quassia simarouba L.f.; SIMAROUBACEAE; Guyana (Ar); syn. Simarouba amara Aublet var. typica Cronquist

Yalati →Struchium sparganophora (L.) Kuntze; ASTERACEAE; Caribbean

Yale →Coussapoa microcephala Trécul; MORACEAE; Guyana (Cr); ssp. microcephala; syn. C. fagifolia Klotzsch

Yam, wild →Dioscorea amazonum C.Martius ex Griseb.; DIOSCOREACEAE; Surinam (Cr); almost all Dioscorea spp. are called 'wild yam'

Yanéau →Ocotea glomerata (Nees) Mez; LAURACEAE; Guyana (Ak); syn. O. glomerata (Nees) Benth.

→Ocotea tomentella Sandwith; LAURACEAE; Guyana (Ak)

Yapana →Eupatorium sp.; ASTERACEAE; Puerto Rico

Yapopare → *Licania heteromorpha* Benth. var. *perplexans* Sandwith; CHRYSOBALANACEAE; Caribbean

Yapopari → *Sacoglottis guianensis* Benth.; HUMIRIACEAE; Caribbean

Yapui → *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Caribbean; syn. *O. schomburgkiana* (Nees) Mez

Yaquillo → *Phyllanthus* sp.; EUPHORBIACEAE; Puerto Rico

Yarayara (yariyari, yariyarri) → *Duguetia pycnastera* Sandwith; ANNONACEAE; Surinam (Ar)

Yarayara (yariyarri) → *Duguetia neglecta* Sandwith; ANNONACEAE; Surinam (Ar)

Yariman → *Combretum cacoucia* (Baillon) Exell; COMBRETACEAE; Surinam (Ar)

Yariyari → *Duguetia quitarensis* Benth.; ANNONACEAE; Guyana (W)

Yariyari (yarayara, yariyarri) → *Duguetia pycnastera* Sandwith; ANNONACEAE; Surinam (Cr)

Yarramie → *Eugenia racemifera* Sagot; MYRTACEAE; Caribbean

Yariyarri → *Anaxagorea dolichocarpa* Sprague & Sandwith; ANNONACEAE; Guyana (Cr)
→ *Duguetia calycina* Benoist; ANNONACEAE; Guyana (Cr)
→ *Duguetia decurrens* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Duguetia lucida* Urban; ANNONACEAE; Surinam (Cr)
→ *Duguetia quitarensis* Benth.; ANNONACEAE; Guyana (Cr)

Yariyarri (yarayara) → *Duguetia neglecta* Sandwith; ANNONACEAE; Surinam (Cr)

Yariyarri (yarayara, yariyari) → *Duguetia pycnastera* Sandwith; ANNONACEAE; Surinam (Cr)

Yariyarri, black → *Guatteria atra* Sandwith; ANNONACEAE; Guyana (Cr)
→ *Guatteria brachypoda* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria ovalifolia* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria procera* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria punctata* (Aublet) R.Howard; ANNONACEAE; Guyana (Cr); syn. *G. chrysopetala* (Steudel) Miquel
→ *Guatteria sandwithii* R.E.Fries; ANNONACEAE; Guyana (Cr)
→ *Guatteria schomburgkiana* C.Martius; ANNONACEAE; Guyana (Cr); var. *schomburgkiana*

Yarula → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Guyana (Cr)
→ *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Guyana (Cr)

Yaruru → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Surinam (Ar)
→ *Aspidosperma oblongum* A.DC.; APOCYNACEAE; Surinam (Ar)

Yaruru, bastard → *Swartzia tomentosa* DC.; LEGUMINOSAE-PAP.; Guyana

Yau → *Pouteria grandis* Eyma; SAPOTACEAE; Guyana (M); syn. *Lucuma*
→ *Pouteria sericea* (Aiton) Baehni; SAPOTACEAE; Guyana (M); syn. *Lucuma sericea* (R.Brown) Benth. & Hook.f.

Yaurokonan → *Tephrosia sinapou* (Buc'hoz) A.Chev.; LEGUMINOSAE-PAP.; Surinam (Ar); syn. *T. toxicaria* (Swartz) Persoon
→ *Tephrosia toxicaria* (Swartz) Persoon; LEGUMINOSAE-PAP.; Surinam (Ar); use *T. sinapou* (Buc'hoz) A.Chev.

Yawahü sarapan → *Basanacantha asperifolia* Sandwith; RUBIACEAE; Surinam (Ar); use *Randia asperifolia* (Sandwith) Sandwith
→ *Randia asperifolia* (Sandwith) Sandwith; RUBIACEAE; Surinam (Ar); syn. *Basanacantha asperifolia* Sandwith

Yawahü were → *Helosis cayennensis* (Swartz) Sprengel; BALANOPHORACEAE; Surinam (Ar)

Yawahü yadala → *Cyperus elegans* Vahl; CYPERACEAE; Surinam (Ar)
→ *Pycreus polystacheus* P.Beauvois; CYPERACEAE; Surinam (Ar)

Yawahuballi → *Mollia lepidota* Spruce ex Benth.; TILIACEAE; Guyana (Ar); ssp. *lepidota*
→ *Mollia lepidota* Spruce ex Benth.; TILIACEAE; Guyana (Ar); ssp. *sphaerocarpa* (Gleason ex Rec.) Meijer; syn. *M. sphaerocarpa* Gleason ex Rec.
→ *Mollia sphaerocarpa* Gleason ex Rec.; TILIACEAE; Guyana (Ar); use *M. lepidota* Spruce ex Benth. ssp. *sphaerocarpa* (Gleason ex Rec.) Meijer

Yawahudan → *Bagassa guianensis* Aublet; MORACEAE; Surinam (Ar); syn. *B. tiliifolia* (Hamilton) Benoist; syn. *B. tiliifolia* (Desv.) Benoist ?
→ *Bagassa tiliifolia* (Hamilton) Benoist; MORACEAE; Surinam (Ar); use *B. guianensis* Aublet; syn. *B. tiliifolia* (Desv.) Benoist ?

Yawaredan → *Sclerolobium guianense* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
→ *Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Surinam (Ar)
→ *Tachigali pubiflora* Benth.; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Tachigalia pubiflora* Benth.
→ *Tachigali rusbyi* Harms; LEGUMINOSAE-CAES.; Surinam (Ar); syn. *Tachigalia rusbyi* Harms

→*Tachigalia* spp.; LEGUMINOSAE-CAES.; Surinam (Ar); use *Tachigali* spp.

Yawariballi →*Calyptanthus* sp.; MYRTACEAE; Guyana

Yawarridana →*Sclerolobium melinonii* Harms; LEGUMINOSAE-CAES.; Guyana

Yaya (-boba) →*Oxandra lanceolata* (Swartz) Baillon; ANNONACEAE; Puerto Rico

Yaya madoe (jea-, guiagua-, guingua-) →*Viola surinamensis* (Rolander ex Rottb.) Warburg; MYRISTICACEAE; Guianas; syn. *Myristica surinamensis* Rolander ex Rottb.

Yekoro →*Endlicheria punctulata* (Mez) C.K.Allen; LAURACEAE; Surinam (Ar); syn. *Ocotea punctulata* Mez

→*Licaria vernicosa* (Mez) Kosterm.; LAURACEAE; Surinam (Ar); syn. *Acrodictidium*

→*Ocotea caudata* (Meisner) Mez; LAURACEAE; Surinam (Ar)

→*Ocotea punctulata* Mez; LAURACEAE; Surinam (Ar); use *Endlicheria punctulata* (Mez) C.K.Allen

→*Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Ar); syn. *O. schomburgkiana* (Nees) Mez

→*Ocotea schomburgkiana* (Nees) Mez; LAURACEAE; Surinam (Ar); use *O. schomburgkiana* (Nees) Benth. & Hook.f.

Yekuna (jekuna, jekoena) →*Triplaris weigeltiana* (Rchb.) Kuntze; POLYGONACEAE; Surinam (Ar); syn. *T. surinamensis* Chamisso; syn. *T. americana* Aublet

Yellow alder →*Turnera* sp.; TURNERACEAE; Puerto Rico

Yellow balsam →*Croton* sp.; EUPHORBIACEAE; Virgin Islands

Yellow cedar (-elder) →*Tecoma stans* (L.) Kunth; BIGNONIACEAE; British West Indies; syn. *Stenolobium stans* (L.) Seemann

Yellow elder (-cedar) →*Tecoma stans* (L.) Kunth; BIGNONIACEAE; British West Indies; syn. *Stenolobium stans* (L.) Seemann

Yellow mangue →*Symphonia globulifera* L.f.; GUTTIFERAE; Trinidad; syn. *S. gabonensis* (Vesque) Pierre

Yellow nickers →*Guilandina echinata* (Lam.) Sprengel; LEGUMINOSAE-CAES.; British West Indies; syn. *Caesalpinia echinata* Lam.

Yellow olivier →*Terminalia amazonia* (J.F.Gmelin) Exell; COMBRETACEAE; Guyana (Cr); syn. *T. obovata* (Ruiz & Pavón) Steudel

Yellow olivier (-sanders) →*Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Trinidad

Yellow poui →*Tabebuia serratifolia* (Vahl) Nicholson; BIGNONIACEAE; Trinidad; syn. *Tecoma leucoxydon* (L.) Martius ex DC.

Yellow prickle →*Zanthoxylum monophyllum* (Lam.) P.Wilson; RUTACEAE; Puerto Rico; syn. *Fagara monophylla* Lam.; syn. *Xanthoxylum*

Yellow sanders →*Ximenia americana* L. var. *americana*; OLACACEAE; British West Indies

→*Zanthoxylum flavum* Vahl; RUTACEAE; British West Indies; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*

Yellow sanders (-olivier) →*Buchenavia capitata* (Vahl) Eichler; COMBRETACEAE; Trinidad

Yellow silverballi →*Aniba hypoglauca* Sandwith; LAURACEAE; Guyana (Cr); syn. *A. ovalifolia* Kosterm. non Mez

→*Licaria* sp.; LAURACEAE; Guyana (Cr); syn. *Acrodictidium* sp.

→*Nectandra* sp.; LAURACEAE; Guyana (Cr)

→*Ocotea rhynchophylla* Mez; LAURACEAE; Guyana (Cr)

Yellow torch →*Exostema caribaeum* (Jacq.) Roemer & Schultes; RUBIACEAE; Puerto Rico

Yellowwood →*Zanthoxylum flavum* Vahl; RUTACEAE; British West Indies; syn. *Fagara flava* (Vahl) Krug & Urban; syn. *Xanthoxylum*

Yente →*Cyperus ligularis* L.; CYPERACEAE; Surinam (Ar); syn. *Mariscus cayennensis* (Lam.) Urban; syn. *M. ligularis* (L.) Urban; syn. *Kyllinga pumila* Mich.

→*Mariscus ligularis* (L.) Urban; CYPERACEAE; Surinam (Ar); use *Cyperus ligularis* L.

Yerba (-bellaca) →*Croton* sp.; EUPHORBIACEAE; Virgin Islands

Yerba de la nina →*Phyllanthus* sp.; EUPHORBIACEAE; Virgin Islands

Yeriyeri →*Duguetia quitarensis* Benth.; ANNONACEAE; Guyana (W)

Yeshidan →*Duguetia cuspidata* R.E.Fries; ANNONACEAE; Surinam (Ar)

→*Duguetia inconspicua* Sagot; ANNONACEAE; Surinam (Ar)

→*Duguetia yeshidan* Sandwith; ANNONACEAE; Surinam (Ar)

Yeshikushi →*Ternstroemia browniana* Kobuski; THEACEAE; Surinam (Ar)

→*Ternstroemia circumscissilis* Kobuski; THEACEAE; Surinam (Ar)

→*Ternstroemia delicatula* Choisy; THEACEAE; Surinam (Ar)

→*Ternstroemia dentata* (Aublet) Swartz; THEACEAE; Surinam (Ar)

→*Ternstroemia grandiosa* Kobuski; THEACEAE; Surinam (Ar)

→*Ternstroemia schomburgkiana* Benth.; THEACEAE; Surinam (Ar)

→*Ternstroemia verticillata* Klotzsch ex Wawra; THEACEAE; Surinam (Ar)

Yeux de chat →*Guilandina* sp.; LEGUMINOSAE-CAES.; French West Indies

Yobillo →*Alchornea triplinervia* (Sprengel) Müll.Arg.; EUPHORBIACEAE; Puerto Rico; var. *laevigata* Müll Arg.

Yoboko → *Eperua grandiflora* (Aublet) Benth.; LEGUMINOSAE-CAES.; Surinam (Ar)
→ *Eperua jenmani* Oliver; LEGUMINOSAE-CAES.; Surinam (Ar)

Yokar → *Inga alba* (Swartz) Willd.; LEGUMINOSAE-MIM.; Guyana (W)

Yoke → *Astronium graveolens* Jacq.; ANACARDIACEAE; Trinidad

Yoke, savannah → *Anadenanthera peregrina* (L.) Speg.; LEGUMINOSAE-MIM.; Trinidad; syn. *Mimosa acacioides* Benth.; syn. *Piptadenia peregrina* (L.) Benth.; syn. *Niopa peregrina* (L.) Britton & Rose

Yuca cimarrona → *Jatropha curcas* L.; EUPHORBIACEAE; Dominican Republic; syn. *J. moluccana* Wallich

Yuriballi → *Trichilia guianensis* Klotzsch ex C.DC.; MELIACEAE; Surinam (Ar); use *T. rubra* C.DC.
→ *Trichilia rubra* C.DC.; MELIACEAE; Surinam (Ar); syn. *T. guianensis* Klotzsch ex C.DC.
→ *Trichilia schomburgkii* C.DC. ssp. *schomburgkii*; MELIACEAE; Surinam (Ar)

Yurika → *Montrichardia aculeata* Crueger; ARACEAE; Surinam (Ar)

Yuroware → *Touroulia guianensis* Aublet; QUIINACEAE; Guyana (M)

Yuruka → *Scleria* sp.; CYPERACEAE; Surinam (Ar)

Yuruwe → *Bactris exscapa* Barb.Rodr.; ARECACEAE (PALMAE); Surinam (Ar); use *B. humilis* (Wallice) Burret
→ *Bactris humilis* (Wallice) Burret; ARECACEAE (PALMAE); Surinam (Ar); syn. *B. exscapa* Barb.Rodr.

Yuvia → *Bertholletia excelsa* (Bonpland) Kunth; LECYTHIDACEAE; Guyana; syn. *B. nobilis* Miers

Yuwana-hi → *Entada polyphylla* Benth.; LEGUMINOSAE-MIM.; Guyana (Ar)
→ *Entada polystachya* (L.) DC.; LEGUMINOSAE-MIM.; Guyana (Ar)
→ *Mimosa myriadena* (Benth.) Benth.; LEGUMINOSAE-MIM.; Surinam (Ar)

Yuwano → *Cordia sericalyx* A.DC.; BORAGINACEAE; Surinam (Ar)
→ *Cordia tetrandra* Aublet; BORAGINACEAE; Guyana (Ar); syn. *C. umbraculifera* DC.

Yuwartu → *Minuartia guianensis* Aublet; OLACACEAE; Guyana (M)

Zachte pisi → *Nectandra grandis* (Mez) Kosterm.; LAURACEAE; Surinam (Du)
→ *Ocotea petalanthra* (Meisner) Mez; LAURACEAE; Surinam (Du)
→ *Ocotea schomburgkiana* (Nees) Benth. & Hook.f.; LAURACEAE; Surinam (Du); syn. *O. schomburgkiana* (Nees) Mez

Zand kokerboom → *Hura crepitans* L.; EUPHORBIACEAE; Surinam (Du)

Zand locus → *Dicorynia guianensis* Amshoff; LEGUMINOSAE-CAES.; Surinam (Du); syn. *D. paraensis* Benth.

Zapatero → *Casearia praecox* Griseb.; FLACOURTIACEAE; West Indies; syn. *Gossypiospermum praecox* (Griseb.) P.Wilson
→ *Peltogyne paniculata* Benth.; LEGUMINOSAE-CAES.; Trinidad; ssp. *pubescens* (Benth.) M.F.Silva; syn. *P. pubescens* Benth.

Zapotte (-à crème, grosse-) → *Pouteria sapota* (Jacq.) H.E.Moore & Stearn; SAPOTACEAE; French West Indies; syn. *Calocarpum sapota* (Jacq.) Merrill; syn. *Lucuma*

Zarza (-boba) → *Calliandra* sp.; LEGUMINOSAE-MIM.; Puerto Rico; use *Senegalia greggii* (Gray) Britton & Rose
→ *Senegalia greggii* (Gray) Britton & Rose; LEGUMINOSAE-MIM.; Puerto Rico; syn. *Calliandra* sp.

Zarza blanca → *Leucaena leucocephala* (Lam.) de Wit; LEGUMINOSAE-MIM.; Puerto Rico; syn. *L. glauca* (L.) Benth.; syn. *L. glauca* auct. non Benth.; syn. *L. latisiliqua* (L.) Gillis

Zarza colorada → *Piptadenia communis* Benth.; LEGUMINOSAE-MIM.; Puerto Rico

Zebrahout → *Connarus lambertii* (DC.) Sagot; CONNARACEAE; Surinam (Du); syn. *C. guianensis* Lambert

Zebra wood → *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Cr); syn. *T. stevensonii* Standley

Zeedruif → *Coccoloba uvifera* (L.) Jacq.; POLYGONACEAE; Surinam (Du); syn. *C. uvifera* (L.) L. ?; syn. *C. uvifera* (L.) Crantz ?

Zeephout → *Caryocar microcarpum* Ducke; CARYOCARACEAE; Surinam (Du); syn. *C. riparium* A.C.Smith

Zilver pisi → *Ocotea guianensis* Aublet; LAURACEAE; Surinam (Du)

Zodèmè → *Talisia megaphylla* Sagot; SAPINDACEAE; Surinam (Sa)

Zoete bonen → *Inga disticha* Benth.; LEGUMINOSAE-MIM.; Surinam (Du)

Zoete cassave → *Manihot esculenta* Crantz; EUPHORBIACEAE; Surinam (Du); syn. *M. utilisissima* Pohl
→ *Manihot utilisissima* Pohl; EUPHORBIACEAE; Surinam (Du); use *M. esculenta* Crantz

Zoete petatten → *Ipomoea batatas* (L.) Poir.; CONVOLVULACEAE; Surinam (Du)

Zonderhart → *Perebea* sp.; MORACEAE; Surinam (Du)

Zorrocloco → *Morisonia americana* L.; CAPPARACEAE; Guyana

Zoutoemetiehoedoe → *Maytenus myrsinoides* Reissek; CELASTRACEAE; Surinam (Cr)

Zuring (Surinaamse-, rode-) → *Hibiscus*

sabdariffa L.; MALVACEAE; Surinam (Du)

Zuurzak → *Annona muricata* L.; ANNONACEAE; Surinam (Du)

Zuurzak (bos-, zwamp-) → *Annona montana* Macfarlane; ANNONACEAE; Surinam (Du)

Zuurzak (zwamp-) → *Annona glabra* L.; ANNONACEAE; Surinam (Du); syn. *A. palustris* L.

Zwamp gujave → *Aulomyrcia pyrifolia* (Desvaux ex Ham.) O.Berg; MYRTACEAE; Surinam (Du); use *Myrcia*

→ *Myrcia* sp.; MYRTACEAE; Surinam (Du); syn. *Aulomyrcia pyrifolia* (Desvaux) O.Berg

Zwamp mangrove (red-) → *Rhizophora mangle* L.; RHIZOPHORACEAE; Surinam (Cr); syn. *R. racemosa* G.Meyer

Zwampoe papaja → *Thalia trichocalyx* Gagnepain; MARANTACEAE; Surinam (Cr)

Zwamppakoelie → *Rheedia acuminata* (Ruiz & Pavón) Planchon & Triana; GUTTIFERAE;

Surinam (Du); syn. *R. kappleri* Eyma

Zwamppanta → *Tabebuia aquatilis* (E.Meyer) Sprague & Sandwith; BIGNONIACEAE; Surinam (Cr)

→ *Tabebuia insignis* (Miquel) Sandwith; BIGNONIACEAE; Guyana (Cr); var. *monophylla* Sandwith

Zwamppoeder (zwampceder) → *Cedrela odorata* L.; MELIACEAE; Surinam (Du); syn. *C. guianensis* Jussieu; syn. *C. mexicana* Roemer

Zwamptamarinde → *Macrosamanea discolor* (Humbert & B.) Britton & Rose; LEGUMINOSAE-MIM.; Surinam (Du); use *Pithecellobium adiantifolium* (Kunth) Benth.

→ *Pithecellobium adiantifolium* (Kunth) Benth.;

LEGUMINOSAE-MIM.; Surinam (Du); syn. *Macrosamanea discolor* (Humbert & Bonpl.) Britton & Rose

Zwampzuurzak → *Annona glabra* L.; ANNONACEAE; Surinam (Du); syn. *A. palustris* L.

→ *Annona montana* Macfarlane; ANNONACEAE; Surinam (Du)

→ *Annona palustris* L.; ANNONACEAE; Surinam (Du); use *A. glabra* L.

Zwart parelhout → *Aspidosperma excelsum* Benth.; APOCYNACEAE; Surinam (Du)

→ *Aspidosperma oblongum* A.DC.;

APOCYNACEAE; Surinam (Du)

→ *Casearia javitensis* Kunth; FLACOURTIACEAE; Surinam (Du)

→ *Casearia sylvestris* Swartz;

FLACOURTIACEAE; Surinam (Du)

→ *Swartzia arborescens* (Aublet) Pittier;

LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia corrugata* Benth.; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia remiger* Amshoff; LEGUMINOSAE-PAP.; Surinam (Du)

→ *Swartzia schomburgkii* Benth. var.

schomburgkii; LEGUMINOSAE-PAP.; Surinam (Du)

Zwart riemhout → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Du); var. *commixta* Lindeman; syn. *Sideroxylon guianensis* A.DC.

→ *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Du); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Zwarte (blaka-, harde-, kras-) pisi → *Ocotea glomerata* (Nees) Mez; LAURACEAE; Surinam (Du); syn. *O. glomerata* (Nees) Benth.

Zwarte djedoe → *Sclerolobium micropetalum* Ducke; LEGUMINOSAE-CAES.; Surinam (Du)

Zwarte doeka → *Tapirira guianensis* Aublet; ANACARDIACEAE; Surinam (Du)

Zwarte foengoe → *Licania micrantha* Miquel; CHRYSOBALANACEAE; Surinam (Cr)

Zwarte gauetrie → *Cupania scrobiculata* L.C.Rich.; SAPINDACEAE; Surinam (Du); var. *frondosa* (Benth.) Radlk.

→ *Matayba arborescens* (Aublet) Radlk.; SAPINDACEAE; Surinam (Du)

→ *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Du)

Zwarte ingipipa → *Couratari guianensis* Aublet; LECYTHIDACEAE; Surinam (Du); syn. *C. pulchra* Sandwith

Zwarte kabbes → *Andira inermis* (W.Wright) DC.; LEGUMINOSAE-PAP.; Surinam (Du); syn. *A. jamaicensis* Urban; syn. *A. excelsa* Kunth

→ *Bowdichia guianensis* Ducke; LEGUMINOSAE-PAP.; Surinam (Du); use *Diptotropis purpurea* (Rich.) Amshoff; syn. *D. guianensis* Benth.

→ *Diptotropis guianensis* (Tulasne) Benth.; LEGUMINOSAE-PAP.; Surinam (Du); use *D. purpurea* (Rich.) Amshoff

→ *Diptotropis purpurea* (Rich.) Amshoff; LEGUMINOSAE-PAP.; Surinam (Du); syn. *D. guianensis* (Tulasne) Benth.; syn. *Bowdichia guianensis* Ducke

Zwarte locust (witte-, simiri-) → *Hymenaea courbaril* L.; LEGUMINOSAE-CAES.; Surinam (Du)

Zwarte lohoedoe → *Micropholis guianensis* (A.DC.) Pierre; SAPOTACEAE; Surinam (Cr); var. *commixta* Lindeman; syn. *Sideroxylon guianensis* A.DC.

→ *Pouteria engleri* Eyma; SAPOTACEAE; Surinam (Cr); syn. *Nemaluma engleri* (Eyma) Aubrév.; syn. *Lucuma*

Zwarte palm (chocolate-) → *Jessenia bataua* (C.Martius) Burret; ARECACEAE (PALMAE); Surinam (Du); syn. *Oenocarpus bataua* C.Martius → *Oenocarpus bataua* C.Martius; ARECACEAE (PALMAE); Surinam (Du); use *Jessenia bataua* (C.Martius) Burret

Zwarte pisi (blaka-) → *Nectandra grandis* (Mez)

Kosterm.; LAURACEAE; Surinam (Du)

Zwarte pritijari (blaka-) → *Lacmellea aculeata* (Ducke) Monachino; APOCYNACEAE; Surinam (Ar); syn. *Zschokkea aculeata* Ducke

Zwarte salie → *Tetragastris panamensis* (Engl.) Kuntze; BURSERACEAE; Surinam (Du); syn. *T. stevensonii* Standley

Zwarte salie (rode-, witte-) → *Tetragastris hostmannii* (Engl.) Kuntze; BURSERACEAE; Surinam (Du)

Zwarte tonorebjo → *Matayba opaca* Radlk. var. *fallax* (Radlk.) Uittien; SAPINDACEAE; Surinam (Du)

Zwarte wallaba → *Eperua falcata* Aublet; LEGUMINOSAE-CAES.; Surinam (Du)

Index of scientific names

- Abarema claviflora (Spruce) Kleinhoonte** → Ajoewa; [Surinam]
- Abarema jupunba (Willd.) Britton & Killip** → Horowassie (horowassa); [Surinam (Ar)]
- Abarema racemosa (Ducke) Kleinhoonte** → Bostamarinde (gevlamde-); [Surinam (Du)]
- Abelmoschus esculentus (L.) Moench** → Oker; [Surinam (Du)] → Okro; [Surinam (Cr)]
- Abelmoschus moschatus Medikus** → Jorka okro; [Surinam (Cr)] → Muskus okro; [Surinam (Cr)] → Okro, muskus (jorka-); [Surinam (Cr)]
- Abuta concolor Poeppig & Endl.** → Buffelhout; [Surinam (Du)] → Buffelzaad; [Surinam (Du)]
- Abuta rufescens Aublet** → Pareira brava blanc; [French Guiana] → Pareira root, white; [Guyana (Cr)] → White Pareira root; [Guyana (Cr)]
- Acacia decurrens (Wendl.) Willd.** → Black wattle; [British West Indies] → Wattle, black; [British West Indies]
- Acacia farnesiana (L.) Willd.** → Casha; [Puerto Rico]
- Acacia paniculata Willd.** → Leguano tree; [Caribbean] → Wacht-een-beetje; [Caribbean] → Wajamalia amosaitjèlè; [Caribbean]
- Acacia polyphylla DC.** → Parika; [Guyana (Cr)]
- Acaciella sp.** → Waabi; [Curaçao] → Wata pana; [Caribbean]
- Acalypha scandens Benth.** → Aimala mekalale; [Caribbean] → Kwapitano; [Caribbean] → Maboballi djamaro; [Surinam (Ar)] → Wajakoe jeha edan; [Surinam (Ar)]
- Acanthocereus pentagonus (L.) Britton & Rose** → Kadoesjie die koleebra; [Surinam (Ar)]
- Achras sapota L.** → Sapotille; [Surinam (Cr)]
- Achras zapota L.** → Sapotille; [Surinam (Cr)]
- Achrouteria pomifera Eyma** → Paripiballi; [Surinam (Ar)]
- Aciotis purpurascens (Aublet) Triana** → Azijnblad; [Surinam (Du)] → Vineger leaf; [Surinam (Cr)]
- Acisanthera tetraptera Gleason** → Balala tokolo; [Surinam (Ar)]
- Acnida cuspidata Bert. ex Sprengel** → Dia krakroe; [Surinam (Cr)] → Klaroen; [Surinam (Du)]
- Acosmium nitens (Vogel) Yakovlev** → Hoerowassa (wadili-); [Surinam (Ar)] → Kamarakat(t)a; [Guyana (Ar)] → Sierietjo; [Caribbean] → Siritio; [Caribbean] → Siritjo; [Caribbean] → Sonbogienhatti; [Surinam] → Wadili hoerowassa; [Surinam (Cr)] → Wassiba-omera-kodikoro; [Surinam (Ar)] → Watergroenhart; [Surinam (Du)] → Watra green; [Surinam (Cr)] → Watra grin; [Surinam (Cr)]
- Acosmium panamense (Benth.) Yakovlev** → Huesillo; [Puerto Rico]
- Acosmium praeclarum (Sandwith) Yakovlev** → Blackheart; [Guyana (Cr)]
- Acroceras oryzoides (Swartz) Stapf** → Bamboesi grassie; [Surinam (Cr)]
- Acroceras zizanioides (Kunth) Dandy** → Bamboesi grassie; [Surinam (Cr)]
- Acrodiclidium aubletii Kosterm.** → Apisie-ie, banba- (bosoho-); [Surinam (Sa)] → Atjarie kanarie; [Caribbean] → Banba apisie-ie; [Surinam (Sa)] → Bosoho apisie-ie; [Surinam (Sa)] → Joroha (jorokan) pomoire; [Caribbean] → Kanarie, atjarie; [Caribbean] → Kaneel pisi; [Surinam (Du)] → Nagrehoedoe; [Surinam (Cr)] → Pisi, kaneel; [Surinam (Du)] → Sieroeaballi; [Surinam (Ar)]
- Acrodiclidium cannella (Meisner) Mez** → Brown silverballi; [Surinam (Cr)]
- Acrodiclidium cayennensis (Meisner) Mez** → Brown silverballi; [Surinam (Cr)]
- Acrodiclidium guianense Nees** → Siroewaballi ibiberoe; [Surinam (Ar)]
- Acrodiclidium itauba (Meisner) Taubert** → Apisie-ie; [Surinam (Sa)]
- Acrodiclidium martinianum Mez** → Jorokan pomoire; [Surinam]
- Acrodiclidium rigidum Kosterm.** → Rozenhout; [Surinam (Du)]
- Adelia ricinella L.** → Escambrón; [Puerto Rico] → Espinillo; [Puerto Rico]
- Adelobotrys guianensis (DC.) Gleason** → Tamaujaballi; [Surinam (Ar)] → Toliolio; [Caribbean]
- Adenocalymma bilabiatum (Sprague) Sandwith** → Bokota fieroberoe; [Surinam (Ar)] → Bokothaballi; [Surinam (Ar)] → Prasara tete; [Surinam (Cr)] → Tete, prasara; [Surinam (Cr)] → Tiapotano; [Caribbean] → Tonololi; [Caribbean]
- Adenocalymma inundatum C.Martius ex DC.** → Hehebena; [Surinam (Ar)] → Japepokoe; [Caribbean] → Kamoro; [Surinam (Ar)] → Peroe alokele; [Caribbean] → Wansjiri; [Caribbean]
- Adipera sp.** → Styver bush; [Puerto Rico]
- Aechmea bromeliifolia (Rudge) Baker** → Ananas, wilde; [Surinam (Du)] → Wilde ananas; [Surinam (Du)]
- Aechmea lateralis Lor.B.Smith** → Pama swiri; [Caribbean]
- Aechmea melinonii Hook.** → Krawasaka; [Caribbean]
- Aechmea mertensii (Meyer) Schultes** → Ananas; [Surinam (Du)]

- Aegiphila elata Swartz** → Goatwood; [British West Indies]
- Aegiphila laevis (Aublet) J.F.Gmelin** → Manprasara; [Surinam]
- Aegiphila sp.** → Bois cabril; [French West Indies] → Bois de bouc; [French West Indies] → Bois de fer; [French West Indies] → Bois de golette; [French Guiana] → Bois sendu; [French West Indies] → Bois tabaco; [French Guiana] → Capaïllo; [Puerto Rico] → Lardwood; [British West Indies] → Manabo; [French Guiana] → Moracoballi; [Guyana] → Spirit weed; [British West Indies] → Sureau gros; [French West Indies] → Wanini; [Guyana]
- Aeschrion excelsa Swartz** → Ash, bitter; [British West Indies] → Bitter ash; [British West Indies]
- Aeschynomene paniculata Willd.** → Silir silir lioeti; [Surinam (Ar)]
- Aeschynomene sensitiva Swartz** → Nan sien-sien; [Surinam (Cr)] → Sjing-sjing, water; [Surinam (Cr)] → Water sjing-sjing; [Surinam (Cr)]
- Agave boldinghiana Trelease** → Koeki indiaan; [Curaçao] → Koeki spanjool; [Curaçao]
- Agave cocui Trelease** → Pieta; [Curaçao]
- Agave karatto Miller** → Pienta di trankeer; [Curaçao]
- Agave vivipara L.** → Koeki indiaan; [Curaçao]
- Ageratum conyzoides L.** → Billy-goat weed; [Guyana (Cr)] → Bokki boontje; [Surinam (Cr)] → Wetie été; [Surinam (Cr)]
- Agonandra sylvatica Ducke** → Kleinbladige kromantie-kopi; [Surinam (Du)] → Kromantie kopie, kleinbladig; [Surinam (Cr, Du)]
- Aiouea demerarensis Kosterm.** → Boradiea; [Guyana]
- Aiouea guianensis Aublet** → Boradiea; [Guyana]
- Aiouea schomburgkii Meisner** → Boradiea; [Guyana]
- Aiouea sp.** → Ajouvé; [French Guiana] → Calabash, wild; [Guyana (Cr)] → Laurier canelle; [Trinidad] → Laurier mango; [Trinidad] → Longleaf pulcherro; [Trinidad] → Wild calabash; [Guyana (Cr)]
- Albizia saman (Jacq.) Müll.Arg.** → Alawatta moelerie; [Surinam]
- Albizia sp.** → Alik; [Guyana]
- Alchornea triplinervia (Sprengel) Müll.Arg.** → Achiotillo; [Puerto Rico] → Aguacatillo; [Dominican Republic] → Alepawerie; [Caribbean] → Basra bebe; [Surinam (Cr)] → Cassavehout; [Surinam (Du)] → Cassavewood; [Guyana (Cr)] → Kanakudiballi; [Surinam (Ar)] → Kanekediballi (kanekidiballi); [Surinam (Ar)] → Kasabahoedoe; [Surinam (Cr)] → Kjeraporan; [Caribbean] → Koereroe; [Surinam (Ar)] → Mattoe groë-groë; [Surinam (Sa)] → Moetoesirian; [Caribbean] → Naporan; [Caribbean] → Palo de catorro; [Puerto Rico] → Yobillo; [Puerto Rico]
- Alchorneopsis floribunda (Benth.) Müll.Arg.** → Aurosauri; [Guyana (Ak)] → Cassave tree; [Guyana (Cr)] → Kanakudiballi; [Surinam (Ar)] → Kanoewaballi; [Surinam (Ar)]
- Alchorneopsis trimera Lanjouw** → Atapilio; [Caribbean] → Atapiripio; [Caribbean] → Bebe, man (hoogland-, hegron-); [Surinam (Cr)] → Cassavehout; [Surinam (Du)] → Danlieba; [Surinam (Sa)] → Gire gire oemattoe; [Surinam (Sa)] → Hegon bèbè; [Surinam (Cr)] → Hoogland bèbé; [Surinam (Du)] → Hororadihor; [Surinam (Ar)] → Ieto boroballi; [Surinam (Ar)] → Kanekediballi (-ojoto); [Surinam (Ar)] → Kanoewaballi; [Surinam (Ar)] → Kassabahoedoe; [Surinam (Cr)] → Kassavehout; [Surinam (Du)] → Man bebe; [Surinam (Cr)] → Moe toesirian; [Caribbean] → Palo de gallino; [Puerto Rico] → Papantie-ie apisie; [Surinam (Sa)] → Ware honne; [Caribbean] → Wawe (wawa) naton; [Surinam]
- Aldina insignis (Benth.) Endl.** → Dakamaballi; [Surinam (Ar)] → Tatang; [Guyana (Ak)]
- Alexa imperatricis (Schomb.) Baillon** → Crook; [Guyana (Cr)] → Haiariballi; [Surinam (Ar)] → Kapai; [Guyana (Ak)] → Koatoi; [Guyana (Ak)] → Kötö; [Guyana (Ak)]
- Alexa leiopetala Sandwith** → Crook; [Guyana (Cr)] → Haiariballi; [Surinam (Ar)]
- Alexa wachenheimii Benoist** → Aroemata; [Surinam (Ar)] → Arromatta belero; [Surinam (Ar)] → Crook; [Guyana (Cr)] → Haiariballi; [Surinam (Ar)] → Koelekoe; [Caribbean] → Korrekoran; [Caribbean] → Nekoehoedoe (nekooudou); [Surinam (Cr)] → Nekooudou (nekoehoedoe); [Surinam (Cr)]
- Alibertia edulis (A.Rich.) A.Rich. ex DC.** → Goyave noir; [French Guiana]
- Allamanda cathartica L.** → Allamanda; [Guyana (Cr)] → Anoura; [Caribbean] → Barudaballi; [Surinam (Ar)] → Buttercup; [Guyana (Cr)] → Okojoembo kerapole; [Caribbean] → Senna, wild; [Surinam (Cr)] → Watra mama-kasabatiki; [Surinam (Cr)] → Welle kensie; [Caribbean] → Werkens better; [Caribbean] → Werkense; [Caribbean] → Wikens bita; [Caribbean] → Wild senna; [Surinam (Cr)]
- Allamanda hendersonii Bulliard** → Barudaballi; [Surinam (Ar)]

- Allophylus occidentalis (Swartz) Radlk.** → Cucharita prieta; [Dominican Republic] → Palo blanco; [Puerto Rico] → Quiebrahacha; [Puerto Rico] → Tres palabras; [Dominican Republic]
- Alternanthera ficoidea (L.) R. Brown ex Griseb.** → Akwemma; [Surinam]
- Alternanthera sessilis (L.) R. Brown** → Hede, witte (witti-, weti-); [Surinam (Du)] → Santi wiwiri; [Surinam (Cr)] → Weti hede; [Surinam (Cr)] → Witte hede (witti-, weti-); [Surinam (Du)] → Wiwirie, santi; [Surinam (Cr)]
- Alternanthera triandra Lam.** → Santi wiwiri; [Surinam (Cr)]
- Amaioua guianensis Aublet** → Boaka vienga; [Surinam (Sa)] → Graine à tatou; [French Guiana] → Komaramaraballi; [Surinam (Ar)] → Kwarroman konokodikoro; [Surinam (Ar)] → Marmadosoe (omi-, womi-); [Surinam (Cr, Sa)] → Marmeldoos; [Surinam (Du)] → Marmeldoos; [Surinam (Du)] → Omi marmadosoe; [Surinam (Sa)] → Tapoeroe erere (-vienga); [Caribbean] → Tapoeroe vienga (-erere); [Surinam (Sa)] → Tomoto mokjin; [Caribbean] → Womi marmadosoe; [Surinam (Sa)]
- Amanoa guianensis Aublet** → Bowwood; [Surinam (Cr)] → Huba-aida; [Guyana (Wr)] → Konoliebie (konoribi); [Surinam (Ar)] → Konoribi (konoliebie); [Surinam (Ar)] → Kwata moperi; [Caribbean] → Kwatto mopierie; [Caribbean] → Maran, wild; [Guyana (Cr)] → Piat; [Guyana (Ak)] → Tapoeripa; [Surinam (Cr)] → Wild maran; [Guyana (Cr)]
- Amaranthus caudatus L.** → Diega klaroen; [Surinam (Cr)]
- Amaranthus lividus L.** → Klaroen (redi maka-); [Surinam (Du)] → Krassi wiwiri; [Surinam (Cr)] → Maka klaroen, redi; [Surinam (Cr)] → Redi maka klaroen; [Surinam (Cr)] → Wiwirie, krassi; [Surinam (Cr)]
- Amaranthus spinosus L.** → Klaroen (maka-); [Surinam (Du)] → Maka klaroen (-kraroen); [Surinam (Cr)]
- Amasonia arborea Kunth** → Hududi-ishi; [Surinam (Ar)]
- Amasonia campestris (Aublet) Moldenke** → Hududi-ishi; [Surinam (Ar)]
- Ambelania acida Aublet** → Ambararie; [Caribbean] → Ambelani; [French Guiana] → Ambrari; [Caribbean] → Batbat(t)i; [Surinam] → Bati bati; [Caribbean] → Makoriro; [Surinam (Ar)] → Makuriru; [Guyana] → Mampa (mapa); [Surinam (Cr)] → Paraveris; [French Guiana] → Quienbiendent; [French Guiana] → Wakorira batibati; [Surinam (Ar)]
- Ambelania laxa (Benth.) Müll. Arg.** → Ambelani; [French Guiana] → Molongé; [Surinam]
- Ambelania sagotii Müll. Arg.** → Makoriro; [Surinam (Ar)]
- Amomis caryophyllata (Jacq.) Krug & Urban** → Ausú (aúzú); [Puerto Rico] → Auzú (ausú); [Puerto Rico] → Bayboom; [Surinam (Du)] → Beerum; [Surinam (Cr)] → Giroflier; [French West Indies] → Guayavita; [Puerto Rico] → Limoncillo (de monte); [Puerto Rico] → Malagueta; [Virgin Islands]
- Ampelocera edentula Kuhlmann** → Adabadan; [Surinam (Ar)] → Kwaskwashoedoe; [Surinam] → Stinkwood; [Guyana (Cr)]
- Amphitecna sp.** → Black calabash; [British West Indies] → Calabash, black; [British West Indies]
- Amyris balsamifera L.** → Bossoea; [Caribbean] → Candlewood; [Caribbean] → Guaconejo; [Dominican Republic] → Palo de tea; [Puerto Rico] → Puerco; [Puerto Rico] → Tea; [Puerto Rico] → Torchwood; [Puerto Rico]
- Anacardium excelsum (Bert. & Balbis) Skeels** → Bouchi cajouz; [French Guiana] → Caschou; [French Guiana] → Espave; [Surinam] → Hoobodia; [Guyana (Ar)]
- Anacardium giganteum W. Hancock ex Engl.** → Akajoe (akoejoe); [Caribbean] → Akoejoe (akajoe); [Caribbean] → Boesi kasjoe(n); [Surinam (Cr)] → Boskasjoe; [Surinam (Du)] → Cashew, wild; [Guyana (Cr)] → Hoeboedi(e); [Surinam (Ar)] → Hoobodia; [Guyana (Ar)] → Kadjoe mattoe; [Surinam (Sa)] → Kasjoe, boesi (bos-); [Surinam (Cr)] → Kawarui; [Guyana (W)] → Obodie; [Surinam (Ar)] → Roroi; [Guyana (M)] → Ubudi; [Surinam (Ar)] → Wild cashew; [Guyana (Cr)]
- Anacardium occidentale L.** → Acajou; [French Guiana] → Boskasjoe; [Surinam (Cr, Du)] → Cajuil; [Puerto Rico] → Cashew nut; [Guyana (Cr)] → Kadjoe (sabana-); [Surinam (Sa)] → Kasjoe (bos-); [Surinam (Cr, Du)] → Kasjoen; [Surinam (Cr)] → Merehé; [Surinam (Ar)] → Mereke; [Surinam (Ar)] → Mereki; [Surinam (Ar)] → Olvi (orvi); [Caribbean] → Orvi (olvi); [Caribbean] → Sabana kadjoe; [Surinam (Sa)]
- Anacardium occidentale L. var. indicum DC.** → Boskasjoe; [Surinam (Du)]
- Anacardium spruceanum Benth.** → Boesi kasjoe; [Surinam (Cr)] → Boskasjoe; [Surinam (Du)] → Kasjoe, boesi; [Surinam (Cr)] → Merekeballi; [Surinam (Ar)] → Oeboedi djamaroe; [Surinam (Ar)]
- Anadenanthera peregrina (L.) Speg.** → Cajoba;

[Puerto Rico] → Cojoba(na); [Puerto Rico] → Cojobilla (cojobillo); [Puerto Rico] → Cojobo; [Puerto Rico] → Parika; [Guyana (Cr)] → Savanna yoke; [Trinidad] → Yoke, savannah; [Trinidad]

Ananas ananassoides (Baker) Lor.B.Smith → Aharu; [Surinam (Ar)] → Boesi nanassi; [Surinam (Cr)] → Bosananas; [Surinam (Du)] → Nanai; [Caribbean] → Nanassi, boesi; [Surinam (Cr)]

Ananas comosus (L.) Merrill → Pineapple, wild; [Surinam (Cr)] → Wild pineapple; [Surinam (Cr)]

Anartia attenuata (Miers) Markgraf → Karinasepare; [Surinam (Ar)]

Anaxagorea acuminata (Dunal) A.DC. → Kurihikoyoko; [Guyana (Ar)] → Murnek; [Guyana (Ak)]

Anaxagorea brevipes Benth. → Kurihikoyoko; [Guyana (Ar)]

Anaxagorea dolichocarpa Sprague & Sandwith

→ Aperemoe; [Caribbean] → Azouhoedoe; [Surinam (Sa)] → Boesi soersaka; [Surinam (Cr)] → Jari jari; [Surinam (Cr)] → Jeseheredan; [Surinam (Ar)] → Koelekikojoko; [Surinam (Ar)] → Korhi kojoko ((koeleki-, koriki-); [Surinam (Ar)] → Koriki kojoko (-fatowa okilidikoro); [Surinam (Ar)] → Krabiete koenkoen; [Surinam (Cr)] → Kurihikoyoko; [Guyana (Ar)] → Soersaka, boesi; [Surinam (Cr)] → Soutoe koepèpè; [Surinam (Sa)] → Yariyarri; [Guyana (Cr)]

Anaxagorea multiflora R.E.Fries → Kurihikoyoko; [Guyana (Ar)]

Anaxagorea petiolata R.E.Fries → Kurihikoyoko; [Guyana (Ar)]

Anaxagorea sp. → Amoura; [Guyana] → Arara; [Guyana (Ar)] → Lancewood; [Guyana (Cr)]

Andira coriacea Pulle → Akoeli kiererie (-tjerere); [Caribbean] → Akoeli tjerere (-kiererie); [Surinam] → Akolei tjeréra; [Caribbean] → Cabbage bark, red; [Guyana (Cr)] → Kabbes, rode (redi-); [Surinam (Cr, Du)] → Kabisi, redi; [Surinam (Cr)] → Koeraroo (-talaboe); [Surinam (Ar)] → Red cabbage bark; [Guyana (Cr)] → Redi kabbes; [Surinam (Cr)] → Redi kabisi; [Surinam (Cr)] → Redi tjabisi; [Surinam (Sa)] → Rere elepalle; [Caribbean] → Rode kabbes; [Surinam (Du)] → Saint Martin rouge; [French Guiana] → St. Martin rouge; [French Guiana] → Tjabisi (redi-, rode-); [Surinam (Sa)] → Vreemoesoehoedoe; [Surinam (Cr)]

Andira excelsa Kunth → Kabbes, rode; [Surinam (Du)]

Andira grandistipula Amshoff → Maikwakesere; [Guyana (Ak)]

Andira inermis (W.Wright) DC. → Akoeli (-kiererie, -tjerere); [Surinam] → Angelica;

[Martinique] → Angelin; [Puerto Rico] → Bastard cabbage bark; [Trinidad] → Bat seed; [Guyana (Cr)] → Cabbage bark (bastard-); [Puerto Rico] → Cabbage tree, red; [Guyana (Cr)] → Kabbes, rode (zwarte-); [Surinam (Du)] → Kabisi, redi; [Surinam (Cr)] → Koeraroo talaboe; [Surinam (Ar)] → Koraro; [Guyana (Ar)] → Kuraru; [Surinam (Ar)] → Lombricero; [Trinidad] → Mata becerro; [Dominican Republic] → Moca; [Puerto Rico] → Olive, wild; [Guyana (Cr)] → Red cabbage tree; [Guyana (Cr)] → Redi kabisi; [Surinam (Cr)] → Redi tjabesi; [Surinam (Sa)] → Rere erepare; [Caribbean] → Rode kabbes; [Surinam (Du)] → Saint Martin rouge; [French Guiana] → Tjabesi, redi; [Surinam (Sa)] → Vreemoesoehoedoe; [Surinam (Cr)] → Wild olive; [Guyana] → Zwarte kabbes; [Surinam (Du)]

Andira jamaicensis Urban → Kabbes, rode; [Surinam (Du)]

Andira surinamensis (Bondt) Splitg. ex Pulle

→ Bat seed; [Guyana (Cr)] → Beherie kotton; [Surinam (Ar)] → Erejoeroe; [Caribbean] → Kabbes (rode-); [Surinam (Du)] → Kabisi, redi; [Surinam (Cr)] → Koraro; [Surinam (Ar)] → Koraroo ibiberoo; [Surinam (Ar)] → Kwassi kamasoebi; [Surinam (Sa)] → Maats; [Guyana (W)] → Redi kabisi; [Surinam (Cr)] → Rere erepare; [Caribbean] → Rode kabbes; [Surinam (Du)] → Tataboe; [Surinam (Ar)] → Vreemoesoehoedoe; [Surinam (Cr)] → Wormbast; [Surinam (Du)]

Andropogon selloanus (Hackel) Hackel → Monsonjo; [Surinam]

Anemopaegma paraense Bureau &

K.Schumann → Foedi boejoe; [Surinam (Ar)] → Wala wala; [Caribbean]

Anemopaegma parkeri Sprague → Onzeballi; [Surinam (Ar)] → Simio; [Caribbean]

Aniba canelilla (Kunth) Mez → Amapaima;

[Guyana (M)] → Arabaima; [Guyana] → Ashmud; [Guyana (W)] → Canelilla; [Puerto Rico] → Casca preciosa; [Guyana (Cr)]

Aniba citrifolia (Nees) Mez → Almond gale; [Guyana (Cr)] → Gale, almond; [Guyana (Cr)]

Aniba excelsa Kosterm. → Aneo; [Guyana (Ak)] → Gale, greenhart; [Guyana (Cr)] → Greenheart gale; [Guyana (Cr)] → Waitiara; [Caribbean]

Aniba firmula (Nees & C.Martius ex Nees) Mez → Rozenhout; [Surinam (Du)]

Aniba gonggrijpii Kosterm. → Rozenhout, vals; [Surinam (Du)] → Vals rozenhout; [Surinam (Du)]

Aniba hostmanniana (Nees) Mez → Apisie-ie (bana-); [Surinam (Sa)] → Banba apisie-ie;

[Surinam (Sa)] → Kano(e)aballi; [Surinam (Ar)] → Sipiropipo; [Caribbean] → Waikarra pisi(e) (-sipiropipo); [Surinam (Cr)] → Waikarra sipiropipo; [Caribbean] → Waitiara; [Caribbean] → Waitjara; [Caribbean]

Aniba hypoglauca Sandwith → Bastard silverballi; [Guyana (Cr)] → Gele silverballi; [Surinam (Du)] → Kawioi; [Guyana (Ak)] → Kurero shiruaballi; [Surinam (Ar)] → Kurero silverballi; [Surinam (Ar)] → Shiruaballi, kurero; [Surinam (Ar)] → Silverballi, gele (bastard, kurero-, yellow-); [Surinam (Cr, Du)] → Yellow silverballi; [Guyana (Cr)]

Aniba kappleri Mez → Gale, ginger; [Guyana (Cr)] → Ginger gale; [Guyana (Cr)] → Pandara; [Guyana (Ak)]

Aniba mas Kosterm. → Bois de rose male; [French Guiana] → False rosewood; [Surinam (Cr)] → Male rosewood; [Surinam (Cr)] → Mannetjes rozenhout; [Surinam (Du)] → Manrozenhout; [Surinam (Du)] → Rosewood, false (male-); [Surinam (Cr)] → Rozenhout, mannetjes; [Surinam (Du)]

Aniba ovalifolia Kosterm., non Mez → Kurero shiruaballi; [Surinam (Ar)]

Aniba panurensis (Meisner) Mez → Gale, ginger; [Guyana (Cr)] → Ginger gale; [Guyana (Cr)] → Rozenhout; [Surinam (Du)]

Aniba riparia (Nees) Mez → Gale, ginger; [Guyana (Cr)] → Ginger gale; [Guyana (Cr)]

Aniba rosaeodora Ducke → Bois de rose (-de Cayenne); [French Guiana] → Bois de rose femelle; [French Guiana] → Echt rozenhout; [Surinam (Du)] → Real rosewood; [Guyana (Cr)] → Rosewood, real; [Guianas] → Rozenhout, echt; [Surinam (Du)]

Aniba sp. → Ayou-cut; [French Guiana] → Bois de cèdre; [French Guiana] → Bois jaune; [Martinique] → Gale; [Guyana (Cr)] → Graine koumarou; [French Guiana] → Laurier falaise; [Martinique] → Longleaved yellow; [Guyana (Cr)] → Muscadier de Pará; [French Guiana]

Aniba taubertiana Mez → Apisie-ie, witte; [Surinam (Sa)] → Koerallaballi; [Surinam (Ar)] → Kurallaballi; [Surinam (Ar)] → Pisi, waikarra; [Surinam (Cr)] → Siroeaballi hehoru (-tetero); [Surinam (Ar)] → Siroeaballi tetero; [Surinam (Ar)] → Siruaballi (siroeaballi) tetero; [Surinam (Ar)] → Tamoéné wawe; [Caribbean] → Tamuna wawaé; [Caribbean] → Topoporen wéwé; [Caribbean] → Waikarra pisi; [Surinam (Cr)] → Witte apisie-ie; [Surinam (Sa)]

Aniba tritinatis (Meisner) Mez → Almond gale;

[Guyana (Cr)]

Anisomeris tenuiflora (Benth.) Pulle → Jawohe sarapan; [Surinam (Ar)]

Annona glabra L. → Bousi soursakki; [Surinam (Cr)] → Soursakki, bousi; [Surinam (Cr)] → Zuurzak (zwamp-); [Surinam (Du)] → Zwampzuurzak; [Surinam (Du)]

Annona haematantha Miquel → Karampai; [Surinam (Ar)]

Annona hypoglauca Martius → Boszuurzak; [Surinam (Du)] → Kajediballi; [Surinam (Ar)] → Woto kasjimiate; [Caribbean]

Annona jenmanii Safford → Japopale; [Caribbean]

Annona montana Macfarlane → Boszuurzak; [Surinam (Du)] → Kajedi oenieberabandikoro; [Surinam (Ar)] → Kroesoeroe; [Caribbean] → Mountain soursop; [Guyana (Cr)] → Soursop, mountain; [Guyana (Cr)] → Zuurzak (bos-, zwamp-); [Surinam (Du)] → Zwampzuurzak; [Surinam (Du)]

Annona muricata L. → Apple, monkey; [Guyana (Cr)] → Kaiedi; [Guyana (Ar)] → Monkey apple; [Guyana (Cr)] → Sorosaka; [Surinam (Ar)] → Soursop, wild; [Guyana (Cr)] → Wild soursop; [Guyana (Cr)] → Zuurzak; [Surinam (Du)]

Annona palustris L. → Zwampzuurzak; [Surinam (Du)]

Annona reticulata L. → Kashima; [Surinam (Ar)]

Annona sericea Dunal → Japopale; [Caribbean]

Annona squamosa L. → Kaneelappel; [Surinam (Du)]

Annona symphyocarpa Sandwith → Duru; [Surinam (Ar)]

Anomospermum schomburgkii Miers → Kanarie wiwirie; [Surinam (Cr)]

Anthurium digitatum (Jacq.) G. Don → Kloemansinga; [Surinam]

Anthurium hookeri Kunth → Dorobana; [Surinam (Ar)]

Anthurium scandens (Aublet) Engl. → Alacé; [Caribbean] → Sonabonaroballi; [Surinam (Ar)]

Antirrhoea sp. → Aquilón; [Puerto Rico] → Boje; [Puerto Rico] → Palo de quina; [Puerto Rico] → Quina; [Puerto Rico] → Tortuguillo; [Puerto Rico]

Antonia ovata Pohl → Hariraroe thoeraroe; [Surinam (Ar)] → Inacu; [Guyana] → Inyak; [Guyana (W)] → Ipoentrie; [Surinam (Cr)] → Kasabahoedoe; [Surinam (Cr)] → Kasave; [Surinam (Du)] → Kwarie; [Surinam (Cr)] → Licahout; [Surinam (Du)] → Likahoedoe; [Surinam (Cr)] → Melassiehoedoe; [Surinam (Cr)] → Paloeloipio; [Caribbean] → Soekroehoedoe; [Surinam (Cr)] → Tamanokware; [Caribbean] →

Thoraroe hariraroe; [Surinam (Ar)]

Antonia ovata Pohl var. pilosa Hook. → Tamanokware; [Caribbean]

Aparisthium cordatum (Jussieu) Baillon → Mababalli; [Surinam (Ar)]

Apeiba aspera Aublet → Mahault chardon; [Trinidad] → Mahot chardon; [Trinidad] → Tambaol; [Trinidad]

Apeiba echinata Gaertner → Barudaballi; [Surinam (Ar)]

Apeiba glabra Aublet → Boesi soersakka; [Surinam (Cr)] → Bois amandou; [French Guiana] → Bois de meche; [French Guiana] → Soursakka, bousi; [Surinam (Cr)]

Apeiba intermedia Uittien → Onikhiakiaballi; [Surinam (Ar)] → Pikien ningre kamkam; [Surinam (Au)] → Wekere japoepare; [Caribbean]

Apeiba membranacea Spruce ex Benth. → Duru; [Surinam (Ar)]

Apeiba petoumo Aublet → Alastioelan; [Caribbean] → Araskioerian; [Caribbean] → Bardaballi (barredaballi); [Surinam (Ar)] → Barredaballi (bardaballi); [Surinam (Ar)] → Barudaballi; [Surinam (Ar)] → Boentaflaboom; [Surinam (Cr)] → Bordaballi; [Surinam] → Doeroe (duru, doro); [Surinam (Ar)] → Doro (duru, doeroe); [Surinam (Ar)] → Duru (doeroe, doro); [Surinam (Ar)] → Kanawiak; [Guyana (P)] → Kankanhoedoe; [Surinam (Cr)] → Kankan-pau; [Surinam (Sa)] → Keesi-keesi-kan-kan; [Surinam (Cr)] → Klikli; [Surinam (Au)] → Mekoejongaree; [Caribbean] → Pondjo-wattare; [Caribbean] → Romemand; [Guyana (W)] → Wana; [Guyana (W)]

Apeiba schomburgkii Szyszyl. → Dirik; [Guyana (W)] → Duru; [Surinam (Ar)]

Apeiba tibourbou Aublet → Duru; [Surinam (Ar)] → Fokofokohoedoe (fokkofokkohoedoe); [Surinam (Cr)]

Aphelandra deppeana Schltld. & Chamisso → Bakroe wiwirie; [Caribbean] → Bakwe broomtje; [Surinam (Cr)] → Koelaschiwenda pire; [Caribbean] → Lemoesji wokoeloe; [Caribbean] → Wiwirie, bakroe; [Surinam (Cr)]

Aphelandra pectinata Willd. ex Nees → Bakwe broomtje; [Surinam (Cr)]

Appunia sp. → Wild egg; [Guyana (Cr)]

Araeococcus micranthus Brongniart → Bosananas; [Surinam (Du)]

Archidendron sp. → Ajoewa; [Surinam]

Archytaea multiflora Benth. → Hitchiaballi; [Guyana]

Ardisia sp. → Berry, dog (marl-); [British West

Indies] → Dog berry; [British West Indies] → Marl berry; [British West Indies]

Ardisia surinamensis Miquel → Pajaweroe; [Caribbean]

Aristida setifolia Kunth → Kawaio-hi; [Surinam (Ar)]

Aristolochia daemoninoxia Masters → Boyari; [Surinam (Ar)] → Pausima; [Guyana (Ak)]

Arrabidaea candicans (Rich.) DC. → Hakiaballi rope; [Guyana (Cr)] → Moussi; [Caribbean]

Arrabidaea cinerea K.Schumann → Hakiaballi rope; [Guyana (Cr)]

Arrabidaea egensis Bureau & K.Schumann → Hakiaballi rope; [Guyana (Cr)]

Arrabidaea fanshawei Sandwith → Hakiaballi rope; [Guyana (Cr)]

Arrabidaea inaequalis (DC. ex Splitg.)

K.Schumann → Alawoné simio; [Caribbean] → Hakiaballi rope; [Surinam (Bn)] → Kamoroballi; [Surinam (Ar)] → Korali; [Caribbean] → Oeman barklak; [Surinam (Cr, Du)] → Oonseballi; [Surinam (Ar)]

Arrabidaea nigrescens Sandwith → Hakiaballi rope; [Guyana (Cr)]

Arthrosamanea corymbosa (Rich.)

Kleinhoonte → Bostamarinde; [Surinam (Du)]

Arthrosamanea gonggrijpii (Kleinhoonte)

Kleinhoonte → Water tamarinde; [Surinam (Du)]

Arthrosamanea multiflora (Kunth) Kleinhoonte → Alieskii; [Caribbean]

Arthrosamanea pullei (Kleinhoonte)

Kleinhoonte → Water tamarinde (watra tamalin); [Surinam (Cr, Du)]

Artocarpus altilis (Parkinson) Fosberg →

Borótobon (-mashibero); [Surinam (Ar)] → Broodboom; [Surinam (Du)]

Artocarpus camansi Blanco → Borótobon; [Surinam (Ar)]

Artocarpus communis J.R. & G.Forster → Borótobon; [Surinam (Ar)]

Artocarpus incisa (Thunberg) L.f. → Borótobon; [Surinam (Ar)]

Artocarpus incisus L. → Borótobon; [Surinam (Ar)]

Artocarpus integer (Thunberg) Merrill →

Jacquer; [French Guiana] → Nangka; [Surinam (Du)]

Artocarpus integra (Thunberg) Merrill → Nangka; [Surinam (Du)]

Asclepias curassavica L. → Basterd

ipecacuanha; [Surinam (Du)] → Fredrici's katoen; [Surinam (Du)] → Ipecacuanha, basterd; [Surinam (Du)] → Johannesvlas; [Surinam (Du)] → Koemapésie; [Caribbean] → Koningsbloempje;

[Surinam (Du)] → Koningsboompje; [Surinam (Du)]

Asclepias fruticosa L. → Boesi anjelier; [Surinam (Du)]

Aspidosperma album (Vahl) Benoist → Kromantie kopie; [Surinam (Cr)] → Shibadan; [Surinam (Ar)]

Aspidosperma cruentum Woodson → Shibadan; [Guyana (Ar)]

Aspidosperma curranii Standley → Bois pagaie; [French Guiana]

Aspidosperma desmanthum Benth. ex Müll.Arg. → Bitterhout; [Surinam (Du)] → Bois chapelle; [French Guiana] → Mantjotjo; [Caribbean] → Shibadan; [Guyana (Ar)] → Siferoe adda; [Surinam (Ar)] → Tun; [Guyana (M)]

Aspidosperma excelsum Benth. → Jaroeroe; [Surinam (Ar)] → Musara; [Caribbean] → Paddlewood; [Guyana (Cr)] → Parelhout, zwart; [Surinam (Du)] → Parihoedoe; [Surinam (Cr)] → Porekai; [Guyana (Ak)] → Yarula; [Guyana (Cr)] → Yaruru; [Surinam (Ar)] → Zwart parelhout; [Surinam (Du)]

Aspidosperma marcgravianum Woodson → Apoekoetja; [Surinam (Cr)] → Apohita, witte; [Surinam (Du)] → Apokita, witte; [Surinam (Du)] → Apokojita; [Surinam (Cr)] → Apokuita; [Caribbean] → Hariroro jaroeroe; [Surinam (Ar)] → Jaroeroe (-hariroro, -hiraro); [Surinam (Ar)] → Jaroro hariraoe; [Surinam (Ar)] → Padapau; [Surinam (Bn)] → Paddlewood; [Surinam (Cr)] → Parelhout, wit; [Surinam (Du)] → Parihoedoe, witie (weti-); [Surinam (Cr)] → Tamoéné apoekoetja; [Surinam (Ar)] → Weti parihoedoe (wite-); [Surinam (Cr)] → Wit parelhout; [Surinam (Du)] → Witie parihoedoe; [Surinam (Cr)] → Witte apokita (-apohita); [Surinam (Du)]

Aspidosperma megalocarpon Müll.Arg. → Kromantie kopie; [Surinam (Cr)]

Aspidosperma nitidum Benth. ex Müll.Arg. → Wit parelhout; [Surinam (Du)]

Aspidosperma oblongum A.DC. → Blaka parihoedoe; [Surinam (Cr)] → Jararo kharemeroe; [Surinam (Ar)] → Paddlewood; [Guyana (Cr)] → Parelhout, zwart; [Surinam (Du)] → Parihoedoe, blaka; [Surinam (Cr)] → Porekai; [Guyana (Ak)] → Tekaljing apokuita; [Caribbean] → Yarula; [Guyana (Cr)] → Yaruru; [Surinam (Ar)] → Zwart parelhout; [Surinam (Du)]

Aspidosperma sandwithianum Markgraf → Kamatani; [Guyana (Ak)] → Shibadan; [Surinam (Ar)] → Tuun; [Guyana (Ak)]

Aspidosperma spruceanum Benth. →

Kromantie kopie; [Surinam (Cr)]

Aspidosperma ulei Markgraf → Shibadan; [Surinam (Ar)]

Aspidosperma vargasii A.DC. → Currywood; [Guyana (Cr)] → Kanirip; [Guyana (W)] → Sabidan; [Surinam (Ar)] → Shibadan; [Surinam (Ar)] → Shiritikan; [Guyana (M)] → Walababadan; [Surinam (Ar)]

Aspidosperma woodsonianum Markgraf → Goutmambit; [Surinam (Du)] → Kromantie kopie; [Surinam (Cr)] → Pau shanks; [Guyana (Cr)] → Poripio; [Caribbean] → Shibadan; [Surinam (Ar)] → Sibadan(ni); [Surinam (Ar)]

Astrocaryum aculeatum G.Meyer → Akuyuru; [Surinam (Ar)] → Arapipi; [Surinam (Ar)] → Paripi; [Surinam (Ar)] → Tukumu; [Caribbean]

Astrocaryum candescens Barb.Rodr. → Unabai; [Guyana (W)]

Astrocaryum gynacanthum C.Martius → Urishi; [Surinam (Ar)]

Astrocaryum jauari C.Martius → Awara; [Surinam (Ar)] → Sauwarai; [Caribbean]

Astrocaryum munbaca C.Martius → Akiau; [Guyana (M)] → Hi; [Guyana (Wr)] → Towerir; [Guyana (W)] → Urishi; [Guyana (Ar)] → Wiri; [Caribbean]

Astrocaryum plicatum Drude → Karia; [Surinam (Ar)]

Astrocaryum sciophilum (Miquel) Pulle → Karia; [Surinam (Ar)]

Astrocaryum tucuma C.Martius → Akuyuru; [Surinam (Ar)]

Astrocaryum tucumoides Drude → Awara; [Surinam (Ar)]

Astrocaryum vulgare C.Martius → Awara; [Surinam (Ar)] → Murumuru; [Caribbean]

Astronium fraxinifolium Schott → Gateado; [Caribbean] → Goncalo alves; [Caribbean] → Roble gateano; [Caribbean]

Astronium graveolens Jacq. → Bauwaua; [Guyana] → Goncalo alves; [Caribbean] → Yoke; [Trinidad]

Astronium ulei Mattick → Bastard purpleheart; [Surinam (Cr)] → Bauwana; [Guyana (W)] → Bauwaua; [Guyana (M)]

Asystasia nemorum Nees & Eberm. → Moederzegen; [Surinam (Du)]

Athyrocarpus persicariaefolius (DC.) Hemsley → Gado dede (-mi-sa-dede); [Surinam (Cr)]

Attalea regia (C.Martius) Wess.Boer → Doi; [Guyana (Wr)] → Kokorite; [Surinam (Ar)] → Maripa; [Caribbean] → Pokored; [Guyana (W)]

Attalea sagotii (Trail ex Thurn) Wess.Boer → Kokorite, sand; [Guyana (Cr)] → Kurua; [Surinam

- (Ar)] → Sand kokorite; [Guyana (Cr)]
Atuna elata (King) Kosterm. → Rozenkwarie; [Surinam (Du)]
- Atuna excelsa (Jack) Kosterm.** → Rozenkwarie; [Surinam (Du)]
- Atuna racemosa Raf. ssp. excelsa (Jack) Prance** → Aiomoradan; [Surinam (Ar)] → Bokohoton; [Surinam (Ar)] → Foengoe; [Surinam (Cr)] → Kauta; [Surinam (Ar)] → Kwepi(e); [Caribbean] → Makarai; [Guyana (Ak)] → Rozenkwarie; [Surinam (Du)] → Wokere besoeerie; [Caribbean]
- Aulomyrcia divaricata O.Berg** → Wild guava; [Surinam (Cr)]
- Aulomyrcia hostmanniana O.Berg** → Rode bosgujave; [Surinam (Du)]
- Aulomyrcia obtusa (Schauer) O.Berg** → Kaloemerie; [Caribbean] → Koako; [Surinam (Ar)]
- Aulomyrcia pyrifolia (Desvaux ex Ham.) O.Berg** → Banda; [Surinam (Au)] → Cimbomasra; [Surinam (Au)] → Gujave, zwamp; [Surinam (Cr)] → Jawariballi; [Surinam (Ar)] → Mariaba; [Surinam (Ar)] → Zwamp gujave; [Surinam (Du)]
- Aulomyrcia speciosa Amshoff** → Ibibanaro; [Surinam (Ar)]
- Aulomyrcia tetramera Amshoff** → Banda (basra-); [Surinam (Au)] → Basra banda; [Surinam (Au)]
- Averrhoa bilimbi L.** → Bilambi; [Surinam (Cr)] → Birambi; [Surinam (Cr)]
- Averrhoa carambola L.** → Franse birambi; [Surinam (Du)]
- Averrhoa carambola L.** → Birambi, Franse; [Surinam (Du)] → Fransman birambi; [Surinam (Cr)]
- Avicennia africana Toml.** → Koroda; [Surinam (Ar)]
- Avicennia germinans (L.) Stearn** → Apalioe; [Caribbean] → Apario; [Caribbean] → Api api; [Surinam (Ar)] → Black mangrove (white-); [Guyana (Cr)] → Chifle de vaca; [Puerto Rico] → Courida; [Guyana (Cr)] → Guapirá; [French Guiana] → Koroda; [Surinam (Ar)] → Limewood; [Trinidad] → Mangle bobo (-prieto); [Puerto Rico] → Mangle prieto (-bobo); [Dominican Republic] → Mangrove, black; [Guyana (Cr)] → Mangrove olive; [Puerto Rico] → Mangrove, white; [Puerto Rico] → Olive, mangrove; [Puerto Rico] → Palétuvier blanc; [French Guiana] → Pariva; [Surinam] → Parwa; [Surinam (Cr)] → Salt-pond; [Puerto Rico] → White mangrove (black-); [Puerto Rico]
- Avicennia intermedia Griffith** → Parwa; [Surinam (Cr)]
- Avicennia marina (Forsskal) Vierhapper** → Koroda; [Surinam (Ar)]
- Avicennia mindanaense Elmer** → Koroda; [Surinam (Ar)]
- Avicennia nitida Jacq.** → Koroda; [Surinam (Ar)]
- Axonopus compressus (Swartz) P.Beauvois** → Beschuit gras; [Surinam (Du)] → Tata-kaboro; [Surinam (Ar)]
- Baccharis sp.** → Palo de toro; [Dominican Republic]
- Bactris campestris C.Martius** → Imitokon; [Surinam (Ar)]
- Bactris cruegeriana Griseb.** → Maswa; [Surinam (Ar)]
- Bactris exscapa Barb.Rodr.** → Yuruwe; [Surinam (Ar)]
- Bactris humilis (Wallice) Burret** → Kartapang; [Guyana (Ak)] → Yuruwe; [Surinam (Ar)]
- Bactris inermis Trail** → Hikuriparipia; [Surinam (Ar)]
- Bactris leptocarpa Trail ex Thurn** → Imitokon; [Surinam (Ar)]
- Bactris major Jacq.** → Maswa; [Surinam (Ar)]
- Bactris megalocarpa Trail ex Thurn** → Maswa; [Surinam (Ar)]
- Bactris mitis C.Martius** → Hikuriparipia; [Surinam (Ar)]
- Bactris monticola Barb.Rodr.** → Bunyashiri; [Surinam (Ar)] → Kamarupö; [Guyana (Ak)]
- Bactris oligoclada Burret** → Amonai; [Guyana (Ar)] → Kidalebanaro; [Surinam (Ar)] → Muna; [Guyana (M)] → Perit; [Guyana (W)]
- Bactris simplicifrons C.Martius** → Hikuriparipia; [Surinam (Ar)] → Hikuriparipia; [Surinam (Ar)] → Perit; [Guyana (W)]
- Bactris tenuis Wallace** → Hikuriparipia; [Surinam (Ar)]
- Bactris trichospatha Trail** → Bunyashiri; [Surinam (Ar)]
- Bagassa guianensis Aublet** → Bagasse, gele; [Surinam (Du)] → Bagasse jaune (bois jaune); [French Guiana] → Bois bagasse; [French Guiana] → Bois jaune (bagasse jaune); [French Guiana] → Cowwood; [Guyana (Cr)] → Devil's tree; [Surinam (Cr)] → Gele bagasse; [Surinam (Du)] → Jawahedan; [Surinam (Ar)] → Katowar; [Guyana (W)] → Kauhoedoe; [Surinam (Cr)] → Kawhoedoe; [Surinam (Cr)] → Kowhoedoe; [Surinam (Cr)] → Tatajuba; [Surinam] → Tuwne; [Guyana (M)] → Yawahudan; [Surinam (Ar)]
- Bagassa tiliifolia (Hamilton) Benoist** → Yawahudan; [Surinam (Ar)]
- Balizia pedicellaris (DC.) Barneby &**

- J.W.Grimes** → Aboonkini; [Surinam (Sa)] → Alawatta moellerie; [Caribbean] → Arawata moerere; [Surinam (Ar)] → Areskiere wèwè; [Caribbean] → Asau; [Surinam (Sa)] → Baboen banjie; [Surinam (Cr)] → Bois ara; [French Guiana] → Bois arf; [French Guiana] → Bois cerf; [French Guiana] → Bois la morue; [French Guiana] → Bois macaque rouge; [French Guiana] → Bois pagode; [French Guiana] → Bougouni; [French Guiana] → Cèdre d'argent; [French Guiana] → Chiti; [Guyana (M)] → Hoeroewassa; [Surinam (Ar)] → Kabana; [Surinam (Sa)] → Kairaimai; [Guyana (Ak)] → Koded; [Guyana (W)] → Korekoran; [Caribbean] → Manaliballi koeleroe; [Surinam (Ar)] → Manaliballi horodikoro; [Surinam (Ar)] → Manariballi koeréro; [Surinam (Ar)] → Manariballi, red; [Guyana (Ar)] → Plokonie (-tamarinde); [Surinam (Du)] → Préfontaine rouge; [French Guiana] → Prokonie (tamaren-); [Surinam (Cr)] → Prokonie (tamaren-, tamarin-); [Surinam (Cr)] → Red manariballi; [Guyana (Ar)] → Sera; [Surinam (Cr)] → Tamalin; [Surinam (Cr)] → Tamaren prokonie; [Surinam (Cr)] → Tamarinde plokonie; [Surinam (Du)]
- Bambusa vulgaris Schrader apud Wendler** → Bamboe (bamboo); [Surinam (Du)] → Ivian; [Guyana (W)] → Kamwata; [Surinam (Ar)] → Karte; [Guyana (M)]
- Banara bernardinensis Briquet** → Bimiti joelèkoko; [Surinam (Ar)] → Moembo etase poeté; [Caribbean] → Piekien fouroe dioifi; [Surinam (Cr)]
- Banara guianensis Aublet** → Bimiti joelèkoko; [Surinam (Ar)] → Moembo etase poeté; [Caribbean] → Piekien fouroe dioifi; [Surinam (Cr)]
- Banisteria elegans (Triana & Planchon) Sandwith** → Sinayariku; [Surinam (Ar)]
- Banisteria leptocarpa Benth.** → Mabudehi; [Surinam (Ar)]
- Banisteria sp.** → Bejuco de buey; [Puerto Rico]
- Banisteriopsis martiniana (A.Jussieu) Cuatrec.** → Mabudehi; [Surinam (Ar)]
- Banisteriopsis pulcherrima (Sandwith) B.Gates** → Sinayariku; [Surinam (Ar)]
- Barnhartia floribunda Gleason** → Abuya mibia; [Surinam (Ar)]
- Basanacantha asperifolia Sandwith** → Yawahü sarapan; [Surinam (Ar)]
- Basanacantha spinosa (Jacq.) K.Schumann** → Boesi droifi; [Surinam (Cr)]
- Bauhinia kunthiana Vogel** → Hikuritarafon; [Surinam (Ar)] → Kapui-engomapai; [Guyana (Ak)] → Kopaimengo; [Guyana (M)] → Monkey ladder; [Guyana (Cr)] → Turtle steps; [Guyana (Cr)]
- Bauhinia rubiginosa Bongard** → Monkey ladder; [Surinam (Cr)]
- Bauhinia scala-simiae Sandwith** → Hikuri tarafon; [Surinam (Ar)] → Monkey ladder; [Surinam (Cr)] → Oradapor; [Guyana (W)] → Turtle steps; [Surinam (Cr)]
- Bauhinia sp.** → Araña gato; [Puerto Rico] → Hikuri müdükona; [Surinam (Ar)] → Pato de chivo; [Dominican Republic]
- Bauhinia surinamensis Amshoff** → Sekrepatoe trapoe; [Surinam (Cr)] → Wajamoe nepoe(a)loe; [Caribbean]
- Becquerelia merkeliana Nees** → Kamanali; [Surinam (Ar)]
- Beilschmiedia curvamea (Meisner) Kosterm.** → Lauaballi; [Guyana (Cr)]
- Beilschmiedia pendula (Swartz) Benth. & Hook.f.** → Aguacate cimarrón; [Puerto Rico] → Bois de vert; [French West Indies] → Bois doux muscadier; [French West Indies] → Bois négresse; [French West Indies] → Carrasqueno; [Dominican Republic] → Cedro macho; [Puerto Rico] → Isabelle blanc; [French West Indies] → Laurel; [Puerto Rico] → Laurier fourmi (-madame); [French West Indies] → Laurier madame (-fourmi); [French West Indies] → Palo colorado; [Puerto Rico]
- Bellucia aubletii Naudin** → Bosmispel; [Surinam (Du)]
- Bellucia grossularioides (L.) Triana** → Apple, mess; [Guyana (Cr)] → Bartara silverballi; [Surinam (Ar)] → Bois mêle; [French Guiana] → Bosmispel; [Surinam (Du)] → Chigonit; [Guyana (Cr)] → Dohiva; [Guyana] → Itara; [Surinam (Ar)] → Kwa-sepére; [Surinam (Ar)] → Mespel; [Surinam (Du)] → Mess apple; [Guyana (Cr)] → Mispel (bos-); [Surinam (Du)] → Papajahout; [Surinam (Du)] → Sakwasepére; [Surinam (Ar)]
- Bertholletia excelsa (Bonpland) Kunth** → Brazil nut; [Surinam (Cr)] → Braziliaanse noot; [Surinam (Du)] → Imbaima; [Guyana (Ak)] → Ingie noto; [Surinam (Cr)] → Kokeleko; [Surinam (Du)] → Noot, Braziliaanse; [Surinam (Du)] → Paranoot; [Surinam (Du)] → Tetoka (totoka); [Surinam (Ar)] → Toeka; [Surinam (Ar)] → Totoka (tetoka); [Surinam (Ar)] → Yuvia; [Guyana]
- Bertholletia nobilis Miers** → Paranoot; [Surinam (Du)]
- Bidens cynapiifolia Kunth** → Tebejoe; [Surinam (Ar)] → Toliman; [Surinam (Ar)]
- Bidens pilosa L.** → Weerde kooisie wiwirie; [Surinam (Cr)] → Wiwirie, weerde kooisie;

[Surinam (Cr)]

Bignonia copaia Aublet → Foeti-ie; [Surinam (Ar)]

Bixa americana Poiret → Boskoesoewé; [Surinam (Cr)]

Bixa orellana L. → Anatto; [Surinam (Cr)] → Arnatto; [Surinam (Cr)] → Bijo; [Dominican Republic] → Boskoesoewé; [Surinam (Cr)] → Koesoewé (bos-); [Surinam (Cr)] → Koes(o)eweran; [Surinam] → Roecou; [French Guiana] → Roekoe; [Surinam] → Schiraboeliballi; [Surinam (Ar)] → Shiraballi; [Surinam (Ar)] → Toenataletano koesoewé; [Caribbean] → Urucú; [Surinam]

Blepharocalyx cisplatensis Griseb. → Array(c)án; [Dominican Republic]

Blepharodon nitidus (Vellozo) Macbr. → Kakhero; [Surinam (Ar)] → Topoekoe; [Caribbean]

Blighia sapida Koenig → Akee (-apple); [Surinam (Cr)] → Akie; [Surinam (Cr)]

Bocagea asbecki Pulle → Schopsteelhout; [Surinam (Du)]

Bocageopsis multiflora (C.Martius) R.E.Fries → Arara; [Surinam (Ar)]

Bocconia frutescens L. → Celandine; [Puerto Rico] → Pan cimarrón; [Puerto Rico] → Parrot weed; [Puerto Rico] → Yagrumo macho; [Dominican Republic]

Bocoa prouacensis Aublet → Gandoe; [Surinam (Cr)]

Bombax aquatica (Aublet) K.Schumann → Kanihiri; [Surinam (Ar)]

Bombax crassum Uittien → Boesi katoen; [Surinam (Cr)] → Boskatoen; [Surinam (Du)] → letjoeloetanokri; [Caribbean] → Jacomini; [Surinam (Sa)] → Katoen, boesi (bos-); [Surinam (Cr)] → Kirikiri-maroro; [Surinam (Au)] → Klieklie-maloeloe; [Surinam] → Konanaballi; [Surinam (Ar)] → Kri-miauloeloe; [Caribbean] → Mattoemaauw; [Surinam (Sa)] → Sienson; [Surinam (Cr)]

Bombax flaviflorum Pulle → Asare; [Guyana (Ak)] → Cotton, wild silk; [Guyana (Cr)] → Kamakoetie (kamakuti); [Surinam (Ar)] → Kamakuti (kamakoetie); [Surinam (Ar)] → Katoen, sabana (sesabana-, seisabana-); [Surinam (Cr)] → Klikli-maloeloe; [Caribbean] → Krikri-wosijono; [Caribbean] → Parakatoen; [Surinam (Du)] → Sabana katoen; [Surinam (Cr)] → Seisabana katoen; [Surinam (Cr)] → Sesabana katoen; [Surinam (Cr)] → Sienson; [Surinam (Cr)] → Wild silk cotton; [Guyana (Cr)] → Wosijono; [Caribbean]

Bombax globosum Aublet → Asari; [Guyana (M)] → Boesi katoen; [Surinam (Cr)] → Boskatoen; [Surinam (Du)] → Chon; [Guyana (W)] → Cotton, wild silk; [Guyana (Cr)] → Kamakuti; [Surinam (Ar)] → Katoen, boesi (bos-); [Surinam (Cr)] → Klikli-maloeloe; [Caribbean] → Konnanaballi; [Surinam (Ar)] → Krikri-maroe (-maloeloe); [Surinam] → Mattoe mauw; [Surinam (Sa)] → Sienson (-wekelau-manloeloe); [Surinam (Cr)] → Ulumaruru; [Caribbean] → Wild silk cotton; [Guyana (Cr)]

Bombax jenmani Oliver → Kanihiri; [Surinam (Ar)] → Kononoballi; [Surinam (Ar)]

Bombax nervosum Uittien → Agonzé; [Surinam (Sa)] → Azonzé; [Surinam (Sa)] → Boesi katoen; [Surinam (Cr)] → Boskapok, grote; [Surinam (Du)] → Boskatoen; [Surinam (Du)] → Grote boskapok; [Surinam (Du)] → Katoen, boesi (bos-, man-); [Surinam (Cr)] → Konanaballi (-koemaka djamaro); [Surinam (Ar)] → Man katoen; [Surinam (Cr)] → Wekeleu mauuloeloe; [Caribbean] → Wepoetana kilikili-maroe; [Caribbean] → Wladilikoro; [Surinam (Ar)]

Bombax pentandrum L. → Kankantri(e); [Surinam (Cr, Du)]

Bombax spectabile Ulbrich → Kanihiri fiberoe; [Surinam (Ar)]

Bombax surinamensis Uittien → Asari; [Guyana (M)] → Boesi katoen; [Surinam (Cr)] → Boskapok; [Surinam (Du)] → Boskatoen; [Surinam (Du)] → Chon; [Guyana (W)] → Cotton, wild silk; [Guyana (Cr)] → Kamakuti; [Surinam (Ar)] → Katoen, boesi (bos-); [Surinam (Cr)] → Kerere-maoeroe; [Caribbean] → Klieklie-maloeloe; [Caribbean] → Koenanaballi; [Surinam (Ar)] → Sienson; [Surinam (Cr)] → Ulumaruru; [Caribbean] → Wild silk cotton; [Guyana (Cr)]

Bonafousia attenuata Miers → Brinari; [Surinam (Ar)]

Bonafousia sananho (Ruiz & Pavón) Markgraf → Tantarantan; [Surinam (Cr)]

Bonafousia tetrastachya (Kunth) Markgraf → Abuti abud; [Surinam]

Bonafousia undulata (Vahl) A.DC. → Buri; [Surinam (Ar)]

Bonania maripoides Hallier f. → Koepesjia; [Caribbean] → Mamotokoasjiballi; [Surinam (Ar)]

Bonnetia sessilis Benth. → Konwai; [Guyana (Ak)]

Bontia daphnoides L. → Alling, white; [Puerto Rico] → Olivo; [Dominican Republic] → White alling; [Puerto Rico]

Bonyunia sp. → Bonyunia; [Guyana]

Borreria capitata (Ruiz & Pavón) DC. →

Kamarolai; [Caribbean] → Siki sikidan; [Surinam (Ar)]
Borreria latifolia (Aublet) K.Schumann → Kiere pipio; [Caribbean] → Siki sikidan; [Surinam (Ar)]
Borreria verticillata (Willd.) G.Meyer → Maloewa; [Caribbean] → Siki sikidan (-kolaoekondo); [Surinam (Ar)]
Bourreria sp. → Palo de vaca; [Puerto Rico] → Roble guayo; [Puerto Rico] → Spoon tree; [Puerto Rico] → Strong back; [British West Indies] → Strong bark; [British West Indies]
Bourreria virgata (Swartz) G.Don → Muñeco; [Dominican Republic]
Bowdichia guianensis Ducke → Zwarte kabbes; [Surinam (Du)]
Bowdichia virgilioides Kunth → Mach; [Surinam (Cr)]
Bravaisia floribunda DC. → Jiggerwood; [Trinidad] → White mangue; [Trinidad]
Bredemeyera densiflora A.W.Bennett → Mibi; [Surinam (Ar)]
Breynia nivosa (W.G.Smith) Small → Sneeuw-wit; [Surinam (Du)]
Bromelia alta Lor.B.Smith → Bosananas; [Surinam (Du)]
Bromelia karatas L. → Anareke; [Surinam (Ar)] → Pine, wild; [Surinam (Cr)] → Shiwishiwi; [Surinam (Ar)] → Waurinit; [Guyana (W)] → Wild pineapple; [Surinam (Cr)]
Brosimum alicastrum Swartz → Moussara; [Trinidad]
Brosimum guianense (Aublet) Huber → Amourette; [French Guiana] → Basri letri; [Surinam (Cr)] → Belokoro; [Surinam (Ar)] → Bepaulétoe; [Surinam] → Boelekolle; [Surinam] → Boeloekoro; [Surinam (Ar)] → Bois d'amourette moucheté; [French Guiana] → Bois de chat; [French Guiana] → Bois de couleuvre; [French Guiana] → Bois de lettre gris; [French Guiana] → Bois de lettre moucheté; [French Guiana] → Bois de serpent; [French Guiana] → Bois de tigre; [French Guiana] → Bois lézard; [French Guiana] → Bourracourra; [Guyana] → Boutous; [Guyana] → Burokoro; [Guyana (Ar)] → Burracurra; [Guyana] → Burukoro (-koba); [Surinam (Ar)] → Cangica; [Guyana] → Gateado; [Curaçao] → Gespikkeld letterhout; [Surinam (Du)] → Kapiteinshout; [Surinam (Du)] → Kap(p)eweri letri; [Surinam (Cr)] → Koelero; [Surinam] → Koereroe; [Surinam (Ar)] → Kolero; [Surinam] → Leopardwood; [Surinam (Cr)] → Letri, man (basri-, kapeweri-); [Surinam (Cr)] → Letr'oedoe; [Surinam (Cr)] → Letterhout (gespikkeld-, man-); [Surinam (Du)] → Letterwood; [Guyana (Cr)] → Lettre

moucheté; [French Guiana] → Man letri; [Surinam (Cr)] → Manletterhout; [Surinam (Du)] → Moejepau latoe; [Surinam (Sa)] → Oenbatapo; [Surinam] → Paida (wekere-); [Surinam] → Pair(a); [Guyana (M, W)] → Palo de oro; [Caribbean] → Pauletoe; [Surinam] → Pileya; [Guyana (Ak)] → Piratinier; [French Guiana] → Poevinga; [Surinam] → Snakewood; [Surinam (Cr)] → Sokoné biberoe; [Surinam (Ar)] → Speckledwood; [Surinam (Cr)] → Tianalin wéwé; [Surinam] → Tibicus(h); [Guyana (Ar)] → Tibokushi; [Surinam (Ar)] → Timeri; [Caribbean] → Tokoro apolli marie; [Surinam] → Tortoise shellwood; [Guyana (Cr)] → Wekere paida; [Surinam]
Brosimum latifolium Standley → Moussara; [Trinidad]
Brosimum paraense Huber → Dukaliballi (-ibeberoebana); [Surinam (Ar)]
Brosimum parinarioides Ducke → Doekali(e); [Surinam]
Brosimum rotundatum Standley → Letterhout; [Surinam (Du)]
Brosimum rubescens Taubert → Adda; [Surinam] → Ajeersi; [Surinam] → Bois baroit; [French Guiana] → Bois de Cayenne; [French Guiana] → Bois de féroles; [French Guiana] → Bois de lettre rouge; [French Guiana] → Brazilian redwood; [Surinam (Cr)] → Brazilwood; [Surinam (Cr)] → Cardinalwood; [Surinam (Cr)] → Cayennehout; [Surinam (Du)] → Dukaliballi (-ibeberoebana); [Surinam (Ar)] → Gevlamd satijnhout; [Surinam (Du)] → Imo; [Guyana (M)] → Letterhout, rood; [Surinam (Du)] → Oolemeriballi; [Surinam] → Polisthout; [Surinam (Cr, Du)] → Pui; [Guyana (P)] → Redwood, Brazilian; [Surinam (Cr)] → Rood letterhout; [Surinam (Du)] → Satenhoedoe; [Surinam (Cr)] → Satijnhout (gevlamd-); [Surinam (Du)] → Satiné (-rubané); [French Guiana] → Satinee; [Guyana (Cr)] → Satinwood; [Surinam (Cr)] → Snakewood; [Surinam (Cr)] → Sokoné(-balli); [Surinam (Ar)] → Waiwe; [Guyana (W)] → Warimiaballi; [Surinam (Ar)]
Brosimum velutinum (Blake) Ducke → Letterhout; [Surinam (Du)]
Brownea latifolia Jacq. sensu Griseb. → Atarno; [Guyana (Wr)] → Bimititopong; [Guyana (Ar)] → Bimitiwalaban; [Surinam (Ar)] → Rose of the mountain; [Surinam (Cr)] → Tukushuahiru; [Caribbean]
Brunellia comocladifolia Humbert & Bonpland → Palo bobo; [Puerto Rico]

- Brya buxiflora Urban** → Amerikaans grenadile; [Caribbean]
- Brya buxifolia Urban** → Chichipate; [Caribbean] → Cocus; [Caribbean] → Grenadile, Amerikaans; [Caribbean] → Ojo de perdiz; [Dominican Republic]
- Brya ebenus (L.) DC.** → Granadillo; [West Indies]
- Buchenavia capitata (Vahl) Eichler** → Djiendjahoedoe; [Surinam (Cr)] → Gemberhout; [Surinam (Du)] → Gindjahoedoe; [Surinam (Cr)] → Granadillo; [Puerto Rico] → Katoelima; [Caribbean] → Matakki; [Surinam (Cr)] → Olivier, yellow; [Trinidad] → Sanders, yellow; [Trinidad] → Toekadi; [Surinam (Ar)] → Toekoeli; [Surinam (Ar)] → Yellow olivier (-sanders); [Trinidad] → Yellow sanders (-olivier); [Trinidad]
- Buchenavia fanshawei Exell & Maguire** → Fukadi; [Surinam (Ar)] → Korir; [Guyana (W)] → Kuyoriye; [Guyana (M)]
- Bucida angustifolia DC.** → Ucar; [Trinidad]
- Bucida buceras L.** → Black olive; [Puerto Rico] → Bois gli-gli; [Guadeloupe] → Bois gris-gris; [Guadeloupe] → Bucaro; [Puerto Rico] → Caracoli de Puerto Rico; [Dominican Republic] → Determa; [French Guiana] → Gregorywood; [Puerto Rico] → Gregre, water; [Puerto Rico] → Grignon; [French Guiana] → Leertouwersboom; [Surinam (Du)] → Olive, black; [Puerto Rico] → Ucar; [Puerto Rico] → Water gregre; [Puerto Rico]
- Buettneria scabra Loefling** → Wajama kándekele; [Caribbean]
- Bulbostylis junciformis Kunth** → Wisi-wisi; [Caribbean]
- Bulnesia arborea (Jacq.) Engl.** → Bera; [Caribbean] → Cuchivaro; [Caribbean] → Guayac de Caracas; [French Guiana] → Macarabo lignum vitae; [Caribbean] → Pokhout, vera; [Caribbean] → Vera aceituna; [Caribbean] → Vera pokhout; [Caribbean] → Verawood; [Caribbean]
- Bumelia obtusifolia Roemer & Schultes** → Bois de buis; [French West Indies] → Bois de fer blanc; [French West Indies] → Petit buis; [French West Indies]
- Bumelia sp.** → Boxwood; [British West Indies] → Breakbill; [British West Indies]
- Bunchosia sp.** → Cabra hedionda; [Dominican Republic] → Cabrita; [Dominican Republic] → Café forastero; [Puerto Rico]
- Bursera gummifera L.** → Gum tree; [Puerto Rico]
- Bursera simaruba (L.) Sargent** → Alamácigo encarnado; [Puerto Rico] → Almácigo (-blanco); [Puerto Rico] → Amacey; [Dominican Republic] → Archipén; [French West Indies] → Cachibou; [French West Indies] → Chibou; [French West Indies] → Gomard; [French West Indies] → Gommart; [French West Indies] → Gommier (-blanc, -gris); [French West Indies] → Gum tree; [Puerto Rico] → Indien nue; [Trinidad] → Naked indian; [Trinidad] → Turpentine tree; [Puerto Rico]
- Byrsonima aerugo Sagot** → Alidikadako; [Surinam (Ar)] → Arikadako; [Surinam (Ar)] → Bojohoedoe; [Surinam] → Chimmy-chimmy; [Surinam (Cr)] → Peroeloe; [Caribbean] → Perulu; [Caribbean] → Sha; [Guyana (AK)]
- Byrsonima bracteolaris Benth.** → Idin; [Guyana (W)]
- Byrsonima coccolobifolia Kunth** → Alatakoea; [Caribbean] → Huria; [Surinam (Ar)] → Idin; [Guyana (W)] → Maripati; [Guyana (M)] → Moeléi; [Caribbean] → Muriye; [Caribbean]
- Byrsonima concinna Benth.** → Idin; [Guyana (W)]
- Byrsonima coriacea (Swartz) DC.** → Hoelia (holia); [Surinam (Ar)]
- Byrsonima crassifolia (L.) Kunth** → Golden spoon; [British West Indies] → Hoelia (holia); [Surinam (Ar)] → Hori(a); [Surinam (Ar)] → Huria; [Surinam (Ar)] → Indin; [Guyana (W)] → Kwarie, savanna (sabana-); [Surinam (Cr)] → Mango, sabana; [Surinam (Sa)] → Maricao (-cimarrón, -verde); [Puerto Rico] → Maripati; [Guyana (M)] → Moelehi (moeréi); [Caribbean] → Moeléi(-dan); [Caribbean] → Moelera; [Surinam] → Moeli (moeléi, moelehi); [Surinam (Cr)] → Moeréi (moelehi); [Caribbean] → Moeréi(-dan); [Caribbean] → Moeroei weneran; [Surinam] → Muriye; [Caribbean] → Sabana kwarie (-mango); [Surinam (Cr)] → Savanna kwarie; [Surinam (Cr)] → Surette de grand bois; [Trinidad]
- Byrsonima cubensis A.Jussieu** → Golden spoon; [British West Indies]
- Byrsonima densa (Poiret) DC.** → Alikiadakoballi; [Surinam (Ar)] → Hoeliadamaro; [Surinam (Ar)]
- Byrsonima eugeniifolia Sandwith** → Huria; [Surinam (Ar)]
- Byrsonima gymnocalycina A.Jussieu** → Arikadako; [Surinam (Ar)]
- Byrsonima obversa Miquel** → Kamma khaleballi; [Surinam (Ar)] → Madabrieballi; [Surinam (Ar)] → Weneran; [Caribbean]
- Byrsonima schomburgkiana Benth.** → Talyu; [Guyana (W)]
- Byrsonima sp.** → Berry, candle (guana-, pigeon-); [British West Indies] → Berry, locus(t); [British

West Indies] → Berry, pigeon; [British West Indies] → Bois canne; [French Guiana] → Bois dysentérique; [French Guiana] → Candle berry; [British West Indies] → Ceresa del monte; [Trinidad] → Ceretle; [Trinidad] → Guana berry; [British West Indies] → Locus(t) berry; [British West Indies] → Massif; [Grenada] → Moureiran; [Surinam] → Mourresif; [French Guiana] → Mureche; [Trinidad] → Mureci; [Trinidad] → Palo de doncella; [Puerto Rico] → Pigeon berry; [British West Indies] → Surette; [French Guiana]

Byrsonima spicata (Cav.) DC. → Berry, hog; [British West Indies] → Hicha; [Surinam (Ar)] → Hoelia (holia); [Surinam (Ar)] → Hog berry; [British West Indies] → Holia (hoelia); [Surinam (Ar)] → Itchia; [French Guiana] → Kwarie, savanna (sabana-); [Surinam (Cr)] → Lontoekasi; [Surinam] → Mango, savanna (sabana-); [Surinam (Bn)] → Maricao (-cimarrón); [Puerto Rico] → Mauricif (mauricef); [French Guiana] → Meléi; [Caribbean] → Moeléi (moeleri, moeroei); [Caribbean] → Moeleri (moeléi, moeroei); [Caribbean] → Moeroei (moeleri, moeléi); [Caribbean] → Moureiller; [French Guiana] → Sabana kwarie (savanna-); [Surinam (Cr)] → Sabana mango; [Surinam (Bn)] → Savanna mango; [Surinam (Bn)]

Byrsonima spicata A. Richard → Bois de tan(i); [French Guiana] → Maricao (-cimarrón); [Puerto Rico] → Serrette; [Trinidad]

Byrsonima stipulacea A. Jussieu → Kamwatha; [Guyana (M)] → Kamwö; [Guyana (Ak)] → Kanoaballi; [Surinam (Ar)] → Oratom; [Guyana (W)]

Byrsonima verbascifolia (L.) DC. → Kenamanarare; [Guyana (M)]

Caesalpinia barahonensis Urban → Brazil; [Dominican Republic] → Partridgewood; [Guyana (Cr)]

Caesalpinia brasiliensis L. → Oeil de chat; [French West Indies]

Caesalpinia coriaria (Jacq.) Willd. → Divi-divi; [Puerto Rico] → Guatapana(re); [Dominican Republic] → Libi-dibi; [Puerto Rico]

Caesalpinia crista L. → Canique gris; [French West Indies] → Quasha; [British West Indies]

Caesalpinia echinata Lam. → Pernambuco; [Surinam (Cr, Du)]

Caesalpinia pulcherrima (L.) Swartz → Barbados pride (-flower); [Dutch West Indies] → Bird-of-paradise flower; [Dutch West Indies] → Boontje krere krere; [Surinam (Du)] → Carzazo; [Dominican Republic] → Clavellina; [Puerto Rico]

→ Doodle-doo; [Puerto Rico] → Dul-dul; [Puerto Rico] → Sabinabloem; [Surinam (Du)] → Senna, wild; [Dutch West Indies] → Wild senna; [Dutch West Indies]

Caladium bicolor (Aiton) Ventenat → Bina; [Surinam (Ar)] → Dasini; [Surinam] → Foetoe (jaba-, jappa-); [Surinam] → Ibina; [Surinam (Ar)] → Jaba foetoe; [Surinam] → Jappa foetoe; [Surinam] → Tayer (wilde-); [Surinam (Du)] → Wilde tayer; [Surinam (Du)]

Calathea cyclophora Baker → Sawara; [Surinam (Ar)] → Warimbo; [Surinam (Ar)]

Calathea eliptica (Roscoe) K. Schumann → Paloeloe, bastaard; [Surinam (Cr)]

Calathea elliptica (Roscoe) K. Schumann → Bastaard paloeloe; [Surinam (Cr)] → Pagara wiwirie (kleine-); [Surinam (Cr)] → Wiwirie, (kleine) pagara; [Surinam (Cr)]

Calathea grandis Peters → Grote pagara wiwirie; [Surinam (Cr)] → Wiwirie, grote pagara; [Surinam (Cr)]

Calathea micans (Klotzsch) Körnicke → Akhara deboenaleta; [Surinam (Ar)] → Saoelajale; [Caribbean]

Calathea ovata (Nees & Martius) Lindley → Oeroewa; [Surinam] → PISOI; [Surinam]

Calea sp. → Tamoetsji toelalali; [Caribbean]

Calliandra sp. → Cojobillo; [Puerto Rico] → Granolina; [Dominican Republic] → Zarza (-boba); [Puerto Rico]

Callicarpa sp. → Capá rosa; [Puerto Rico]

Calocarpum sapota (Jacq.) Merrill → Mamee sapote (-apple); [British West Indies]

Calophyllum brasiliense Cambess. → Aceito de María; [Trinidad] → Baria; [Dominican Republic]

→ Calabash, wild; [Guyana (Cr)] → Cimarron; [Surinam] → Crabwood; [Trinidad] → Edaballi;

[Guyana] → Galba; [Trinidad] → Gal(o)pa;

[Trinidad] → Hariraro koeraharoe; [Surinam (Ar)] → Jacareuba; [Surinam] → Koerahara (hariraro-,

tamoene-); [Surinam (Ar)] → Koerali; [Surinam (Du)] → Koerara (kurahara, koerali, koerahara);

[Surinam (Ar)] → Koeroerahara (kurahara, kurara); [Surinam (Ar)] → Kohara; [Surinam (Du)]

→ Kurahara; [Surinam (Ar)] → Kwaha; [Surinam (Sa)] → Mani kwaha (-kwaho); [Surinam (Sa)] →

María(s); [Puerto Rico] → Palo (de Santa) María; [Puerto Rico] → Santa María; [Dominican

Republic] → Tamoené koerahara; [Surinam (Ar)] → Varilla; [Dominican Republic] → Wild calabash;

[Guyana (Cr)]

Calophyllum calaba Jacq. → Koeroerahara (kurahara, kurara); [Surinam (Ar)]

Calophyllum longifolium Willd. → Koerahara

(kurahara); [Surinam (Ar)] → Koerali; [Surinam (Du)] → Kora hara; [Surinam (Ar)] → Korakrie; [Surinam (Cr)] → Mani kwaha; [Surinam (Sa)]
Calophyllum lucidum Benth. → Kopö; [Guyana (Ak)] → Kurahara; [Surinam (Ar)] → Marawaro; [Guyana (Ak)] → Serena; [Guyana (M)] → Watschir; [Guyana (W)]
Calophyllum reko Standley → Koeroerahara (kurahara, kurara); [Surinam (Ar)]
Calophyllum sp. → Lorahara; [Surinam] → Penoga; [Surinam]
Calopogonium coeruleum (Benth.) Sauv. → Kau-ai, kleine; [Surinam (Du)] → Kleine kau-ai; [Surinam (Du)] → Napirang; [Caribbean]
Calopogonium mucunoides Desvaux → Bebe teke; [Surinam (Cr)] → Bosfilsie; [Surinam (Cr)]
Calotropis gigantea (L.) Dryander → Heddehatti wiwirie; [Surinam (Cr)] → Pekri; [Caribbean] → Waraioballi; [Surinam (Ar)] → Wiwirie, heddehatti; [Surinam (Cr)]
Calycogonium squamulosum Cogniaux → Camasey jusillo; [Puerto Rico] → Jusillo; [Puerto Rico]
Calycolpus chnoiophyllus Riley → Muri kakirio; [Surinam (Cr)]
Calycolpus glaber (Benth.) O.Berg → Guava, wild (bamboe-); [Surinam (Cr)]
Calycolpus goetheanus (DC.) O.Berg → Bamboe guava; [Trinidad] → Guava, wild (bamboe-); [Surinam (Cr)] → Kakirio; [Surinam (Ar)] → Kakürö; [Surinam (Ar)] → Kosararada; [Guyana (W)] → Pauwi-eno; [Guyana (Ak)] → Pika; [Guyana (M)] → Reperepesi; [Surinam (Ar)]
Calycolpus pyrifer Riley → Muri kakirio; [Surinam (Cr)]
Calycolpus revolutus (Schauer) O.Berg → Bamboo guava; [Surinam (Du)] → Boesi goejaba; [Surinam (Cr)] → Bosgujave, grijze (witte-); [Surinam (Du)] → Goejaba, boesi; [Surinam (Cr)] → Grijze bosgujave (witte-); [Surinam (Du)] → Guava, bamboe; [Surinam (Du)] → Kakario; [Surinam (Ar)] → Kakirio, muri; [Surinam (Cr)] → Kakrie harilaroe; [Surinam (Ar)] → Kwakkoe; [Surinam (Du)] → Muri kakirio; [Surinam (Cr)] → Saitjabbé; [Caribbean] → Sokjabé tamoéné; [Caribbean]
Calyptanthus fasciculata O.Berg → Bosguave, kleine; [Surinam (Du)] → Kleine bosguave; [Surinam (Du)] → Kotakadana; [Caribbean] → Talipi; [Caribbean] → Tarepi; [Caribbean]
Calyptanthus sp. → Arrayán; [Dominican Republic] → Debase; [Trinidad] → Hoja menuda; [Puerto Rico] → Kakreow; [Guyana] → Limoncillo

(-de monte); [Puerto Rico] → Tetet negresse; [Guadeloupe] → Yawariballi; [Guyana]
Calyptanthus speciosa Sagot → Labaowalla; [Surinam (Ar)] → Labawala; [Surinam (Ar)]
Calyptrocarya glomerulata Urban → Hebala; [Surinam (Ar)] → Patakai; [Caribbean]
Calyptrocarya poeppigiana Kunth → Jenté; [Surinam (Ar)]
Campomanesia grandiflora (Aublet) Sagot → Bois Caraibe; [Trinidad] → Bosguave; [Surinam (Du)] → Caribwood; [Trinidad] → Cometure; [Trinidad] → Kolawiroelan; [Caribbean] → Malababalli; [Surinam (Ar)] → Maribaballi; [Surinam (Ar)]
Campsiandra comosa Benth. → Apikara; [Surinam (Ar)]
Campsiandra comosa Benth. var. comosa → Apikara; [Surinam (Ar)] → Ituri wallaba; [Surinam (Ar)] → Wai yareme yushi; [Surinam (Ar)] → Wallaba, ituri; [Surinam (Ar)]
Campsiandra laurifolia Benth. → Apikara; [Surinam (Ar)]
Canella winterana (L.) Gaertner → Barbasco; [Puerto Rico] → Canelillo; [Dominican Republic] → Canella; [Puerto Rico] → Cinnamon, pepper (wild-); [Puerto Rico] → Pepper cinnamon (wild-); [Puerto Rico] → Wild cinnamon (pepper-); [Puerto Rico] → Winter bark; [Puerto Rico]
Caperonia palustris (L.) A.St.-Hil. → Boessi thee; [Surinam (Cr)] → Bol; [Surinam (Cr)]
Capirona decorticans Spruce → Akatombe; [Caribbean] → Akegoemio; [Caribbean] → Akepemio; [Caribbean] → Akhorok kalidan; [Surinam (Ar)] → Akikada koeballi; [Surinam (Ar)] → Kantasiehoedoe; [Surinam (Cr)] → Koraraballi; [Surinam (Ar)] → Krasiehoedoe; [Surinam (Cr)] → Mapiri; [Surinam] → Moentene(he); [Surinam (Sa)] → Talipi; [Caribbean] → Taperi; [Caribbean] → Toelalahoedoe; [Surinam (Cr)]
Capirona surinamensis Bremek. → Akatombe; [Caribbean] → Akatomno; [Caribbean] → Akeboemia; [Surinam (Ar)] → Akegoemio; [Caribbean] → Akepemio; [Caribbean] → Akhorok kalidan; [Surinam (Ar)] → Akikada koeballi; [Surinam (Ar)] → Akorakalidan; [Surinam (Ar)] → Dedehoedoe; [Surinam] → Kantasiehoedoe; [Surinam (Cr)] → Koraraballi; [Surinam (Ar)] → Krasiehoedoe; [Surinam (Cr)] → Mapiri; [Surinam] → Moentene(he); [Surinam (Sa)] → Talipi; [Caribbean] → Tarepi; [Caribbean] → Toelalahoedoe; [Surinam (Cr)]
Capparis cynophallophora L. → Bois d'olive; [Trinidad] → Frijol; [Dominican Republic] →

- Hoerihoeeri; [Dutch West Indies] → Jeerba mostera; [Dutch West Indies] → Kade besji; [Dutch West Indies] → Mabouya; [Trinidad] → Mostazo; [Dominican Republic] → Oenbatappo; [Surinam] → Olieba maatsjoe; [Dutch West Indies] → Olivewood; [Trinidad] → Olivo; [Dominican Republic] → Palo de maco; [Dominican Republic] → Paloe die loora; [Dutch West Indies] → Paloe pretoe; [Dutch West Indies] → Raba; [Dutch West Indies] → Stokki; [Dutch West Indies] → Warimiaballi; [Surinam (Ar)]
- Capparis sp.** → Gatillo; [Guyana] → Guariare; [Guyana] → Ojicito; [Guyana]
- Capparis surinamensis J.C.Went** → Oenbatappo; [Caribbean] → Warimiaballi; [Surinam (Ar)]
- Capsicum frutescens L.** → Bokoromana; [Surinam (Ar)] → Iminari; [Surinam (Ar)] → Kwabada; [Surinam (Ar)] → Mauriuri; [Surinam (Ar)]
- Caraipa densiflora C.Martius** → Asasiballi; [Surinam (Ar)] → Laksiri; [Surinam (Du)] → Matakki; [Surinam (Cr)] → Pakasa; [Surinam] → Waloesji; [Caribbean]
- Caraipa densifolia C.Martius** → Alakaseri; [Caribbean] → Alakasi(e)ri(e); [Surinam (Sa)] → Alakooseriballi; [Surinam (Ar)] → Alksirie; [Surinam (Ar)] → Sepeipjo; [Caribbean]
- Caraipa punctulata Ducke** → Asasiballi; [Surinam (Ar)] → Pakasa; [Caribbean] → Waloesji; [Caribbean]
- Caraipa richardiana Cambess.** → Laksiri; [Surinam (Du)] → Maran daurobona, wild; [Guyana (Wr)] → Matakki; [Surinam (Du)] → Wild maran daurobona; [Guyana (Wr)]
- Carapa guianensis Aublet** → Andiroba; [West Indies] → Bois caille; [French Guiana] → Bois rouge carapat; [Guadeloupe] → Cabirma de Guiana; [Dominican Republic] → Cachipou; [French Guiana] → Caraba; [Guyana (Ak)] → Carapa rouge; [French Guiana] → Cedro macho; [Caribbean] → Crabwood; [Surinam (Cr)] → Crapaud; [French Guiana] → Crappo; [Trinidad] → Demerara mahonie; [Surinam (Du)] → Empire andiroba; [Guyana] → Guyana mahogany; [Guyana (Cr)] → Ietjoeba (ietjoenban); [Surinam] → Ietjoenban karaäpa; [Surinam] → Kalapa; [Caribbean] → Kapa; [Surinam] → Karaba; [Surinam (Ar)] → Karapa; [Surinam (Ar)] → Karapa-yek; [Guyana (Ak)] → Kelaba; [Surinam] → Kerapa (keraba); [Surinam (Cr)] → Krap(p)a; [Surinam (Du)] → Mahogany, Guyana; [Guyana (Cr)] → Mahonie, demerara (Surinaams-); [Surinam (Du)] → Mahonie, Surinaams (demerara-); [Surinam (Du)] → Surinaams mahonie; [Surinam (Du)]
- Carapa guineensis Sweet ex Jussieu** → Krap(p)a; [Surinam (Du)]
- Carapa nicaraguensis DC.** → Crabwood; [Surinam (Cr)]
- Carapa procera A.DC.** → Crabwood; [Surinam (Cr)] → Krap(p)a; [Surinam (Du)]
- Carapa slateri Standley** → Crabwood; [Surinam (Cr)]
- Carapa surinamensis Miquel** → Krap(p)a; [Surinam (Du)]
- Cardiospermum halicacabum L.** → Kerstmisbloem; [Surinam (Du)] → Nja-nja; [Surinam]
- Carica papaya L.** → Lechosa; [Puerto Rico] → Papaja; [Surinam (Du)] → Papaw; [Surinam (Cr)] → Pawpaw; [Surinam (Cr)]
- Carludovica sarmentosa Sagot ex Drude** → Mamuri; [Surinam (Ar)]
- Carpotroche longifolia (Poeppig & Endl.) Benth.** → Taparaime; [Surinam (Ar)]
- Carpotroche surinamensis Uittien** → Taparaime; [Surinam (Ar)]
- Caryocar glabrum (Aublet) Persoon ssp. glabrum** → Gladde sopohoedoe; [Surinam (Du)] → Kawai; [Guyana (M)] → Kula; [Surinam (Ar)] → Piquiarana; [Surinam] → Sawari (water-); [Surinam (Cr)] → Sopohoedoe, gladde; [Surinam (Du)] → Tararongye; [Guyana (M)] → Walgö; [Guyana (Ak)] → Waruko; [Guyana (Ak)] → Water sawari; [Surinam (Cr)]
- Caryocar microcarpum Ducke** → Aloekoeali (aloekoemali); [Caribbean] → Aloekoemali (aloekoemali); [Caribbean] → Bats sawari; [Surinam (Cr)] → Cola (kola, kula, koela); [Guyana (Ar)] → Ebecoro kula; [Surinam (Ar)] → Kasanja; [Surinam (Au)] → Kobbo; [Surinam (Sa)] → Koela (kula, kola, cola); [Surinam (Ar)] → Kola (kola, koela, kula); [Surinam (Ar)] → Kula (koela, kola, cola), ebecoro; [Surinam (Ar)] → Ningre notto; [Surinam (Cr)] → Ruwe sopohoedoe; [Surinam (Cr)] → Sawari (bats-, water-); [Surinam (Cr)] → Sopohoedoe (ruwe-); [Surinam (Cr)] → Water sawari; [Surinam (Cr)] → Zeephout; [Surinam (Du)]
- Caryocar nuciferum L.** → Alokomali; [Caribbean] → Butternut; [Surinam (Cr)] → Hoera (hora, oera); [Surinam (Ar)] → Hora (hoera, oera); [Surinam (Ar)] → Imba; [Guyana (P)] → Imbö; [Guyana (Ak)] → Ingi notto; [Surinam (Cr)] → Kola firebéroe; [Surinam (Ar)] → Oera (hora, hoera); [Surinam (Ar)] → Pekea (pekia); [Guyana] → Saouarou; [Surinam (Ar)] → Saouary; [Surinam

(Ar)] → Sawari (sawali); [Surinam (Cr)] → Soearie (souari); [Caribbean] → Souari (soearie); [Caribbean] → Suwarrow; [Guyana (Ar)]
Caryocar riparium A.C.Smith → Kula; [Surinam (Ar)]
Caryocar tomentosum Willd. → Bokkenhout (bokkenoot); [Surinam (Du)]
Caryocar villosum (Aublet) Persoon → Arbre à beurre; [French Guiana] → Bat souari; [Guyana (Cr)] → Pequeú; [Guyana] → Pequiá; [Surinam]
Casearia arborea (A.Rich.) Urban → Bimiti jorelsko; [Surinam (Ar)] → Redihoedoe; [Surinam (Cr)]
Casearia arguta Kunth → Basterd kopie; [Surinam (Du)]
Casearia celastroides Klotzsch → Paishal; [Guyana (W)]
Casearia celtidifolia Poeppig ex Eichler → Kibihidan; [Surinam (Ar)]
Casearia combaymensis Tulasne → Bassakandra; [Surinam (Cr)] → Knorije (knorye); [Caribbean] → Kojara tokon; [Surinam (Ar)] → Marisiballi jotoh; [Surinam (Ar)] → Shibadan; [Surinam (Ar)]
Casearia commersoniana Cambess. → Kibihidan; [Surinam (Ar)]
Casearia densiflora Benth. → Kibihidan; [Surinam (Ar)]
Casearia grandiflora Cambess. → Bimiti joreleko; [Surinam (Ar)] → Warakaioero; [Surinam (Ar)]
Casearia guianensis (Aublet) Urban → Kibihidan; [Surinam (Ar)]
Casearia javitensis Kunth → Alawatta moereroe; [Caribbean] → Bokko bokko tokon; [Surinam (Ar)] → Kibidan (kiebiehiedan, kibihidan); [Surinam (Ar)] → Kibihidan (kiebiehiedan, kibidan); [Surinam (Ar)] → Klein (zwart) parelhout; [Surinam (Du)] → Koembetadde; [Caribbean] → Kwassie kwassietikie; [Surinam (Au)] → Manalliballi; [Surinam (Ar)] → Oemahoedoe; [Surinam (Cr)] → Parelhout, zwart (klein-); [Surinam (Du)] → Tamoipio; [Caribbean] → Zwart parelhout; [Surinam (Du)]
Casearia macrophylla Vahl → Boskoffie; [Surinam (Du)]
Casearia pitumba Sleumer → Boskoffie; [Surinam (Du)]
Casearia praecox Griseb. → Boxwood (maracaibo-); [West Indies] → Maracaibo palmhout; [West Indies] → Palmhout (westindisch-, maracaibo-); [West Indies] → Palo

blanco; [Dominican Republic] → Venezolaans palmhout; [Surinam (Du)] → Westindisch palmhout; [West Indies] → Zapatero; [West Indies]
Casearia rusbyana Briquet → Warakaioero; [Surinam (Ar)]
Casearia subopaca Triana & Planchon → Shibadan; [Surinam (Ar)]
Casearia sylvestris Swartz → Alawatta moereroe; [Caribbean] → Aleti; [Surinam (Ar)] → Aleti; [Surinam (Ar)] → Bassakandra; [Surinam (Cr)] → Bastard kopie; [Surinam (Cr)] → Boskoffie; [Surinam (Du)] → Café cimarrón (de gallina); [Dominican Republic] → Café de gallina (-cimarró); [Dominican Republic] → Cafecillo cimarrón; [Puerto Rico] → Cafetillo (-cimarrón); [Puerto Rico] → Chimarrón (café-); [Dominican Republic] → Cuero de sapo; [Puerto Rico] → Falcon; [Puerto Rico] → Geelhout; [Curaçao] → Kibihidan; [Surinam (Ar)] → Knorye (knorije); [Surinam] → Koembetadde; [Surinam] → Kojara tokon; [Surinam (Ar)] → Kopie, bastard; [Surinam (Cr)] → Kunali-malai; [Guyana (Ak)] → Kwassie kwassietikie; [Surinam (Au)] → Manalliballi; [Surinam (Ar)] → Marisiballi jotoh; [Surinam (Ar)] → Palo blanco; [Puerto Rico] → Palo de yagua; [Dominican Republic] → Paloe de Bonaire; [Curaçao] → Parelhout, zwart; [Surinam (Du)] → Raboratón; [Puerto Rico] → Sarna de perro; [Puerto Rico] → Yagua; [Dominican Republic] → Zwart parelhout; [Surinam (Du)]
Casearia ulmifolia Vahl ex Ventenat → Kibihidan; [Surinam (Ar)]
Casearia zizyphoides Kunth → Paishal; [Guyana (W)]
Cassia alata L. → Slabriki; [Surinam]
Cassia apoucouita Aublet → Apoucouita; [French Guiana]
Cassia biflora L. → Hediondilla; [Puerto Rico]
Cassia chrysocharpa Desvoux → Aimiala makarale; [Caribbean]
Cassia cowanii Irwin & Barneby → Monkey molasses; [Surinam (Cr)] → Porokai; [Guyana (Ak)] → Shiba; [Guyana (Ak)] → Tamarind, wild; [Surinam (Cr)] → Warua; [Surinam (Ar)] → Wild tamarind; [Surinam (Cr)]
Cassia cultrifolia Kunth → Asakaimo malakale; [Surinam (Ar)] → Jorka sneki; [Surinam (Ar)]
Cassia emarginata L. → Palo de chivo; [Dominican Republic]
Cassia flexuosa L. → Wallababalli olakodoro; [Surinam (Ar)]
Cassia fruticosa Miller → Lokonanjo; [Surinam (Ar)]

- Cassia grandis L.f.** → Cañafistula cimarrón; [Puerto Rico] → Mali mali; [Surinam (Ar)] → Monkey molasses; [Surinam (Cr)] → Warua; [Surinam (Ar)]
- Cassia latifolia G.Meyer** → Lokonanjo; [Surinam (Ar)]
- Cassia leiandra Benth. var. guianensis Sandwith** → Wild tamarind; [Surinam (Cr)]
- Cassia multijuga A.Rich.** → Riariadan; [Surinam (Ar)]
- Cassia occidentalis L.** → Jorka pesie; [Surinam] → Spookerwtén; [Surinam (Du)]
- Cassia pteridophylla Sandwith** → Imirimiaballi; [Surinam (Ar)]
- Cassia quinquangulata A.Rich.** → Lukonanjo; [Surinam (Ar)]
- Cassia reticulata Willd.** → Afoejodo; [Surinam (Au)] → Slabriki; [Surinam]
- Cassia siamea Lam.** → Perdrix; [French Guiana]
- Cassia sp.** → Hedionda macho; [Puerto Rico] → Hoja de sen; [Puerto Rico] → Sen del país; [Puerto Rico] → Styver bush; [Puerto Rico]
- Cassia tora L.** → Jorka srabriki; [Surinam]
- Cassine sp.** → Corcorrón; [Puerto Rico] → Coscorrán; [Puerto Rico] → Guayarrote; [Puerto Rico] → Marble tree; [Puerto Rico] → Muscat nut; [Puerto Rico] → Nut, muscat; [Puerto Rico] → Spoon tree; [Puerto Rico]
- Cassipourea alba Griseb.** → Palo de gongoli; [Puerto Rico] → Palo de oreja; [Puerto Rico] → Palo de toro; [Puerto Rico]
- Cassipourea guianensis Aublet** → Allawata andékele; [Caribbean] → Mammo(e) saré; [Surinam (Ar)] → Mamoe salé (-saré); [Surinam (Ar)] → Mamoedan; [Surinam (Ar)] → Momoedan; [Surinam (Ar)] → Murta; [Puerto Rico] → Palo robinson; [Dominican Republic]
- Cassipourea latifolia Alston** → Bois l'ail; [Trinidad] → Garlicwood; [Trinidad]
- Cassytha filiformis L.** → Karoba-körö; [Surinam (Ar)]
- Castela sp.** → Bitter bush; [Puerto Rico] → Guarema; [Puerto Rico] → Hueso; [Puerto Rico] → Palo de Pez; [Dominican Republic] → Palo peje; [Dominican Republic] → Rupa, wit; [Curaçao] → Wit rupa; [Curaçao]
- Catostemma alstonii Sandwith** → Adaurona; [Surinam (Ar)] → Baramanni; [Surinam (Cr)] → Baromalli; [Surinam (Ar)] → Karamai; [Guyana (Ak)] → Katama; [Guyana (P)] → Palu; [Guyana (An)] → Simana; [Guyana (Ak)]
- Catostemma commune Sandwith** → Baramanni; [Surinam (Cr)] → Baromalli, swamp (common-); [Surinam (Ar)] → Common baromalli; [Surinam (Cr)] → Katama; [Guyana (Ak)] → Paku; [Guyana (An)] → Palu; [Guyana (An)] → Simana; [Guyana (Ak)] → Swamp baromalli; [Surinam (Cr)]
- Catostemma fragrans Benth.** → Adarouna; [Surinam (Ar)] → Adaurona; [Surinam (Ar)] → Baramanni; [Surinam (Cr)] → Baromalli, sand; [Surinam (Ar)] → Flambeau rouge; [French Guiana] → Kamatana; [Guyana (M)] → Koron; [Guyana (W)] → Paku; [Guyana (An)] → Palu; [Guyana (An)] → Sand baromalli; [Surinam (Cr)] → Simana; [Guyana (Ak)]
- Cecropia adenopus C.Martius ex Miquel** → Ambaiba (ambaiba); [French Guiana] → Ambaita (ambaiba); [French Guiana]
- Cecropia angulata I.W.Bailey** → Congo pump; [Surinam (Cr)] → Kamang; [Guyana (Ak)] → Trumpet tree; [Surinam (Cr)] → Wanasoro; [Surinam (Ar)]
- Cecropia juranyiana V.A.Richter** → Soro soro; [Caribbean]
- Cecropia palmata Willd.** → Boesi papaja; [Surinam (Cr)] → Bospapaja; [Surinam (Du)] → Man bospapaja; [Surinam (Du)] → Papaja, manbos (bos-, boesi-); [Surinam (Du)] → Trumpetwood; [Surinam (Cr)] → Wonosoro wadilikoro; [Surinam (Ar)]
- Cecropia peltata L.** → Bois canon; [French Guiana] → Coulekin (coulequin); [French Guiana] → Coulequin; [French Guiana] → Yagrumo hembra; [Puerto Rico]
- Cecropia sciadophylla C.Martius** → Bois trompette; [French Guiana] → Bospapaja, hoogland (man-); [Surinam (Du)] → Congo pump; [Surinam (Cr)] → Floatwood; [Surinam (Cr)] → Hoogland bospapaja (man-); [Surinam (Du)] → Igarata; [Guyana] → Kamaiye; [Guyana (M)] → Man boesipapaja (man bospapaja); [Surinam (Cr, Du)] → Papaja, manbos (bos-, boesi-); [Surinam (Du)] → Pumpwood; [Surinam (Cr)] → Sararai; [Guyana (Ak)] → Soro soro; [Caribbean] → Tor; [Guyana (W)] → Trompette; [Guadeloupe] → Trumpet tree; [Surinam (Cr)] → Wana soro; [Surinam (Ar)] → Wanosoro wadilikoro; [Surinam (Ar)]
- Cecropia surinamensis Miquel** → Boesi papaja; [Surinam (Cr)] → Bospapaja; [Surinam (Du)] → Papaja, boesi (bos-); [Surinam (Cr)]
- Cedrela guianensis Jussieu** → Akoejali (akoejallie); [Surinam (Ar)]
- Cedrela mexicana Roemer** → Akoejali (akoejallie); [Surinam (Ar)]
- Cedrela odorata L.** → Acajou amer (-femelle, -rouge); [French West Indies] → Acajou femelle (-

amer, -rouge); [French Guiana] → Acajou rouge (-amer, -femelle); [French West Indies] → Akoejallie (akoejali); [Surinam (Ar)] → Akojari; [Surinam (Ar)] → Akuyari; [Surinam (Ar)] → Atoreb; [Guyana (W)] → Bois de cèdre; [French Guiana] → Cajou senti; [French West Indies] → Cedar, red (Spanish-); [Surinam (Cr)] → Cedar, Spanish (red-); [Guyana (Cr)] → Ceder (loofhout-, Surinaams-, zwamp-); [Surinam (Du)] → Cédrat; [French Guiana] → Cèdre (-acajou, -odorant); [French Guiana] → Cèdre odorant (-acajou); [French Guiana] → Cedrela odorant; [French Guiana] → Cedro (-hembra); [Puerto Rico] → Cedroe; [Surinam (Cr)] → Koperi; [Guyana (Ak)] → Kurana; [Guyana (An)] → Loofhout ceder; [Surinam (Du)] → Parank(a); [Guyana (M)] → Red cedar; [Surinam (Cr)] → Samarie japo; [Surinam] → Samariehout; [Surinam (Du)] → Sedre; [Surinam (Cr)] → Semari apo; [Caribbean] → Semmarie-apo; [Surinam] → Spanish cedar (red-); [Guyana (Cr)] → Surinaams ceder; [Surinam (Du)] → Zwamppoeder (zwampceder); [Surinam (Du)]

Cedrela sp. → Leli; [Curaçao]

Ceiba occidentalis (Sprengel) Burkill → Kumaka; [Surinam (Ar)]

Ceiba pentandra (L.) Gaertner → Arbre à coton; [French West Indies] → Ceiba (-yuca); [Curaçao] → Corkwood; [British West Indies] → Cotonnier grand bois; [French Guiana] → Cotton; [Surinam (Cr)] → Fromagier; [French West Indies] → Fuma; [Surinam] → Jumbi tree; [Surinam (Cr)] → Kankantrie; [Surinam (Cr, Du)] → Katoenboom; [Surinam (Du)] → Koddobakkoe; [Surinam] → Koemaka; [Caribbean] → Kumae (kumak, kumaka); [Guyana (M)] → Kumaka; [Surinam (Ar)] → Makau; [Caribbean] → Silk; [Surinam (Cr)] → Silk cotton tree; [Guyana (Cr)] → Wirin; [Guyana (W)]

Ceiba thoningii Chevalier → Kumaka; [Surinam (Ar)]

Celtis sp. → Azufaifo; [Puerto Rico]

Celtis trinervia Lam. → Anasillo; [Dominican Republic] → Palo amargo; [Dominican Republic]

Cenchrus borwnii Roemer & Schultes → Torimangras; [Surinam (Du)]

Cenchrus echinatus L. → Tebeyu; [Surinam (Ar)] → Torimangras; [Surinam (Du)]

Centrolobium paraense Tulasne → Kartang; [Guyana (M)] → Pau reihna; [Guyana (Pg)] → Porcupine tree; [Surinam (Cr)] → Redwood; [Surinam (Cr)] → Shipuradai; [Guyana (W)]

Centropogon cornutus (L.) Druce →

Iminariballi; [Surinam (Ar)] → Karoshiri; [Surinam (Ar)]

Centropogon surinamensis (L.) Presl → Diakraroe; [Caribbean] → Emenaliballi; [Surinam (Ar)] → Iminariballi; [Surinam (Ar)] → Karoeloe; [Caribbean] → Karoshiri; [Surinam (Ar)] → Popokai kraroen; [Caribbean]

Centrosema triquetrum Spruce ex Benth. → Butterfly pea; [Surinam (Cr)] → Ihiri-bona; [Surinam] → Pea, butterfly (sweet-); [Surinam (Cr)] → Puss-puss; [Surinam (Cr)] → Sweet pea; [Surinam (Cr)]

Centrosema vexillatum Benth. → Koema psehi; [Caribbean] → Orio koematang; [Surinam (Ar)]

Cephaelis alstonii Sandwith → Wagukwa-eba; [Guyana (Ak)]

Cephaelis barcellana (Müll.Arg.) Standley → Soldier's cap; [Guyana (Cr)]

Cephaelis sp. → Ipeca annelé; [French Guiana]

Cephaelis tomentosa (Aublet) Vahl → Soldier's cap; [Guyana (Cr)]

Cephaelis violacea (Aublet) Swartz → Koyarakushi; [Surinam (Ar)]

Cephalocereus lanuginosus (L.) Britton & Rose → Breebee die poesjie; [Curaçao] →

Foenfoen; [Curaçao] → Fonjo; [Curaçao] → Kadoesjie die poesjie; [Curaçao]

Cercidium praecox (Ruiz & Pavón) Harms → Llave; [Curaçao]

Cereus repandus (L.) Miller → Breebee; [Curaçao] → Kadoesjie; [Curaçao]

Cespedesia amazonica Huber → Ariwa; [Surinam (Ar)] → Shimaila; [Guyana (Ak)]

Chaetocarpus schomburgkianus (Kuntze) Pax & K.Hoffm. → Apakwie-ie, witte; [Surinam (Sa)]

→ Basau botie-ie; [Surinam (Sa)] → Boboroballi; [Surinam (Ar)] → Boeloewéballi; [Surinam (Ar)] →

Bokko bokko tokon; [Surinam (Ar)] → Djoe bo(IIe)trie, witte; [Surinam (Du)] → Foman(g); [Surinam] → Jappoballi; [Caribbean] → Kanau;

[Guyana (Ak)] → Kantoballi; [Surinam (Ar)] → Koesali epo; [Surinam (Ar)] → Koesaljeppo (-tamoeni); [Caribbean] → Kwepiran; [Caribbean] →

Mammerieballi; [Surinam (Sa)] → Mamoeriballi (-dजारो); [Surinam (Ar)] → Mattoe swama;

[Surinam (Sa)] → Moraballi; [Surinam (Ar)] → Paramana; [Guyana (Ak)] → Ruri; [Guyana (Ar)]

→ Sikarik; [Guyana (An)] → Toekoeleroe kanta; [Surinam (Ar)] → Toepoeloe koesoliepo;

[Caribbean] → Tokovero kaumta; [Surinam (Ar)] → Warakkजारो harilaroe; [Surinam (Ar)] → Witte

apakwie-ie; [Surinam (Sa)] → Witte djoe bo(IIe)trie; [Surinam (Du)]

Chaetocarpus stipularis Gleason → Ruri;

- [Guyana (Ar)]
Chamaecrista adiantifolia (Benth.) Irwin & Barneby → Blackheart; [Guyana (Cr)] → Imirimiaballi; [Surinam (Ar)] → Mosök; [Guyana (Ak)] → Tamarind, wild; [Surinam (Cr)] → Wild tamarind; [Surinam (Cr)]
Chamaecrista apoucouita (Aublet) Irwin & Barneby → Apokuita; [Surinam (Cr)] → Apoucouita; [French Guiana] → Karamatakan; [Guyana (Ak)]
Chamaefistula sp. → Gadoboom; [Surinam (Cr, Du)] → Hediondilla; [Puerto Rico]
Chamaesenna reticulata (Willd.) Pittier → Slabriki; [Surinam]
Chaenochiton kappleri (Sagot ex Engl.) Ducke → Awarraballi djamaro; [Surinam (Ar)] → Hiwaradan; [Surinam (Ar)] → Patakoe(w)ana; [Surinam (Cr)]
Cheiloclinium cognatum (Miers) A.C. Smith → Hoasoropan; [Surinam (Ar)] → Monkey syrup; [Surinam (Cr)]
Chenopodium ambrosioides L. → Tieni menti; [Surinam]
Chimarrhis cymosa Jacq. → Kodoibadin; [Guyana (W)] → Tokwiwako; [Guyana (M)]
Chimarrhis turbinata DC. → Alipo menango; [Caribbean] → Arrawerie; [Caribbean] → Bois rivièrè; [French West Indies] → Jean-jeanhoedoe; [Surinam (Cr)] → Komara marballi; [Surinam (Ar)] → Mabarabe; [Caribbean] → Resolu; [French West Indies] → Sienjahoeedoe; [Surinam (Cr)] → Sinjahoeedoe; [Surinam (Cr)] → Takajoe; [Surinam (Sa)]
Chionanthus sp. → Avispillo; [Puerto Rico] → Huesillo; [Puerto Rico] → Hueso blanco; [Puerto Rico] → Lirio; [Dominican Republic] → Tarana; [Dominican Republic]
Chlorocardium rodiei (Sch.) Rohwer, Richt. & v.d. W. → Bebeere; [Guyana (Cr)] → Beberoe; [Surinam (Cr)] → Beberuboom; [Surinam (Du)] → Bibero (bibiri, bibira, bibiro, biburu); [Caribbean] → Bibira; [Guyana (Ar)] → Bibir(i); [Guyana (Ar)] → Bibiro; [Surinam (Ar)] → Biburu; [Guyana (Ar)] → Biri-biri; [Guyana (Ar)] → Cèdre noir; [French Guiana] → Cogwood; [Guyana (Cr)] → Demerara greenheart (-groen-ati); [Surinam (Cr)] → Demerara groenhart; [Surinam (Du)] → Geelhart; [Surinam (Du)] → Greenheart (demerara-); [Surinam (Cr)] → Groenhart, demerara; [Surinam (Du)] → Kevatuk; [Guyana] → Kut; [Guyana (Ak)] → Rora (-yek); [Guyana (Ak)] → Sepeiro; [Guyana] → Sepira; [Guyana (An)] → Sipiri; [Guyana (An)] → Sapiro; [Caribbean] → Sipu; [Caribbean] → Supeira; [Guyana] → Tugul; [Guyana] → Wainop; [Guyana]
Chlorophora tinctoria (L.) Gaudich. → Bois d'orange; [Trinidad] → Geelhout; [Surinam (Du)] → Mora macho; [Dominican Republic] → Palo amarillo; [Dominican Republic] → Palo naranjo; [Trinidad] → Paloe doesji; [Curaçao] → Stockvishout; [Surinam (Du)]
Chloroxylon swietenia DC. → Calibori; [Curaçao] → Espinillo; [Dominican Republic] → Satijnhout; [Surinam (Du)]
Chomelia tenuiflora Benth. → Cassicus bloem; [Surinam (Du)] → Jawahe sarapan; [Surinam (Ar)] → Jawohe sarapan; [Surinam (Ar)] → Kenoto potele; [Surinam]
Chondodendron candicans (Rich.) Sandwith → Teteabo; [Surinam (Ar)]
Chrysobalanus icaco L. → Erejoeroe; [Caribbean] → Fat pork; [Guyana (Cr)] → Icaque (-des bois); [Guadeloupe] → Kadjoesili; [Surinam (Sa)] → Kodibi-assiballi; [Surinam (Ar)] → Koena tepie; [Surinam (Ar)] → Koenoto epoe; [Caribbean] → Kurimiru; [Surinam (Ar)] → Makajasoebie; [Surinam (Sa)] → Pruum; [Surinam (Du)] → Prunier coton (-de l'anse); [French Guiana] → Prunier de l'anse (-coton); [French Guiana]
Chrysochlamys weberbaueri Engl. → Tapirero; [Guyana (Ar)]
Chrysophyllum argenteum Jacq. → Aima-inu; [Guyana (Ak)] → Apple, wild star (bos-); [Surinam (Cr)] → Boes'apra; [Surinam (Cr)] → Bolletrie, piento; [Surinam (Cr)] → Borowéballi; [Surinam (Ar)] → Bosappel; [Surinam (Du)] → Boskoffie; [Surinam (Du)] → Bullet tree, male; [Guyana (Cr)] → Carabana; [Dominican Republic] → Depiaratan; [Guyana (W)] → Jorromèran; [Caribbean] → Lechecillo; [Puerto Rico] → Loekriehoedoe; [Surinam (Cr)] → Male bullet tree; [Guyana (Cr)] → Piento bolletrie; [Surinam (Cr, Du)] → Pinto bortri; [Surinam (Cr)] → Riemhout; [Surinam (Du)] → Suruburuen (surruburuen); [Surinam (Ar)] → Wild star apple; [Surinam (Cr)]
Chrysophyllum auratum Miquel → Riemhout; [Surinam (Du)]
Chrysophyllum cainito L. → Apra (star-); [Surinam (Cr)] → Caimitier; [French Guiana] → Caimito cimarrón; [Dominican Republic] → Cainit; [Puerto Rico] → Pomme surrette; [French West Indies] → Star'apra; [Surinam (Cr)] → Sterappel; [Surinam (Du)]
Chrysophyllum cuneifolium (Rudge) A.DC. → Kwat(t)abob(b)i(e), gewone; [Surinam (Du)]
Chrysophyllum monopyrenum Swartz → Caimitillo; [Puerto Rico]

- Chrysophyllum oliviforme L.** → Caimitillo; [Puerto Rico] → Caimito (-cimarrón, -de perro); [Puerto Rico]
- Chrysophyllum pomiferum (Eyma) T.D.Penn.** → Acana; [Puerto Rico] → Aknon; [Guyana (Ak)] → Bataballi (batabaly); [Surinam (Ar)] → Jacana; [Puerto Rico] → Kwikpa; [Guyana (Ak)] → Limonaballi; [Surinam (Ar)] → Pain d'épice; [French Guiana] → Pari(pi)balli; [Surinam (Ar)]
- Chrysophyllum prieurii A.DC.** → Pepre bolletrie (djoe-); [Surinam (Cr)]
- Chrysophyllum sanguinolentum (Pierre) Monachino** → Barataballi; [Surinam (Ar)]
- Chrysophyllum sericeum A.DC.** → Riemhout; [Surinam (Du)]
- Chrysophyllum sp.** → Caimito verde; [Puerto Rico] → Kokoritiballi; [Guyana (Ar)] → Macoucou; [French Guiana] → Teta de burro; [Puerto Rico]
- Chytroma praeclara (Sandwith) Kunth** → Bair; [Guyana (W)] → Haudan; [Guyana (Ar)] → Toro; [Guyana (M)]
- Cinnamomum verum J.S.Presl** → Kaneelboom; [Surinam (Du)]
- Cinnamomum zeylanicum (Nees) Breyne** → Kaneelboom; [Surinam (Du)]
- Cinnamomum zeylanicum Garcke ex Blume** → Kaneelboom; [Surinam (Du)]
- Citharexylum fruticosum L.** → Fiddlewood; [British West Indies] → Higuerrillo; [Puerto Rico] → Penda; [Dominican Republic] → Pendula; [Puerto Rico]
- Citharexylum macanthum Pittier** → Manglillo; [Trinidad]
- Citharexylum macrophyllum Poiret** → Alasoabo; [Surinam] → Cutlet; [Trinidad] → Fiddlewood; [Surinam (Cr)] → Kalebashout, witbloem; [Surinam (Du)] → Kasaroballi; [Surinam (Ar)] → Lejagado; [Surinam (Cr)] → Oeroejatoo; [Caribbean] → Susanna; [Trinidad] → Wit-bloem kalebashout; [Surinam (Du)]
- Citharexylum sp.** → Cotelette; [French West Indies] → Cucubano; [Puerto Rico] → Old woman's bitter; [Puerto Rico]
- Citrullus lanatus (Thuberg) Matsum. & Nakai** → Pacha; [Surinam (Ar)]
- Citrullus vulgaris Schrader ex Ecklon & Zeyher** → Pacha; [Surinam (Ar)]
- Citrus sinensis (L.) Osbeck** → Arancio (-dulce); [Surinam (Ar)] → Aranso; [Surinam (Ar)]
- Clathrotropis brachypetala (Tulasne) Kleinhoonte** → Alaipoeli katoepoeroe; [Caribbean] → Aroematta; [Surinam (Ar)] → Aromata (-kharemeroe); [Surinam (Ar)] → Aroumata; [Surinam (Ar)] → Haiariballi; [Surinam (Ar)] → Koreko; [Caribbean] → Mutuwali; [Guyana (Ak)] → Nekoehoedoe; [Surinam (Cr)] → Niekoerang; [Caribbean] → Wete koeloekoerang; [Caribbean]
- Clathrotropis macrocarpa Ducke** → Aromata; [Surinam (Ar)] → Kauwi; [Guyana (Ak)] → Koreko; [Caribbean] → Mutuwali; [Guyana (Ak)]
- Clathrotropis paradoxa Sandwith** → Iron Mary; [Guyana (Cr)] → Tira; [Guyana (Ak)]
- Clavipetalum surinamense Pulle** → Wjaballi kharemeroe; [Surinam (Ar)]
- Cleome gynandra L.** → Akaja (akaaia); [Surinam]
- Cleome psoraleaefolia DC.** → Akaaia (akaja); [Surinam] → Makka; [Surinam (Ar)]
- Clerodendrum aculeatum (L.) Schlechter** → Boesi droifi; [Surinam (Cr)]
- Clerodendrum fragrans R.Brown** → Madan polan; [Surinam (Cr)]
- Clerodendrum japonicum (Thunberg) Sweet** → Wan hon na wan njari; [Surinam (Cr)]
- Clerodendrum philippinum Schauer** → Madan polan; [Surinam (Cr)]
- Clerodendrum sp.** → Danish flag; [Puerto Rico] → Flor de muerto; [Puerto Rico] → Jasmin hediondo; [Puerto Rico] → Jessamine, wild; [Puerto Rico] → Santo Domingo; [Puerto Rico] → Wild jessamine; [Puerto Rico]
- Clerodendrum thomsonae Balfour f.** → Broedoe nahatti; [Surinam (Cr)]
- Clibadium surinamense L.** → Cunami kunan; [Guyana (W)] → Kanami ran; [Caribbean] → Konali; [Surinam (Ar)] → Koorsoe wiwirie; [Surinam (Cr)] → Oeman koenami; [Surinam (Cr)] → Watra wiwirie; [Surinam (Cr)] → Wiwirie, koorsoe; [Surinam (Cr)]
- Clibadium sylvestre (Aublet) Baillon** → Cunami kunan; [Guyana (W)] → Koenami(e)(ware-); [Caribbean] → Konali; [Surinam (Ar)] → Ware koenami(e); [Caribbean]
- Clidemia aphanantha Sagot** → Man snekie wiwirie; [Surinam (Cr)]
- Clidemia hirta (L.) D.Don** → Oema snekie wiwirie; [Caribbean] → Tamakoesji; [Caribbean] → Wiwirie, oema snekie; [Surinam (Cr)]
- Clidemia japurensis DC.** → Oema snekie wiwirie; [Surinam (Cr)] → Tamakoesji; [Caribbean] → Wiwirie, oema snekie; [Surinam (Cr)]
- Clidemia naevula (Naudin) Triana** → Tamakoesji; [Caribbean]
- Clidemia rubra (Aublet) C.Martius** → Man snekie wiwirie; [Surinam (Cr)] → Wiwirie, man snekie; [Surinam (Cr)]
- Clidemia sp.** → Camacey (-peludo); [Puerto Rico]

Clitoria arborescens R. Brown → Cow eye (kau ai); [Surinam (Cr)] → Kau ai (cow eye); [Surinam (Cr)] → Koeroemoe enoeloe; [Caribbean] → Panapana; [Caribbean] → Pea, sweet; [Caribbean] → Puss-puss; [Caribbean] → Sweet pea; [Caribbean]
Clitoria leptostachya Benth. → Maneko; [Surinam (Au)]

Clusia amazonica Planchon & Triana → Balsam fig (-tree); [British West Indies] → Balsam tree (-fig); [Guyana (Cr)] → Cooper; [Guyana (Cr)] → Kufa; [Surinam (Ar)] → Kupe (kupé); [Guyana (Cr)]

Clusia colorans Klotzsch ex Engl. → Watra mangro; [Surinam (Cr)]

Clusia crassifolia Planchon & Triana → Kufa; [Surinam (Ar)]

Clusia cuneata Benth. → Kufa; [Surinam (Ar)]

Clusia fockeana Miquel → Koenapara epeliki; [Caribbean] → Koenapolan; [Caribbean] → Madaberie toliolo (madaboerie-); [Surinam (Ar)] → Madaboerie (-toliolo); [Surinam (Ar)] → Madabrie kofa djamaro; [Surinam (Ar)] → Madaburi; [Surinam (Ar)] → Mango(e); [Surinam (Sa)] → Mangro, sabana (savanne); [Surinam (Cr, Du)] → Sabana mangro; [Surinam (Cr)] → Savanne mangrove; [Surinam (Du)] → Wakwami; [Guyana (Ak)]

Clusia grandiflora Splitg. → Abrasa; [Surinam (Cr)] → Kodawkodaw; [Guyana (W)] → Kopai; [Guyana (Ak)] → Koyomaroin; [Guyana (W)] → Kufa; [Surinam (Ar)] → Mammee, wild; [British West Indies] → Parcouri (-goupi, -mani); [French Guiana] → Pimpin; [Surinam] → Près-près; [Caribbean] → Rumak; [Guyana (Ak)] → Wild mammee; [British West Indies]

Clusia insignis C. Martius → Kufa; [Surinam (Ar)]

Clusia jenmanii Engl. → Kufa; [Guyana (Ar)] → Wakwami; [Guyana (Ak)]

Clusia minor L. → Kufa; [Guyana (Ar)]

Clusia mutica Maguire → Kufa; [Guyana (Ar)]

Clusia myriandra Planchon & Triana → Kufa; [Guyana (Ar)]

Clusia nemorosa G. Meyer → Apotanare koenapolan; [Caribbean] → Bosmam(m)i; [Surinam (Du)] → Kienboto; [Surinam (Cr)] → Koenaporang; [Caribbean] → Madaberie; [Surinam (Ar)] → Madaboeri; [Surinam (Ar)] → Madaburi; [Surinam (Ar)] → Mangoe (mangro, mango); [Surinam (Sa)] → Mangro, sabana (savanne-); [Surinam (Cr, Du)] → Muri kupé; [Guyana (Cr)] → Sabana mangro (-mango); [Surinam (Cr)]

Clusia palmicida Rich. ex Planchon & Triana

→ Abrasa (-koemoedjoko); [Surinam (Cr)] → Jowa-jowa; [Caribbean] → Kaatoetatai; [Surinam (Sa)] → Kofa (kufa); [Surinam (Ar)] → Kufa (kofa); [Surinam (Ar)]

Clusia pana-panari (Aublet) Choisy → Kufa; [Surinam (Ar)] → Mangro, watra; [Surinam (Cr)] → Watra mangro; [Surinam (Cr)]

Clusia parvicapsula Vesque → Mangro; [Surinam (Cr)]

Clusia planchoniana Engl. → Kufa; [Guyana (Ar)]

Clusia platystigma Eyma → Abrasa; [Surinam (Cr)] → Joeva-joeva; [Caribbean] → Katoetatai; [Surinam (Sa)] → Koapo; [Caribbean] → Koeffa (kufa, kofa); [Surinam (Ar)] → Koemoedjoko; [Surinam (Cr)] → Kofa (koeffa, kufa); [Surinam (Ar)]

Clusia purpurea (Splitg.) Engl. → Kufa; [Guyana (Ar)] → Mangro, swietie watra; [Surinam (Cr)] → Swietie watra mangro; [Surinam (Cr)]

Clusia rosea Jacq. → Apple, pitch; [British West Indies] → Aralee; [Trinidad] → Arali; [French West Indies] → Bois roi; [French Guiana] → Cope(y) grande; [Trinidad] → Cupey; [Trinidad] → Dam maatsjoe; [Dutch West Indies] → Figuier marron (-maudit); [French West Indies] → Figuier maudit (-marron); [French Guiana] → Koetsjoe; [Dutch West Indies] → Kopijk; [Dutch West Indies] → Kufa; [Guyana (Ar)] → Liane meutrière; [French West Indies] → Maatsjoe, dam (tam-); [Dutch West Indies] → Matapal (matapale, matapalo); [Trinidad] → Mille pieds; [French West Indies] → Pitch apple; [British West Indies] → Scotchman tree; [Trinidad] → Tam maatsjoe; [Dutch West Indies]

Clusia savannarum Maguire → Kufa; [Guyana (Ar)]

Clusia schomburgkiana (Pl. & Triana) Benth. ex Engl. → Kufa; [Guyana (Ar)]

Clusia scrobiculata Benoist → Abrasa; [Surinam (Cr)] → Kaapoöe; [Caribbean]

Clusia sp. → Bois serpent; [French Guiana] → Gamboge, West Indian; [British West Indies] → Kaapove; [Surinam] → Palétuvier de montagne; [French West Indies] → Pérépéré; [Guyana] → Votomite; [Guyana] → West Indian gamboge; [British West Indies]

Clusia venosa Jacq. → Kufa; [Guyana (Ar)]

Clytostoma binatum (Thunberg) Sandwith → Fremoesoe wierie; [Surinam] → Japepoekoe; [Caribbean] → Tatai; [Surinam]

Coccocypselum guianense (Aublet)

K. Schumann → Siborodorokon; [Surinam (Ar)] →

- Tokropomtjé; [Caribbean]
Coccoloba ascendens Duss ex Lindau → Masari; [Surinam (Ar)]
Coccoloba charitostachya Standley → Masari; [Guyana (Ar)]
Coccoloba excelsa Benth. → Masari; [Guyana (Ar)]
Coccoloba guianensis Meisner → Masari; [Guyana (Ar)]
- Coccoloba gymnorhachis Sandwith** → Masari; [Guyana (Ar)]
Coccoloba latifolia Lam. → Black grape; [British West Indies] → Bradilifi (brailifi, bredlief); [Surinam (Cr)] → Bredlief (bradilifi, brailifi); [Surinam (Cr)] → Cuchape; [Trinidad] → Grape, black; [British West Indies] → Matoela; [Caribbean] → Matora; [Surinam (Ar)] → Sakar; [Guyana (W)]
Coccoloba marginata Benth. → Masari; [Guyana (Ar)]
Coccoloba mollis Casar. → Baauwlifi; [Surinam (Sa)] → Bradelifie (bradeliefi); [Surinam (Cr)] → Bradilifi (brailifi, bredlief); [Surinam (Cr)] → Brailifi; [Surinam (Cr)] → Matoela; [Surinam (Ar)] → Matoeli; [Surinam (Ar)] → Mattora; [Surinam (Ar)] → Mierenhoedoe; [Surinam (Cr)] → Oenbatapo; [Caribbean] → Patoela; [Caribbean] → Pattoera; [Caribbean]
Coccoloba sp. → Calambreña; [Puerto Rico] → Carga agua; [Dominican Republic] → Crabwood; [British West Indies] → Guarape; [Dominican Republic] → Guaras; [Dominican Republic] → Light, red; [British West Indies] → Moralón; [Puerto Rico] → Ortegón; [Puerto Rico] → Puckhout; [Puerto Rico] → Red light; [British West Indies] → Saint Jean; [French West Indies] → Saona; [Dominican Republic] → Stavewood; [British West Indies] → Tie-tongue; [British West Indies] → Venbatapo; [Surinam]
Coccoloba uvifera (L.) Jacq. → Bois baguette; [French West Indies] → Bois rouge montagne; [French West Indies] → Bow pigeon; [British West Indies] → Cuchape; [Trinidad] → Cucubano; [Puerto Rico] → Dreifi; [Surinam (Cr)] → Droifi; [Surinam (Cr)] → Druif (zee-); [Surinam (Du)] → Gateado; [Puerto Rico] → Grape, mangrove (sea-, wild-); [British West Indies] → Grape, wild (mangrove-, seaside-); [British West Indies] → Hopwood; [British West Indies] → Horsewood; [British West Indies] → Mangrove grape; [British West Indies] → Matora; [Surinam (Ar)] → Pigeonwood; [British West Indies] → Plum, seaside; [British West Indies] → Raisinier → grappes; [French West Indies] → Sea grape; [British West Indies] → Seaside grape; [British West Indies] → Seaside plum; [British West Indies] → Uva (-del mar); [Puerto Rico] → Uvero; [Puerto Rico] → Uvero del monte; [Trinidad] → Uvillo; [Puerto Rico] → Wild grape; [British West Indies] → Zeedruif; [Surinam (Du)]
Cochlospermum insigne A.St.-Hil. → Kanakudiballi; [Surinam (Ar)]
Cochlospermum orinocense (Kunth) Steudel → Cassave tree; [Surinam (Cr)] → John-Jo; [Guyana (Cr)] → Kanakudiballi; [Surinam (Ar)]
Cochlospermum parkeri Planchon → Kanakudiballi; [Surinam (Ar)]
Cochlospermum sp. → Njoe fodoe; [Surinam]
Cocos nucifera L. → Coconut palm; [Surinam (Cr)] → Cocos palm; [Surinam (Du)] → Klapperboom; [Surinam (Du)] → Porcupinewood; [Guyana (Cr)]
Coffea arabica L. → Kufi; [Surinam (Ar)]
Cojoba arborea (L.) Britton & Rose → Cojoba(na); [Puerto Rico]
Colocasia esculenta (L.) Schott → Ole; [Surinam (Ar)]
Colubrina ferruginosa Brongn. → Abejuelo; [Puerto Rico] → Achiotillo; [Puerto Rico] → Avelluelo; [Puerto Rico] → Bois conleuvre (-de fer, -de serpent); [Martinique] → Bois de fer (-de serpent, -conleuvre); [Martinique] → Bois de serpent (-de fer, -conleuvre); [Martinique] → Corazón de paloma; [Dominican Republic] → Greenheart; [Puerto Rico] → Quitarán; [Puerto Rico] → Ratón; [Puerto Rico] → Snake bark; [Puerto Rico] → Soap tree; [Puerto Rico]
Colubrina reclinata (L'Héritier) Brongn. → Mabee mabí; [Puerto Rico] → Nakedwood; [Puerto Rico] → Palo amargo; [Dominican Republic] → Smooth snake bark; [Puerto Rico] → Snake bark, smooth; [Puerto Rico]
Combretum cacoucia (Baillon) Exell → Jalimano; [Surinam (Ar)] → Sekema; [Caribbean] → Vreemoesoe wisie; [Surinam (Cr)] → Yariman; [Surinam (Ar)]
Combretum jacquinii Griseb. → Koepisiri; [Caribbean]
Combretum laxum Jacq. → Koepirisi; [Caribbean] → Supple Jack; [Guyana (Cr)]
Combretum rotundifolium A.Rich. → Arimaka; [Caribbean] → Baredaballi; [Surinam (Ar)] → Bosroe; [Surinam (Cr)] → Bottlebrush; [Guyana (Cr)] → Fire brush; [Guyana (Cr)] → Jalimana; [Surinam (Ar)] → Maribena; [Surinam (Ar)] → Sekema; [Caribbean] → Vreemoesoe noto; [Surinam (Cr)]

Commelina diffusa Burm.f. → Gado dede (-mi-sa-dede); [Surinam (Cr)] → Oelearoe; [Surinam (Ar)]

Commelina nudiflora L. → Gado dede (-mi-sa-dede); [Surinam (Cr)]

Commelina virginica L. → Gado dede; [Surinam (Cr)] → Oelearoe; [Surinam (Ar)] → Tamakoeshi; [Caribbean]

Comocladia glabra (Schultes) Sprengel → Carrasco; [Puerto Rico] → Chicharrón; [Dominican Republic]

Comocladia ilicifolia Swartz → Guao; [Dominican Republic] → Maíz tostado; [Puerto Rico]

Comocladia sp. → Ash, poison; [Puerto Rico] → Maíz pelado; [Puerto Rico] → Poison ash; [Puerto Rico] → Prapa; [Puerto Rico]

Comolia purpurea Miquel → Kasiripio; [Caribbean] → Oerio dakethé; [Surinam (Ar)]

Comolia vernicosa (Benth.) Triana → Apalitono; [Caribbean] → Ottepoeloe; [Caribbean]

Conceveiba guianensis Aublet → Bakhie bakhie; [Surinam (Sa)] → Basra salie; [Surinam (Du)] → Harimenango; [Caribbean] → Jawaredan; [Caribbean] → Koesoewé oe mattoe; [Surinam (Sa)] → Mababalli (-horiraro); [Surinam (Ar)] → Mabi; [Surinam (Du)] → Mabiballi hariraroe; [Surinam (Ar)] → Man salie; [Surinam (Du)] → Necoehoedoe; [Surinam (Sa)] → Péierjan; [Caribbean] → Sakaraballi; [Surinam (Cr)] → Talemó méréhé; [Caribbean] → Taminlo meréké; [Caribbean] → Wadiehie koro; [Surinam (Ar)] → Witte hoedoe; [Surinam (Du)]

Conceveiba hostmannii Benth. → Basra salie; [Surinam (Du)] → Mabi; [Surinam (Du)] → Man salie; [Surinam (Du)]

Conceveibum guianensis Aublet → Sauoero nani; [Caribbean] → Tossie kojo; [Surinam (Sa)]

Condylocarpon myrtifolium (Miquel) Müll.Arg. → Ali loerang; [Caribbean]

Connarus coriaceus Schellenb. → Akarerowai; [Caribbean] → Alakairoelan; [Caribbean] → Soekerdjap; [Surinam (Cr)]

Connarus guianensis Lambert → Supple Jack; [Guyana (Cr)]

Connarus lambertii (DC.) Sagot → Supple Jack; [Guyana (Cr)] → Zebrahout; [Surinam (Du)]

Connarus megacarpus S.F.Blake → Supple Jack; [Guyana (Cr)]

Connarus perrottetii (DC.) Planchon → Seweyuballi; [Surinam (Ar)] → Wayamoe menepoeloe; [Surinam] → Wayamu menepulu; [Surinam]

Connarus sp. → Aiaoua; [French Guiana] →

Karaouassira; [French Guiana] → Pariki; [French Guiana]

Conocarpus erectus L. → Button mangrove (-tree); [British West Indies] → Button tree (-mangrove); [British West Indies] → Buttonwood; [British West Indies] → Mangle; [Dominican Republic] → Mangrove, button; [British West Indies]

Conomorpha fulvopulverulenta Mez → Teterumaballi; [Surinam (Ar)]

Conomorpha magnoliifolia Mez → Teterumaballi; [Surinam (Ar)]

Conomorpha peruviana DC. → Teterumaballi; [Surinam (Ar)]

Conomorpha rigida Mez → Tererumaballi; [Surinam (Ar)]

Conomorpha sessilis A.C.Smith → Teterumaballi; [Guyana (Ar)]

Conyza chilensis Sprengel → Akawa malitele; [Caribbean] → Woliféballi; [Surinam (Ar)]

Copaifera epunctata Amshoff → Knote epu; [Caribbean] → Tatabo djamaro; [Surinam (Ar)]

Copaifera guianensis Desf. → Apaoewa; [Caribbean] → Hoepelhout (-boom); [Surinam (Du)] → Hoepro(-hoedoe); [Surinam (Cr)] → Koepajoewa; [Surinam (Ar)] → Koepawa;

[Surinam (Bn)] → Maran; [Guyana (Cr)] → Oeproehoedoe; [Surinam (Cr)] → Passie moeties; [Surinam (Sa)]

Copaifera langsdorfii Desf. → Maran; [Guyana (Cr)]

Copaifera officinalis (Jacq.) L. → Amacey; [Dominican Republic] → Copaiba; [Dominican Republic]

Copaifera pubiflora Benth. → Apauwa; [Caribbean] → Copaiba balsam; [Guyana (Cr)] → Kopaiyuwa; [Guyana (Ar)] → Maran(a); [Guyana (Cr)] → Maranai; [Guyana (W)] → Maranyo; [Guyana (Ak)]

Cordia alba (Jacq.) Roemer & Schultes → Bois chique; [French Guiana] → Cereza blanca; [Puerto Rico] → Cerezo blanco; [Puerto Rico]

Cordia alliodora (Ruiz & Pavón) Oken → Brown silverballi; [Surinam (Cr)] → Capá prieto (-sabana); [Dominican Republic] → Capá sabana (-prieto); [Puerto Rico] → Copillo; [Puerto Rico] → Cupillo; [Puerto Rico] → Freijo; [Guyana (Pg)] → Laural blanco; [Curaçao] → Miye; [Guyana (M)] → Pardillo; [Curaçao] → Silverballi, brown; [Surinam (Cr)] → Taparai; [Guyana (W)]

Cordia bicolor A.DC. → Table tree; [Surinam (Cr)]

Cordia colecocea L. → Bois lay-lay; [Trinidad] → Cereza cimarrona; [Puerto Rico] → Manjak;

[Grenada] → Muñeco morilla; [Puerto Rico] → Palo de muñeca (de muñeco); [Puerto Rico] **Cordia exaltata Lam.** → Masimikar; [Guyana (W)] → Table tree; [Guyana (Cr)] → Wasang; [Surinam (Ar)]
Cordia fallax I.M.Johnston → Masimikar; [Guyana (W)] → Table tree; [Surinam (Cr)]
Cordia hirta I.M.Johnston → Bostafraboom; [Surinam (Du)] → Table tree; [Guyana (Cr)]
Cordia laevifrons I.M.Johnston → Abre parasol; [French Guiana] → Montjoly; [French Guiana] → Tiki topichi; [French Guiana]
Cordia lomatoloba I.M.Johnston → Black sage; [Guyana (Cr)] → Sage, black; [Guyana (Cr)]
Cordia macrostachya (Jacq.) Roemer & Schultes → Black sage; [Guyana (Cr)] → Blaka oema; [Surinam (Cr)] → Montjoly; [French Guiana] → Sage, black; [Guyana (Cr)]
Cordia nodosa Lam. → Aloeko uonoré; [Caribbean] → Ant's plant (ant's tree); [Guyana (Cr)] → Arreunoe; [Caribbean] → Awali emoeloe; [Caribbean] → Awelemoeloe; [Caribbean] → Blaka ivintje; [Surinam (Cr)] → Blaka oema (manblaka-); [Surinam (Cr)] → Hoereuere roko; [Surinam (Ar)] → Horowé joe lokko; [Surinam (Ar)] → Horowé jore roko; [Surinam (Ar)] → Huruereroko; [Surinam (Ar)] → Ivintje, blaka; [Surinam (Cr)] → Manblaka oema (blaka-); [Surinam (Cr)] → Marribonsoehoedoe; [Surinam (Cr)] → Mattoe toenballobbi; [Surinam (Sa)] → Oema, blaka (manblaka-); [Surinam (Cr)] → Piama-pömai; [Guyana (Ak)]
Cordia panicularis Rudge → Berg tafraboom; [Surinam (Cr)] → Boesi tafrabon; [Surinam (Cr)] → Bostafelboom; [Surinam (Du)] → Tafelboom, berg (bos-, boesi-); [Surinam (Du)]
Cordia polycephala (Lam.) I.M.Johnston → Black sage; [Guyana (Cr)] → Manblaka oema; [Surinam (Cr)] → Oema, manblaka (blaka-); [Surinam (Cr)] → Sage, black; [Guyana (Cr)]
Cordia sagotii I.M.Johnston → Anakara; [Caribbean] → Anoema latti; [Surinam (Cr)] → Aratroeka (aratroekoe); [Caribbean] → Arowtroeka; [Surinam (Ar)] → Boesi tafraboom; [Surinam (Cr)] → Boggi lobbi; [Surinam (Sa)] → Bostafelboom; [Surinam (Du)] → Danlieba; [Surinam (Sa)] → Dokka (doko); [Surinam (Ar)] → Dokoa (dokka); [Surinam (Ar)] → Kokoro horodikoro; [Surinam (Ar)] → Kokoro konokodikoro; [Caribbean] → Tafelboom (bos-, boesi-); [Surinam (Du)] → Toenballobbi; [Surinam (Sa)]
Cordia schomburgkii DC. → Black sage;

[Guyana (Cr)] → Blaka oema (blakka hoema); [Surinam (Cr)] → Blaka wintje; [Surinam (Cr)] → Kaboejakoro diamaroe; [Surinam (Ar)] → Makoeja pipa; [Caribbean] → Oema, blaka; [Surinam (Cr)] → Sage, black; [Guyana (Cr)] → Waijanaka erepaloe; [Surinam] → Wintje, blaka; [Surinam (Cr)]
Cordia sericalyx A.DC. → Berry, turkey; [Guyana (Cr)] → Cherry, clammy; [Surinam (Cr)] → Clammy cherry; [Surinam (Cr)] → Iguanawood; [Guyana (Cr)] → Kakoro; [Surinam (Ar)] → Omosé; [Caribbean] → Table tree; [Guyana (Cr)] → Torch tree; [Guyana (Cr)] → Turkey berry; [Guyana (Cr)] → Watson; [Guyana (Ak)] → Yuwanaro; [Surinam (Ar)]
Cordia sp. → Basora; [Puerto Rico] → Capá cimarrón; [Puerto Rico] → Mapoo lay-lay; [Trinidad] → Muñeco; [Puerto Rico] → Palo de perico; [Puerto Rico] → Saraguaso (-prieto); [Puerto Rico] → Saraguero; [Puerto Rico]
Cordia sulcata A.DC. → Hairy lay-lay; [Trinidad] → Moral; [Puerto Rico]
Cordia tetrandra Aublet → Alatoeloeka; [Caribbean] → Aratroekoe (aratroeka); [Caribbean] → Berry, turkey; [Guyana (Cr)] → Boggi lobbi; [Surinam (Sa)] → Cherry, clammy; [Guyana (Cr)] → Clammy cherry; [Guyana (Cr)] → Iguanawood; [Guyana (Cr)] → Kakhoro; [Surinam (Ar)] → Table tree; [Surinam (Cr)] → Tafelboom; [Surinam (Du)] → Tafraboom; [Surinam (Cr)] → Toenballobbi; [Surinam (Sa)] → Torch tree; [Guyana (Cr)] → Turkey berry; [Guyana (Cr)] → Wakoekwa tokon; [Surinam] → Yuwanaro; [Guyana (Ar)]
Cordia trichotoma (Vell.) Arráb. ex Steudel → Bois de cipre; [Martinique] → Brown silverballi; [Guyana (Cr)] → Capa(w); [Puerto Rico] → Cyp(re); [Trinidad] → Elm, spanish; [British West Indies] → Princewood; [British West Indies] → Silverballi, brown; [Guyana (Cr)] → Spanish elm; [British West Indies] → Taparai; [Guyana (W)]
Cordia umbraculifera DC. → Kakhoro; [Surinam (Ar)]
Cornutia pyramidata L. → Fiddlewood, purple; [British West Indies]
Cornutia pyramidata L.. → Purple fiddlewood; [British West Indies]
Cornutia sp. → Bois cagne; [French West Indies] → Bois care; [French West Indies] → Bois cassau; [French West Indies] → Bois cassave; [French West Indies] → Bois cotelet quarré; [French West Indies] → Bois de saban; [French West Indies] → Bois de savane; [French West

Indies] → Mouri debout; [French West Indies]
Cosmibuena grandiflora (Ruiz & Pavón) Rusby
 → Akorakalidan; [Surinam (Ar)]
Cosmibuena triflora (Benth.) Klotzsch →
 Akorakalidan; [Surinam (Ar)]
Cosmos caudatus Kunth → Japanesei toliman;
 [Surinam (Cr)]
Couepia bracteosa Benth. → Akumorombo;
 [Guyana (Ak)] → Aruadan; [Surinam (Ar)]
Couepia caryophylloides Benoist → Anaura,
 hoogland (egron-); [Surinam (Du)] → Anauraballi;
 [Surinam (Ar)] → Egron anaura (-anawra);
 [Surinam] → Egron anawra; [Surinam] →
 Hoogland anaura; [Surinam (Du)]
Couepia cognata (Steudel) Fritsch → Foengoe
 ruwe bast, sabana; [Surinam (Cr)] → Kwepie,
 savanna (sabana-); [Surinam (Cr, Du)] → Sabana
 foengoe, ruwe bast; [Surinam (Cr)] → Sabana
 kwepie; [Surinam (Cr)] → Savanna kwepie;
 [Surinam (Du)]
Couepia comosa Benth. → Akumorambo;
 [Guyana (Ak)] → Sapodilla, wild; [Surinam (Cr)] →
 Wild sapodilla; [Surinam (Cr)]
Couepia exflexa Fanshawe & Maguire →
 Aruadan; [Guyana (Ar)] → Warigi; [Guyana (Ak)]
Couepia glandulosa Miquel → Konokoballi;
 [Surinam (Ar)] → Kwebie; [Surinam (Cr)]
Couepia guianensis Aublet → Anaura, hoogland
 (egron-); [Surinam (Du)] → Anauraballi; [Surinam
 (Ar)] → Anoura (anaura); [Surinam (Cr)] →
 Apesie; [Caribbean] → Boboeraballi; [Surinam
 (Ar)] → Broedoehoedoe; [Surinam (Cr)] →
 Doekoelia; [Surinam (Ar)] → Dokolia diamoroe;
 [Surinam (Ar)] → Egron anawra; [Surinam] →
 Foengoe; [Surinam (Cr)] → Hoogland anaura;
 [Surinam (Du)] → Iengie barkie; [Surinam (Cr)] →
 Japopalirian; [Caribbean] → Japopalli;
 [Caribbean] → Kaierieballi; [Surinam (Ar)] →
 Kairiballi hororodikoro; [Surinam (Ar)] →
 Kjawhatjawha; [Surinam (Sa)] → Oenikiakia
 djamaro; [Surinam (Ar)] → Tekara; [Caribbean] →
 Tiro beokaieriballi; [Caribbean]
Couepia sp. → Ganmasagon; [Surinam (Bn)] →
 Japoparé; [Surinam] → Joenoepé; [Surinam]
Couepia versicolor Benoist → Anauraballi;
 [Surinam (Ar)]
Couma guianensis (A.Rich.) Aublet → Akoema;
 [Caribbean] → Ama-apa (amapa); [Surinam] →
 Amaparjan; [Surinam] → Apalan; [Surinam] →
 Apple, wild star; [Guyana (Cr)] → Bauka mapa;
 [Surinam] → Couma; [French Guiana] → Djakali;
 [Surinam] → Dokalli; [Surinam (Ar)] → Dukaliballi
 (dukataballi); [Guyana (Ar)] → Dukataballi

(dukaliballi); [Guyana (Ar)] → Map(p)a; [Surinam
 (Ar)] → Pera; [Surinam (Ar)] → Poirier; [French
 Guiana] → Wild star apple; [Guyana (Cr)]
Couma macrocarpa Barb.Rodr. → Apple, wild
 star; [Guyana (Cr)] → Kariman; [Guyana (W)] →
 Wild star apple; [Guyana (Cr)]
Couma rigida Müll.Arg. → Apple, wild star;
 [Guyana (Cr)] → Wild star apple; [Guyana (Cr)]
Coumarouna odorata Aublet → Kumaru;
 [Surinam (Ar)]
Coumarouna oppositifolia Taubert → Tonka (-
 bean); [Guyana (Cr)]
Couratari calycina Sandwith ex Tutin →
 Wadara; [Surinam (Ar)]
Couratari coriacea C.Martius ex O.Berg →
 Wadara; [Guyana (Ar)]
Couratari fagifolia (Miquel) Eyma → Wadara (-
 kakaralli), smooth-leaf; [Surinam (Ar)]
Couratari gloriosa Sandwith → Wadara;
 [Surinam (Ar)]
Couratari guianensis Aublet → Balalabouá;
 [French Guiana] → Blaka ingipipa (brakka-);
 [Surinam (Cr)] → Brakka ingipipa (-iengipipa);
 [Surinam (Cr)] → Djoemoe; [Surinam (Sa)] →
 Fine-leaf wadara; [Surinam (Cr)] → Iengipipa
 (ingipipa); [Surinam (Cr)] → Ingipipa (blaka-,
 brakka); [Surinam (Cr)] → Ingipipa, zwarte;
 [Surinam (Du)] → Irimariye; [Guyana (M)] →
 Irimiyar; [Guyana (W)] → Irimyar; [Guyana (W)] →
 Kaliso oelemarite; [Surinam (Ar)] → Kspioeloe
 oelemari; [Caribbean] → Marimari; [Guyana (Wr)]
 → Urimari; [Caribbean] → Wadala (wadara);
 [Surinam (Ar)] → Wadara, fine-leaf; [Surinam (Ar)]
 → Wadara (wadala); [Surinam (Ar)] → Waranaka;
 [Guyana (Ak)] → Watala (wadara); [Caribbean] →
 Watala (wadara); [Caribbean] → Zwarte ingipipa;
 [Surinam (Du)]
Couratari multiflora (J.E.Smith) Eyma →
 Djoemoe, water (kabba matjauw-); [Surinam (Cr)]
 → Dloemoe; [Caribbean] → Fijnbladige ingipipa;
 [Surinam (Du)] → Ingipipa (fijnbladige-); [Surinam
 (Du)] → Kabba matjauw djoemoe; [Surinam (Sa)]
 → Kalioe oelemaliti; [Surinam (Ar)] → Kariodan;
 [Surinam (Ar)] → Karipö; [Guyana (Ak)] →
 Kiesiepoeloe joelle malledie; [Caribbean] → Maho
 (-cigare, -couratari, -fer); [French Guiana] →
 Oelemali; [Surinam (Ar)] → Oelemari (-
 kharemeroe); [Surinam (Ar)] → Oelemari,
 wopoetano toekalaja; [Surinam (Ar)] → Oelemarie
 (olemellie, oeremerie); [Surinam (Ar)] →
 Oerémérie (olemallie, oelemarie); [Surinam (Ar)]
 → Olemellie (oeremerie, oelemarie); [Surinam
 (Ar)] → Oremeri(-wadili); [Surinam (Ar)] →
 Powassa djoemoe; [Surinam (Ar)] →

Sipoeloejoeroe maladi; [Caribbean] → Smooth-leaf wadara; [Surinam (Cr)] → Tabari; [Caribbean] → Tauari; [Caribbean] → Towekin cremariri; [Surinam] → Towekin oremariri; [Caribbean] → Wadala (wadara); [Surinam (Ar)] → Wadara (-kakaralli), smooth-leaf; [Surinam (Ar)] → Wadara (wadala); [Surinam (Ar)] → Wadoedoelie; [Surinam (Ar)] → Watala (wadara); [Caribbean] → Water djoemoe; [Surinam (Cr)] → Wopoetano toekalaja oelemari; [Surinam (Ar)]

Couratari panamensis Standley → Bourrac; [French Guiana] → Caouroubara; [French Guiana] → Djemoe, wata; [Surinam (Sa)] → Djoe(moe), watra; [Surinam (Cr)] → Ipipjo; [Caribbean] → Kalienja taméré; [Caribbean] → Watra djoe(moe); [Surinam (Cr)]

Couratari pulchra Sandwith → Wadara, fine-leaf; [Surinam (Ar)]

Couratari reticulata A.C.Smith → Wadara; [Guyana (Ar)]

Couratari riparia Sandwith → Wadara; [Guyana (Ar)]

Couratari sp. → Couratari; [French Guiana] → Maho jaune; [French Guiana] → Oe; [Surinam] → Wata djemoe; [Surinam (Sa)]

Couratari stellata A.C.Smith → lengipipa; [Surinam (Cr)] → Ingipipa; [Surinam (Cr)]

Couroupita guianensis Aublet → Abricot de singe; [French Guiana] → Abrikoos, wilde; [Surinam (Du)] → Arbre à bombes; [Trinidad] → Boesi kalabasi (-krabasi); [Surinam (Cr)] → Boesi krabasi (-kalabasi); [Surinam (Cr)] → Boskalebas; [Surinam (Du)] → Boulet de canon; [French Guiana] → Calabasse colin; [French Guiana] → Cannon ball; [Trinidad] → Couroupitoumou; [French Guiana] → Iewidaballi; [Surinam (Ar)] → Kalebas, bos- (boesi-); [Surinam (Du)] → Kop(p)e; [Caribbean] → Moke; [Trinidad] → Muco; [Trinidad] → Wilde abrikoos; [Surinam (Du)]

Coussapoa fagifolia Klotzsch → Mabakubia; [Surinam (Ar)]

Coussapoa hypochlora Standley → Kumakaballi; [Surinam (Ar)]

Coussapoa microcephala Trécul → Mabakubia; [Surinam (Ar)] → Yale; [Guyana (Cr)]

Coussapoa sp. → Coussapoa; [French Guiana]

Coussarea paniculata (Vahl) Standley ex Will. & Ch. → Boesi koffie; [Surinam (Cr)] → Feoeta, witte; [Surinam (Sa)] → Foeta, witte; [Surinam (Sa)] → Koeroewakoe èrèpare; [Surinam] → Koffie waton (boesi-, mattoe-); [Surinam (Ar)] → Koffieballi; [Surinam (Ar)] → Korowako èrèpalli; [Surinam] → Maipoeri èrèpare; [Caribbean] →

Mapoeri erepare; [Surinam] → Mattoe koffie; [Surinam (Sa)] → Penpen (pinpin); [Surinam] → Pinpin (penpen); [Surinam] → Popokai briengie; [Surinam (Cr)] → Witte foeta (-feoeta); [Surinam (Sa)]

Coussarea surinamensis Bremek. → Koffieballi; [Surinam (Ar)]

Coutarea hexandra (Jacq.) K.Schumann → Kwatta thé; [Surinam (Ar)] → Leletie; [Surinam (Sa)] → Pakééli; [Caribbean] → Pakeri; [Caribbean] → Tataboballi; [Surinam (Ar)] → Tatobaballi; [Surinam (Ar)]

Coutoubea ramosa Aublet → Asepatono; [Caribbean] → Kibivala tokong; [Surinam (Ar)] → Kibiwara koton; [Surinam (Ar)]

Crateva tapia L. → Garlic pear; [Trinidad] → Soeroen die moondi; [Surinam] → Tocque; [Trinidad]

Crescentia cujete L. → Calabash; [British West Indies] → Calabash, wild; [British West Indies] → Calabasse (-maron); [French West Indies] → Higuero; [Puerto Rico] → Ida-daia; [Surinam (Ar)] → Kalabassenboom; [Surinam (Du)] → Kalebas; [Surinam (Du)] → Packy; [British West Indies] → Wild calabash; [British West Indies]

Crotalaria stipularia Desvaux → Jocomé; [Surinam]

Croton cuneatus Klotzsch → Tassi; [Caribbean]

Croton glabellus L. → Palo bellaco; [Dominican Republic] → Palo berraco; [Dominican Republic]

Croton hirtus L'Héritier → Boko boko wiwirie; [Surinam (Ar)] → Ojédiballi; [Surinam (Ar)] → Wiwirie, boko boko; [Surinam (Cr)]

Croton matourensis Aublet → Hoeliaballi; [Surinam (Ar)] → Koesapoelan; [Caribbean] → Kusapö; [Guyana (Ak)] → Moeroewabbo; [Caribbean] → Tabakabron; [Surinam (Du)] → Wakaladan hororodikoro; [Surinam (Ar)] → Without; [Surinam (Du)]

Croton miquelianus Ferguson → Peper, savanne; [Surinam (Du)] → Savanne peper; [Surinam (Du)] → Smeri wiwirie; [Surinam (Cr)] → Wiwirie, smeri; [Surinam (Cr)]

Croton sp. → Ardormida; [Virgin Islands] → Balsam, yellow; [Virgin Islands] → Corcho; [Puerto Rico] → Fire bush (peper-); [Virgin Islands] → Guayacan cillo; [Virgin Islands] → Jeerba de seeroe (-kraabo, -kareta); [Dutch West Indies] → Jeerba kareta (-kraabo, -de seeroe); [Dutch West Indies] → Jeerba kraabo (-de seeroe, -kareta); [Dutch West Indies] → Jeerba tsjoebatoe; [Dutch West Indies] → Lehecillo; [Virgin Islands] → Manrozenhout; [Surinam (Du)] → Ortega menuda; [Puerto Rico] → Peper bush

(fire-); [Virgin Islands] → Pringamoza; [Puerto Rico] → Sage; [Virgin Islands] → Soldier's wip; [Virgin Islands] → Yellow balsam; [Virgin Islands] → Yerba (-bellaca); [Virgin Islands]

Crudia aromatica (Aublet) Willd. → Bapjaballi; [Surinam (Ar)] → Haja kantaballi; [Surinam (Ar)] → Koejari tapaiko; [Caribbean] → Toeparikjen; [Caribbean]

Crudia glaberrima (Steudel) Macbride → Ataparang; [Caribbean] → Berihoedoe, watra; [Surinam (Cr)] → Sami; [Caribbean] → Walaballi; [Surinam (Ar)] → Wallaba, water; [Surinam (Du)] → Water wallaba; [Surinam (Du)] → Waterbijlhout; [Surinam (Du)] → Watra berihoedoe; [Surinam (Cr)] → Watra birie; [Surinam (Cr)]

Crudia obliqua Griseb. → Locust, water; [Trinidad] → Water locust; [Trinidad]

Cryptocarya guianensis Meisner → Cèdre canelle; [French Guiana]

Cryptocarya sp. → Cèdre jaune de marécage; [French Guiana]

Curvea kappleriana (Miquel) A.C. Smith → Karoshiri; [Guyana (Ar)] → Monkey nut; [Guyana (Cr)] → Nut, monkey; [Surinam (Cr)]

Cunuria spruceana Baillon → Ruri; [Surinam (Ar)]

Cupania americana L. → Guara; [Dominican Republic]

Cupania domingues → Guara(na); [Puerto Rico]

Cupania hirsuta Radlk. → Black kulishiri; [Guyana (Ar)] → Djedoe; [Surinam (Sa)] → Gauetrie, harige; [Surinam (Du)] → Harige gauetrie; [Surinam (Du)] → Kulishiri, black; [Guyana (Ar)]

Cupania scrobiculata L.C. Rich. → Black kulishiri; [Surinam (Ar)] → Djoendjoe-oeba; [Surinam] → Gatotie (gauwtrie); [Surinam (Cr)] → Gauetrie, zwarte; [Surinam (Du)] → Gauwetie (gauwiti, gauwetrie, gauwtie); [Surinam (Sa)] → Gauwetrie (gauwiti, gauwetie, gauwtie); [Surinam (Sa)] → Gauw(e)trie, zwarte; [Surinam (Du, Sa)] → Gauwiti (gauwetie, gauwetrie, gauwtie); [Surinam (Sa)] → Gauwiti (gawetri); [Surinam (Sa)] → Gauwtie (gauwiti, gauwetie, gauwetrie); [Surinam (Sa)] → Gauwt(r)ie, zwarte; [Surinam (Du, Sa)] → Gawetri (gauwiti, gauwetie, gauwetrie); [Surinam (Sa)] → Hariraro; [Surinam (Ar)] → Ietjoeroe tonorebjo (tamoene-); [Caribbean] → Joeliballi; [Surinam (Ar)] → Khalemeroe koelisiri; [Surinam (Ar)] → Koesesiri konokidikoro; [Surinam (Ar)] → Koelisiri, witte (zwarte-, black-); [Surinam (Ar)] → Koemété; [Caribbean] → Kulishiri, black; [Surinam (Ar)] →

Sabana trangahoedoe; [Surinam (Cr)] →

Tamoene tonorebjo (ietjoeroe-); [Caribbean] → Tonorebjo (witte-, tamoeene-, ietjoeroe-); [Surinam (Du)] → Trangahoedoe, sabana; [Surinam (Cr)] → Witte koelisiri (zwarte-, black-); [Surinam (Ar)] → Witte tonorebjo (tamoene-, ietjoeroe-); [Surinam (Du)] → Zwarte gauetrie; [Surinam (Du)]

Curarea candicans (Rich.) Barneby & Krukoff → Granny backbone; [Guyana (Cr)] → Teteabo; [Surinam (Ar)]

Curatella americana L. → Boesi bisi; [Surinam (Cr)] → Boesi kasjoe (bos-, sabana-); [Surinam (Cr)] → Boscachon; [Surinam (Cr)] → Boskasjoe; [Surinam (Du)] → Cachon, wilde; [Surinam (Du)] → Curatahie; [Surinam] → Feuille rude; [French Guiana] → Iminyari; [Guyana (W)] → Kadjoe, sabana; [Surinam (Sa)] → Kasjoe, sabana (boesi-, bos-); [Surinam (Cr)] → Koela ta; [Caribbean] → Koerata; [Caribbean] → Koerata; [Caribbean] → Manabadin; [Guyana] → Mimili(e); [Surinam (Ar)] → Paricá; [French Guiana] → Sabana kasjoe (boesi-, bos-); [Surinam (Cr)] → Sandpaper tree; [Guyana (Cr)] → Taja tatai; [Surinam (Sa)] → Uratkiye; [Guyana (M)] → Wilde cachon; [Surinam (Du)]

Cyathula achyranthoides (Kunth) Moq. → Blaka toriman; [Surinam (Cr)] → Toriman, blaka; [Surinam (Cr)]

Cybianthus fulvopulverulentus (Mez) Agostini → Ayari; [Caribbean] → Karaikarai; [Guyana (Ak)] → Koenaporang; [Caribbean] → Teteroema (-kala-oembandikora); [Surinam (Ar)] → Teterumaballi; [Surinam (Ar)] → Teterumaballi; [Guyana (Ar)]

Cybianthus sp. → Teterumaballi; [Surinam (Ar)]

Cyclanthus bipartitus Poiteau → Wanauwanari; [Surinam (Ar)]

Cydista aequinoctialis (L.) Miers → Hajaliballi diamaroe; [Surinam (Ar)] → Japepoekoe; [Caribbean] → Oepretété; [Surinam] → Sjimio; [Caribbean]

Cymbopetalum brasiliense (Vell.) Benth. → Katjoesi anjali; [Caribbean]

Cymbopogon citratus (DC.) Stapf → Citroengras; [Surinam (Du)]

Cynanchum sp. → Kakhero; [Surinam (Ar)] → Kaléwéro; [Caribbean]

Cynodendron sp. → Kokoritiballi; [Guyana (Ar)] → Lechecillo; [Puerto Rico]

Cynodon dactylon (L.) Persoon → Tigri-ston; [Surinam (Cr)]

Cynometra bauhiniifolia Benth. → Sakaballi; [Surinam (Ar)]

Cynometra hostmanniana Tulasne → Makrakra

- (makraka); [Surinam (Ar, Cr)] → Malako;
[Caribbean] → Sahkaballi (sakaballi); [Surinam (Ar)] → Sakaballi (sahkaballi); [Surinam (Ar)]
- Cynometra marginata Benth.** → Makraka (makraka); [Surinam (Ar, Cr)] → Sakaballi; [Caribbean] → Toenase jono asjeroewa; [Caribbean]
- Cynometra parvifolia Tulasne** → Tjata; [Surinam (Au)]
- Cyperus articulatus L.** → Fieni adroen; [Surinam] → Hadroe; [Surinam]
- Cyperus comosus Poiret** → Papaja, sranna didon; [Surinam] → Papayagras; [Surinam (Du)] → Sranna didon papaja; [Surinam (Cr)]
- Cyperus distans L.f.** → Adroe(n); [Surinam]
- Cyperus elegans Vahl** → Yawahü yadala; [Surinam (Ar)]
- Cyperus kyllinga Endl.** → Man grasie; [Surinam (Cr)]
- Cyperus ligularis L.** → Jente wadilikoro; [Surinam (Ar)] → Moeliesjirang; [Caribbean] → Yente; [Surinam (Ar)]
- Cyperus rotundus L.** → Adroe(n); [Surinam]
- Cyperus sp.** → lenté; [Surinam (Ar)] → Moelesjirang; [Caribbean]
- Cyrilla antillana Michaux** → Warimiri; [Guyana (Ar)]
- Cyrilla brevifolia N.E.Brown** → Warimiri; [Guyana (Ar)]
- Cyrilla racemiflora L.** → Colorado; [Puerto Rico] → Leatherwood, southern; [Puerto Rico] → Palo colorado; [Puerto Rico] → Southern leatherwood; [Puerto Rico] → Waiking-pomö; [Guyana (Ak)] → Warimiri; [Guyana (Ar)]
- Dacryodes excelsa Vahl** → Candle tree; [Puerto Rico] → Gommier, mountain; [Grenada] → Mountain gommier; [Grenada] → Tabonuco; [Puerto Rico]
- Dactyloctenium aegyptium (L.) Richter** → Man grass; [Surinam (Cr)]
- Dactyloctenium assurgens (L.) Bremek.** → Kokkietoppi; [Surinam (Cr)]
- Dalbergia decipularis Rizzini & A.Mattos** → Bois de rose; [French Guiana] → Braziliaans rozenhout; [Surinam (Du)] → Rozenhout (Braziliaans-); [Surinam (Du)]
- Dalbergia glauca (Desvaux) Amshoff** → Akalerowai; [Caribbean] → Kamaka (kamama); [Surinam (Ar)] → Kamama (kamaka); [Surinam (Cr)] → Kwata; [Surinam (Ar)]
- Dalbergia monetaria L.f.** → Atoelialang; [Caribbean] → Tetei switie boontje; [Surinam (Cr)]
- Dalbergia nigra Allemao ex Benth.** → Brazilian rosewood; [Guyana (Cr)] → Palissander, Rio; [Surinam (Du)] → Rio palissander; [Surinam (Du)] → Rozewood, Brazilian; [Guyana (Cr)]
- Daphnopsis brasiliensis C.Martius** → Maho; [Dutch West Indies]
- Daphnopsis sp.** → Cieneguillo; [Puerto Rico] → Emajaguillo; [Puerto Rico] → Mahout; [Puerto Rico] → Majagua brava (-quemadora, -de sierra); [Puerto Rico] → Majagua de sierra (-brava, -quemadora); [Puerto Rico] → Majagua quemadora (-brava, -de sierra); [Puerto Rico]
- Davilla alata (Ventenat) Briquet** → Asrika tité; [Surinam (Cr)] → Dialoppoe (-tité); [Surinam (Cr)] → Kabuduli; [Guyana (Ar)] → Katwai; [Guyana (Ak)]
- Davilla aspera (Aublet) Benoist** → Kabuduli; [Surinam (Ar)]
- Davilla kunthii A.St.-Hil.** → Kabuduli; [Surinam (Ar)]
- Davilla rugosa Poiret** → Kabuduli; [Guyana (Ar)]
- Davilla vaginata Eichler** → Asrika tité; [Surinam (Cr)] → Dialoppoe tité; [Surinam (Cr)] → Tité, asrika (dialoppoe-); [Surinam (Cr)]
- Dendrobangia boliviana Rusby** → Apiritjalopo; [Surinam] → Jakanta, rode; [Surinam (Du)] → Mopé watong tekaleje; [Caribbean] → Rode jakanta; [Surinam (Du)] → Wajaballi kharameroe; [Surinam (Ar)]
- Dendropanax arboreus (L.) Decaisne & Planchon** → Corcho blanco; [Puerto Rico] → Lengua de vaca; [Dominican Republic] → Muñeca; [Puerto Rico] → Palo cachumba; [Puerto Rico] → Palo de gangulin; [Puerto Rico] → Palo de pollo; [Puerto Rico] → Palo de vaca; [Puerto Rico] → Pana; [Puerto Rico] → Ramón de vaca; [Dominican Republic] → Vibona; [Puerto Rico]
- Dendrosicus sp.** → Black calabash; [British West Indies]
- Derris pterocarpus (DC.) Killip** → Haiariballi; [Surinam (Ar)]
- Desmodium axillare (Swartz) DC.** → Palatatai; [Caribbean]
- Desmodium sp.** → Tebeyu; [Surinam (Ar)]
- Desmoncus guianensis Trail** → Hold-me-back; [Guyana (Cr)] → Waiye-bido; [Guyana (Ak)] → Weheyu; [Surinam (Ar)]
- Desmoncus orthacanthos C.Martius** → Hold-me-back; [Guyana (Cr)] → Kamwari; [Guyana (Ar)]
- Desmoncus palustris Trail** → Hold-me-back; [Guyana (Cr)]
- Desmoscelis villosa (Aublet) Naudin** → Rozebloem; [Surinam (Du)]
- Dialium divaricarum Vahl** → Ironwood; [Surinam

(Cr)]

Dialium guianense (Aublet) Sandwith →

Ironwood; [Surinam (Cr)] → Kamarakatta djamaro; [Surinam (Ar)]

Dichapetalum pedunculatum (DC.) Baillon →Kanakudiballi; [Surinam (Ar)]
Dichorisandra hexandra (Aublet) Standley → Dede a wiwirie; [Surinam (Au)] → Gado dede; [Surinam (Cr)] → Kamoali; [Surinam (Ar)] → Korokoro; [Caribbean] → Wiwirie, a dede; [Surinam (Au)]**Dichromena ciliata Vahl** → Piri piriang; [Caribbean]**Dichromena pubera Vahl** → Warakana koebia (-kobie); [Surinam (Ar)]**Dicorynia guianensis Amshoff** → Angelica do Para; [Dominican Republic] → Angélique (-bâtard, -rouge); [French Guiana] → Angélique franc (-gris); [French Guiana] → Barkaro(e)balli; [Surinam (Ar)] → Basra loksi; [Surinam (Cr)] → Basralokus (basralocus); [Surinam (Cr)] → Basterd locus (zand-); [Surinam (Du)] → Kabakally; [Surinam] → Kereoe, tamoéné (toumone-); [Surinam (Ar)] → Kieeroe (toepoeroe-); [Surinam (Ar)] → Kiejèroeo; [Surinam (Ar)] → Kire-oe (kieeroe); [Caribbean] → Locus, zand (bastard-); [Surinam (Du)] → Siengdia apeto; [Surinam (Sa)] → Siengdja peto (-speto); [Surinam (Sa)] → Sienja pretoe; [Surinam (Sa)] → Sinjapetoe; [Surinam (Bn)] → Tamoéné kereoe; [Surinam (Ar)] → Teck de la Guyane; [French Guiana] → Toemoene kereoe; [Surinam (Ar)] → Toepoeroe kieeroe; [Surinam (Ar)] → Zand locus; [Surinam (Du)]
Dicorynia paraensis Benth. → Basralokus (basralocus); [Surinam (Cr)]**Dicymbe alstonii Sandwith** → Atuba; [Guyana (P)] → Clump wallaba; [Guyana (Cr)] → Wallaba, clump; [Guyana (Cr)]**Dicymbe corymbosa Spruce ex Benth.** → Clump wallaba; [Guyana (Cr)] → Mora, sand; [Guyana (Cr)] → Parue; [Guyana (Ak)] → Sand mora; [Guyana (Cr)] → Wallaba, clump; [Guyana (Cr)]**Dicypellium caryophyllum Nees & C.Martius** → Bois crabe; [French Guiana] → Canelle giroflée; [French Guiana]**Didymopanax morototoni (Aublet) Decaisne & Planchon** → Karohoro; [Surinam (Ar)]**Dieffenbachia paludicola N.E.Brown ex Gleason** → Donkon, watra; [Surinam (Cr)] → Jotoro; [Surinam (Ar)] → Pakarawali; [Caribbean] → Watra donkin; [Surinam (Cr)]**Dieffenbachia picta Schott** → Boesi dontje; [Surinam (Cr)] → Dontje, boesi; [Surinam (Cr)]**Dieffenbachia seguina (L.) Schott** →

Awarepolang; [Caribbean] → Domkeen (donkeen); [Surinam (Cr)] → Domkin; [Surinam (Cr)] → Donkè; [Surinam (Cr)] → Donkeen (domkeen); [Surinam (Cr)] → Donking; [Surinam (Cr)] → Dontje; [Surinam (Cr)]

Digitaria horizontalis Willd. → Fluweelgras; [Surinam (Du)] → Paardegas; [Surinam (Du)]**Dimorphandra congestiflora Sprague & Sandwith** → Hawakai; [Guyana (Ak)]**Dimorphandra conjugata (Splitg.) Sandwith** → Akajoeran (akayoran); [Caribbean] → Akayoran (akajoeran); [Caribbean] → Boesi kasjoe; [Surinam (Cr)] → Boskasjoe; [Surinam (Du)] → Dakama; [Surinam (Ar)] → Kadjoe mattoe; [Surinam (Sa)] → Kasjoe, boesi (bos-); [Surinam (Cr)]**Dimorphandra davisii Sprague & Sandwith** → Arisauroballi; [Surinam (Ar)]**Dimorphandra excelsa Benth. & Hook.f** → Mora; [Surinam (Ar)]**Dimorphandra hohengerkii Sprague & Sandwith** → Huruhurudan; [Surinam (Ar)]**Dimorphandra macrostachya Benth.** → Akwoto; [Guyana (Ak)] → Hawakai; [Guyana (Ak)] → Kanawai; [Guyana (Ak)] → Paranga; [Guyana (An)]**Dimorphandra mora Kunth** → Mora; [Surinam (Ar)]**Dimorphandra polyandra Benoist** → Aieoueko; [Surinam (Ar)] → Huruhurudan; [Surinam (Ar)]**Dimorphandra pullei Amshoff** → Riariadan ojota; [Surinam (Ar)]**Dimorphandra sp.** → Anjama; [Surinam]**Dinizia excelsa Ducke** → Angelim pedra; [Guianas] → Angelim vermelho; [Guianas] → Faveira preta; [Guyana] → Kuraru; [Guyana (Ar)] → Parakwa; [Guyana (W)]**Dioclea elliptica Maxwell** → Cow eye (kau ai); [Surinam (Cr)] → Kau ai (cow eye); [Surinam (Cr)]**Dioclea glabra Benth.** → Kau ai (cow eye); [Surinam (Cr)]**Dioclea hexandra (Ralph) Mabberley** → Okrai; [Surinam]**Dioclea lasiocarpa C.Martius** → Koeroemoe enoeloe; [Caribbean]**Dioclea reflexa Hook.f.** → Okrai; [Surinam]**Dioclea virgata (Rich.) Amshoff** → Kau ai (cow eye), pikien; [Surinam (Cr)] → Koeroemoe enoeloe; [Caribbean] → Pikien kau ai; [Surinam (Cr)]**Diodia hyssopifolia (Kunth) C. & S.** → Sikki sikkidan oenilefoe; [Surinam (Ar)] → Tiopoe; [Caribbean]

- Diodia ocimifolia (Willd.) Bremek.** → Siki sikidan; [Surinam (Ar)]
- Dioscorea amazonum C.Martius ex Griseb.** → Shibu; [Guyana (Ak)] → Wild yam; [Surinam (Ar)] → Yam, wild; [Surinam (Cr)]
- Dioscorea crotalariifolia Uline** → Wild yam; [Guyana (Cr)]
- Dioscorea guianensis Kunth** → Wild yam; [Surinam (Cr)]
- Dioscorea megacarpa Gleason** → Wild yam; [Guyana (Cr)]
- Dioscorea oblonga Gleason** → Wild yam; [Guyana (Cr)]
- Dioscorea polygonoides Humbert & Bonpl. ex Willd.** → Wild yam; [Guyana (Cr)]
- Dioscorea potarensis Kunth** → Wild yam; [Guyana (Cr)]
- Dioscorea riparia Kunth & Schomb.** → Wild yam; [Guyana (Cr)]
- Dioscorea trichanthera Gleason** → Gran sarsaparilla; [Guyana (Cr)] → Grand sarsaparilla; [Surinam (Cr)] → Sarsaparilla, grand (gran-); [Surinam (Cr)] → Wild yam; [Guyana (Cr)]
- Dioscorea trifida L.f.** → Bolokaro; [Surinam (Ar)] → Himokona; [Surinam (Ar)]
- Diospyros akaraensis A.C.Smith** → Barabara; [Surinam (Ar)]
- Diospyros cauliflora Blume** → Awariston; [Surinam]
- Diospyros concolor Moench** → Butterwood; [Trinidad]
- Diospyros guianensis (Aublet) Gürke** → Barabara; [Surinam (Ar)] → Barabara; [Guyana (Ar)] → Blaka oema; [Surinam (Cr)] → Oema, blaka; [Surinam (Cr)] → Tarara; [Caribbean]
- Diospyros guianensis (Aublet) Gürke ssp. guianensis** → Pedakuruk; [Guyana (Ak)]
- Diospyros ierensis Britton** → Barabara; [Guyana (Ar)] → Perakuruk; [Guyana (Ak)] → Tarara; [Caribbean]
- Diospyros lissocarpoides Sandwith** → Barabara; [Guyana (Ar)]
- Diospyros matheriana A.C.Smith** → Barabara; [Guyana (Ar)]
- Diospyros melinonii (Hiern) A.C.Smith** → Blaka oema; [Surinam (Cr)]
- Diospyros sp.** → Bois charbon; [Trinidad] → Guayabota nispero; [Puerto Rico] → Pikapika; [Surinam (Du)] → Tabeiba; [Puerto Rico]
- Diospyros virginiana L.** → Butterwood; [Trinidad]
- Dipholis salicifolia (L.) A.DC.** → Acamât bâlard; [French West Indies] → Almendrón; [Puerto Rico] → Balata bâlard; [French West Indies] → Bustic; [Puerto Rico] → Caya colorado; [Dominican Republic] → Caya de loma (-rubia); [Dominican Republic] → Caya rubia (-de loma); [Dominican Republic] → Espejuelo; [Puerto Rico] → Tabloncillo; [Puerto Rico] → Varital; [Puerto Rico]
- Diphysa cathagenensis Jacq.** → Ruda, wild; [Guyana] → Wild ruda; [Guyana]
- Diplasia kerataefolia L.C.Rich.** → Ekesjioe; [Caribbean] → Karakaráro; [Surinam (Ar)]
- Diploptropis brachypetalum Tulasne** → Ara(u)matta; [Guyana]
- Diploptropis guianensis (Tulasne) Benth.** → Zwarte kabbes; [Surinam (Du)]
- Diploptropis purpurea (Rich.) Amshoff** → Alcornoque; [Curaçao] → Baäka tjabisie; [Surinam (Sa)] → Blaka kabisie; [Surinam (Cr)] → Blaka tjabisie; [Surinam (Sa)] → Coeur dehors; [French Guiana] → Kabbes, zwarte; [Surinam (Du)] → Kabisie, blaka; [Surinam (Cr)] → Kabisiehoedoe; [Surinam (Cr)] → Kharemeroe tataboe; [Surinam (Ar)] → Knoto epu; [Surinam] → Koenot(t)o epoei; [Caribbean] → Koewotto epoe; [Surinam] → Konatopo; [Caribbean] → Konotoe apoe; [Caribbean] → Ogoru; [Guyana (Ak)] → Olgoi; [Guyana (Ak)] → Peonia; [Curaçao] → Sucupira (sucuripa); [Surinam] → Sucuripa (sucupira); [Surinam] → Tatabu (tataboe); [Surinam (Ar)] → Tjabesi (tjabisi); [Surinam (Sa)] → Tjabisi, blaka (baäka-); [Surinam (Sa)] → Tjabisihoedoe; [Surinam (Sa)] → Woko isjaré; [Caribbean] → Zwarte kabbes; [Surinam (Du)]
- Dipteryx magnifica Ducke** → Cumaru, rode; [Surinam (Du)] → Rode cumarie; [Surinam (Du)]
- Dipteryx odorata (Aublet) Willd.** → Aipö; [Guyana (Ak)] → Bois de coumarue; [French Guiana] → Cumaru (kumaru, koemarae); [Surinam (Ar)] → Faux gaiac; [French Guiana] → Fevrier tonka; [French Guiana] → Gaiac (faux-, -franc, -male); [French Guiana] → Gayac (faux-, -franc, -male); [French Guiana] → Gomorrow; [Guyana] → Groot locus; [Surinam (Du)] → Karapa bossi (krapabosi, kelapa bosie); [Caribbean] → Katoelimia (katoelinn); [Caribbean] → Katoelinn (katoelimia); [Caribbean] → Kelapa bosie (karapa bossi, krapabosi); [Surinam (Cr)] → Koemaroo (kumaru, cumaru); [Surinam (Ar)] → Komaro; [Surinam] → Krapabosi (karapa bossi, kelapa bosie); [Caribbean] → Kumara (kumaru, cumaru, koemaroo); [Surinam (Ar)] → Kumaru (cumaru, koemaroo, kumara); [Surinam (Ar)] → Locus, groot; [Surinam (Du)] → Quamare; [Guyana (Ar)] → Sarrapia; [Surinam (Cr)] → Serapi; [Surinam

(Cr)] → Tonka (-bean, -boon); [Surinam (Cr, Du)] → Tonkahout; [Surinam (Du)] → Tonkawood; [Guyana (Cr)] → Tonquina bean; [Guyana (Cr)]
Dipteryx oppositifolia (Aublet) Willd. → Tarala; [French Guiana] → Tonka (-bean); [Guyana (Cr)]
Dipteryx punctata (Blake) Amshoff → Tonka (-bean); [Surinam (Cr)]
Discocarpus essequiensis Klotzsch → Squarewood; [Guyana (Cr)]
Discophora guianensis Miers → Jakanta; [Surinam]
Displasia kerataefolia L.C.Rich. → We konikodikoro; [Surinam (Ar)]
Distictella magnoliifolia (Kunth) Sandwith → Kamoro; [Guyana (Ar)]
Distictella parkeri (DC.) Sprague & Sandwith → Kamoro; [Guyana (Ar)]
Distictella pulverulenta Sandwith → Kamoro; [Guyana (Ar)]
Distictella racemosa (Bureau & K.Schumann) Urban → Kamoro; [Guyana (Ar)]
Distictis pulverulenta (Sandwith) A.H.Gentry → Kamoro; [Guyana (Ar)]
Dodonaea angustifolia L.f. → Chamiso; [Puerto Rico]
Dodonaea dioica Roxburgh → Chamiso; [Puerto Rico]
Dodonaea viscosa (L.) Jacq. → Bois couche; [Guadeloupe] → Bois madam; [Guadeloupe] → Chamiso; [Puerto Rico] → Gitarán; [Puerto Rico]
Dolichos lablab L. → Komata; [Surinam (Ar)]
Doliocarpus brevipedicellatus Garcke → Kabuduli; [Surinam (Ar)] → Katauwai; [Guyana (Ak)]
Doliocarpus calinea J.F.Gmelin → Kabuduli; [Guyana (Ar)]
Doliocarpus coriaceus (C.Martius & Zucc.) Gilg → Kabuduli; [Surinam (Ar)]
Doliocarpus dentatus (Aublet) Standley → Dia tete; [Surinam (Cr)] → Kabuduli; [Surinam (Ar)] → Katuwaiye; [Guyana (M)]
Doliocarpus macrocarpus C.Martius ex Eichler → Kabuduli; [Guyana (Ar)]
Doliocarpus major J.F.Gmelin → Bejuco de agua; [Puerto Rico] → Dija tete; [Surinam (Cr)] → Houteté, watra; [Surinam (Cr)] → Kabuduli; [Guyana (Ar)] → Katuwaiye; [Guyana (M)] → Taméjéoerang; [Caribbean] → Watra houteté; [Surinam (Cr)]
Doliocarpus rolandri J.F.Gmelin → Kabuduli; [Guyana (Ar)]
Doliocarpus savannarum Sandwith → Kabuduli; [Guyana (Ar)] → Kutunau; [Guyana (Ak)]

Doliocarpus scandens Poiret → Kabuduli; [Guyana (Ar)]
Doliocarpus spraguei Cheesman → Kabuduli; [Guyana (Ar)] → Katuwaiye; [Guyana (Ar)]
Doliocarpus surinamensis Lanjouw → Mabijara; [Surinam (Ar)]
Doliocarpus virgatus Sagot → Kabuduli; [Guyana (Ar)]
Drejera boliviensis Nees → Kierepaloe; [Caribbean] → Simio; [Caribbean]
Drepanocarpus lunatus (L.f.) G.Meyer → Bodorie; [Surinam (Ar)]
Drepanocarpus sp. → Kwata; [Surinam (Ar)]
Drypetes variabilis Uittien → Cafeillo; [Puerto Rico] → Foengoe, witte (weti-); [Surinam (Cr, Du)] → Hueso (-amarillo, -tortuga); [Puerto Rico] → Jakalawa ereparoe; [Caribbean] → Koejala token; [Surinam (Ar)] → Palo blanco; [Puerto Rico] → Palo de aceituna (-de vaca blanca); [Puerto Rico] → Palo de vaca blanca (-de aceituna); [Puerto Rico] → Varital; [Puerto Rico] → Weti foengoe; [Surinam (Cr)] → Witte foengoe; [Surinam (Du)]
Duguetia calycina Benoist → Aimiala possewètè; [Caribbean] → Alaida; [Caribbean] → Aletopa manganjoloan pomili; [Caribbean] → Aretopo mangan; [Caribbean] → Azouhoedoe; [Surinam (Sa)] → Boszuurzak; [Surinam (Du)] → Jaroko pomooire; [Caribbean] → Jeseredan (jeseheredan, jesieridan); [Surinam (Ar)] → Jesieridan; [Surinam (Ar)] → Jesieridan (jeseredan, jeseheredan); [Surinam (Ar)] → Kapoasie pomooire; [Caribbean] → Peroemé; [Surinam (Cr)] → Santoe koepépé; [Surinam (Sa)] → Yarriyarri; [Guyana (Cr)]
Duguetia cuspidata R.E.Fries → Pioi; [Guyana (Ak)] → Yeshidan; [Surinam (Ar)]
Duguetia decurrens R.E.Fries → Yarriyarri; [Guyana (Cr)]
Duguetia inconspicua Sagot → Yeshidan; [Surinam (Ar)]
Duguetia longifolia Baillon → Peperhout; [Surinam (Du)]
Duguetia lucida Urban → Yarriyarri; [Surinam (Cr)]
Duguetia megalophylla R.E.Fries → Araidá; [Guyana (Ak)]
Duguetia neglecta Sandwith → Yarayara (yarriyarri); [Surinam (Ar)] → Yarriyarri (yarayara); [Surinam (Cr)]
Duguetia pycnastera Sandwith → Boszuurzak; [Surinam (Du)] → Yarayara (yariyari, yarriyarri); [Surinam (Ar)] → Yariyari (yarayara, yarriyarri); [Surinam (Cr)] → Yarriyarri (yarayara, yariyari); [Surinam (Cr)]

- Duguetia quitarensis Benth.** → Araira; [Guyana (M)] → Yariyari; [Guyana (W)] → Yariyarri; [Guyana (Cr)] → Yeriyeri; [Guyana (W)]
- Duguetia surinamensis R.E.Fries** → Kajediballi; [Surinam (Ar)]
- Duguetia yeshidan Sandwith** → Ojibipo; [Guyana (Ak)] → Yeshidan; [Surinam (Ar)]
- Dulacia guianensis (Engl.) Kuntze** → Hishirudan; [Guyana (Ar)]
- Duranta erecta L.** → Berry, pigeon; [Puerto Rico] → Pigeon berry; [Puerto Rico]
- Duranta sp.** → Azota caballo; [Puerto Rico] → Cuento de oro; [Puerto Rico] → Iluvia; [Puerto Rico] → Lila; [Puerto Rico]
- Duroia aquatica (Aublet) Bremek.** → Marmados sinjahoedoe; [Surinam (Cr)] → Marmeldoesje; [Surinam (Du)] → Sienjahoedoe, marmados; [Surinam (Cr)] → Sinjahoedoe, marmados; [Surinam (Cr)]
- Duroia eriopila L.f.** → Angomoelé; [Surinam (Sa)] → Assokarri; [Caribbean] → Atakalli; [Caribbean] → Atakara; [Surinam] → Atakari; [Caribbean] → Bofroe marmadosoe; [Surinam (Sa)] → Bosmarmeldoes; [Surinam (Du)] → Fierobero koemaramara; [Surinam (Ar)] → Firiberoe kamaramara; [Surinam (Ar)] → Jallakalloe-oepoepo; [Caribbean] → Jarakara-oepoepo; [Caribbean] → Koemaramara; [Surinam (Ar)] → Marmadosie; [Surinam (Cr)] → Marmadosoe, bosfroe (boesi-); [Surinam (Cr, Sa)] → Marmeldoes, bos-; [Surinam (Du)] → Maru mara; [Guyana] → Mekoepoepo atakarie; [Surinam] → Siengiehoedoe; [Surinam (Cr)] → Tanimme asakalli; [Caribbean]
- Duroia eriopila L.f. var. eriopila** → Komaramara; [Guyana (Ar)] → Ombang; [Guyana (Ak)]
- Duroia sprucei Rusby** → Komaramara djamaro; [Surinam (Ar)] → Kwariroman; [Surinam (Ar)] → Tokotoro kjin wéwé; [Caribbean] → Wanabiaballi; [Surinam (Ar)] → Waniaballi; [Surinam (Ar)]
- Dussia martinicensis Krug & Urban ex Taubert** → Bois gamelle; [Martinique]
- Ecclinusa cuneifolia (Rudge) Aubrév.** → Atakamara; [Surinam (Ar)] → Gewone kwat(t)abob(b)i(e); [Surinam (Du)] → Kwat(t)abob(b)i(e), gewone; [Surinam (Cr, Du)] → Laurierkers; [Surinam (Du)] → Takamal(a); [Caribbean] → Tobihoedoe; [Surinam (Cr)]
- Ecclinusa guianensis Eyma** → Ajowo; [Caribbean] → Aratawere; [Caribbean] → Balata; [Surinam (Ar)] → Barata(-balli); [Surinam (Ar)] → Bartaballi; [Surinam (Ar)] → Bataballi; [Surinam (Ar)] → Battamballi; [Surinam (Sa)] → Kodiebie joesie; [Surinam (Ar)] → Kwipa; [Guyana (Ak)] → Malob(b)i; [Surinam (Sa)] → Matta matta wèwè; [Caribbean] → Poeromotto; [Caribbean] → Wasepoekoe; [Caribbean]
- Ecclinusa prieurii (A.DC.) Aubrév.** → Balata indien; [French Guiana] → Bolletrie, djoe (pepre-); [Surinam (Cr)] → Botri, pepre; [Surinam (Cr)] → Djoe bolletrie (pepre-); [Surinam (Cr)] → Pepre bolletrie (djoe-); [Surinam (Cr)] → Pepre bortri; [Surinam (Cr)] → Wapo; [French Guiana]
- Ecclinusa psilophylla Sandwith** → Barata(-balli); [Surinam (Ar)]
- Ecclinusa sanguinolenta (Pierre) Aubrév.** → Barataballi; [Surinam (Ar)] → Kwipa; [Guyana (Ak)] → Swit'anini; [Surinam (Cr)]
- Ecclinusa sp.** → Bois cochon; [French Guiana]
- Echinochloa polystachya (Kunth) Hitchc.** → Paardegras; [Surinam (Du)]
- Eclipta alba (L.) Hasskarl** → Koejoemoeroe koesje; [Surinam (Ar)]
- Eclipta prostrata (L.) L.** → Koejoemoeroe koesje; [Surinam (Ar)] → Loso wiwirie; [Caribbean] → Louisa wiwirie; [Caribbean] → Wiwirie, loso (louisa-); [Caribbean]
- Ehretia aspera Roxburgh** → Bois de rose noir; [Guadeloupe]
- Ehretia floribunda Benth.** → Bois de rose noir; [Guadeloupe]
- Ehretia laevis Roxburgh** → Bois de rose noir; [Guadeloupe]
- Elaeodendron xylocarpum (Ventenat) DC.** → Corcorrón; [Puerto Rico] → Coscorrán; [Puerto Rico] → Guayarrrote; [Puerto Rico] → Marble tree; [Puerto Rico] → Muscat nut; [Puerto Rico] → Nut, muscat; [Puerto Rico] → Spoon tree; [Puerto Rico]
- Elaphrium simaruba (L.) Rose** → Archipén; [French West Indies]
- Eleocharis geniculata R.Brown** → Bioro; [Surinam (Ar)] → Kiririmia; [Caribbean]
- Eleocharis interstincta (Vahl) Roemer & Schultes** → Bioro; [Surinam (Ar)]
- Eleocharis punctata Boeck** → Bioro; [Surinam (Ar)]
- Eleocharis sulcata Nees** → Gras, savanne; [Surinam (Du)] → Savanne gras; [Surinam (Du)]
- Elephantopus carolinianus Willd.** → Bitá, snekie; [Surinam (Cr)] → Ebéséré; [Surinam (Ar)] → Oeman andisè wiwirie; [Surinam (Cr)] → Snekie bitá; [Surinam (Cr)] → Wiwirie, oeman andisè; [Surinam (Cr)]
- Elephantopus mollis Kunth** → Bitá, snekie; [Surinam (Cr)] → Oeman andisè wiwirie; [Surinam (Cr)] → Snekie bitá; [Surinam (Cr)] → Wiwirie,

- oeman andisè; [Surinam (Cr)]
- Elephantopus tomentosus L.** → Snekie bita; [Surinam (Cr)]
- Elizabetha coccinea Benth.** → Alapalli; [Caribbean] → Itoeli wallaba; [Surinam (Ar)] → Paloeoelang; [Caribbean] → Wallaba, itoeli; [Surinam (Cr)]
- Elizabetha princeps Benth.** → Manariballi; [Guyana (Ar)] → Wasipa; [Surinam]
- Elvasia brevipedicellata Ule** → Laukididan; [Guyana (Ar)]
- Elvasia calophyllea DC.** → Laukididan; [Guyana (Ar)]
- Elvasia essequibensis Engl.** → Laukididan; [Surinam (Ar)]
- Elvasia hostmannia Planchon** → Mamodan djamaro; [Surinam (Ar)] → Pakiraeu; [Surinam]
- Emilia sonchifolia (L.) DC.** → Siki sikidan (-kaboeji dikoro); [Surinam (Ar)] → Wetède; [Surinam (Ar)]
- Emmotum fagifolium Desvoux** → Candlewood; [Surinam (Cr)] → Manobodin; [Surinam (Ar)] → Pakwatöpö; [Guyana (Ak)]
- Emmotum fulvum R.A.Howard** → Manobodin; [Guyana (Ar)]
- Enallagma latifolia (Miller) Small** → Black calabash; [British West Indies]
- Endlicheria endlicheriopsis (Mez) Kosterm.** → Apisie-ie; [Surinam (Sa)] → Beradye hororodikoro; [Surinam (Ar)] → Pisi(e) (wopoetana-); [Surinam (Cr)] → Siruaballi (siroeballi); [Surinam (Ar)] → Wopoetana pisi; [Caribbean]
- Endlicheria multiflora (Miquel) Mez** → Bastard silverballi; [Guyana (Cr)] → Burhuda; [Guyana] → Pisi(e); [Surinam (Cr)] → Silverballi, bastard; [Guyana (Cr)] → Siroewaballi oenilebobandokoro; [Surinam (Ar)] → Sopohoedoe; [Surinam (Cr)]
- Endlicheria punctulata (Mez) C.K.Allen** → Yekoro; [Surinam (Ar)]
- Endlicheria pyriformis (Nees) Mez** → Pisi(e); [Surinam (Cr)] → Woko mapiri; [Caribbean]
- Endlicheria sp.** → Bois doux blanc; [French West Indies] → Bois doux grand-feuille; [French West Indies] → Bois montagne; [French West Indies] → Cayali (cayari); [French West Indies] → Cayari (cayali); [French West Indies] → Serowa; [Guyana] → Silverballi, water; [Guyana (Cr)] → Water silverballi; [Guyana (Cr)]
- Englerella speciosa (Ducke) Ducke** → Suya; [Surinam (Cr)]
- Entada polyphylla Benth.** → Iguana tail; [Guyana (Cr)] → Yuwana-hi; [Guyana (Ar)]
- Entada polystachya (L.) DC.** → Iguana tail; [Guyana (Cr)] → Yuwana-hi; [Guyana (Ar)]
- Enterolobium cyclocarpum (Jacq.) Griseb.** → Devil's ear; [Guyana (Cr)] → Guanacaste; [Surinam]
- Enterolobium saman (Jacq.) Prain & King** → Alawatta moelerie; [Surinam]
- Enterolobium schomburgkii (Benth.) Benth.** → Acacia franc; [French Guiana] → Aratabana; [Guyana (M)] → Brown uya; [Guyana (Ar)] → Kabbes, makka; [Surinam (Du)] → Makka kabbes; [Surinam (Cr, Du)] → Poirier; [French Guiana] → Suburutin; [Guyana (W)] → Tamaren prokoni; [Surinam (Cr)] → Uya, brown; [Guyana (Ar)]
- Eperua falcata Aublet** → Awapa; [Surinam] → Baboen wallaba; [Surinam (Du)] → Berihoedoe (birihoedoe); [Surinam (Cr)] → Bijlhout; [Surinam (Du)] → Birihoedoe (berihoedoe); [Surinam (Cr)] → Bois de sabre; [French Guiana] → Eperu; [French Guiana] → Ilapa; [Caribbean] → Itoeli wallaba; [Surinam (Ar)] → Pala eh; [Caribbean] → Pale-ie; [Surinam] → Paleö; [Caribbean] → Pallewie; [Surinam] → Pare-eh; [Surinam] → Parewe; [Caribbean] → Parrewi; [Surinam] → Soft wallaba; [Guyana (Cr)] → Tamoéné paleö; [Caribbean] → Totto amote; [Caribbean] → Uapa; [Caribbean] → Wal(l)aba (-kharemeroe, -koeleroe); [Surinam (Ar)] → Wallaba, itoeli (baboen-); [Surinam (Ar)] → Wallaba, white (soft-); [Guyana (Cr)] → Wallaba, witte (baboen-, zwarte-); [Surinam (Du)] → Wapa (-blanc, -gris, -huileux); [French Guiana] → White wallaba; [Guyana (Cr)] → Witte wallaba; [Surinam (Du)] → Woepa; [Surinam] → Wopa; [Guyana (P)] → Wouapa; [Surinam] → Zwarte wallaba; [Surinam (Du)]
- Eperua grandiflora (Aublet) Benth.** → Baboen wallaba; [Surinam (Du)] → Ituri wallaba; [Surinam (Cr)] → Parewe; [Caribbean] → Wallaba, ituri (itoeri-, baboen-); [Surinam (Cr)] → Yoboko; [Surinam (Ar)]
- Eperua jenmani Oliver** → Bois de sabre; [French Guiana] → Ituri wallaba; [Surinam (Cr)] → Manukewandabu; [Guyana (Ak)] → Maruk ewandabu; [Guyana (Ak)] → Oever wallaba; [Surinam (Du)] → Wallaba, ituri (itoeri-, baboen-, oever-); [Surinam (Cr)] → Yoboko; [Surinam (Ar)]
- Eperua rubiginosa Miquel** → Birihoedoe, witte (tete-); [Surinam (Cr)] → Oever wallaba; [Surinam (Du)] → Sjoro wallaba; [Surinam (Ar)] → Tete birihoedoe (witte-); [Surinam (Au)] → Tioamote; [Caribbean] → Wallaba, water (oever-, sjoro-, witte-); [Surinam (Du)] → Watafa; [Surinam (Ar)] → Watapa; [Surinam (Ar)] → Water wallaba; [Surinam (Du)] → Witte birihoedoe; [Surinam (Cr)]

- Witte wallaba; [Surinam (Du)]
- Eperua schomburgkiana Benth.** → Bijlhout, wit; [Surinam (Du)] → Hariraro wallaba (hariroe-); [Surinam (Ar)] → Hariroe wallaba; [Surinam (Ar)] → Ituri wallaba; [Surinam (Cr)] → Paparin bale-ie; [Surinam] → Tamoené; [Surinam (Ar)] → Toto amo(e)té; [Surinam] → Wallaba, water (ituri-, hariraro-); [Surinam (Du)] → Water wallaba; [Surinam (Du)] → Wit bijlhout; [Surinam (Du)]
- Eperua sp.** → Rode wallaba; [Surinam (Du)] → Wallaba, rode; [Surinam (Du)]
- Ephedranthus guianensis R.E.Fries** → Karishiri; [Guyana (Ar)]
- Epiphyllum sp.** → Kaiyuchi-hi; [Surinam (Ar)]
- Erechtites hieraciifolia (L.) Raf. ex DC.** → Leta wiwirie; [Surinam (Cr)] → Malalo; [Surinam (Au)] → Visie man habakka; [Surinam (Au)] → Wiwirie, leta; [Surinam (Cr)]
- Eremoluma sagotiana Baillon** → Aprahoedoe; [Surinam (Cr)]
- Erisma pulverulentum Poeppig** → Paloeloe ibjo; [Surinam (Ar)]
- Erisma uncinatum Warming** → Alaan kopie (waata-); [Surinam (Sa)] → Iteballi (iteballi); [Surinam (Ar)] → Jaboty (jaboti); [French Guiana] → Koesali jepo; [Surinam (Ar)] → Kwalidan; [Surinam (Cr)] → Kwarerian; [Surinam (Cr)] → Kwarie, sengri- (siengrie-, singri-); [Surinam (Cr)] → Leteballi bèlèro; [Surinam] → Manonti kouali; [French Guiana] → Paloeloe ibjo; [Surinam (Ar)] → Paroeroe pio; [Caribbean] → Quaru barana; [Surinam] → Sengrie kwarie; [Surinam (Cr)] → Siengri kwarie; [Surinam (Cr)] → Singri kwarie (sengrie-, siengri-); [Surinam (Cr)] → Thoraro diamaroe; [Surinam (Ar)] → Thoraroe firiberoe; [Surinam (Ar)] → Toelaroe fieroberoe; [Surinam (Ar)] → Toeraroe fieroberoe; [Surinam (Ar)] → Waatan alaan kopie; [Surinam (Sa)] → Warapa kware(re); [Caribbean] → Wittihoeedoe; [Surinam (Sa)]
- Erithalis fruticosa L.** → Black torch; [Puerto Rico] → Bois chandelle; [French West Indies] → Jayajabico; [Puerto Rico] → Torch, black; [Puerto Rico]
- Ernestia pullei Gleason** → Talepi; [Caribbean]
- Eryngium foetidum L.** → Anwana-ehero; [Surinam (Ar)] → Kwinti; [Surinam (Cr)] → Losau wiwirie; [Surinam (Cr)] → Sneki wiwirie; [Surinam (Cr)] → Wiwirie, sneki (losau-); [Surinam (Cr)]
- Erythrina atrosanguinea Ridley** → Koffiemama; [Surinam (Du)]
- Erythrina corallodendron L.** → Coral tree; [Puerto Rico] → Koffiemama; [Surinam (Du)]
- Erythrina crista -galli L.** → Boontsji die paaloe; [Dutch West Indies] → Cockspur; [British West Indies] → Paloe boontsji; [Dutch West Indies] → Pinon espinoso; [Puerto Rico]
- Erythrina darienensis Standley** → Madre del cacao; [Trinidad]
- Erythrina fusca Loureiro** → Assiwakaran; [Caribbean] → Bucago; [Puerto Rico] → Bucare; [Trinidad] → Coker, sand; [Guyana (Cr)] → Immortelle; [Guyana (Cr)] → Koffiemama; [Surinam (Du)] → Oronoque; [Guyana (Cr)] → Rero; [Guyana (Cr)] → Sand coker; [Guyana (Cr)] → Warjoewaballi; [Surinam (Ar)]
- Erythrina glauca Willd.** → Koffiemama; [Surinam (Du)]
- Erythrina micropteryx Poeppig** → Madre del cacao; [Trinidad]
- Erythrina ovalifolia Roxburgh** → Koffiemama; [Surinam (Du)]
- Erythrina pisamo Posada-Ar.** → Madre del cacao; [Trinidad]
- Erythrina poeppigiana (Walpers) O.F.Cook** → Brucal; [Dominican Republic] → Coral tree; [Puerto Rico] → Madre del cacao; [Trinidad] → Palo de boyo; [Puerto Rico]
- Erythrina sp.** → Baumortel; [Puerto Rico] → Boontsji karta; [Dutch West Indies] → Machete; [Puerto Rico]
- Erythroxylum amazonicum Peyritsch** → Cocaine tree; [Guyana (Cr)]
- Erythroxylum areolatum L.** → Aroba; [Dominican Republic] → Indio; [Puerto Rico] → Redwood; [British West Indies]
- Erythroxylum citrifolium A.St.-Hil.** → Cocaine tree; [Guyana (Cr)]
- Erythroxylum coca Lam.** → Cocaine tree; [Guyana (Cr)]
- Erythroxylum macrophyllum Cav.** → Cocaine tree; [Guyana (Cr)]
- Erythroxylum sp.** → Brisselet; [Virgin Islands] → Topillo; [Dominican Republic]
- Erythroxylum squamatum Swartz** → Cocaine tree; [Guyana (Cr)]
- Erythroxylum vernicosum O.E.Schulz** → Cocaine tree; [Guyana (Cr)]
- Eschweilera alata A.C.Smith** → Guava-skin kakaralli; [Guyana (Cr)] → Kakaralli (guava-skin-); [Guyana (Ar)] → Okoromai; [Guyana (Ak)] → Tekröma; [Guyana (Ak)]
- Eschweilera alutacea A.C.Smith** → Kakaralli; [Guyana (Ar)]
- Eschweilera amara (Aublet) Niedenzu** → Berg(i)-oemanbarklak(i); [Surinam (Cr)] → Houdin; [Surinam (Ar)] → Kwatere; [Caribbean] →

- Oeman barklak; [Surinam (Cr, Du)] → Oema(n) barkraki (bergi-); [Surinam (Cr)]
- Eschweilera chartacea (O.Berg) Eyma** → Kakaralli; [Guyana (Ar)]
- Eschweilera conduplicata A.C.Smith** → Bukotori; [Guyana (W)]
- Eschweilera confertiflora A.C.Smith** → Wirimiri; [Surinam (Ar)]
- Eschweilera coriacea (A.DC.) C.Martius ex O.Berg** → Akakarie; [Surinam (Cr)] → Bakalaka; [Surinam (Sa)] → Barklak; [Surinam (Du)] → Egron manbarklaki; [Surinam (Cr, Du)] → Haudan (-djamaro); [Surinam (Ar)] → Hawdan (haudan); [Surinam (Ar)] → Hoogland manbarklaki; [Surinam (Du)] → Kakaralli (-wadili); [Surinam (Ar)] → Kakaralli, smooth-leaf; [Guyana (Ar)] → Kwatere pipipjo; [Caribbean] → Kwatere, tepoeroe; [Caribbean] → Manbarklak(i), hoogland (egron-); [Surinam (Du)] → Oema(n) barklaki; [Surinam (Cr)] → Pipina; [Caribbean] → Pokö; [Guyana (Ak)] → Smooth-leaf kakaralli; [Guyana (Ar)] → Tamoenin kwatere (-kwaterie); [Caribbean] → Tepoeroe kwatere (-kwaterie); [Caribbean] → Wadodoeli hororodikoro; [Surinam (Ar)] → Wadodorie (wadoedoelie); [Surinam (Ar)] → Wadoedoeli (-hororodikoro); [Surinam (Ar)] → Wopetanoë kwatele; [Caribbean]
- Eschweilera corrugata (Poiteau) Miers** → Wina; [Guyana (Ar)]
- Eschweilera decolorans Sandwith** → Akurima; [Guyana (Ak)] → Kakaralli, smooth-leaf; [Guyana (Ar)] → Kwatere; [Caribbean] → Kwatru; [Guyana (M)] → Smooth-leaf kakaralli; [Guyana (Ar)]
- Eschweilera grata Sandwith** → Fine smooth-leaf kakaralli; [Guyana (Ar)] → Kakaralli, fine smooth-leaf; [Guyana (Ar)] → Kuaduli; [Guyana (Ak)] → Kwaturi; [Guyana (Ak)]
- Eschweilera holcogyne Sandwith** → Haudan; [Surinam (Ar)]
- Eschweilera labriculata Eyma** → Barklak; [Surinam (Du)]
- Eschweilera longipes (Poiteau) Miers** → Kakaralli; [Surinam (Ar)]
- Eschweilera montana A.C.Smith** → Kakaralli, fine smooth-leaf; [Guyana (Cr)]
- Eschweilera odora (Poeppig) Miers** → Smooth-leaf kakaralli; [Guyana (Ar)]
- Eschweilera parviflora (Aublet) Miers** → Fine smooth-leaf kakaralli; [Guyana (Cr)] → Kakaralli, fine smooth-leaf; [Guyana (Cr)]
- Eschweilera pedicellata (L.C.Rich.) S.A.Mori** → Akakarie; [Surinam (Cr)] → Baakalaka; [Surinam (Sa)] → Baaklaka; [Surinam (Sa)] → Baikaaki; [French Guiana] → Barklak (barkraki); [Surinam (Du)] → Barkraki (barklak); [Surinam (Cr)] → Berg manbarklak; [Surinam (Du)] → Bergi manbarklaki; [Surinam (Cr)] → Black kakaralli; [Surinam (Ar)] → Coco de mono; [Caribbean] → Haudan (-djamaro); [Surinam (Ar)] → Hawdan (haudan); [Surinam (Ar)] → Kakaraballi wadilikoro; [Surinam (Ar)] → Kakaralli; [Surinam (Cr)] → Kakaralli (black-); [Surinam (Ar)] → Kwatere, tapoeroe (oekele-, tamoenin-); [Caribbean] → Kwattere (oekele-, tamoenin-); [Caribbean] → Manbarklak (berg-, bergi-, oer-); [Surinam (Du)] → Manbarkraki (berg-, bergi-, oer-); [Surinam (Cr)] → Montanero; [Caribbean] → Oekele kwatere; [Caribbean] → Oerman barklak; [Surinam (Du)] → Tamoenin kwatere (tapoeroe-); [Caribbean] → Tapoeroe kwatere (tamoerin-); [Caribbean] → Toledowood; [Surinam (Cr)] → Wabi; [French Guiana] → Wadodorie (wadoedoeli); [Surinam (Ar)] → Wadoedoeli (wadoedorie); [Surinam (Ar)]
- Eschweilera poiteaui (O.Berg) Niedenzu** → Gele bast titéhoedoe; [Surinam (Cr)] → Merie oemanbarklak; [Surinam (Cr)] → Oeman barklak, meri; [Surinam (Cr)] → Titéhoedoe, gele bast; [Surinam (Cr, Du)]
- Eschweilera praeclara Sandwith** → Haudan; [Guyana (Ar)]
- Eschweilera sagotiana Miers** → Black kakaralli (common-); [Guyana (Cr)] → Common black kakaralli; [Guyana (Ar)] → Kakaralli, (common) black; [Guyana (Cr)] → Kwatere; [Caribbean] → Kwatru; [Guyana (M)] → Pokö; [Guyana (Ak)] → Prukoi; [Guyana (P)] → Tamad; [Guyana (W)]
- Eschweilera schomburgkii (O.Berg) Niedenzu** → Kakaralli; [Guyana (Ar)]
- Eschweilera simiorum (Benoist) Eyma** → Haudan; [Surinam (Ar)]
- Eschweilera sp.** → Idatimon; [French Guiana]
- Eschweilera subglandulosa (Steudel) Miers** → Akakarie; [Surinam (Cr)] → Bakalaka; [Surinam (Sa)] → Barklak; [Surinam (Du)] → Black kakaralli; [Surinam (Ar)] → Kakaralli (-wadilikoro); [Surinam (Ar)] → Kakaralli, black; [Surinam (Ar)] → Koearda; [Surinam (Au)] → Kottobon; [Surinam (Cr)] → Kwatere, tekaran (tapirin-, tepoeroe-); [Caribbean] → Kwatere, toewasa karajan (toepoeroe-); [Surinam] → Kwaterie (kwatere); [Caribbean] → Kwatru; [Guyana (M)] → Manbarklak(i) (manbarkrakie); [Surinam (Du)] → Oeman barkraki; [Surinam (Cr)] → Tamad; [Guyana (W)] → Tapirin kwatere; [Caribbean] → Tapoeloe kwatellie; [Surinam] → Tekaran kwatere; [Caribbean] → Tepoeroe kwatere; [Caribbean] → Toepoeroe kwatere; [Surinam] →

Toewasa karajan kwatere; [Surinam] → Wadilie kakaralie; [Surinam (Ar)] → Wadilie kakerali; [Surinam (Ar)]

Eschweilera wachenheimii (Benoist) Sandwith → Fine-leaf kakaralli; [Guyana (Ar)] → Kakaralli, fine-leaf; [Guyana (Ar)]

Esenbeckia sp. → Gasparee; [Trinidad]

Etaballia dubia (Kunth) Rudd → Etabally; [Guyana (Ar)]

Etaballia guianensis Benth. → Etabally; [Guyana (Ar)]

Eugenia albicans (O.Berg) Urban → Hitsioe; [Surinam (Ar)] → Kwabitanoe; [Caribbean]

Eugenia arawakorum Sandwith → Banyaballi; [Surinam (Ar)]

Eugenia aromatica (L.) Baillon → Kruidnagels; [Surinam (Du)]

Eugenia brownsbergii Amshoff → Konoriballi; [Surinam (Ar)] → Kwapitano; [Caribbean]

Eugenia coffeifolia DC. → Araidja; [Caribbean] → Boesi kersi; [Surinam (Cr)] → Boskers; [Surinam (Du)] → Logoeza feloeta; [Surinam (Cr)] → Pasiorawa; [Caribbean] → Sekrepatoe orogoetoe; [Surinam (Cr)] → Simorowiballi; [Surinam (Ar)]

Eugenia cryptadena Amshoff → Alamiro; [Caribbean] → Joekoeloean; [Caribbean] → Joekoeloema; [Caribbean] → Katakadan; [Surinam (Ar)]

Eugenia cupulata Amshoff → Koeliki kojokoballi; [Surinam (Ar)] → Poemoelan; [Caribbean] → Pomoierian; [Caribbean]

Eugenia egensis DC. → Atakasere; [Caribbean] → Kakoriooe; [Surinam (Ar)]

Eugenia essequiboensis Sandwith → Banyaballi; [Guyana (Ar)]

Eugenia jambolana Lam. → Djoewet; [Surinam (Du)]

Eugenia jambos L. → Pommeroos; [Surinam (Du)]

Eugenia marowijensis Miquel → Pasami; [Surinam (Cr)]

Eugenia mato Griseb. → Bois goyave; [French Guiana] → Ironwood; [British West Indies]

Eugenia patrisii Vahl → Adoja; [Surinam (Sa)] → Berry, turtle; [Guyana (Cr)] → Boesi kersi; [Surinam (Cr)] → Boskers; [Surinam (Du)] → Cherry, wild; [Guyana (Cr)] → Hichu (hitsio, hietjijo); [Surinam (Ar)] → Hietjijo (hichu, hitsio); [Surinam (Ar)] → Hitsio (hichu, hietjijo); [Surinam (Ar)] → Kersenboom; [Surinam (Du)] → Kowapitano; [Caribbean] → Turtle berry; [Guyana (Cr)] → Waiamutuka; [Guyana (Ak)] → Wakuku;

[Guyana (Wr)] → Wild cherry; [Guyana (Cr)]

Eugenia punicefera (Kunth) DC. → Tokolo pomoeide; [Caribbean] → Waliro bimé; [Surinam (Ar)]

Eugenia punicefolia (Kunth) DC. → Keersie, sabana; [Surinam (Cr)] → Moerti; [Surinam] → Sabana keersie; [Surinam (Cr)]

Eugenia racemifera Sagot → Allikoja; [Surinam (Ar)] → Yarramie; [Caribbean]

Eugenia ramiflora Desvoux → Koetahahoedoe; [Surinam (Ar)]

Eugenia schomburgkii Benth. → Berry, black; [Surinam (Cr)] → Black berry; [Surinam (Cr)] → Pasami; [Caribbean]

Eugenia sp. → Black wattle; [British West Indies] → Cherry, guava; [Trinidad] → Coffee; [Trinidad] → Escobón; [Dominican Republic] → Goyabo amarillo; [French Guiana] → Goyavier montagne; [Guadeloupe] → Guasara; [Dominican Republic] → Guasavera; [Puerto Rico] → Guava cherry; [Trinidad] → Guaya bacón (-bota); [Puerto Rico] → Guaya bota (-bacón); [Puerto Rico] → Iva-catinga; [French Guiana] → Kakirio; [Guyana (Ar)] → Kakürio; [Surinam (Ar)] → Limoncillo; [Puerto Rico] → Murta; [Puerto Rico] → Papary leaf; [Trinidad] → Peper, savannah; [Guyana (Cr)] → Quinam; [Trinidad] → Rodwood; [British West Indies] → Savanna peper; [Guyana (Cr)] → Serette; [Trinidad] → Stopper; [British West Indies] → Wabin; [Trinidad] → Wariru-bime; [Guyana] → Wattle, black; [British West Indies]

Eugenia uniflora L. → Arrayán; [Dominican Republic] → Cerise carée; [French Guiana] → Cherry, Surinam; [British West Indies] → Kers, Surinaamse; [Surinam (Du)] → Surinaamse kers; [Surinam (Du)] → Surinam cherry; [British West Indies]

Eugenia wentti Amshoff → Bosguave; [Surinam (Du)]

Eugenia wulschlaegeliana Amshoff → Akkria ripari; [Caribbean] → Apiwenai; [Surinam (Cr)] → Hegron (heigron); [Surinam (Cr)] → Heigron (heigron); [Surinam (Cr)] → Kromoko; [Surinam (Cr)] → Passasmie; [Surinam]

Eupatorium lavigatum Lam. → Oema koenami; [Surinam (Cr)]

Eupatorium odoratum L. → Kolihotaro; [Surinam (Au)] → Maoewelang; [Caribbean]

Eupatorium sp. → Curia; [Puerto Rico] → Langa chata; [Dominican Republic] → Oreganillo; [Puerto Rico] → Santa Maria; [Puerto Rico] → Yapana; [Puerto Rico]

Euphorbia brasiliensis Lam. → Koelataka edan;

- [Surinam (Ar)] → Polatatai; [Caribbean]
Euphorbia cotinifolia L. → Kamarau; [Guyana (W)] → Koenaparoe; [Surinam (Ar)] → Koenapoeloe; [Caribbean] → Konabaro; [Guyana (Wr)] → Konaparo; [Guyana (Ar)]
Euphorbia cotinoides Miquel → Koenapoeloe; [Caribbean]
Euphorbia heterophylla L. → Melki wiwieri; [Surinam (Cr)]
Euphorbia hirta L. → Abetredjoeka; [Surinam] → Adjasi; [Surinam]
Euphorbia hypericifolia L. → Melki tieki; [Surinam (Cr)]
Euphorbia sp. → Gunapalu; [Surinam] → Sanguinaria; [Dominican Republic]
Euphorbia thymifolia L. → Melki wiwirie; [Surinam (Cr)]
Euphorbia tirucalle L. → Milk bush; [Puerto Rico]
Eurya sp. → Teta prieta; [Puerto Rico]
Euterpe edulis auct. non C.Martius → Manaka; [Surinam (Ar)]
Euterpe oleracea C.Martius → Manaka; [Surinam (Ar)] → Manicole; [Guyana (Cr)] → Wasi; [Caribbean] → Wasiye; [Guyana (M)]
Euterpe stenophylla Trail ex Burret → Reho; [Surinam (Ar)] → Wab; [Guyana (W)] → Wabu; [Caribbean] → Winamoro; [Guyana (Wr)]
Euxylophora paraensis Huber → Amarelo; [Guyana] → Bois brésil; [French Guiana] → Brazilian satinwood; [Surinam (Cr)] → Buis brésil; [French Guiana] → Pau amarel(l)o; [Surinam] → Satinwood, Brazilian; [Surinam (Cr)]
Exellodendron barbatum (Ducke) Prance → Burada; [Guyana (Ar)]
Exostema caribaeum (Jacq.) Roemer & Schultes → Alvarillo; [Puerto Rico] → Bois tabac; [French West Indies] → Cuero de sapo; [Puerto Rico] → Pini pini; [Dominican Republic] → Princewood; [Puerto Rico] → Quinquina (-caraibe, -piton); [French West Indies] → Torch, yellow; [Puerto Rico] → Yellow torch; [Puerto Rico]
Exothea paniculata (Jussieu) Radlk. → Cuerno de buey; [Dominican Republic]
Fagara apiculata Sandwith → Sada; [Surinam (Ar)]
Fagara caribaea (Lam.) Krug & Urban → Sada; [Surinam (Ar)]
Fagara flava (Vahl) Krug & Urban → Satijnhout; [Surinam (Du)]
Fagara martinicense Lam. → Ayua; [Puerto Rico]
Fagara monophylla Lam. → Carubia; [Puerto Rico]
Fagara pentandra Aublet → Witte pritijari (pieterjarie); [Surinam (Du)]
Fagara spiculata Sandwith → Sada; [Surinam (Ar)]
Faramea longifolia Benth. → Koyarakushi; [Guyana (Ar)]
Faramea sessilifolia (Kunth) A.DC. → Koyarakushi; [Guyana (Ar)]
Faramea sp. → Café marron; [Dominican Republic] → Cafetillo; [Puerto Rico] → Palo de toro; [Puerto Rico]
Ferolia guianensis Aublet → Satenhoedoe; [Surinam (Cr)]
Ficus albert-smithii Standley → Fig; [Surinam (Cr)]
Ficus amazonica (Miquel) Miquel → Fig; [Guyana (Cr)]
Ficus anguina Benoist → Fig; [Guyana (Cr)]
Ficus angustifolia (Miquel) Miquel → Fig; [Guyana (Cr)]
Ficus arukensis Standley → Fig; [Guyana (Cr)]
Ficus broadwayi Urban → Fig; [Guyana (Cr)]
Ficus caballina Standley → Fig; [Guyana (Cr)]
Ficus citrifolia Miller → Fig; [Guyana (Cr)]
Ficus fanshawei Standley → Fig; [Guyana (Cr)]
Ficus gigantea Kunth → Fig; [Guyana (Cr)]
Ficus glaucescens (Liebm.) Miquel → Fig; [Guyana (Cr)]
Ficus gleasonii Standley → Kumakaballi; [Surinam (Ar)]
Ficus guianensis Desvaux → Fig; [Surinam (Cr)]
Ficus kanukuensis Standley → Fig; [Surinam (Cr)]
Ficus leucosticta (Miquel) Miquel → Fig; [Guyana (Cr)]
Ficus maguirei Standley → Fig; [Guyana (Cr)]
Ficus malanocarpa Standley → Fig; [Guyana (Cr)]
Ficus manicariarum Standley → Fig; [Guyana (Cr)]
Ficus mathewsii Miquel → Fig; [Guyana (Cr)] → Kumakaballi; [Surinam (Ar)] → Kumaraukou; [Guyana (W)] → Parinap; [Guyana (Ak)] → Saroraye; [Guyana (M)]
Ficus maxima Miller → Fig; [Guyana (Cr)]
Ficus nymphaeifolia Miller → Fig; [Guyana (Cr)]
Ficus paludica Standley → Fig; [Guyana (Cr)]
Ficus panurensis Standley → Fig; [Guyana (Cr)]
Ficus paraensis (Miquel) Miquel → Fig; [Guyana (Cr)]
Ficus parkeriana (Miquel) Sandwith → Fig; [Surinam (Cr)]
Ficus pertusa L.f. → Fig; [Surinam (Cr)]
Ficus ramiflora Standley → Fig; [Guyana (Cr)]

- Ficus savannarum Standley** → Fig; [Guyana (Cr)]
- Ficus sp.** → Corcho; [Puerto Rico] → Doekoelia; [Surinam (Ar)] → Dukalaballi; [Guyana] → Figuier grand bois; [French Guiana] → Hamo; [Dominican Republic] → Hijo; [Dominican Republic] → Kodisiosiballi; [Surinam (Ar)]
- Ficus trigona L.f.** → Fig; [Guyana (Cr)]
- Fimbristylis sp.** → Wisi-wisi; [Caribbean]
- Flacourtia jangomas (Loureiro) Räuschel** → Baby kers; [Surinam (Du)] → Kers, baby; [Surinam (Du)]
- Forsteronia corymbifera (Miers) Sandwith** → Makwariballi; [Surinam (Ar)]
- Forsteronia gracilis (Benth.) Müll.Arg.** → Makwariballi; [Surinam (Ar)]
- Forsteronia guianensis Müll.Arg.** → Makwariballi; [Surinam (Ar)]
- Franchetella gonggrijpii (Eyma) Aubrév.** → Koni konihoedoe; [Surinam (Cr)]
- Funastrum clausum (Jacq.) Schltr.** → Manswitie anesie; [Surinam (Cr)]
- Furcraea foetida (L.) Haworth** → Injie sopo; [Surinam (Cr)] → Mola; [Caribbean]
- Fusaea longifolia (Aublet) Safford** → Panta; [Surinam (Cr)] → Peperhout; [Surinam (Du)]
- Galactia jussieuana Kunth.** → Tjoepoe; [Caribbean]
- Galphimia sp.** → Consulita; [Puerto Rico] → Lluvia de oro; [Puerto Rico]
- Garcinia cambogia Desr.** → Gamboge; [British West Indies]
- Garcinia morella Desr.** → Gamboge; [British West Indies]
- Gardenia genipa Swartz** → Arasaloe; [Surinam (Ar)]
- Gardenia jasminoides Ellis** → Jasmijn, Wilkens; [Surinam (Du)] → Wilkens jasmijn; [Surinam (Du)]
- Geissopappus caleoides Benth.** → Tamoესji toelalali; [Caribbean]
- Geissospermum argenteum Woodson** → Manyokinaballi; [Guyana (Ar)] → Marisoba; [Guyana (W)] → Vataki; [Guyana (Ww)]
- Geissospermum sericeum (Sagot) Benth.** → Bergi bita (birgi-); [Surinam (Cr)] → Bita, bergi (birgi-); [Surinam (Cr)] → Bitterhout; [Surinam (Du)] → Manyokinaballi; [Surinam (Ar)] → Tjari-tjanari; [Caribbean]
- Genipa americana L.** → Arasaloe; [Surinam (Ar)] → Juniper; [Trinidad] → Karuk; [Guyana (Ak)] → Kibiwe; [Guyana (W)] → Lana (-firiberoe); [Surinam (Ar)] → Mituke; [Guyana (M)] → Oeman tapoeripa; [Surinam (Cr)] → Sawa; [Caribbean] → Taparoepa (taproepa); [Surinam (Cr)] → Tapoeloegra (tapoeloepa); [Caribbean] → Tapoeloepa (tapoeloepa); [Caribbean] → Tapoeripa (oeman-); [Surinam (Cr)] → Taproepa (taparoepa); [Surinam (Cr)]
- Genipa caruto Kunth** → Arasaloe; [Surinam (Ar)]
- Geonoma acaulis C.Martius** → Dhalebana; [Surinam (Ar)]
- Geonoma baculifera (Poiteau) Kunth** → Dhalebana; [Surinam (Ar)]
- Geonoma deversa (Poiteau) Kunth** → Dhalebana; [Surinam (Ar)] → Omitien; [Guyana (W)] → Tikonatha; [Guyana (M)] → Tokabia; [Guyana (Ak)]
- Geonoma leptospadix Trail** → Dhalebana; [Surinam (Ar)]
- Geonoma paniculigera C.Martius** → Dhalebana; [Surinam (Ar)]
- Geonoma pycnostachys C.Martius** → Dhalebana; [Surinam (Ar)]
- Gilibertia arborea (L.) Marchal** → Corcho blanco; [Puerto Rico]
- Glycydendron amazonicum Ducke** → Wain; [Guyana (W)] → Wainya; [Guyana (M)]
- Gnetum nodiflorum Brong.** → Bellbird's heart; [Guyana (Cr)]
- Gnetum paniculatum Spruce ex Benth.** → Bellbird's heart; [Guyana (Cr)]
- Gomidesia lindeniana O.Berg** → Cieneguillo; [Puerto Rico]
- Gomphocarpus fruticosus (L.) R.Brown** → Anjelier, boesi; [Surinam (Du)] → Boesi anjelier; [Surinam (Du)]
- Gonolobus viridiflorus (G.F.W.Meyer) Roemer & Sch.** → Koni koni boontje; [Surinam (Cr)]
- Gordonia sp.** → Maricao; [Puerto Rico] → Niño de cota; [Puerto Rico] → Oelokaroe; [Caribbean] → Patakoe-wana (patakwana); [Surinam (Cr)] → Patakwana (patakoe-wana); [Surinam (Cr)] → Werweri; [Surinam (Ar)]
- Gossypiospermum praecox (Griseb.) P.Wilson** → Boxwood (maracaibo-); [West Indies]
- Gossypium barbadense L.** → Jaho khalemeroe; [Surinam (Ar)] → Katoen, rode (redi-, rode-, siri-, witte-); [Surinam (Cr, Du)] → Maoeloe; [Caribbean] → Redi katoen; [Surinam (Cr)] → Rode katoen; [Surinam (Du)] → Siri katoen; [Surinam (Cr)] → Witte katoen; [Surinam (Du)] → Yahoo; [Surinam (Ar)]
- Goupia glabra Aublet** → Cabacalli; [Guianas] → Couépi; [Guianas] → Cupiuba; [Surinam] → Goupi franc; [French Guiana] → Goupi(e); [Surinam (Cr)] → Kabiuk; [Guyana (Ak)] → Kaboekhali (kabokalli); [Surinam (Ar)] → Kabokalli

- (kaboekhali); [Surinam (Ar)] → Kabukalli;
 [Surinam (Ar)] → Koepe-ie; [Caribbean] → Kopie;
 [Surinam (Cr)] → Kupiye; [Caribbean] →
 Stinkwood; [Guyana (Cr)] → Waramai; [Guyana
 (Ak)]
Goupia tomentosa Aublet → Goupi(e); [Surinam
 (Cr)]
Gravisia aquilega (Salisbury) Mez →
 Bosananas; [Surinam (Du)] → Konnohonana;
 [Surinam (Ar)]
Guadua angustifolia Kunth → Kamwata;
 [Surinam (Ar)]
Guadua glomerata Munro → Kamwata;
 [Surinam (Ar)]
Guaiacum guatemalense Planchon → Pokhout;
 [Caribbean]
Guaiacum officinale L. → Bois de gaïac (-saint);
 [French Guiana] → Bois saint (-de gaïac); [French
 Guiana] → Gaïac (bois de-); [French Guiana] →
 Gayac (-jaune, -vert); [Martinique] → Guayacan (-
 blanco); [Caribbean] → Hoaxacán; [Puerto Rico]
 → Lignum sanctum; [Puerto Rico] → Lignum
 vitae; [West Indies] → Palo santo; [Caribbean] →
 Pokhout; [Surinam (Du)]
Guaiacum sanctum L. → Guayacan (-cillo);
 [Caribbean] → Palo santo; [Caribbean] →
 Pokhout; [Caribbean]
Guapira cuspidata (Heimerl) Lundell →
 Mamudan; [Surinam (Ar)]
Guapira eggersiana (Heimerl) Lundell →
 Mamudan; [Guyana (Ar)] → Parwruwaka;
 [Guyana (Ak)]
Guapira fragrans (Dum.Cours.) Little →
 Mamudan; [Surinam (Ar)]
Guapira graciliflora (C.Martius) Lundell →
 Mamudan; [Surinam (Ar)]
Guapira salicifolia (Heimerl) Lundell →
 Mamudan; [Surinam (Ar)]
Guarea concinna Sandwith → Banjabo;
 [Surinam (Ar)]
Guarea davisii Sandwith → Banjabo; [Surinam
 (Ar)] → Kufiballi; [Surinam (Ar)]
Guarea gomma Pulle → Gomma(-hout);
 [Surinam (Du)]
Guarea guara (Jacq.) Paul G.Wilson →
 Karababalli; [Surinam (Ar)]
Guarea guidonia (L.) Sleumer → Bois (à) balles;
 [French Guiana] → Bois pistolet; [French West
 Indies] → Bois rouge de Dominique; [French West
 Indies] → Cabilma; [Dominican Republic] →
 Cabirma; [West Indies] → Doifisiri; [Surinam (Cr)]
 → Guaraguadillo; [Puerto Rico] → Guaraguáo;
 [Puerto Rico] → Guaré; [French Guiana] → Jarre
 ewé (jarrewé); [Surinam] → Jarrewé (jarre ewé);
 [Surinam] → Joekoetoena; [Surinam] →
 Karababalli; [Surinam (Ar)] → Kodjohoedoe;
 [Surinam] → Koejakè fehoeta; [Surinam (Cr)] →
 Pistolet (bois-); [French West Indies] → Saffeka;
 [Surinam] → Siwaroewa; [Surinam]
Guarea kunthiana A.Jussieu → Doifisiri;
 [Surinam (Cr)]
Guarea pubescens (Rich.) A.Jussieu ssp.
pubescens → Banjabo; [Surinam (Ar)] →
 Kufiballi; [Surinam (Ar)]
Guarea sp. → Warakadan djamaro; [Surinam
 (Ar)]
Guarea trichilioides L. → Karababalli; [Surinam
 (Ar)]
Gutteria atra Sandwith → Arara; [Guyana (Ar)]
 → Black yariyarri; [Guyana (Cr)] → Kosopa;
 [Guyana (M)] → Yariyarri, black; [Guyana (Cr)]
Gutteria boyacana MacBryde → Kadaburichi;
 [Guyana (Ar)] → Karemero; [Guyana]
Gutteria brachypoda R.E.Fries → Arara;
 [Guyana (Ar)] → Black yariyarri; [Guyana (Cr)] →
 Yariyarri, black; [Guyana (Cr)]
Gutteria chrysopetala (Steudel) Miquel →
 Arara; [Guyana (Ar)]
Gutteria ovalifolia R.E.Fries → Arara; [Guyana
 (Ar)] → Black yariyarri; [Guyana (Cr)] →
 Yariyarri, black; [Guyana (Cr)]
Gutteria procera R.E.Fries → Arara; [Guyana
 (Ar)] → Black yariyarri; [Guyana (Cr)] →
 Yariyarri, black; [Guyana (Cr)]
Gutteria punctata (Aublet) R.Howard → Arara;
 [Guyana (Ar)] → Black yariyarri; [Guyana (Cr)] →
 Yariyarri, black; [Guyana (Cr)]
Gutteria sandwithii R.E.Fries → Arara;
 [Guyana (Ar)] → Black yariyarri; [Guyana (Cr)] →
 Yariyarri, black; [Guyana (Cr)]
Gutteria scandens Ducke → Kirikahü; [Surinam
 (Ar)] → Moerewa; [Caribbean] → Olijfrank;
 [Surinam (Du)]
Gutteria schomburgkiana C.Martius → Arara(-
 balli); [Surinam (Ar)] → Aremenango wéwé;
 [Caribbean] → Baaha(an) koengé; [Surinam (Sa)]
 → Black kuyama; [Guyana (Cr)] → Black
 yariyarri; [Guyana (Cr)] → Boszuurzak; [Surinam
 (Du)] → Jaro jaro; [Caribbean] → Koelihi koejeko
 firiberore; [Surinam (Ar)] → Koeliki kojoko (-karau
 bandihoro); [Surinam (Ar)] → Koriki (koeliki)
 kojoko kazau bandihore; [Surinam (Ar)] →
 Kuyama, black; [Guyana (Cr)] → Kwiengé;
 [Surinam (Sa)] → Maboballi wadilikoro; [Surinam
 (Ar)] → Ouregou; [French Guiana] →
 Pajoe(le)rian; [Caribbean] → Pegrekoe, sabana;
 [Surinam (Cr)] → Sabana pegrekoe; [Surinam
 (Cr)] → Wajoeli; [Caribbean] → Yariyarri, black;

- [Guyana (Cr)]
Guazuma tomentosa Kunth → Siriki; [Guyana (M)]
Guazuma ulmifolia Lam. → Anhuiba; [French Guiana] → Bastard cedar; [British West Indies] → Bois d'orne; [Grenada] → Bois puant; [Martinique] → Bois zombre; [Grenada] → Cedar, bastard; [British West Indies] → Elm, West Indian; [British West Indies] → Mahot baba; [French Guiana] → Orme des Antilles; [Martinique] → Siriki; [Guyana (M)] → West Indian elm; [British West Indies] → Wonam; [Guyana (W)]
Guettarda acreana Krause → Chuwirikia; [Guyana (W)] → Eekwa; [Guyana (M)] → Yaki; [Guyana (An)]
- Guettarda aromatica Poeppig & Endl.** → Popokai makra; [Surinam (Cr)]
Guettarda grandiflora Steudel → Popokai makra; [Surinam (Cr)]
Guettarda laevis Urban → Cucubano; [Puerto Rico]
Guettarda scabra (L.) Ventenat → Berry, velvet; [Puerto Rico] → Cucubano; [Puerto Rico] → Palo de cucubano; [Puerto Rico] → Serrasuela; [Puerto Rico] → Velvet berry; [Puerto Rico]
Guettarda sp. → Berry, black; [Puerto Rico] → Black berry; [Puerto Rico] → False ironwood; [Virgin Islands] → Guayabón; [Dominican Republic] → Ironwood, false; [Virgin Islands]
Guilandina echinata (Lam.) Sprengel → Bonduc; [British West Indies] → Brazielwood; [Guyana (Cr)] → Ebène pernambouc; [French Guiana] → Fernambuco; [Surinam (Cr, Du)] → Gray nickers; [British West Indies] → Mata (mata); [Dominican Republic] → Mato azul (-de palyo); [Puerto Rico] → Mato de playo (-azul); [Puerto Rico] → Nicker tree; [British West Indies] → Nickers, yellow (grey-); [British West Indies] → Pernambouc; [French Guiana] → Pernambouco; [Surinam (Cr, Du)] → Yellow nickers; [British West Indies]
Guilandina sp. → Brier; [Puerto Rico] → Canique gris; [French West Indies] → Horse-eye; [British West Indies] → Oeil de chat; [French West Indies] → Quasha; [British West Indies] → Yeux de chat; [French West Indies]
Gustavia augusta Alm sensu Berg → Arepawana; [Caribbean] → Kokonibieta; [Surinam (Sa)] → Kokonihoedoe; [Surinam (Cr)] → Laagland tapoeripa; [Surinam (Du)] → Lanaballi; [Surinam (Ar)] → Mantapoe(ri)pa; [Surinam (Sa)] → Omitaproepa; [Surinam (Sa)] → Otdok; [Guyana (W)] → Stinkhout; [Surinam (Du)] → Tapoeripa, laagland; [Surinam (Du)] → Taproepa, omi; [Surinam (Sa)] → Watra mamabobbi; [Surinam (Cr)]
Gustavia hexapetala (Aublet) A.C. Smith → Apolo-uokomollo-kotele; [Caribbean] → Arepawana enekan (-waton); [Caribbean] → Arepawana wato tapoeropo; [Caribbean] → Atoetoe ito; [Surinam (Sa)] → Bois puant; [French Guiana] → Botrohoedoe; [Surinam (Cr)] → Dijoelano; [Caribbean] → Egron watramamabobbi; [Surinam (Cr)] → Haudan; [Surinam (Ar)] → Hegron taproepa; [Surinam (Cr)] → Hietsjiete; [Surinam (Ar)] → Hoogland tapoeripa; [Surinam (Cr)] → Hoogland watra mamabobbi; [Surinam (Cr)] → Itjoetano aripawana; [Caribbean] → Kapoea-eh (kapoeaeb); [Caribbean] → Lanaballi (-djamaro, -hororodikoro); [Surinam (Ar)] → Mattoe tapoepa; [Surinam (Sa)] → Okajomoe menetare; [Caribbean] → Omi tapoepa; [Surinam (Sa)] → Pakassa; [Caribbean] → Tapoeripa, hoogland; [Surinam (Du)] → Taproepa, hegron (mattoe-, omi-); [Surinam (Sa)] → Watra mamabobbi, hoogland (egron-); [Surinam (Cr)] → Wokomolo kotele; [Caribbean]
Gustavia pterocarpa Poiteau → Hoogland tapoeripa; [Surinam (Du)] → Tapoeripa, hoogland; [Surinam (Du)]
Gustavia sp. → Pirigaramepé; [Surinam]
Guzmania minor Mez → Analikheballi; [Surinam (Ar)] → Semoéyu; [Caribbean]
Gymnanthes lucida Swartz → Baboncillo; [Puerto Rico] → Bois vert; [French West Indies] → Casse hache; [French West Indies] → Colas; [French West Indies] → Ebène verte; [French West Indies] → Granadillo; [Dominican Republic] → Palo de tabaco; [Dominican Republic] → Yaitf; [Puerto Rico]
Gynandropsis gynandra (L.) Merrill → Akaja (akaaia); [Surinam]
Gynerium sagittatum (Aublet) P. Beauvois → Ihi; [Surinam (Ar)] → Indiaans pijlgras; [Surinam (Du)] → Pijlgras, indiaans; [Surinam (Du)]
Haematoxylon brasiletto Karsten → Brazieja; [Curaçao]
Haematoxylon campechianum L. → Blauwhout; [Surinam (Du)] → Blockwood; [Guyana (Cr)] → Bois bleu; [French Guiana] → Bois de campêche; [French Guiana] → Bois de la Jamaïque; [French Guiana] → Bois de sang; [French Guiana] → Bois noir; [French Guiana] → Bois sanglant; [French Guiana] → Campêche (bois de -); [French Guiana] → Campêchhout; [Surinam (Du)] →

Campechywood; [Guyana (Cr)] → Coeur rouge; [French Guiana] → Logwood; [Guyana (Cr)] → Peachwood; [Guyana (Cr)]
Hamelia sp. → Balsamillo; [Puerto Rico] → Balsamo; [Puerto Rico] → Buzunuco; [Dominican Republic]
Havetiopsis flavida (Benth.) Planchon & Triana → Mode; [Surinam (Ar)]
Hebepetalum humiriifolium (Planch.) Benth. ex Jacks. → Boeroema(tta); [Surinam (Ar)] → Boesi papaja; [Surinam (Cr)] → Boroma; [Surinam (Ar)] → Bowiwi papantie; [Surinam (Sa)] → Ereparie; [Caribbean] → Jarra jarra; [Caribbean] → Kjedani soeta; [Surinam (Ar)] → Kwassie kansoebie; [Surinam (Sa)] → Maloekoe èrèpare; [Caribbean] → Mopé watong wewé; [Caribbean] → Pakirahoedoe; [Surinam (Cr)] → Papaja, boesi; [Surinam (Cr)] → Papajahoedoe; [Surinam (Cr)] → Rakka rakka; [Caribbean] → Shiballidan; [Surinam (Ar)] → Srimapio; [Caribbean] → Tautapio; [Caribbean] → Waiaballi (wajiballi); [Surinam (Ar)] → Wajaballi (-koeleroe); [Surinam (Ar)]
Hedyosmum brasiliensis C.Martius → Azafrán; [Puerto Rico]
Heisteria cauliflora Smith → Makarasali; [Surinam (Ar)] → Marihibona; [Surinam (Ar)]
Heisteria densifrons Engl. → Makarasali; [Surinam (Ar)]
Heisteria duckei Sleumer → Makarasali; [Surinam (Ar)]
Heisteria iquitensis Sleumer → Makarasali; [Surinam (Ar)]
Heisteria surinamensis Amshoff → Klikli wete; [Caribbean]
Heliconia humilis (Aublet) Jacq. → Hariti; [Surinam (Ar)]
Helicostylis poeppigiana (C.Martius) Trécul → Ituri-ishi-lokodo; [Surinam (Ar)]
Helicostylis tomentosa (Poeppig & Endl.) Rusby → Basri (-letri, -pauletoe); [Surinam (Cr)] → Berekoro; [Surinam (Ar)] → Boelikoro; [Surinam] → Ituri-ishi-lokodo; [Guyana (Ar)] → Kapitinhoedoe; [Surinam (Cr)] → Letri, sabana (basri-); [Surinam (Cr)] → Man letter; [Surinam (Cr)] → Moejepau lattoé; [Surinam (Sa)] → Oenbatapo; [Surinam] → Ombatapo; [Surinam] → Paida, toekoese; [Surinam] → Pauletoe aleadin; [Surinam] → Perokoti; [Surinam] → Pevinga; [Surinam] → Poevinga; [Surinam] → Sabana letri; [Surinam (Cr)] → Sokoné (-firoberoe, -koereroe); [Surinam (Ar)] → Sokoné ibiberoe; [Surinam (Ar)] → Sukune; [Guyana (Ar)] → Toekoese paida; [Surinam] → Tokolo apolikiri; [Surinam] → Tokora

apolinore; [Surinam] → Unbatapo(e); [Caribbean] → Wamiriaballi; [Surinam]
Helicteres sp. → Cuernecillo; [Puerto Rico] → Gato; [Puerto Rico] → Huevo de gato; [Puerto Rico]
Heliotropium indicum L. → Kaka kan(g)kan(g); [Surinam (Cr)] → Kokorrode; [Surinam]
Helosis cayennensis (Swartz) Sprengel → Hoedoeboekoe; [Surinam] → Joloka alikoli; [Caribbean] → Kamarássana; [Surinam (Ar)] → Yawahü were; [Surinam (Ar)]
Hemicrepidospermum rhoifolium (Benth.) Swart → Ajawa tiengimoni; [Surinam (Cr)] → Getande tingimoni (ajawa-); [Surinam (Cr, Du)] → Jorieballi belero; [Surinam (Ar)] → Pokiria sipioli; [Caribbean] → Salie; [Surinam (Cr)] → Tingimoni, getande (ajawa-); [Surinam (Cr, Du)]
Henriettea multiflora Naudin → Beletere, kaboanama; [Surinam (Ar)] → Biltere, kaboanama; [Surinam (Ar)] → Itara; [Surinam (Ar)] → Kaboanama beletere (-biltere); [Surinam (Ar)] → Kleine mispel; [Surinam (Du)] → Mispel, kleine; [Surinam (Du)] → Nanapolang; [Caribbean] → Pakiria jojoro; [Caribbean] → Waramai; [Guyana (Ar)]
Henriettea patrisiana (DC.) Naudin → Itara; [Surinam (Ar)]
Henriettea ramiflora (Swartz) DC. → Itara; [Guyana (Ar)] → Kaboanama; [Caribbean] → Nonapora; [Caribbean]
Henriettea succosa (Aublet) DC. → Beletere, koloeanama; [Surinam (Ar)] → Biltere, koloeanama; [Surinam (Ar)] → Boskers; [Surinam (Du)] → Itara; [Guyana (Ar)] → Kaloewanama; [Surinam (Ar)] → Koloeanama beletere (-biltere); [Surinam (Ar)] → Mespel (mispel); [Surinam (Du)] → Mispel (mespel); [Surinam (Du)] → Moesoepoe; [Surinam (Au)] → Nanapolang; [Surinam] → Nonapora; [Caribbean] → Pakira joejoeroe; [Caribbean] → Pakiria jojoro (-joejoeroe); [Surinam]
Henriettella patrisiana (DC.) Naudin → Sergeantekloten; [Surinam (Du)]
Hernandia beninensis Welwitsch → Hoahoa; [Surinam (Ar)]
Hernandia guianensis Aublet → Ajowo; [Caribbean] → Haiwowa; [Caribbean] → Hoahoa; [Surinam (Ar)] → Howahowa; [Surinam (Ar)] → Jack-in-the-box; [Guyana (Cr)] → Kajoeballi; [Surinam (Ar)] → Kajoeballi; [Surinam (Ar)] → Kassabahoedoe; [Surinam (Ar)] → Popolika; [Surinam] → Takariwa; [Guyana (Ak)]
Hernandia sonora L. → Hoahoa; [Surinam (Ar)]
Hernandia voyroni Jumelle → Ajowo;

- [Caribbean] → Hernandier; [French Guiana] → Hoahoa; [Surinam (Ar)] → Huahua; [Guyana (Ar)] → Jack-in-the-box; [Guyana (Cr)] → Kajoeballi; [Surinam (Ar)] → Kassabahoedoe; [Surinam (Cr)] → Mago; [Puerto Rico] → Myrobolan; [French Guiana] → Takaruva; [Guyana (Ak)]
- Herrania kanukuensis R.E.Schultes** → Boscacao; [Surinam (Du)]
- Heteropsis jenmanii Oliver** → Kami; [Guyana (Ak)] → Mibi; [Surinam (Ar)] → Salebanaroe (salibanaroe); [Surinam (Ar)] → Salibanaroe (salebanaroe); [Surinam (Ar)] → Sarebanaro; [Surinam (Ar)] → Simo sisi; [Caribbean] → Simosjiesie; [Caribbean] → Sjimio sisi; [Caribbean]
- Heteropsis jenmanii Olliver** → Kamina (-tété, -mama); [Surinam (Cr)]
- Heteropsis longispathacea Engl.** → Kamina; [Surinam (Cr)] → Mamidieme; [Guyana (Ww)]
- Heteropteris nervosa A.Jussieu** → Hoeliaballi; [Surinam (Ar)] → Moeléi; [Caribbean]
- Heteropteris suberosa Griseb.** → Hoeliaballi; [Surinam (Ar)]
- Heterotrichum sp.** → Camasey; [Puerto Rico] → Terciopodo; [Puerto Rico]
- Hevea brasiliensis (Willd. ex A.Jussieu) Müll.Arg.** → Arbol de caucho; [Caribbean] → Hatti; [Guyana (Ar)] → Mapalapa; [Caribbean] → Messigné; [French Guiana] → Rappa rappa; [Surinam (Ar)] → Rubberwood; [Surinam (Cr)] → Seue joeballi; [Surinam (Ar)] → Sibisibi; [Guyana (Ak)]
- Hevea confusa Hemsley** → Wild rubber; [Guyana (Cr)]
- Hevea guianensis Aublet** → Hevea; [Surinam (Du)] → Malapala; [Caribbean] → Mapalapa; [Caribbean] → Rappa rappa; [Surinam (Ar)] → Saparapa; [Surinam (Ar)] → Seroe joeballi; [Surinam (Ar)] → Seue joeballi; [Surinam (Ar)]
- Hevea pauciflora (Spruce ex Benth.) Müll.Arg.** → Hatti; [Guyana (Ar)] → Pumui; [Caribbean] → Rubber, wild; [Guyana (Cr)] → Rubber, wild; [Guyana (Cr)] → Seweyuballi; [Surinam (Ar)] → Sibisibi; [Guyana (Ak)] → Wild rubber; [Guyana (Cr)] → Wild rubber; [Guyana (Cr)]
- Hibiscus abelmoschus L.** → Muskus okro; [Surinam (Cr, Du)]
- Hibiscus bacciferus Forster** → Boskatoen; [Surinam (Du)]
- Hibiscus bifurcatus Cav.** → Jahoballi; [Surinam (Ar)] → Jorka oker, wilde; [Surinam (Du)] → Oker (spook-, wilde jorka-); [Surinam (Du)] → Okro (watra-, jorka-); [Surinam (Cr)] → Snoï; [Caribbean] → Spook oker; [Surinam (Cr)] →
- Watra okro; [Surinam (Cr)] → Wilde jorka oker; [Surinam (Du)] → Yahoballi; [Surinam (Ar)]
- Hibiscus celebicus Koorders** → Kajowa; [Surinam (Ar)]
- Hibiscus esculentus L.** → Oker; [Surinam (Du)]
- Hibiscus furcellatus Desr.** → Siritjo kajoea; [Caribbean]
- Hibiscus populneus Willd.** → Boskatoen; [Surinam (Du)]
- Hibiscus rosa-sinensis L.** → Anga lampoe; [Surinam (Cr)] → Matrozenroos; [Surinam (Du)]
- Hibiscus sabdariffa L.** → Rode zuring; [Surinam (Du)] → Surinaamse zuring; [Surinam (Du)] → Zuring (Surinaamse-, rode-); [Surinam (Du)]
- Hibiscus schizopetalus (Masters) Hook.f.** → Anga lampoe; [Surinam (Cr)]
- Hibiscus tiliaceus L.** → Emajagua; [Puerto Rico] → Kajowa; [Surinam (Ar)] → Kayuwa(-balli); [Surinam (Ar)] → Maho (-kayuwa); [Surinam (Ar)] → Mahot (-franc); [French Guiana] → Marofranc; [Guadeloupe] → Wayuwa; [Surinam (Ar)]
- Hieronima alchorneoides Allemao** → Suradan; [Surinam (Ar)]
- Hieronima laxiflora (Tulasne) Müll.Arg.** → Suradan; [Surinam (Ar)]
- Hieronima oblonga (Tulasne) Müll.Arg.** → Burueballi; [Surinam (Ar)]
- Hieronima alchorneoides Allemao** → Suradan; [Surinam (Ar)]
- Hieronima laxiflora (Tulasne) Müll.Arg.** → Suradan; [Surinam (Ar)]
- Hieronima oblonga (Tulasne) Müll.Arg.** → Burueballi; [Surinam (Ar)]
- Himatanthus articulatus (Vahl) Woodson** → Balata blanc; [French Guiana] → Bolletrie, savanne; [Surinam (Du)] → Bortri, sabana; [Surinam (Cr)] → Maboewa; [Surinam (Ar)] → Mabua (-konokodikoro); [Surinam (Ar)] → Mabwa; [Surinam (Ar)] → Sabana bortri; [Surinam (Cr)] → Savanne bolletrie; [Surinam (Du)]
- Himatanthus bracteatus (A.DC.) Woodson** → Mabwa; [Surinam (Ar)] → Rekö; [Surinam (Ar)]
- Hippocratea volubilis L.** → Haquimey; [Dominican Republic] → Jaiquimey; [Dominican Republic]
- Hippomane mancinella L.** → Hinchahuevos; [Puerto Rico]
- Hiraea affinis Miquel** → Kautété; [Surinam (Cr)]
- Hiraea chrysophylla A.Jussieu** → Talekirang; [Surinam]
- Hiraea faginea (Swartz) Niedenzu** → Talekirang; [Surinam] → Talikji; [Caribbean]
- Hirtella angustissima Sandwith** → Bokko bokko token; [Surinam (Ar)] → Bokotokon; [Guyana (Ar)]

- Booka-booka; [Guyana (Ar)]
- Hirtella cadaca Fanshawe & Maguire** → Bokotokon; [Surinam (Ar)]
- Hirtella caudata Kleinhoonte** → Anoura; [Surinam (Sa)] → Bokko bokko tokon; [Surinam (Ar)] → Bokotokon; [Surinam (Ar)] → Foengoe pau; [Surinam (Sa)] → Foengoehoedoe; [Surinam (Cr)] → Kauta diamaro; [Surinam (Ar)] → Koembetassi (kombotassi); [Caribbean] → Kombotassi (koembetassi); [Caribbean] → Marimiapo; [Caribbean] → Meriridan djamaro; [Surinam (Ar)] → Miendjoe; [Surinam (Sa)] → Paripjo; [Caribbean]
- Hirtella davisii Sandwith** → Bokotokon; [Surinam (Ar)]
- Hirtella glandulosa Sprengel** → Bokotokon; [Surinam (Ar)] → Kurashi-uru-baie; [Guyana (Ak)]
- Hirtella guianensis (Fritsch) Sandwith** → Bokotokon; [Surinam (Ar)]
- Hirtella hispidula Miquel** → Bokotokon; [Surinam (Ar)]
- Hirtella macrosepala Sandwith** → Bokotokon; [Surinam (Ar)]
- Hirtella manigera Kleinhoonte** → Palipali; [Caribbean] → Pariri koeti; [Surinam (Ar)] → Pesinirang; [Caribbean]
- Hirtella obidensis Ducke** → Bokotokon; [Surinam (Ar)] → Kwebirang; [Surinam] → Wamuk; [Guyana (W)]
- Hirtella paniculata Swartz** → Allelémei; [Caribbean] → Boesi kersi; [Surinam (Cr)] → Bokko bokko tokon; [Surinam (Ar)] → Bokotokon; [Surinam (Ar)] → Karami; [Guyana (Ak)] → Kararobandikoro; [Surinam (Ar)] → Kersi, boesi; [Surinam (Cr)] → Koembetassi (kombotassi); [Caribbean] → Kombotassi (koembetassi); [Caribbean] → Tarewone; [Caribbean] → Waikoeléli; [Surinam (Ar)] → Wajokorelli; [Surinam (Ar)] → Woenowo; [Caribbean]
- Hirtella racemosa Lam.** → Aloekoe pio; [Caribbean] → Anaura; [Surinam (Cr)] → Atjantesie; [Surinam (Au)] → Basra mirahoedoe; [Surinam (Cr)] → Bokko bokko tokon; [Surinam (Ar)] → Bokotokon; [Surinam (Ar)] → Jappopalie minbo; [Caribbean] → Kaierieballi; [Surinam (Ar)] → Karami; [Guyana (Ak)] → Koembetassi pote; [Caribbean] → Koepesjimirang; [Caribbean] → Kombotassi; [Caribbean] → Kwekiesie; [Surinam (Ar)] → Miendjoe; [Surinam (Sa)] → Tjawa; [Surinam (Sa)]
- Hirtella sp.** → Bois canari; [Trinidad] → Bois de gaullette; [French Guiana] → Buku-buku; [Guyana] → Cabradanni, warra; [Guyana] → Cauto; [Trinidad] → Fat pork; [Guyana (Cr)] → Fukurero-kauta; [Guyana] → Icacillo; [Puerto Rico] → Kauta bandikoro; [Surinam (Ar)] → Vonkhout; [Surinam (Du)] → Warra cabradanni; [Guyana] → Wooitano kombetassi; [Surinam]
- Hirtella strigulosa Steudel** → Bokko bokko tokon; [Surinam (Ar)] → Koembetassi; [Surinam]
- Hirtella subsetosa Fanshawe & Maguire** → Bokotokon; [Surinam (Ar)]
- Hirtella triandra Swartz** → Chicharrón; [Dominican Republic] → Marisiballi; [Surinam (Ar)] → Teta de burra (-cimarrón); [Puerto Rico]
- Hirtella triandra Swartz ssp. triandra** → Bokotokon; [Surinam (Ar)] → Waro; [Guyana (W)]
- Holacantha emoryi A.Gray** → Bitter bush; [Puerto Rico] → Guarema; [Puerto Rico] → Hueso; [Puerto Rico] → Palo de Pez; [Dominican Republic] → Palo peje; [Dominican Republic]
- Homalium guianense (Aublet) Warburg** → Bitahoedoe; [Surinam (Cr)] → Konoribiballi; [Surinam (Ar)] → Masaraipjo; [Caribbean] → Soko-ibina; [Surinam (Ar)]
- Homalium hondurense Donn.Sm.** → Bitahoedoe; [Surinam (Cr)]
- Homalium racemosum Jacq.** → Acoma (-blanc, -sauvage); [French West Indies] → Acouma (acoma), blanc (-sauvage); [French West Indies] → Bitahoedoe; [Surinam (Cr)] → Bois d'acouma; [French West Indies] → Caracolillo; [Puerto Rico] → Cerezo; [Puerto Rico] → Corazón de paloma; [Dominican Republic] → Tostado (-priet); [Puerto Rico]
- Homalium sp.** → Conageddiballi; [Guyana] → Coracolillo; [Puerto Rico] → Mavavé; [French Guiana] → Mavévé; [French Guiana] → Racoube de la Guiane; [French Guiana]
- Hortia regia Sandwith** → Bush orange; [Guyana (Cr)] → Orange (bush-, wild-); [Guyana (Cr)] → Parupa; [Guyana (Ak)] → Powistail tree; [Guyana (Cr)] → Samaru; [Guyana (Ak)] → Warunana; [Surinam (Ar)] → Wild orange; [Guyana (Cr)]
- Humiria balsamifera (Aublet) A.St.-Hil** → Bolletrie, bastaard (basterd-, basra-); [Surinam (Du)]
- Humiria balsamifera (Aublet) A.St.-Hil.** → Bakabe-ie; [Surinam (Sa)] → Basra bolletrie (-botrie); [Surinam (Du)] → Basra botrie (-bolletrie); [Surinam (Ar)] → Bastaard bolletrie (basra-, basterd-); [Surinam (Du)] → Bastard bulletwood; [Surinam (Cr)] → Basterd bolletrie; [Surinam (Du)] → Beri (berrie, bene), blaka; [Surinam (Cr)] → Bhoso; [Surinam (Sa)] → Blackberrie; [Surinam (Cr)] → Blaka beri (-berrie, -bene); [Surinam (Cr)]

→ Blak'beri; [Surinam (Cr)] → Bois rouge (-tisane); [French Guiana] → Bulletwood, bastard; [Surinam (Cr)] → Chanul; [French Guiana] → Homiry (houmiri, umiri, umiry); [French Guiana] → Houmiri (umiri, umiry, homiry); [French Guiana] → Kierie-ma (kiersie-ma); [Surinam (Sa)] → Kiesie-ma (kierie-ma); [Surinam (Sa)] → Merie; [Surinam (Cr)] → Merie, swietie; [Surinam (Cr)] → Muri; [Surinam (Ar)] → Sucrier des montagnes; [French Guiana] → Swietie merie; [Surinam (Cr)] → Swit'meri; [Surinam (Cr)] → Tauaranru; [Guyana (Ar)] → Tauraru; [Surinam (Ar)] → Tauroniro; [Surinam (Cr)] → Tauroniro; [Surinam (Cr)] → Tawaanroe (tawaraanroe); [Surinam (Sa)] → Tawalangro; [Surinam (Ar)] → Tawanonero; [Surinam (Ar)] → Tawara(an)roe; [Surinam (Ar)] → Tawararoe; [Surinam (Ar)] → Toweroeni(e)rou; [French Guiana] → Umiri balsamo (umiry-, houmiri-); [French Guiana] → Umiry (umiri, houmiri, homiry); [French Guiana] → Wane; [Surinam (Cr)]

Humiria floribunda C.Martius → Tauroniro; [Surinam (Cr)] → Tauroniro; [Surinam (Cr)]

Humiria floribunda C.Martius var. guianensis Urban → Muri; [Surinam (Ar)]

Humiria sp. → Abre à brai; [French Guiana] → Bois à flambeau; [French Guiana] → Bois d'encens; [French Guiana] → Boume houmiri; [French Guiana] → Caramura; [French Guiana] → Couranoura; [French Guiana] → Hoorihea; [Guyana] → Houmiri boumier; [French Guiana] → Hurilu; [Guyana] → Omiry; [French Guiana] → Racine; [French Guiana] → Triane; [French Guiana] → Turi; [French Guiana]

Humiristrum obovatum (Benth.) Cuatrec. → Hurihi; [Surinam (Ar)] → Mautaurai; [Guyana (Ak)]

Hura crepitans L. → Arbre du diable; [French Guiana] → Assiwakara; [Surinam (Ar)] → Bois du diable; [French West Indies] → Hurawood; [Guyana (Cr)] → Javarillo; [Puerto Rico] → Javillo; [Puerto Rico] → Kokerboom, zand; [Surinam (Du)] → Konopetele; [Caribbean] → Milinillo; [Puerto Rico] → Monkey's dinner bell; [British West Indies] → Pet du diable; [French West Indies] → Poison tree; [Guyana (Cr)] → Posentri (possentrie); [Surinam (Du)] → Possentrie (posentri); [Surinam (Du)] → Possum (-wood); [Surinam (Cr)] → Sablier blanc; [French Guiana] → Sandbox (-tree); [Guyana (Cr)] → Seda blanca; [Dominican Republic] → Warajoewa; [Surinam (Ar)] → Zand kokerboom; [Surinam (Du)]

Hydrochorea corymbosa (Rich.) Barneby & J.W.Grimes → Boesi tamaren; [Surinam (Cr)] →

Bostamarinde; [Surinam (Du)] → Chiti; [Guyana (M)] → Koded; [Guyana (W)] → Manaliballi oenirefodikoro; [Surinam (Ar)] → Manariballi; [Surinam (Ar)] → Orükorong; [Guyana (Ak)] → Tamarinde, bos (boesi-); [Surinam (Du)]
Hydrochorea gonggripii (Kleinh.) Barneby & Grimes → Asau; [Surinam (Sa)] → Bostamarinde; [Surinam (Du)] → Holowasa; [Surinam (Ar)] → Hurowassa; [Surinam (Ar)] → lengie sopo; [Surinam (Cr)] → Kabana; [Surinam (Sa)] → Kala-eipjo; [Caribbean] → Kleipeo; [Surinam] → Kraipèoe; [Surinam] → Manaliballi; [Surinam (Ar)] → Manariballi; [Surinam (Ar)] → Oeroewasa; [Surinam (Ar)] → Orükorong; [Guyana (Ak)] → Water tamarinde (watra tamalin); [Surinam (Cr, Du)] → Watra tamalin (watertamarinde); [Surinam (Cr, Du)]

Hydrochorea gonggripii (Kleinh.) Barneby & Grimes → Chiti; [Guyana (M)] → Koded; [Guyana (W)] → Morumbo; [Guyana (Ak)]

Hyeronima alchorneoides Allemao → Ajo ajo; [Surinam] → Ajono (ajowo); [Caribbean] → Ajowo (ajono); [Caribbean] → Amapaia; [Caribbean] → Anoniwana; [Surinam (Sa)] → Bolletrie, piento; [Surinam (Cr)] → Cedro macho; [Puerto Rico] → Dalina; [Guyana] → Katoellenja; [Caribbean] → Makoeroerian; [Caribbean] → Napo; [Guyana (Ak)] → Okotjo; [Caribbean] → Piento bolletrie; [Surinam (Cr, Du)] → Serdani; [Guyana (Ar)] → Soeladan (soeradan, sorrodan); [Surinam (Ar)] → Soeradan (suradan, sorrodan); [Surinam (Ar)] → Sorrodan (soeradan, suradan); [Surinam (Ar)] → Suradan (soeradan, sorrodan); [Surinam (Ar)] → Surdina; [Guyana (Ar)] → Tapanare; [Trinidad] → Tapierin; [Caribbean] → Tarooana; [Caribbean] → Tarroema; [Caribbean] → Teloko-enoeroe; [Caribbean] → Tokadieballi; [Surinam (Ar)] → Troko-enoeroe; [Caribbean]

Hyeronima laxiflora (Tulasne) Müll.Arg. → Suradan; [Surinam (Ar)]

Hyeronima oblonga (Tulasne) Müll.Arg. → Burueballi; [Surinam (Ar)] → Pilon; [Surinam]

Hylaeantbe hexantha (Poeppig & Endl.)

A.M.E.Jonker → Warimbo; [Surinam]

Hylenaea comosa (Swartz) Miers → Karoshiri; [Surinam (Ar)]

Hymenachne amplexicaulis (Rudge) Nees → Abome grassie; [Surinam (Cr)] → Watergras; [Surinam (Du)]

Hymenachne myurus P.Beauvois → Watergras; [Surinam (Du)]

Hymenaea courbaril L. → Cacachien; [French Guiana] → Caourouballi; [Guyana] → Caroubier; [French Guiana] → Chimidida; [French Guiana] →

Cimiri (simiri); [Caribbean] → Copalier; [French Guiana] → Courbaril (-de montagne, -de savanne); [French Guiana] → Itaiba; [French Guiana] → Jatoba; [French Guiana] → Jengi kanda; [Surinam] → Julchihout; [Surinam (Du)] → Kakajan boesie; [Surinam (Cr)] → Kakanjan boesoe; [Surinam (Cr)] → Karvanari; [Surinam (Ar)] → Kawakanalli (kawanahalli, kawanari); [Surinam (Ar)] → Kawanahalli (kawakanalli, kawanari); [Surinam (Ar)] → Kawanalli (-hariraroe, -kharemero); [Surinam (Ar)] → Kawanari (kawanahalli, kawakanalli); [Surinam (Ar)] → Locus (lokus), rode; [Surinam (Du)] → Locust (witte-, rode, simiri-, zwarte-); [Surinam (Du)] → Lokisi(e) (-kaka); [Surinam (Cr)] → Loksi; [Surinam (Cr)] → Lokus (locus), rode (zwarte-); [Surinam (Du)] → Moire; [Guyana (M)] → Not; [Guyana (W)] → Rode lokus (-locus); [Surinam (Du)] → Semirie, tamoene; [Surinam] → Semirie, topoeloe; [Caribbean] → Simiri (-locust); [Surinam (Ar)] → Stinking toe; [Surinam (Cr)] → Surinaams teakhout; [Surinam (Du)] → Tamoéné semirie; [Surinam] → Teakhout, Surinaams; [Surinam (Du)] → Topoeloe semiri; [Caribbean] → Witte locust (simiri-, zwarte-); [Surinam (Du)] → Zwarte locust (witte-, simiri-); [Surinam (Du)]

Hymenaea davisii Sandwith → Simiri; [Surinam (Ar)]

Hymenaea oblongifolia Huber → Kawanari; [Surinam (Ar)] → Locust; [Surinam (Cr)] → Locust; [Guyana (Cr)] → Simiri; [Surinam (Ar)]

Hymenaea palustris Ducke → Locust; [Guyana (Cr)]

Hymenolobium flavum Kleinhoonte → Akwa (awha), saandoe (kadjoesi-); [Surinam (Sa)] → Angelim da mata (-da para, -da terra); [Caribbean] → Angelim da terra (-da para, -da mata); [Caribbean] → Atoritan; [Guyana (Ak, W)] → Awha (akwa), kadjoesi (saandoe-); [Surinam (Sa)] → Caramate; [Caribbean] → Darina; [Surinam (Ar)] → Erejoeroe; [Caribbean] → Gele kabbes; [Surinam (Du)] → Kabbes, makka (gele-); [Surinam (Du)] → Kadjoesi awha (-akwa); [Surinam (Sa)] → Kaserena; [Guyana (M)] → Koraroballi; [Surinam (Ar)] → Kotik; [Guyana (Ak)] → Lialiadan koleroe; [Surinam (Ar)] → Mabinanero; [Guyana (Ak)] → Maka kabisi; [Surinam (Cr)] → Makka kabbes; [Surinam (Cr, Du)] → Reejoeloe; [Surinam (Cr)] → Riariadan; [Surinam (Ar)] → Saandoe akwa (-awha); [Surinam (Sa)] → Saint Martin gris; [French Guiana] → Sapupira; [Surinam] → Wormbast (wormboom); [Surinam (Du)]

Hymenolobium petraeum Ducke → Angelim da pedra; [Surinam] → Dalina; [Surinam (Ar)] → Darina; [Surinam (Ar)] → Koraroballi; [Surinam (Ar)]

Hymenolobium sp. → Kabbes, rode; [Surinam (Du)] → Rode kabbes; [Surinam (Du)]

Hypelate trifoliata Swartz → Cigua; [Puerto Rico]

Hypolytrum longifolium Nees → Moelesjirang; [Caribbean]

Hyptis arborea Benth. → Wirichu; [Guyana (An)]

Hyptis atrorubens Poiteau → Mintie; [Surinam] → Voekoe voekoe menti voe boesi; [Surinam (Cr)]

Hyptis lanceolata Poiret → Faja djan; [Surinam] → Vaja dja; [Surinam]

Hyptis mutabilis (Rich.) Briquet → Koorsie wiwirie; [Surinam (Cr)]

Ibetrailia surinamensis Bremek. → Boskoffie; [Surinam (Du)]

Ichthyophora elegans (Miquel) Baehni → Kokoritiballi; [Guyana (Ar)]

Ichthyothere terminalis (Sprengel) Malme → Anoana mosait jele; [Caribbean] → Gramman nagels; [Surinam (Cr)] → Tingi fouroe; [Surinam (Cr)]

Ilex guianensis (Aublet) Kuntze → Kakatara(-balli); [Guyana (Ar)] → Kokeriteballi; [Guyana] → Pavier blanc; [French Guiana] → Sekrepatoe wiwirie; [Surinam (Cr)] → Wajam moesesamoer; [Surinam (Cr)] → Wiwirie, sekrepatoe; [Surinam (Cr)]

Ilex jenmanii Loesener → Barabakoro; [Surinam (Ar)] → Koejaké étepali; [Surinam (Cr)] → Wajamoe samamoeroe; [Caribbean]

Ilex martiniana D.Don → Kakotaro; [Surinam (Ar)] → Mapirinoeloe; [Caribbean]

Ilex ovalifolia Meyer → Bakrabakaaro; [Surinam (Ar)]

Ilex umbellata Klotzsch ex Reissek → Kakotaro; [Surinam (Ar)]

Imperata brassiliensis Trinius → Staartgras; [Surinam (Du)]

Inga acuminata Benth. → Pois doux; [French Guiana]

Inga aggregata G.Don → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)]

Inga alba (Swartz) Willd. → Abonkini (aboonkini); [Surinam (Bn, Sa)] → Aboonkini (abonkini); [Surinam (Bn, Sa)] → Apoeroekoni; [Surinam] → Aprokoni(e); [Surinam] → Kurang; [Guyana (Ak)] → Kwarie; [Guyana (Ak)] → Kwariye; [Guyana (M)] → Maporokon(i); [Surinam (Ar)] → Mapourokong; [Guyana (Ar)] → Maprokon(ie); [Surinam (Ar)] → Moutouchi;

- [Surinam] → Paletuvier; [French Guiana] → Proekoenie; [Surinam (Cr)] → Prokonie (wane-); [Surinam (Cr)] → Wakie; [Surinam (Sa)] → Wane prokonie; [Surinam (Cr)] → Yokar; [Guyana (W)]
- Inga bourgonii (Aublet) DC.** → Kurang; [Guyana (Ar)] → Palétuvier de montagne; [French West Indies] → Pois sucré; [French Guiana] → Posiendjo; [Caribbean] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Warakosa; [Surinam (Ar)]
- Inga brevipes Benth.** → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)]
- Inga capitata Desvaux** → Apoeroekoeni; [Caribbean] → Hikoritoro; [Guyana (Ar)] → Kurang; [Guyana (Ak)] → Maporokon; [Surinam (Ar)] → Plokonie (prokonie); [Surinam (Cr, Du)] → Pois sucré; [French Guiana] → Prokonie (plokonie); [Surinam (Cr, Du)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Warakosa; [Surinam (Ar)]
- Inga cocleensis Pittier** → Guabo; [Puerto Rico]
- Inga coriacea (Persoon) Desvaux** → Swietieboontje; [Surinam (Du)]
- Inga disticha Benth.** → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)] → Zoete bonen; [Surinam (Du)]
- Inga edulis C.Martius** → Atakrorib; [Guyana (M)] → Bois pagode; [French Guiana] → Bois sucré; [French Guiana] → Bougouni; [French Guiana] → Guabo; [Puerto Rico] → Hokorero-shirabulia; [Surinam (Ar)] → Karoto; [Surinam (Ar)] → Kobe; [Guyana (W)] → Korokoroshiri; [Guyana (Ar)] → Kurang; [Guyana (Ak)] → Lokisie (-wakie); [Surinam (Cr)] → Noutocochi; [French Guiana] → Pairawa itoelicki karoto (-korokorosiri); [Surinam (Ar)] → Pairawa korokorosiri (-itoelicki karoto); [Surinam (Ar)] → Pairawa waikie; [Guyana (Ar)] → Pairjawa; [Surinam (Ar)] → Paletuvier; [French Guiana] → Pois sucré; [French Guiana] → Swietieboontje; [Surinam (Cr)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Warakosa; [Surinam (Ar)] → Watjie; [Surinam]
- Inga fagifolia (L.) Willd. ex Benth.** → Guama; [Puerto Rico] → Guamo; [Puerto Rico] → Hikuritoro; [Surinam (Ar)] → Jina; [Dominican Republic] → Kodoiyarede; [Guyana (W)] → Kurang; [Guyana (Ak)] → Maipa; [Guyana (M)] → Pois doux; [French Guiana]
- Inga graciliflora Benth.** → Karoto; [Surinam (Ar)] → Kheronite; [Guyana (Ak)] → Kurang; [Guyana (Ak)] → Waremesuri; [Surinam (Ar)]
- Inga gracilifolia Ducke** → Kurang; [Guyana (Ak)] → Tureli; [Surinam (Ar)]
- Inga heterophylla Willd.** → Adjawakie; [Surinam] → Kleinbladig swietboontje; [Surinam (Du)] → Koelisiri wokoeloe; [Surinam (Ar)] → Koerisiri wokoroe; [Caribbean] → Kurang; [Guyana (Ak)] → Sepronie; [Surinam] → Sipoeroeni; [Surinam] → Soepronie; [Surinam] → Sopronie; [Surinam] → Swietieboontje, kleinbladig; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Toerelie; [Surinam (Ar)] → Toeriri; [Caribbean] → Tolelie; [Surinam (Ar)] → Toreli(e); [Surinam (Ar)] → Tureli; [Surinam (Ar)] → Warakosa; [Surinam (Ar)]
- Inga huberi Ducke** → Kurang; [Guyana (Ak)] → Warakosa; [Guyana (Ar)]
- Inga ingoides (A.Rich.) Willd.** → Fadjava; [Caribbean] → Kobe; [Guyana (W)] → Kurang; [Guyana (Ak)] → Pois doux (-sucré); [French Guiana] → Pois sucré; [French Guiana] → Pois sucré (-doux); [French Guiana] → Swietieboontje (-boontje); [Surinam (Cr, Du)] → Swit'bonki; [Surinam (Cr)] → Waikie (waiki); [Surinam (Ar)] → Warakosa; [Guyana (Ar)]
- Inga jenmanii Sandwith** → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)]
- Inga lateriflora Miquel** → Aporoena; [Caribbean] → Kleinbladig swietboontje; [Surinam (Du)] → Kurang; [Guyana (Ak)] → Masai; [Guyana (Ak)] → Sepronie; [Surinam] → Shirada (-waikie); [Surinam (Ar)] → Sierada; [Surinam (Ar)] → Sipoeroeni; [Surinam] → Sirada (-waikie); [Surinam (Ar)] → Soepronie; [Surinam] → Sopronie; [Surinam] → Swietieboontje, kleinbladig; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Waiki (waikie), sirada (shirada); [Surinam (Ar)]
- Inga leiocalycina Benth.** → Djedoe; [Surinam (Sa)] → Kurang (kuran); [Guyana (Ak, W)] → Kwatinopip; [Guyana (M)] → Plokonie; [Surinam (Cr, Du)] → Warakosa; [Surinam (Ar)]
- Inga meissneriana Miquel** → Hikuritoro; [Guyana (Ar)] → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)]
- Inga melinonis Sagot** → Karoto; [Surinam (Ar)] → Kurang; [Guyana (Ak)]
- Inga myriantha Poeppig & Endl.** → Kurang; [Guyana (Ak)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Warakosa; [Surinam (Ar)]
- Inga nobilis Willd.** → Kurang; [Guyana (Ak)] → Poro; [Guyana (Ak)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Warakosa; [Surinam (Ar)]
- Inga panamensis Seemann** → Guabo; [Puerto

Rico]

Inga pedicellare DC. → Aboonkini; [Surinam (Sa)]

Inga pendula Willd. → Hipanai; [Surinam (Ar)]

Inga pezizifera Benth. → Kurang; [Guyana (Ak)] → Plokonie; [Surinam (Cr, Du)] → Prokonie; [Surinam (Cr)] → Raba raba (-karoto); [Surinam (Ar)] → Rabba rabba (raba raba karoto); [Surinam (Ar)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Waiki (waikey); [Caribbean] → Warakosa; [Surinam (Ar)] → Worisjeporo apotopo; [Caribbean]

Inga pilosa (A.Rich.) Macbride → Pois doux; [French Guiana] → Waickey (waiki); [Surinam (Ar)] → Waiki (waikey); [Surinam (Ar)]

Inga punctata Willd. → Guaba; [Puerto Rico]

Inga rhynchocalyx Sandwith → Kurang; [Guyana (Ak)] → Warakosa; [Surinam (Ar)]

Inga rubiginosa (A.Rich.) DC. → Alawassa poesoeloe koeloe; [Surinam] → Anakara; [Caribbean] → Arawata boesoeroe koeroe; [Surinam] → Arrakalan; [Caribbean] → Baboen swietieboontje; [Surinam (Du)] → Itoeli ihi karato firiberobana; [Surinam (Ar)] → Iturihi; [Surinam (Ar)] → Kurang; [Guyana (Ak)] → Pois sucré; [French Guiana] → Setorie karoto; [Surinam (Ar)] → Stoeloe-hi-i-kaloetoe; [Surinam (Ar)] → Swietieboontje (baboen-); [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Waickey (waiki); [Surinam (Ar)] → Waiki (waikey); [Surinam (Ar)] → Wotjije; [Surinam (Cr)]

Inga scabriuscula Benth. → Swietieboontje; [Surinam (Du)]

Inga sciadon Steudel → Swietieboontje; [Surinam (Du)]

Inga sertulifera DC. → Hikoeli tora; [Surinam (Ar)] → Kurang; [Guyana (Ak)] → Schildpadpoot; [Surinam (Du)] → Swietieboontje; [Surinam (Du)] → Swit'bonki (switi boonki); [Surinam (Cr)] → Wajamoe tapoeroe; [Caribbean] → Warakosa; [Surinam (Ar)]

Inga setifera DC. → Waiki (waikey); [Surinam (Ar)]

Inga sp. → Kheronite; [Surinam (Ar)] → Koroti waikey; [Surinam (Ar)] → Lorelie; [Surinam] → Maparakoni (-waikey); [Guyana (Ar)] → Waickey (waiki), koroti- (maparakoni-); [Surinam (Ar)]

Inga splendens Willd. → Karoto firiberoe; [Surinam (Ar)] → Kurang; [Guyana (Ak)] → Njao; [Caribbean] → Rabaraba; [Guyana (Ar)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)]

Inga stipularis DC. → Karoto (-waikey); [Surinam (Ar)] → Kurang; [Guyana (Ak)] → Pois sucré;

[French Guiana] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Waickey (waiki) (-ingaoe, karoto-); [Surinam (Ar)] → Warakosa; [Guyana (Ar)] → Wekie; [Surinam (Ar)] → Whykee; [Guyana (Ar)]

Inga strigillosa Spruce ex Benth. → Kurang (kuran); [Guyana (Ak, W)] → Warakosa; [Guyana (Ar)]

Inga thibaudiana DC. → Ietorihie karoto ibibero; [Surinam (Ar)] → Kurang; [Guyana (Ak)] → Swietieboontje; [Surinam (Du)] → Swit'bonki; [Surinam (Cr)] → Tamoenin waiki; [Caribbean] → Waickey (waiki), tamoenan; [Caribbean] → Warakosa; [Surinam (Ar)] → Warapotere; [Caribbean]

Inga umbellifera (Vahl) Steudel → Kurang; [Guyana (Ak)] → Warakosa; [Guyana (Ar)]

Inga urnifera Kleinhoonte → Swietieboontje; [Surinam (Du)]

Inga uruguayensis Hook. & Arnott → Awati; [Guyana (Ar)]

Ipomoea alba L. → Batata tetei; [Surinam]

Ipomoea batatas (L.) Poiret → Kashiri; [Surinam (Ar)] → Petatten, zoete; [Surinam (Du)] → Swietie patata; [Surinam (Cr)] → Zoete petatten; [Surinam (Du)]

Ipomoea cardiosepala Meisner → Halchiballi; [Surinam (Ar)]

Ipomoea digitata L. → Feefi finga; [Surinam (Cr)] → Halietsjiballi; [Surinam (Ar)] → Napirang; [Caribbean] → Topoetjeng; [Caribbean]

Ipomoea phillomega (Vell.) House → Aweja; [Caribbean] → Halchiballi; [Guyana (Ar)] → Halietsjiballi fierberoe; [Surinam (Ar)]

Ipomoea quamoclit L. → Duivelsnaaigaren; [Surinam (Du)]

Ipomoea tiliacea Choisy → Patata tetei; [Surinam] → Petattentouw; [Surinam (Du)]

Iriarteia exorrhiza C.Martius → Boba; [Surinam (Ar)] → Kapaichan; [Guyana (Ak)] → Kapichian; [Guyana (M)] → Moanari; [Guyana (Wr)] → Pasayu; [Caribbean]

Iryanthera hostmanni (Benth.) Warburg → Broedoehoedoe; [Surinam (Cr)] → Kirikawa; [Surinam (Ar)] → Pajoeli(dan); [Caribbean] → Pajoririan; [Caribbean] → Serebebé; [Surinam (Bn)] → Soewana; [Surinam (Sa)] → Srebebe; [Surinam (Cr)] → Swamma; [Surinam (Sa)] → Tjirikawa; [Surinam (Ar)]

Iryanthera lancifolia Ducke → Kirikaua, swamp; [Surinam (Ar)] → Marbuk; [Guyana (Ak)] → Mouchigo rouge; [French Guiana] → Swamp kirikaua; [Surinam (Cr)] → Weputana; [Guyana (Cr)]

Iryanthera macrophylla (Benth.) Warburg → Kirikaua; [Surinam (Ar)] → Marbuk; [Guyana (Ak)] → Weputano; [Caribbean]

Iryanthera paraensis Huber → Kirikaua; [Surinam (Ar)] → Marbuk; [Guyana (Ak)] → Pajoeli(dan); [Caribbean] → Srebebe; [Surinam (Cr)]

Iryanthera sagotiana (Benth.) Warburg → Bémoonba; [Surinam (Sa)] → Broedoehoedoe; [Surinam] → Killakewa; [Guianas] → Kirakawa; [Guianas] → Kirikaua (-fierberoe, -hororodikoro); [Surinam (Ar)] → Kirikawa (-fierberoe-, hororodikoro); [Surinam (Ar)] → Kirikowa wadelikoro; [Guianas] → Marbuk; [Guyana (Ak)] → Pajoeli(dan); [Caribbean] → Peritjaloipio; [Guianas] → Piritjaloipio; [Caribbean] → Poeloemoto; [Guianas] → Sewanna; [Guianas] → Srebebe; [Surinam (Cr)] → Swamma; [Surinam (Sa)] → Wepoetanoe pajaloe; [Caribbean] → Weputano waroesie; [Curaçao] → Woko morokotore; [Caribbean]

Isandrina emarginata (L.) Britton & Rose → Palo de chivo; [Dominican Republic]

Ischnosiphon araua (Aublet) Körnicke → Babadoea; [Surinam (Au)]

Ischnosiphon arouma (Aublet) Körnicke → Itiriti; [Surinam (Ar)] → Karanaré; [Caribbean] → Koelesiriloco; [Surinam (Ar)] → Mana; [Guyana (M)] → Moekoeroe; [Caribbean] → Mokor; [Guyana (W)] → Mokorro; [Surinam (Ar)] → Mukru; [Guyana (Cr)] → Pagara warimbo; [Surinam (Cr)] → Tiriti (titiriti); [Surinam (Ar)] → Titiriti (tiriti); [Surinam (Ar)] → Warimbo, echte (pagara-); [Surinam (Cr)] → Waroema; [Caribbean]

Ischnosiphon foliosus Gleason → Surukulimukru; [Surinam (Ar)]

Ischnosiphon gracilis (Rudge) Körnicke → Akeserekilio; [Surinam (Ar)] → Knopo warimbo; [Surinam (Cr)] → Koesjo aromade; [Surinam (Ar)] → Kolibri warimbo; [Surinam (Cr)] → Waloemale; [Caribbean] → Warakabakoro mukru; [Surinam (Ar)] → Wariembo (warimbo); [Surinam (Cr)] → Warimbo, knopo (kolibri-); [Surinam (Cr)]

Ischnosiphon leucophaeus (Poeppig & Endl.) Körnicke → Kashiriye; [Guyana (M)] → Kleine warimbo; [Surinam (Cr)] → Köshiri; [Guyana (Ak)] → Namachkadar; [Guyana (W)] → Warakabakoro mukru; [Surinam (Ar)] → Warimbo, kleine; [Surinam (Cr)]

Ischnosiphon martianus Eichl. → Warimbo; [Surinam (Cr)]

Ischnosiphon obliquus (Rudge) Körnicke → Baksi warimbo; [Surinam (Cr)] → Itiriti; [Surinam

(Ar)] → Mana; [Guyana (M)] → Marare; [Guyana (Ak)] → Mokolo; [Surinam (Ar)] → Mokor(ro); [Surinam (Ar)] → Mukru; [Guyana (Cr)] → Tamoetoe; [Caribbean] → Walimbo (wallimbo, wariembo); [Surinam (Cr)] → Wallimbo (walimbo, wariembo); [Surinam (Cr)] → Wariembo (warimba); [Surinam (Cr)] → Warimba (wariembo); [Surinam (Cr)] → Warimbo, (baksi-); [Surinam (Cr)]

Ischnosiphon surinamensis (Miquel) Körnicke → Warakabakoro mukru; [Surinam (Ar)]

Isertia coccinea (Aublet) J.F.Gmelin → Kandrahoedoe; [Surinam (Cr)] → Karabahoedoe; [Surinam (Cr)] → Lotohoedoe; [Surinam (Cr)] → Pinpin; [Surinam]

Isertia hypoleuca Benth. → Kamadan; [Surinam (Ar)] → Lamuk; [Guyana (Ak)] → Mamahuka; [Guyana (Wr)] → Mamayahooka; [Guyana] → Melamaroelan; [Caribbean]

Isertia sp. → Bois de fer; [Trinidad]

Isertia spiciformis DC. → Kamadan ibibero; [Surinam (Ar)] → Kamadanballi; [Surinam (Ar)] → Kjinkjinhoedoe, witte (witti-); [Surinam (Du)] → Tamoenin wéwé; [Caribbean] → Witte kjinkjinhoedoe (witti-); [Surinam (Sa)]

Ixora coccinea L. → Faja lobbie; [Surinam (Ar, Cr)]

Ixora graciliflora Benth. → Pajawaroelang; [Caribbean] → Wesepi; [Caribbean]

Ixora sp. → Bois pignette; [Dominican Republic] → Dajao; [Puerto Rico] → Kuraraballi; [Guyana] → Palo de dajao; [Puerto Rico]

Ixora surinamensis Bremek. → Wesepi; [Caribbean]

Jacaranda copaia (Aublet) D.Don → Aku; [Guyana (Ak)] → Bois à pian; [French Guiana] → Copaia (-de chantiers); [French Guiana] → Faux simarouba; [French Guiana] → Fettej-ie; [Surinam (Ar)] → Foeti-ie; [Surinam (Ar)] → Footee; [Surinam (Cr)] → Fotui; [Guyana (Ar)] → Futi (futui); [Surinam (Ar)] → Futui (futi); [Surinam (Ar)] → Gobaia; [Surinam (Du)] → Goebai (goebaja); [Surinam (Cr)] → Goebaja (goebai); [Surinam (Cr)] → Jaifi; [Surinam (Bn)] → Jassiehoedoe; [Surinam (Cr)] → Jessie noedol; [Surinam] → Kabana; [Surinam (Sa)] → Koepaia (kopaia); [Caribbean] → Kopaia (koepaia); [Caribbean] → Maja ariran; [Surinam] → Njamoéséré; [Caribbean] → Onguent-pian; [French Guiana] → Pasa(i); [Guyana (Ak)] → Phootee; [Surinam (Cr)] → Simarouba, faux; [French Guiana] → Tjoekoenda; [Surinam] → Totui; [Surinam (Ar)]

Jacaranda filicifolia (Anderson) D.Don →

Diamalieki; [Surinam (Cr)] → Gobo-gobo wiwirie; [Surinam (Cr)] → Goebai; [Surinam (Cr)] → Kabana; [Surinam (Sa)] → Kandrahoedoe; [Surinam (Cr)] → Wiwirie, gobo-gobo; [Surinam (Cr)]

Jacaranda obtusifolia Humbert & Bonpl. → Achewood; [Surinam (Cr)] → Alasoabo; [Surinam (Ar)] → Alieskri (-ie-wewe); [Surinam (Cr)] → Apakanipio; [Caribbean] → Diamalieki; [Surinam (Cr)] → Diomolieki; [Surinam (Cr)] → Fèttèj-je; [Surinam (Ar)] → Gobai(a); [Surinam (Cr, Du)] → Gobo-gobo wiwirie; [Surinam (Cr)] → Goebar; [Surinam (Cr)] → Itoeli walabang; [Surinam (Ar)] → Jacaranda; [Surinam (Du)] → Jaifi; [Surinam (Ar)] → Jaivie; [Surinam (Ar)] → Jawie; [Surinam] → Kandrahoedoe; [Surinam (Cr)] → Koepaja(rang); [Caribbean] → Koroballi; [Surinam (Ar)] → Lilac wakenaam; [Guyana] → Mali mali; [Caribbean] → Malokopésie; [Surinam] → Marimari; [Surinam] → Morokobita; [Surinam] → Paloewé; [Caribbean] → Parawakas; [Guyana (W)] → Sand trysil; [Guyana (Cr)] → Trysil, sand; [Guyana (Cr)] → Wakenaam, lilac; [Guyana (Cr)]

Jacaranda rhombifolia G.Meyer → Marimari; [Surinam]

Jacaratia spinosa (Aublet) A.DC. → Awarahoedoe; [Surinam (Cr)] → Toekoemawhoedoe; [Surinam]

Jacquinia revoluta Jacq. → Azucare; [Puerto Rico] → Ironwood; [British West Indies] → Joe bush; [British West Indies] → Joewood; [British West Indies]

Jacquinia sp. → Barbasco; [Puerto Rico] → Chirriador; [Puerto Rico] → Myrtle, sea; [British West Indies] → Sea myrtle; [British West Indies]

Jatropha curcas L. → Cimarrona; [Puerto Rico] → Higuereeta; [Puerto Rico] → Juca cimarrona; [Dominican Republic] → Oejedi; [Surinam (Ar)] → Pinon (piñón); [Guyana] → Pringa leche; [Dominican Republic] → Rode schijtnoten; [Surinam (Du)] → Schijtnoten (rode-); [Surinam (Du)] → Tartago; [Puerto Rico] → Tiratfra; [Puerto Rico] → Weroeto; [Caribbean] → Yuca cimarrona; [Dominican Republic]

Jatropha gossypifolia L. → Rode schijtnoten; [Surinam (Du)] → Schijtnoten, rode; [Surinam (Du)]

Jatropha moluccana Wallich → Rode schijtnoten; [Surinam (Du)]

Jatropha urens L. → Oejedi; [Surinam (Ar)] → Weroeto; [Caribbean]

Jessenia bataua (C.Martius) Burret → Chocolate palm (zwarte-); [Guyana (Cr)] → Kom;

[Guyana (Ww)] → Kwarama; [Guyana (M)] → Mohi; [Guyana (Wr)] → Oshur; [Guyana (W)] → Palm, chocolate; [Guyana (Cr)] → Palm, zwarte; [Surinam (Du)] → Patawa; [Caribbean] → Patwaia; [Guyana (Ak)] → Turu; [Surinam (Ar)] → Zwarte palm (chocolate-); [Surinam (Du)]

Jessenia oligocarpa Griffith & Wendland → Turu; [Surinam (Ar)]

Jessenia sp. → Lu; [Surinam (Ar)]

Juglans sp. → Palo de nuez; [Puerto Rico]

Juniperus barbadensis Michaux → Enebro; [Puerto Rico]

Juniperus barbadensis Sargent non L. → Enebro; [Puerto Rico]

Juniperus communis L. → Enebro; [Puerto Rico]

Juniperus gracilior Pilger → Sabina; [Dominican Republic]

Juniperus lucayana Britton → Enebro; [Puerto Rico]

Juniperus oxycedrus L. → Enebro; [Puerto Rico]

Jussiaea affinis DC. → Panta; [Surinam (Cr)]

Jussiaea leptocarpa Nuttall → Aimiala mekarale; [Caribbean]

Jussiaea linifolia Vahl → Watra kanoe; [Surinam (Cr)]

Jussiaea suffruticosa L. → Keto koorsoe; [Surinam (Cr)]

Justicia acuminatissima (Miquel) Bremek. → Bakroe wiwirie; [Caribbean] → Wiwirie, bakroe; [Caribbean] → Woko potele; [Caribbean]

Justicia martiana (Nees & Eberm.) Lindau → Jaladoe; [Caribbean]

Krugiodendron ferreum (Vahl) Urban → Bariaco; [Puerto Rico] → Bois de fer;

[Guadeloupe] → Espejuelo; [Puerto Rico] → Palo de hierro; [Dominican Republic]

Kyllinga monocephala Rottb. → Man grasie; [Surinam (Cr)]

Kyllinga pumila Rich. → lenté; [Surinam (Ar)]

Lablab purpureus (L.) Sweet → Koeli sebijarie; [Surinam (Ar)] → Komata; [Caribbean]

Lacmellea aculeata (Ducke) Monachino → Awaratalla; [Caribbean] → Blaka prit'jari; [Surinam (Cr)] → Boeboeraballi; [Surinam (Ar)] → Pritijari (zwarte-, blaka-); [Surinam (Ar)] → Schopsteelhout; [Surinam (Du)] → Zwarte pritijari (blaka-); [Surinam (Ar)]

Lacmellea utilis (Arnott) Markgraf → Haiahaia; [Guyana (Ar)] → Hya-hya; [Surinam (Ar)]

Lacunaria crenata (Tulasne) A.C.Smith → Malai melokotele; [Caribbean] → Mangroe, savanna (sabana-); [Surinam (Cr)] → Marai micro kotere;

[Surinam (Cr)] → Maria micro kotore; [Caribbean] → Maro(e)dité; [Surinam (Ar)] → Marrodieté; [Surinam (Ar)] → Okokonshi; [Guyana (Ar)] → Sabana mangro; [Surinam (Cr)] → Savanna mangroe; [Surinam (Cr)] → Tapoekoe; [Caribbean] → Woko mollekotoré (-molotokolé); [Caribbean] → Woko molotokolé (-mollekotoré); [Caribbean]

Lacunaria jenmanii (Oliver) Ducke → Hiets(j)ité; [Surinam (Ar)] → Marmadosoe, matoe; [Surinam (Cr)] → Matoe marmadosoe; [Surinam (Cr)] → Okokonshi; [Guyana (Ar)] → Woko melekotore (-merokotele); [Caribbean] → Woko merokotele (-melekotore); [Caribbean] → Woko molokotele (-melekotore); [Caribbean]

Laetia procera (Poeppig & Endl.) Eichler → Agamoe kamma; [Surinam (Sa)] → Aletepe (alletepe); [Surinam (Cr)] → Alletepe (alletepe); [Surinam (Cr)] → Aloekoejoeroe; [Caribbean] → Aroekoejoeroe (arokojoeroe, arkojoeroe); [Caribbean] → Arokojoeroe (arokojoeroe, aroekoejoeroe); [Caribbean] → Basra kopie; [Surinam (Cr)] → Bastard kabukalli; [Surinam (Cr)] → Bois Jacquot; [French Guiana] → Bois lamende; [French Guiana] → Bois Marie; [French Guiana] → Bois toucan; [French Guiana] → Brakka hatti; [Surinam (Cr)] → Jakarawa sorrobaliijepo; [Caribbean] → Kabisie; [Surinam (Cr)] → Kabukalli, bastard; [Surinam (Cr)] → Kaimanhoedoe; [Surinam (Cr)] → Kasapa erepalli (koesapa-); [Caribbean] → Koesapa erepalli (kasapa-); [Caribbean] → Kopie, basra (piento-, pinto-); [Surinam (Cr)] → Majapo werie; [Surinam (Ar)] → Mania powerie; [Caribbean] → Maré oelang; [Caribbean] → Moelewa; [Caribbean] → Murewa; [Caribbean] → Pau, sabana; [Surinam (Cr)] → Piento kopie; [Surinam (Cr)] → Pinto kopie (piento-, basra-); [Surinam (Cr)] → Sabana pau; [Surinam (Cr)] → Waikarra; [Caribbean] → Wajaka jaro; [Surinam (Ar)] → Waraka joeroe (-jaro, -jaharoe); [Surinam (Ar)] → Warakaioero; [Surinam (Ar)] → Warakaja(ha)roe; [Surinam (Ar)] → Watuwai; [Guyana (Ak)]

Lagenaria vulgaris Seringe → Horoto; [Surinam (Ar)] → Kiromare; [Surinam (Ar)]

Lagenocarpus kunthii (Miquel) Uittien → Dara-shiri; [Surinam (Ar)]

Lagenocarpus martii Nees → Dara-shiri; [Surinam (Ar)]

Lagenocarpus tremulus Nees → Sara; [Caribbean]

Lagerstroemia indica L. → Jamponika; [Surinam] → Japonika; [Surinam]

Lagetta lagetto (Swartz) Nash → Palo de encaje; [Dominican Republic]

Lagetta lintearia Lam. → Palo de encaje; [Dominican Republic]

Laguncularia racemosa (L.) Gaertner f. → Akira; [Surinam (Ar)] → Ankira; [Surinam (Ar)] → Furilia; [Surinam (Ar)] → Mangle blanc; [Dominican Republic] → Mangrove, white; [Guyana (Cr)] → Petit palétuvier; [French Guiana] → White mangrove; [Guyana (Cr)]

Lantana camara L. → Coriaquillo (-de Santa Maria); [Puerto Rico] → Koorsoe wiwirie; [Surinam (Cr)] → Oema koorsoe wiwirie; [Surinam (Cr)] → Poley cimarrón; [Puerto Rico] → Sage (sweet-); [Guyana (Cr)] → Semeheyuballi; [Caribbean] → Soldatenthee; [Surinam (Du)] → Sweet sage; [Guyana (Cr)] → Wiwirie, koorsoe (oema koorsoe-); [Surinam (Cr)]

Laplacea fruticosa (Schrader) Kobuski → Maricao; [Puerto Rico] → Niño de cota; [Puerto Rico] → Oelokaroo; [Caribbean] → Patakoewana (patakwana); [Surinam (Cr)] → Patakwana (patakoewana); [Surinam (Cr)] → Ulukara; [Caribbean] → Werweri; [Surinam (Ar)]

Laplacea semiserrata (Martius & Zucc.) Cambess. → Werweri; [Surinam (Ar)]

Lasiacis anomala Hitchcock → Tamakoesji; [Caribbean]

Lasiacis ligulata Hitchcock & Chase → Bamboesi gras; [Surinam (Du)] → Kapoweri bamboesi; [Surinam (Cr)]

Lawsonia alba Lam. → Resida; [Surinam (Cr)]

Lawsonia inermis L. → Reseda; [Surinam (Du)] → Resida; [Surinam (Cr)]

Lecythis alutacea (A.C.Smith) S.A.Mori → Kakaralli; [Guyana (Ar)]

Lecythis chartacea O.Berg → Bita, snekie (seneki-); [Surinam (Cr)] → Booka; [Surinam (Sa)] → Bosoho; [Surinam (Sa)] → Bosso; [Surinam (Sa)] → Engos(s)o; [Surinam (Sa)] → Kakaralli; [Guyana (Ar)] → Oeman barklak; [Surinam (Du)] → Oeman barkraki; [Surinam (Cr)] → Oerbina (oerebina); [Surinam (Ar)] → Ori(e)bina; [Surinam (Ar)] → Seneki bieta (snekie-); [Surinam (Cr)] → Snekie bita (seneki-); [Surinam (Cr)] → Tetehoedoe (teteihoedoe); [Surinam (Cr)] → Teteimerie (titei-); [Surinam (Cr)] → Teteihoedoe (tetehoedoe); [Surinam (Cr)] → Tité barkraki (-meri); [Surinam (Cr)] → Tité meri (-barkraki); [Surinam (Cr)] → Titéhoedoe, witte bast; [Surinam (Cr, Du)] → Titei barkraki; [Surinam (Cr)] → Titeimerie (tetei-); [Surinam (Cr)] → Toko; [Caribbean] → Witte bast titéhoedoe; [Surinam (Cr)]

- Lecythis confertiflora (A.C.Smith) S.A.Mori** → Wirimiri; [Surinam (Ar)]
- Lecythis corrugata Poiteau** → Haudan; [Surinam (Ar)] → Hiarakoro (-kakaralli); [Surinam (Ar)] → Hiaroe kakaralli (wina-, hiarakoro-); [Surinam (Ar)] → Kakaralli (hijaro-, hyaro-, hiaroe-, wina-); [Surinam (Ar)] → Kwateli; [Caribbean] → Kwatere (tamoene-, tapirin-); [Caribbean] → Kwatie-ie; [Surinam (Sa)] → Manbarklak; [Surinam (Du)] → Oeman barklak (hoogland-); [Surinam (Du)] → Oeman barkraki; [Surinam (Cr)] → Oerebina (oerbina); [Surinam (Ar)] → Oewebina; [Surinam (Ar)] → Quatelé; [French Guiana] → Sienkwatta; [Surinam (Sa)] → Tamoene kwatere (tapirin-); [Caribbean] → Tapirin kwatere (tamoene-); [Caribbean] → Wina (-kakaralli); [Surinam (Ar)] → Woli kwatele; [Caribbean]
- Lecythis davisii Sandwith** → Wadaduri; [Surinam (Ar)]
- Lecythis holcogyne (Sandwith) S.A.Mori** → Bair; [Guyana (W)] → Haudan; [Surinam (Ar)] → Toro; [Guyana (M)]
- Lecythis pisonis Cambess.** → Kwattapatoe; [Surinam (Cr)] → Sapucaia; [Surinam]
- Lecythis simiorum Benoist** → Arepawana; [Caribbean] → Atotoito; [Surinam (Sa)] → Barklak (barkraki); [Surinam (Du)] → Barkraki (barklak); [Surinam (Cr)] → Haudan (howdan); [Surinam (Ar)] → Howdan (haudan); [Surinam (Ar)] → Jawané-bolotin; [Caribbean] → Kakaralliballi; [Surinam (Ar)] → Komantie kwatie-ie; [Surinam (Sa)] → Kwatere; [Caribbean] → Mekoe koeware; [Caribbean] → Mekoe kwaire; [Caribbean] → Titéhoedoe, witte bast; [Surinam (Cr, Du)] → Wadilie lanaballi diamaro; [Surinam (Ar)] → Wadodori lanaballi diamaro; [Surinam (Ar)] → Witte bast titéhoedoe; [Surinam (Cr)]
- Lecythis sp.** → Maho jaune; [French Guiana]
- Lecythis usitata Miers** → Kwatta patoe; [Surinam (Cr)]
- Lecythis zabucajo Aublet** → Grote potboom; [Surinam (Du)] → Guatacare; [Trinidad] → Kume; [Guyana (Ak)] → Kwatta patoe; [Surinam (Cr)] → Kwatta pot; [Surinam (Cr, Du)] → Kwattapoe; [Surinam (Cr)] → Mahot jaune; [French Guiana] → Marmite de singe; [French Guiana] → Monkey pot; [Guyana (Cr)] → Potboom, grote; [Surinam (Du)] → Quata pot; [Surinam (Cr, Du)] → Sapucaia; [Surinam] → Wadaduri; [Surinam (Ar)] → Wadoduri; [Guyana (Ar)] → Waduduri (wadaduri); [Surinam (Ar)]
- Leersia hexandra Swartz** → Aleisie grassie; [Surinam (Cr)]
- Lemaireocereus griseus (Haworth) Britton & Rose** → Datoe; [Curaçao]
- Leonotis nepetaefolia (L.) R.Brown** → Bradi bita; [Surinam] → Ponsoe; [Surinam]
- Leonurus sibiricus L.** → Bana faja dja; [Surinam]
- Leucaena glauca (L.) Benth.** → Cow bush; [British West Indies]
- Leucaena glauca auct. non Benth.** → Cow bush; [British West Indies]
- Leucaena latisiliqua (L.) Gillis** → Cow bush; [British West Indies]
- Leucaena leucocephala (Lam.) de Wit** → Acacia palida; [Puerto Rico] → Cow bush; [British West Indies] → Hediondilla; [Puerto Rico] → Jimbay; [British West Indies] → Jumby bean; [British West Indies] → Lead tree; [British West Indies] → Macata blanc; [French West Indies] → Tamarind, wild; [Puerto Rico] → Tantan; [Puerto Rico] → Wild tamarind; [Puerto Rico] → Zarza blanca; [Puerto Rico]
- Leucaena pseudotrichoides (DC.) Britton & Rose** → Granalino; [Dominican Republic]
- Libidibia coriaria (Jacq.) Schltr.** → Divi-divi; [Puerto Rico]
- Licania alba (Bernoulli) Cuatrec.** → Countaballi; [Guyana (Cr)] → Counter; [Guyana (Cr)] → Kauada; [Guyana (M)] → Kaudanaro; [Guyana (Ar)] → Kautaballi; [Surinam (Ar)] → Maiuarai; [Guyana (Ak)] → Maiwarai; [Guyana (Ak)] → Tokor (tokor); [Guyana (W)] → Tokor (tokor); [Guyana (W)]
- Licania apetala (E.Meyer) Fritsch** → Kaula; [Surinam (Ar)] → Kauta; [Surinam (Ar)] → Kwebie; [Surinam (Cr)] → Kwepie; [Surinam (Cr)]
- Licania arborea Seemann** → Gaulette (-rouge); [Guadeloupe]
- Licania boyanii Tutin** → Marishiballi; [Surinam (Ar)]
- Licania buxifolia Sandwith** → Marishiballi talaroe; [Surinam (Ar)]
- Licania canescens Benoist** → Foengoe; [Surinam (Cr)]
- Licania cuprea Sandwith** → Konoko; [Surinam (Ar)]
- Licania cymosa Fritsch** → Vonkhout; [Surinam (Du)]
- Licania densiflora Kleinhoonte** → Acourie-broot; [Guyana (Cr)] → Farsha; [Guyana (Cr)] → Marishiballi; [Surinam (Ar)] → Pesinirang; [Caribbean] → Shika; [Guyana (M)] → Tokor; [Guyana (W)]
- Licania divaricata Benth.** → Anaura (sabana-);

[Surinam (Ar)] → Aranydja; [Surinam (Ar)] → Autoletri; [Caribbean] → Boeroeballi broborelli; [Surinam (Ar)] → Boroborelli; [Surinam (Ar)] → Buruburuli; [Surinam (Ar)] → Gris-gris; [French Guiana] → lengie barkie; [Surinam (Cr)] → Itoeloetano japopalli; [Caribbean] → Japapare (japoparie, jappopare); [Caribbean] → Japopalli; [Caribbean] → Japoparie (japapare, jappopare); [Caribbean] → Jappopare (japoparie, japapare); [Caribbean] → Kaierieballi; [Surinam (Ar)] → Miendjoe; [Surinam (Sa)] → Panta; [Surinam (Cr)] → Pau; [Surinam (Sa)] → Sabana anaura; [Surinam (Ar)] → Warokorie; [Surinam (Ar)]
Licania excelsa Sabine → Kauta; [Guyana (Ar)]

Licania exiguifolia Standley → Savanna kwaepie; [Surinam (Cr)]

Licania grisea Kleinhoonte → Unikiakia; [Surinam (Ar)]

Licania guianensis (Aublet) Griseb. → Counta; [Guyana (Cr)] → Kauta; [Guyana (Ar)]

Licania heteromorpha Benth. → Anaura; [Surinam (Cr)] → Gris-gris; [French Guiana] → lengie barkie; [Surinam (Cr)] → Ingi barki (iengie-); [Surinam (Cr)] → Japoballi; [Caribbean] → Miendjoe (swampoe-); [Surinam (Sa)] → Pau avangolja (-saandri); [Surinam (Sa)] → Pau saandri(e) (-avangolja); [Surinam (Cr)] → Swampoe miendjoe; [Surinam (Sa)] → Temene japopare; [Caribbean] → Timmenelin; [Caribbean]

Licania heteromorpha Benth. var.

heteromorpha → Buruburuli; [Surinam (Ar)]

Licania heteromorpha Benth. var. perplexans Sandwith → Japoepare (jappopare); [Caribbean] → Jappopare (japoepare); [Caribbean] → Kaierieballi; [Surinam (Ar)] → Kaierieballi; [Surinam (Ar)] → Man wattle; [Guyana (Cr)] → Tensen; [Guyana (Ak)] → Tiwowatan; [Guyana (W)] → Wattle, man; [Guyana (Cr)] → Yapopare; [Caribbean]

Licania hostmannii Fritsch → Anaura, hoogland; [Surinam (Du)] → Boko bokoton kandiamaroe; [Surinam (Ar)] → Foengoe (man-); [Surinam (Cr)] → Gaulette (-rouge); [Guadeloupe] → Hoogland anaura; [Surinam (Du)] → Japopalli; [Caribbean] → Kokoho; [Surinam (Sa)] → Man foengoe; [Surinam (Cr)] → Marisiballi tataro; [Surinam (Ar)] → Pira pisi; [Caribbean] → Pisi, pira; [Caribbean] → Rakaraha éréparé; [Caribbean] → Soro unbahaboire; [Caribbean] → Tarrekrojen; [Caribbean] → Vonkhout; [Surinam (Du)] → Wehelu hoepesienie; [Caribbean]

Licania hypoleuca Benth. var. hypoleuca →

Anaura, hegron; [Surinam (Cr)] → Basokapau; [Surinam (Sa)] → Hegron anaura; [Surinam (Cr)] → Iron Mary; [Guyana (Cr)] → Kuepielan; [Surinam (Cr)] → Kwebie; [Surinam (Sa)] → Onikhiakhia (-diamaro); [Surinam (Ar)] → Tijapotano kwepierjan; [Caribbean] → Toepoeroe kwepielan; [Caribbean] → Unikiakia; [Guyana (Ar)]

Licania incana Aublet → Anaura; [Surinam (Cr)] → Baoko (bosoho, bosoko); [Surinam (Sa)] → Basoka (tjuwa-); [Surinam (Sa)] → Bosoho (bosoko, baoko); [Surinam (Sa)] → Bosoko (bosoho, baoko); [Surinam (Sa)] → Foengoe, sabana; [Surinam (Cr)] → Hegron anaura kuepilan; [Surinam (Cr)] → lengie barkie (sabana-); [Surinam (Cr)] → I(e)ngi(e)-barki(e), sabana; [Surinam (Cr)] → Kuepirian; [Caribbean] → Kwepilan; [Caribbean] → Maiwarai; [Guyana (Ak)] → Oenikiakia; [Surinam (Ar)] → Onikhia(khia); [Surinam (Ar)] → Onitjatja; [Surinam (Ar)] → Sabana foengoe; [Surinam (Cr)] → Sabana i(e)ngi(e)-barki(e); [Surinam (Cr)] → Tjuwa basoka; [Surinam (Sa)] → Unikiakia; [Surinam (Ar)]

Licania incana Aublet var. axilliflora Sagot → Unikiakia; [Surinam (Ar)]

Licania laxiflora Fritsch → Counta; [Guyana (Cr)] → Kauta; [Surinam (Ar)] → Mai; [Guyana (Ak)] → Maik; [Guyana (P)]

Licania leptostachya Benth. → Baro; [Surinam] → Foengoe, sabana; [Surinam (Cr)] → Kweper(i)an; [Surinam] → Oenitjatja oenisjirokodi koro; [Surinam (Ar)] → Piolipioli; [Caribbean] → Sabana foengoe; [Surinam (Cr)] → Unikiakia; [Surinam (Ar)]

Licania licaniiflora (Sagot) Blake → Marishiballi; [Guyana (Ar)]

Licania macrophylla Benth. → Alauna; [Caribbean] → Anaura; [Surinam (Ar)] → Doekoelia; [Surinam (Ar)] → Gris-gris; [French Guiana] → Kauston; [Surinam] → Pomploemoesoe; [Surinam (Cr)] → Sergeanto klotoe; [Surinam (Au)] → Sponshout; [Surinam (Du)] → Sponsoehoedoe; [Surinam (Cr)]

Licania majuscula Sagot → Countaballi; [Surinam (Cr)] → Kauada; [Guyana (M)] → Kautaballi; [Surinam (Ar)] → Tokor; [Guyana (W)]

Licania micrantha Miquel → Blaka foengoe (witte-); [Surinam (Cr)] → Bongro; [Surinam (Cr)] → Farsha; [Guyana (Cr)] → Foengoe (witte-, weti, blakka-, zwarte-); [Surinam (Cr, Du)] → Kokoro (kokoho); [Surinam (Ar)] → Mai (-warai); [Guyana (Ak)] → Marisiballi firiberoebana; [Surinam (Ar)] →

- Marisiballi kiblekoeberoebana; [Surinam (Ar)] → Marisiballi tataro; [Surinam (Ar)] → Soroma (-oembakokoloire); [Caribbean] → Sorosoro (-oembakoloire, -umbakaloire); [Caribbean] → Vonkhout; [Surinam (Du)] → Wekeroe koepésinirian; [Surinam] → Wekoloe koepesine; [Caribbean] → Witte foengoe (blaka-); [Surinam (Cr)] → Zwarte foengoe; [Surinam (Cr)]
- Licania microphylla Fanshawe & Maguire** → Iron Mary; [Guyana (Cr)] → Kantiballi; [Guyana] → Unikiakia; [Guyana (Ar)]
- Licania mollis Benth.** → Marishiballi; [Guyana (Ar)] → Urumaröpö; [Guyana (Ak)]
- Licania octandra (Hoffsgg. ex Roemer & Sch.) Kuntze** → Couépi; [French Guiana] → Kauta; [Guyana (Ar)] → Maho; [French Guiana]
- Licania ovalifolia Kleinhoonte** → Foengoe; [Surinam (Cr)] → Santihoe; [Surinam (Cr)] → Vonkhout; [Surinam (Du)]
- Licania pachystachya Kleinhoonte** → Foengoe; [Surinam (Cr)] → Vonkhout; [Surinam (Du)]
- Licania paniculata Fanshawe & Maguire** → Marisiballi hariraro; [Surinam (Ar)]
- Licania parviflora Benth.** → Tukwoinanku; [Guyana (An)]
- Licania persaudii Fanshawe & Maguire** → Counta; [Guyana (Cr)] → Kauta; [Guyana (Ar)]
- Licania poeppigii Fritsch** → Boko bokoton djamaro; [Surinam (Ar)] → Koko(ho); [Surinam (Ar)]
- Licania robusta Sagot** → Bongro; [Surinam (Cr)] → Foengoe (pau-, man-); [Surinam (Sa)] → Goro-goro; [Surinam (Cr)] → Hjoeroenanoe koepésini; [Caribbean] → Kokoho; [Surinam (Sa)] → Man foengoe; [Surinam (Cr)] → Marenballi wadilikoro; [Surinam (Ar)] → Marisiballi kibekeberoe; [Surinam (Ar)] → Pau foengoe; [Surinam (Sa)] → Soeroema imbaliloiré; [Caribbean] → Solosolobakkelotje; [Surinam (Du)] → Vonkhout; [Surinam (Du)]
- Licania sp.** → Aruadanni; [Guyana] → Burada; [Guyana (Ar)] → Caligni; [French Guiana] → Case; [Trinidad] → Foekoeleroe kautan; [Surinam (Ar)] → Gorro-gorro, man; [Surinam (Cr)] → Hoogland tapoeripa; [Surinam (Du)] → Icaque montagne; [Guadeloupe] → Kiakia; [Guyana] → Koepésini; [Surinam] → Kwata; [Surinam (Ar)] → Man gorro-gorro; [Surinam (Cr)] → Man vonkhout; [Surinam (Du)] → Muri kautaballi; [Guyana (Cr)] → Soerorme umbakeloiré; [Surinam] → Tapoeripa, hoogland; [Surinam (Du)] → Vonkhout, man; [Surinam (Du)]
- Licania stipata Fanshawe & Maguire** → Iron Mary; [Guyana (Cr)] → Unikiakia; [Guyana (Ar)]
- Licania takutuensis Standley** → Maho; [French Guiana]
- Licania ternatensis Hook.f.** → Bois gris; [Grenada]
- Licania utilis (Hook.f.) Fritsch** → Maho; [French Guiana]
- Licania venosa Rusby** → Kautaballi; [Surinam (Ar)]
- Licaria cannella (Meisner) Kosterm.** → Ajoewa (ajoewi); [Caribbean] → Ajoewi (ajoewa); [Caribbean] → Apisie-ie (banba-); [Surinam (Sa)] → Atjarie (-kjanari, -tjanarie); [Caribbean] → Badagos (bois de rose); [Surinam (Sa)] → Banba (-apisie-ie); [Surinam (Sa)] → Bois canelle; [French Guiana] → Bois de rose (badagos); [French Guiana] → Brown silverballi; [Surinam (Cr)] → Canel(a); [Puerto Rico] → Canelillo; [Puerto Rico] → Cèdre flibustier; [French Guiana] → Honohonoridan; [Surinam (Ar)] → Itik; [Guyana (Ak)] → Itjari tjanali; [Caribbean] → Kamarai; [Guyana (Ak)] → Kanarihoe; [Surinam (Cr)] → Kaneel pisi; [Surinam (Du)] → Kaneelhart; [Surinam (Du)] → Kaneelhout; [Surinam (Du)] → Kaneerjoe; [Caribbean] → Kaner'ati; [Surinam] → Kanerihoe; [Surinam (Cr)] → Kaner(-hoe); [Surinam (Bn)] → Kharemeroe shiruaballi; [Surinam (Ar)] → Koeralaballi; [Surinam (Ar)] → Licari kanali; [French Guiana] → Nagrehoe; [Surinam (Cr)] → Pisi, kaneel; [Surinam (Du)] → Shiruaballi (kharemeroe-); [Surinam (Ar)] → Sieroeaballi (-kjanarie, -tataroe); [Surinam (Ar)] → Silverballi, brown; [Surinam (Cr)] → Sieroeaballi (-tataroe, -tjanara, -kjanarie); [Surinam (Ar)] → Sweetwood; [Surinam (Cr)] → Tiniari; [Caribbean] → Wabaima; [Surinam (Ar)] → Waiba(i)ma; [Guyana] → Wajaaka; [Caribbean]
- Licaria cayennensis (Meisner) Kosterm.** → Brown silverballi; [Surinam (Cr)]
- Licaria guianensis Aublet** → Kaneel pisi; [Surinam (Du)] → Kaner'pisi; [Surinam (Cr)] → Nagrehoe; [Surinam (Cr)] → Pisi (kaneel-); [Surinam (Du)] → Sierowaballi ibiberoe; [Surinam (Ar)]
- Licaria martiniana (Mez) Kosterm.** → Apisie-ie; [Surinam (Sa)] → Jorokan pomoire; [Caribbean] → Magre pisi; [Surinam (Cr)] → Pisi (magre-); [Surinam (Cr)] → Sieroeaballi karowatsiamaro (-ojotak); [Surinam (Ar)] → Sieroeaballi ojetak (-karowatsiamaro); [Surinam (Ar)] → Tataro sierwaballi; [Caribbean] → Topoprin wéwé; [Caribbean]
- Licaria rigida Kosterm.** → Rozenhout; [Surinam

- (Du)] → Siroewaballi ibiberoe hororodikoro; [Surinam (Ar)]
- Licaria sp.** → Akawai nutmeg; [Guyana] → Apisie-ie (banba-, bosoho-); [Surinam (Sa)] → Banba apisie-ie; [Surinam (Sa)] → Bois chique; [French West Indies] → Bois colique; [French West Indies] → Bois de licari; [French Guiana] → Bois medong; [French West Indies] → Bois piant; [French West Indies] → Bosoho apisie-ie; [Surinam (Sa)] → Camacou; [Guyana] → Cambara de cheiro; [Guyana] → Joroha (jorokan) pomoiere; [Surinam] → Laurier gris; [French West Indies] → Nagrehoedoe; [Surinam (Cr)] → Sassafras; [French Guiana] → Silverballi, yellow; [Guyana (Cr)] → Siroewaballi; [Surinam (Ar)] → Waccawai; [Guyana] → Yellow silverballi; [Guyana (Cr)]
- Licaria triandra (Swartz) Kosterm.** → Cigua (-gorrita, -prieta); [Dominican Republic]
- Licaria vernicosa (Mez) Kosterm.** → Yekoro; [Surinam (Ar)]
- Linociera domingensis (Lam.) Knoblauch** → Avispillo; [Puerto Rico]
- Lippia alba (Miller) N.E.Brown** → Malva (-thee); [Surinam (Cr)]
- Lippia sp.** → Cape weed; [Puerto Rico] → Cidrón; [Puerto Rico] → Mejorana; [Puerto Rico] → Oregano; [Dominican Republic] → Orozuz; [Puerto Rico] → Poley; [Puerto Rico] → Té Chino; [Dominican Republic]
- Liriosma guianensis Engl.** → Hishirudan; [Guyana (Ar)]
- Lisianthus alatus Aublet** → Dra tabakka; [Surinam (Cr)] → Hertentabak; [Surinam (Du)]
- Lisianthus chelonoides L.f.** → Hertentabak; [Surinam (Du)] → Joelieballi; [Surinam (Ar)] → Koeraja; [Caribbean]
- Lissocarpa guianensis Gleason** → Barabara; [Surinam (Ar)]
- Lonchocarpus chrysophyllus Kleinhoonte** → Aishal, black; [Guyana (Cr)] → Aya; [Guyana (P)] → Black aishal; [Guyana (Cr)] → Black haiari; [Guyana (Cr)] → Haiari, black; [Guyana (Cr)] → Wakorokoda; [Surinam (Ar)]
- Lonchocarpus floribundus Benth.** → Wiriri mekuru; [Surinam (Ar)]
- Lonchocarpus hedyosmus Miquel** → Basralokus, nickerie; [Surinam (Du)] → Nickerie basralokus; [Surinam (Du)] → Siendjaplé; [Surinam] → Sindjaplé; [Surinam]
- Lonchocarpus latifolius (Willd.) Kunth** → Nekoe(-hoedoe); [Surinam (Cr)] → Palo hediondo; [Puerto Rico] → Savonette (-jaune, -rivière, white-); [French Guiana] → Savonette grand bois; [French Guiana] → Savonette grandes feuilles; [French Guiana] → White savonette; [Surinam (Cr)]
- Lonchocarpus martyonii A.C.Smith** → Aishal, white; [Guyana (Cr)] → Atolikun; [Guyana (W)] → Aya; [Guyana (P)] → Haiari, white; [Guyana (Cr)] → Kumasaukun; [Guyana (W)] → White aishal; [Guyana (Cr)] → White haiari; [Guyana (Cr)]
- Lonchocarpus pterocarpus DC.** → Siritjolang; [Caribbean]
- Lonchocarpus rariflorus C.Martius ex Benth.** → Aishal weir, red; [Guyana (W)] → Faifaia noroko; [Surinam (Ar)] → Korokorowai; [Guyana (W)] → Red aishal weir; [Guyana (W)]
- Lonchocarpus sp.** → Anón cillo; [Dominican Republic] → Anón de majagua; [Dominican Republic] → Anón del rio; [Dominican Republic] → Biajama; [Dominican Republic] → Fuerte ventura; [Puerto Rico] → Geno (-geno); [Puerto Rico] → Nicou; [French Guiana]
- Loreya acutifolia O.Berg ex Triana** → Buck varnish; [Guyana (Cr)] → Itara; [Surinam (Ar)]
- Loreya mespiloides Miquel** → Akaotombo wokoroe; [Caribbean] → Buck varnish; [Guyana (Cr)] → Itara; [Surinam (Ar)] → Kleine mispel; [Surinam (Du)] → Mêle; [French Guiana] → Mespel; [Surinam (Du)] → Mispel, kleine; [Surinam (Du)] → Pakirja (-wesopotare); [Surinam] → Sakwosepére; [Surinam (Ar)] → Wesopotare (pakirja-); [Surinam]
- Loxopterygium sagotii Hook.f.** → Aupar; [Guyana (W)] → Bastaard slangenhout; [Surinam (Du)] → Boesi mahoni; [Surinam (Sa)] → Hoboballi (-koeipjari); [Surinam (Ar)] → Hoeboeballi; [Surinam (Ar)] → Hububalli; [Surinam (Ar)] → Koeipjarie; [Caribbean] → Koel pialli; [French Guiana] → Kwipari; [Caribbean] → Kwipariye; [Guyana (M)] → Sewekihoeedoe; [Surinam (Cr)] → Slangenhout (bastaard-); [Surinam (Du)] → Snakewood; [Surinam (Cr)] → Snekiehoeedoe; [Surinam (Cr)] → Snek'oeedoe; [Surinam (Cr)] → Wakatikie; [Surinam]
- Lucuma izabalensis Standley** → Barata; [Guyana (Ar)]
- Lucuma multiflora A.DC.** → Jacana; [Puerto Rico]
- Lucuma sericea (R.Brown) Benth. & Hook.f.** → Bakupar; [Guyana (W)]
- Lucuma sp.** → Halchiballi; [Surinam (Ar)]
- Ludwigia hyssopifolia (G.Don) Exell** → Bana louisa wiwirie; [Surinam (Cr)] → Manie wiwirie; [Surinam (Cr)] → Watra kanoe; [Surinam (Cr)] → Wiwirie, manie (bana louisa-); [Surinam (Cr)]

- Ludwigia sp.** → Aimiala mekarale; [Caribbean] → Keto koorsoe; [Surinam (Cr)] → Oeno dakheté; [Surinam (Ar)] → Panta; [Surinam (Cr)]
- Luehea divaricata Martius & Zucc.** → Acoita cavallo; [Puerto Rico] → Assoita; [Surinam] → Azota caballo; [Puerto Rico]
- Luehea rugosa Pulle** → Koesewiran; [Surinam]
- Lueheopsis flavescens (Uittien) Burret** → Katoenhoedoe; [Surinam (Cr)]
- Lueheopsis rugosa (Pulle) Burret** → Kajowaballi djamaro; [Surinam (Ar)] → Katoenhoedoe; [Surinam (Cr)] → Koejetsiballi; [Surinam (Ar)] → Koesewiran; [Surinam] → Koyechiballi; [Surinam (Ar)] → Omosé; [Caribbean]
- Lundia erionema DC.** → Crossman; [Guyana (Cr)]
- Lysiloma latisiliqua (L.) Benth.** → Sabicu; [West Indies] → Tamarind, wild; [Puerto Rico] → Wild tamarind; [Puerto Rico]
- Lysiloma sabicu Benth.** → Sabicu; [West Indies]
- Mabea argutissima Croizat** → Swizzlestick; [Guyana (Cr)]
- Mabea caudata Pax & K.Hoffmann** → Pajoelidan; [Caribbean] → Swizzlestick; [Guyana (Cr)]
- Mabea ciliata Gleason** → Swizzlestick; [Guyana (Cr)]
- Mabea ferruginea Benth.** → Baka poeirenga; [Surinam (Sa)]
- Mabea piriri Aublet** → Baka poeirenga; [Surinam (Sa)] → Baredi koeti khakekoro; [Surinam (Ar)] → Bariri koli (-kakkekoro); [Surinam (Ar)] → Bariri kuti; [Surinam (Ar)] → Koenbotassi; [Caribbean] → Morino; [Guyana (Ak)] → Pakjira emoeroe; [Caribbean] → Wepe lana noe takalli; [Caribbean] → Wepenjana atakarie; [Caribbean]
- Mabea schomburgkii Benth.** → Swizzlestick; [Guyana (Cr)]
- Mabea sp.** → Manaritkie; [Surinam]
- Mabea speciosa Müll.Arg.** → Pajoelidan; [Caribbean] → Swizzlestick; [Guyana (Cr)]
- Mabea subsessilis Pax & K.Hoffmann** → Swizzlestick; [Guyana (Cr)]
- Mabea taquari Aublet** → Swizzlestick; [Guyana (Cr)]
- Macfadyena uncatata (Andrews) Sprague & Sandwith** → Kamoro; [Surinam (Ar)] → Léré simiole; [Caribbean] → Prasara tete; [Guyana (Cr)] → Tete, prasara; [Guyana (Cr)]
- Machaerium floribundum Benth.** → Bohoribada; [Surinam (Ar)]
- Machaerium inundatum (Benth.) Ducke** → Bohoribada; [Surinam (Ar)]
- Machaerium kegelii Meisner** → Bohoribada; [Surinam (Ar)]
- Machaerium leiophyllum (DC.) Benth.** → Bohoribada; [Surinam (Ar)] → Okoro; [Guyana (Ar)] → Pikirirang; [Caribbean]
- Machaerium lunatum (L.f.) Ducke** → Atoelia; [Caribbean] → Atoria; [Caribbean] → Bodorie; [Surinam (Ar)] → Branti maka; [Surinam (Cr)] → Bunduri pimpla; [Guyana (Cr)] → Chinese earring; [Guyana (Cr)] → Moon fruit; [Guyana (Cr)] → Wait-a-bit; [Guyana (Cr)] → Wata; [Guyana (Wr)]
- Machaerium quinata (Aublet) Sandwith** → Bohoribada; [Guyana (Ar)]
- Machaerium sp.** → Escambrón; [Puerto Rico] → Kwata; [Surinam (Ar)] → Palo de hoz; [Puerto Rico]
- Machaerium spp.** → Bohoribada; [Surinam (Ar)]
- Machaerium trifoliatum Ducke** → Bohoribada; [Guyana (Ar)]
- Machaonia sp.** → Roseta; [Puerto Rico]
- Macoubea guianensis Aublet** → Roko-roko; [Guyana (Ar)]
- Macrocatappa punctata (Griseb.) Britton** → Chêne de Antilles; [Martinique] → Randegonde; [Guadeloupe] → Roble; [Dominican Republic]
- Macrocentrum fasciculatum (L.C.Rich.) Triana** → Kasiri; [Caribbean]
- Macrolobium acaciaefolium (Benth.) Benth.** → Alapai; [Caribbean] → Arataballi; [Caribbean] → Boesi tamalin; [Surinam (Cr)] → Bostamarinde; [Surinam (Du)] → Sarebebe; [Surinam (Ar)] → Sirkir; [Guyana (W)] → Tamalin, boesi; [Surinam (Cr)] → Wapa sec; [French Guiana]
- Macrolobium angustifolium (Benth.) Cowan** → Ata-apa (atapa); [Caribbean] → Atapa; [Caribbean] → Atapa (ata-apa); [Caribbean] → Muka; [Guyana (Ak)] → Salébébé; [Surinam (Ar)] → Sarebebe; [Surinam (Ar)] → Walatapa; [Surinam] → Waterbijlhout; [Surinam (Du)] → Watra birie (watra birihoedoe); [Surinam (Cr)] → Watra birihoedoe (watra birie); [Surinam (Cr)]
- Macrolobium bifolium (Aublet) Persoon** → Atapa (attapa); [Caribbean] → Attapa (atapa); [Caribbean] → Sarebebe; [Surinam (Ar)] → Walatapa; [Surinam] → Wallaba, water; [Surinam (Du)] → Water wallaba; [Surinam (Du)] → Waterbijlhout; [Surinam (Du)] → Watra birie (watra birihoedoe); [Surinam (Cr)] → Watra birihoedoe (watra birie); [Surinam (Cr)] → Wat(r)apa; [Surinam (Sa)]
- Macrolobium chrysostachyum (Miquel) Benth.** → Waterbijlhout; [Surinam (Du)]
- Macrolobium multijugum (DC.) Benth.** →

- Aratapari; [Caribbean] → Sarabebe (sarebebe); [Surinam (Ar)] → Sirkir; [Guyana (W)]
- Macrobium suaveolens Spruce ex Benth.** → Krachikan; [Guyana (Ak)]
- Macrosamanea discolor (Humbert & B.) Britton & Rose** → Zwamptamarinde; [Surinam (Du)]
- Macrosamanea kegelii (Meisner) Kleinhoonte** → Kabanafa; [Surinam (Ar)] → Water tamarinde; [Surinam (Du)]
- Macrosamanea pedicellaris (DC.) Kleinhoonte** → Manariballi koeréroë; [Surinam (Ar)]
- Macroule coutinhoi (Ducke) Pierce** → Warabokkadan; [Surinam (Ar)]
- Magnolia sp.** → Bois pin; [Martinique] → Cachiman de montagne; [Martinique] → Coeur de cachiment; [Guadeloupe]
- Magnolia virginiana L.** → Magnolia, swamp; [Surinam (Du)] → Sassafras, swamp; [Surinam (Cr)] → Swamp magnolia; [Surinam (Cr)] → Swamp sassafras; [Surinam (Cr)]
- Mahurea exstipulata Benth.** → Kapuriwari; [Guyana (An)]
- Maieta guianensis Aublet** → Huruereroko; [Surinam (Ar)] → Tamaren; [Guyana (Ak)]
- Malachra alceifolia Jacq.** → Jorka oker; [Surinam (Du)]
- Malachra fasciata Jacq.** → Jorka oker; [Surinam (Du)]
- Malouetia flavescens (Willd.) Müll.Arg.** → Kirikahü; [Guyana (Ak)]
- Malouetia obtusiloba A.DC.** → Kirikahü; [Guyana (Ak)]
- Malouetia schomburgkii Müll.Arg.** → Kirikahü; [Guyana (Ak)]
- Malouetia tamaquarina (Aublet) A.DC.** → Haia, white (wild-); [Guyana (Cr)] → Jaramiloerang; [Caribbean] → Jarerodan; [Surinam (Ar)] → Kirikahü; [Guyana (Ak)] → Oonséballi; [Surinam (Ar)] → White haia; [Guyana (Cr)] → Wild haia; [Guyana (Cr)]
- Malpighia glabra L.** → Cereza; [Puerto Rico] → Cerezo (-colorado); [Puerto Rico] → Chereese; [Puerto Rico] → Cherry, West Indian; [Puerto Rico] → Moureiller; [French Guiana] → West Indian cherry; [Puerto Rico]
- Malpighia glabra L. var. obovata Niedenzu** → Kersenboom; [Surinam (Du)]
- Malpighia puniceifolia L.** → Kersenboom; [Surinam (Du)]
- Malpighia sp.** → Azota caballo; [Puerto Rico] → Cherry, cowage; [Puerto Rico] → Cowage cherry; [Puerto Rico] → Jolago; [Puerto Rico] → Olaga; [Puerto Rico] → Palo bronco; [Puerto Rico] → Stinging bush; [Puerto Rico]
- Malvaviscus populneus (L.) Gaertner** → Boskatoen; [Surinam (Du)]
- Mammea americana L.** → Abricotier; [Trinidad] → Mamaja; [Surinam (Ar)] → Mamey amarillo; [Dominican Republic] → Mamey sapote; [Trinidad] → Mamie(-boom); [Surinam (Du)] → Mammee tree; [British West Indies] → Mammie; [Surinam (Du)] → Ruri; [Surinam (Ar)] → Sapote, mamey; [Trinidad]
- Mandevilla grandiflora (G.F.W.Meyer) Kuntze** → Melki tetei; [Surinam (Cr)]
- Mandevilla hirsuta (Rich.) K.Schumann** → Wilkens tetei; [Surinam]
- Mandevilla scabra (Roemer & Schultes) K.Schumann** → Melki tetei; [Surinam (Cr)]
- Mandevilla subspicata (Vahl) Markgraf** → Melki tetei; [Surinam (Cr)]
- Mangifera indica L.** → Bobbie manja; [Surinam (Cr)] → Kajanna manja; [Surinam (Cr)] → Manja (bobbie-, kajanna-); [Surinam (Cr)]
- Manicaria saccifera Gaertner** → Palm, thatch (wine-); [Guyana (Cr)] → Thatch palm; [Guyana (Cr)] → Timiti; [Surinam (Ar)] → Truli; [Guyana (Cr)] → Turuli; [Caribbean] → Wine palm; [Guyana (Cr)] → Yahui; [Guyana (Wr)]
- Manihot esculenta Crantz** → Alepaipio; [Surinam] → Alesebie; [Surinam] → Alomie; [Surinam] → Alostiki; [Surinam] → Anoewanopo; [Surinam] → Aresamoenè; [Surinam] → Bosoli; [Surinam (Ar)] → Cassave, zoete; [Surinam (Du)] → Jakopoe kondrekasaba; [Surinam] → Juca; [Dominican Republic] → Kanaküdi; [Surinam (Ar)] → Kappasienjolo; [Surinam] → Koemakabo; [Surinam] → Koemè repo; [Surinam] → Kolaroripio; [Surinam] → Komorepo; [Surinam] → Kwallabo; [Surinam] → Makkapo; [Surinam] → Oelanarè; [Surinam] → Oskiboe; [Surinam] → Pakoema; [Surinam] → Patakapio; [Surinam] → Piekieriepo; [Surinam] → Pittorolli; [Surinam] → Pulwapie; [Surinam] → Sanième; [Surinam] → Seperalip(i)o; [Surinam] → Sepiepabo; [Surinam] → Tapirin joepoe; [Surinam] → Tapitjje; [Surinam] → Tapopirè; [Surinam] → Tiana; [Surinam] → Tisie kiboe; [Surinam] → Tisie moenè; [Surinam] → Tollokopo; [Surinam] → Topitjje; [Surinam] → Topitoe; [Surinam] → Towe sipio; [Surinam] → Walaloppo; [Surinam] → Wale kopio; [Surinam] → Wale miepjo; [Surinam] → Wariri riepjo; [Surinam] → Wayaloepo; [Surinam] → Wolo wolo; [Surinam] → Zoete cassave; [Surinam (Du)]
- Manihot utilissima Pohl** → Zoete cassave; [Surinam (Du)]
- Manilkara amazonica (Huber) A.Chev.** → Pure;

- [Guyana (M)]
Manilkara balata (Pierre) Dubard → Balataboom; [Surinam (Du)]
Manilkara bidentata (A.DC.) A.Chev. → Pure; [Guyana (M)] → Wichabai; [Guyana (W)]
Manilkara bidentata (A.DC.) A.Chev. ssp. bidentata → Acana; [Puerto Rico] → Balata (-tree); [Guyana (P)] → Balata burue; [Guyana (Ar)] → Balata rouge (-franc); [French Guiana] → Balataboom; [Surinam (Du)] → Beefwood; [Guyana (Cr)] → Boeletrie; [Surinam (Cr)] → Boeluwé; [Surinam (Ar)] → Boeloewé; [Surinam (Ar)] → Boeroewé; [Surinam (Ar)] → Bolletrie; [Surinam (Du)] → Borowé; [Surinam (Ar)] → Bortrie; [Surinam (Cr)] → Botie-ie; [Surinam (Sa)] → Botrie(-ie); [Surinam (Sa)] → Bulletwood; [Guyana (Cr)] → Bully tree; [Guyana (Cr)] → Buru(h); [Surinam (Ar)] → Iriar; [Guyana (W)] → Kobero; [Guyana (Wr)] → Koberu; [Guyana (Wr)] → Massaranduba; [Surinam] → Paardevleeshout; [Surinam (Du)] → Palaäta (parata); [Surinam] → Parata (palaäta); [Surinam] → Purue; [Guyana (M)]
Manilkara excelsa (Ducke) Standley → Iwakush; [Guyana (W)]
Manilkara huberi (Ducke) A.Chev. → Bad bolletrie; [Surinam (Cr)] → Badwood; [Surinam (Cr)] → Balata, black (brosse-); [Surinam (Cr)] → Basterd bolletrie; [Surinam (Du)] → Black balata; [Surinam (Cr)] → Bolletrie, bad (brosse-); [Surinam (Cr)] → Bolletrie (valse-, basterd-); [Surinam (Du)] → Brosse balata; [Surinam (Cr)] → Brosse bolletrie; [Surinam (Cr)] → Turar; [Guyana (W)] → Valse bolletrie; [Surinam (Du)]
Manilkara sp. → Ausubo; [Puerto Rico] → Mameyuelo; [Puerto Rico]
Manilkara zapota (L.) P.Royen → Mispel(-boom); [Dutch West Indies] → Misperillo; [Dominican Republic] → Mispoe; [Dutch West Indies] → Sapatija; [Dutch West Indies] → Sapota de costa; [Puerto Rico] → Sapatier; [French West Indies] → Sapotille; [Surinam (Cr)] → Sapotillier; [French West Indies]
Mansoa alliacea (Lam.) A.H.Gentry → Garlic rope; [Surinam (Cr)]
Mapouria fockeana (Miquel) Bremek. → Manjala kopie; [Surinam (Cr)]
Mapouria opaca Bremek. → Brinarieballi; [Surinam (Ar)] → Koejake erepare; [Caribbean] → Manmantrie; [Surinam (Cr)]
Mapouria ornithophila Bremek. → Kasoroballi; [Surinam (Ar)] → Wasiliwo koeroe; [Caribbean]
Maprounea guianensis Aublet → Awati(e); [Surinam (Ar)] → Dekie hatti; [Surinam (Cr)] → Gingepan; [Surinam (Sa)] → Ietjotono pirapisi (-parapisi); [Caribbean] → Peihatti; [Surinam (Cr)] → Pikien tiki; [Surinam (Cr)] → Pirapisi (ietjotono-); [Caribbean]
Maprounea sp. → Kisi angoala; [Surinam]
Maranta arundinacea L. → Ararout; [Surinam (Cr)] → Arrowroot; [Surinam (Cr)] → Pringjaepite; [Surinam]
Maranta divaricata Roscoe → Toekoesji aloemale; [Caribbean] → Waroemalan; [Caribbean]
Marcgravia coriacea Vahl → Aruakabo; [Surinam (Ar)] → Katjoesi anjalali; [Caribbean]
Marcgravia parviflora Rich. ex Wittmack → Aruakabo; [Surinam (Ar)] → Hikoelidan; [Surinam (Ar)] → Katjoesi aijale; [Caribbean]
Marcgravia umbellata L. → Aruakabo; [Surinam (Ar)]
Marila sp. → Cacao mangua; [Trinidad] → Mangua (cacao-, red-); [Trinidad] → Red mangue; [Trinidad]
Maripa cordifolia Klotzsch ex Meisner → Hoasoropan; [Surinam (Ar)]
Maripa passifloroides Benth. → Oonoeballi; [Surinam (Ar)] → Patawana liane; [Surinam]
Maripa scandens Aublet → Hoasoropan; [Surinam (Ar)] → Monkey syrup; [Surinam (Ar)]
Mariscus cayennensis (Lam.) Urban → Jenté wadilikoro; [Surinam (Ar)]
Mariscus ligularis (L.) Urban → Yente; [Surinam (Ar)]
Marlierea biptera Amshoff → Peiritiki; [Surinam (Ar)] → Poelewa eijpoeloe; [Caribbean]
Marlierea montana ((Aublet) Amshoff → Kowako; [Surinam (Ar)]
Marlierea montana (Aublet) Amshoff → Kwak(k)oe; [Surinam (Ar)] → Kwako; [Surinam (Ar)]
Marlierea schomburgkiana O.Berg → Akarako; [Surinam (Ar)] → Wütük; [Guyana (Ak)]
Marmaroxylon racemosum (Ducke) Killip → Bostamarinde (gevlamde-); [Surinam (Du)]
Martinella insculpta Sprague & Sandwith → Kamoro; [Surinam (Ar)]
Martinella obovata (Kunth) Bureau & K.Schumann → Kamoro; [Surinam (Ar)]
Martiodendron excelsum (Benth.) Gleason → Tatabuballi; [Surinam (Ar)]
Martiodendron parviflorum (Amshoff) Koepen → Boesi mahoni; [Surinam (Cr)] → Bosmahonie; [Surinam (Du)] → Dastan; [Surinam (Sa)] → Mahoni, boesi; [Surinam (Cr)]
Martusia excelsa Benth. → Purperhart; [Surinam (Du)]

- Martusia parviflora Amshoff** → Boesi mahoni; [Surinam (Cr)] → Bois d'amarante rouge; [French Guiana] → Bosmahonie; [Surinam (Du)] → Dastan; [Surinam (Sa)] → Mahoni, boesi; [Surinam (Cr)] → Pakeri; [Caribbean] → Purperhart, witte; [Surinam (Du)] → Tatabuballi; [Surinam (Ar)] → Witte purperhart; [Surinam (Du)]
- Matayba arborescens (Aublet) Radlk.** → Gauetrie, zwarte; [Surinam (Du)] → Gauwetrie (gauwietie, gawetri); [Surinam (Sa)] → Gauw(e)trie, zwarte; [Surinam (Du, Sa)] → Gauwietie (gawetri, gauwetrie); [Surinam (Sa)] → Gawetri (gauwietie, gauwetrie); [Surinam (Sa)] → Koelisiri; [Surinam (Ar)] → Kulishiri; [Surinam (Ar)] → Sienga bosoe; [Surinam (Au)] → Tonorebjo; [Caribbean] → Tonorepjo(e); [Caribbean] → Zwarte gauetrie; [Surinam (Du)]
- Matayba camptoneura Radlk.** → Koenatjeppi; [Surinam] → Kulishiri; [Surinam (Ar)] → Tonoloipio; [Caribbean]
- Matayba domingensis (DC.) Radlk.** → Doncella; [Puerto Rico] → Ratón; [Dominican Republic]
- Matayba guianensis Aublet** → Kulishiri; [Surinam (Ar)] → Tonorebjo; [Surinam (Sa)]
- Matayba inelegans Radlk.** → Kulishiri; [Guyana (Ar)]
- Matayba macrostylis Radlk.** → Kulishiri; [Guyana (Ar)]
- Matayba miquelii Uittien** → Pritijari; [Surinam (Cr)] → Sirada djamaro; [Surinam (Ar)]
- Matayba miquelli Uittien** → Djamaro, sirada; [Surinam (Ar)]
- Matayba oligandra Sandwith** → Kulishiri; [Guyana (Ar)] → Toron; [Guyana (Ak)]
- Matayba opaca Radlk. var. fallax (Radlk.) Uittien** → Blaka (sabana) trangahoedoe; [Surinam (Cr)] → Gatotie; [Surinam (Cr)] → Gauetrie, zwarte; [Surinam (Du)] → Gauwetrie (gauwetri, gauwietie); [Surinam (Sa)] → Gauwetri (gauwetrie, gauwietie); [Surinam (Sa)] → Gauwietie (gauwetrie, gauwetri); [Surinam (Sa)] → Gauwtrie (gawetri); [Surinam (Cr, Sa)] → Gawetri (gauwtrie); [Surinam (Cr, Sa)] → Koeliesierie; [Surinam (Ar)] → Koelisiri (-khalemeroe, -khonemeroe); [Surinam (Ar)] → Koelisiri karemeroe (-koeleroe); [Surinam (Ar)] → Koelisiri koeleroe (-karemeroe); [Surinam (Ar)] → Koeriesierie karemeroe; [Surinam (Ar)] → Kulishiri; [Guyana (Ar)] → Sabana (blaka) trangahoedoe; [Surinam (Cr)] → Salie; [Surinam (Sa)] → Tapiring tonorebjo; [Surinam (Sa)] → Toepoeroe tonorebjo; [Surinam (Sa)] → Tonorebio (tonoroipio, tonorebjo); [Caribbean] → Tonorebjo (toepoeroe-, tapiring-); [Surinam (Sa)] → Tonorebjo, zwarte; [Surinam (Du)] → Tonoroipio (tonorebio, tonorebjo); [Caribbean] → Trangahoedoe, sabana (blaka-); [Surinam (Cr)] → Zwarte gauetrie; [Surinam (Du)] → Zwarte tonorebjo; [Surinam (Du)]
- Matayba sp.** → Guara; [Dominican Republic] → Maca-apa-ipow; [French Guiana] → Negra lora; [Puerto Rico]
- Mauritia aculeata auct. non Kunth** → Prickly ite; [Surinam (Cr)]
- Mauritia flexuosa L.f.** → Ekwai; [Guyana (Ak)] → Ite; [Surinam (Ar)] → Iwir; [Guyana (W)] → Mope; [Guyana (Cr)] → Morichi; [Caribbean] → Ohid; [Guyana (Wr)] → Palm, toddy; [Guyana (Cr)] → Toddy palm; [Guyana (Cr)] → Waiye; [Guyana (M)]
- Mauritia martiana Spruce** → Bulukush; [Guyana (W)] → Ite, prickly; [Surinam (Cr)] → Kangaromabon; [Guyana (Ak)] → Prickly ite; [Surinam (Cr)]
- Maximiliana maripa (M.N.Correa) Drude** → Kokorite; [Surinam (Ar)]
- Maximiliana regia C.Martius** → Kokorite; [Surinam (Ar)]
- Mayaca fluviatilis Aublet** → Sweet watra sara sara wiwirie; [Surinam (Cr)] → Wiwirie, sweet watra sara sara; [Surinam (Cr)]
- Maytenus ficiformis Reissek** → Kaiarima; [Guyana (Ar)] → Masa; [Guyana (M)] → Mitso; [Guyana (W)]
- Maytenus guianensis Klotzsch ex Reissek** → Kaiarima; [Surinam (Ar)]
- Maytenus kanukuensis A.C.Smith** → Kaiarima; [Guyana (Ak)]
- Maytenus myrsinoides Reissek** → Kaiarima; [Surinam (Ar)] → Souwtmetiehoedoe; [Surinam (Cr)] → Zoutoemetiehoedoe; [Surinam (Cr)]
- Maytenus obtusifolia Martius** → Cuero de sapo; [Puerto Rico]
- Maytenus planifolia A.C.Smith** → Kaiarima; [Guyana (Ar)]
- Maytenus sp.** → Bois filament; [Puerto Rico]
- Melampodium camphoratum (L.f.) Baker** → Ajawaballi; [Surinam (Ar)] → Damoestoelalali; [Caribbean] → Haiawaballi; [Surinam (Ar)] → Kamferbladeren; [Surinam (Du)]
- Melicocca bijuga L.** → Knippelboom; [Surinam (Du)]
- Melicoccus bijugatus Jacq.** → Genip; [British West Indies] → Guinep; [British West Indies] → Knepier; [Guadeloupe] → Knippa; [Surinam (Cr)] → Knippelboom; [Surinam (Du)] → Knippen; [Surinam (Du)] → Quenepa; [Puerto Rico] →

- Quienet(te); [Guadeloupe] → Tacke(l)boom;
[Surinam (Du)]
- Meliosma obtusifolia (Bello) Krug & Urban** → Guayarrote; [Puerto Rico]
- Melocactus sp.** → Kabees indiaan; [Curaçao] → Meloon die seeroe; [Curaçao]
- Memora obovata (Bureau & K.Schum.) Sprague & Sandw.** → Hehebena; [Surinam (Ar)]
- Memora schomburgkii (DC.) Miers** → Alabo; [Caribbean] → Asimalapi; [Caribbean] → Hehebena; [Surinam (Ar)] → Kasjapareballi; [Surinam (Ar)] → Oboejamibiaballi; [Surinam (Ar)] → Pioepioe; [Caribbean]
- Mendoncia aspera Ruiz & Pavón** → Simopere; [Caribbean]
- Meriania urceolata Triana** → Waraia; [Guyana (Ar)]
- Merremia dissecta (Jacq.) Hallier f.** → Swietie sopie wiwirie; [Surinam (Cr)] → Wiwirie, swietie sopie; [Surinam (Cr)]
- Merremia glabra Hallier f.** → Mapirang; [Caribbean]
- Merremia umbellata (L.) Hallier f.** → Patata tetee; [Surinam] → Wetie abia; [Surinam (Cr)]
- Metastelma stenolobum Decaisne** → Kakhero; [Surinam (Ar)]
- Metopium toxiferum (L.) Krug & Urban** → Cedro prieto; [Puerto Rico] → Cochinillo; [Dominican Republic] → Papayo; [Puerto Rico] → Poison tree; [Puerto Rico]
- Mezilaurus itauba (Meisner) Taubert ex Mez** → Ajomontho (-diamoro, -hororodikoro); [Surinam (Ar)] → Apisie-ie; [Surinam (Sa)] → Itauba preta (-amarello); [Surinam] → Kaneelhout; [Surinam (Du)] → Kaneerjoe (kaneerju); [Caribbean] → Kaneri pisi; [Surinam (Cr)] → Kjarie kjanarie; [Caribbean] → Pisi, kaneri; [Surinam (Cr)] → Sierwaballi tataro; [Surinam (Ar)] → Siroeaballi (siruballi) tataro; [Surinam (Ar)] → Sirowa; [Surinam (Ar)]
- Mezilaurus lindaviana Schwacke & Mez** → Rukut; [Guyana (W)] → Tanwaye; [Guyana (M)]
- Mezilaurus navalium Taubert** → Siroeaballi; [Surinam (Ar)]
- Miconia acinodendron (L.) Sweet** → Beletere, selele; [Surinam (Ar)] → Boeka, witti; [Surinam (Au)] → Kunawaru; [Guyana (Ak)] → Selele bélétére; [Surinam (Ar)] → Wittie boeka; [Surinam (Au)] → Wonoe; [Caribbean]
- Miconia alata (Aublet) DC.** → Kunawaru; [Guyana (Ak)]
- Miconia albicans (Swartz) Triana** → Kunawaru; [Surinam (Ar)] → Waraia; [Surinam (Ar)]
- Miconia alternans Naudin** → Lottohoedoe; [Surinam (Du)]
- Miconia aplostachya (Bonpl.) DC.** → Arikadakoeballi; [Surinam (Ar)] → Kunawaru; [Guyana (Ak)] → Pirimia; [Caribbean]
- Miconia bracteata (DC.) Triana** → Kunawaru; [Guyana (Ak)]
- Miconia campestris (Benth.) Triana** → Kunawaru; [Guyana (Ak)]
- Miconia chrysophylla (Rich.) Urban** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia ciliata (Rich.) DC.** → Kunawaru; [Guyana (Ak)] → Sakwasepére bibéro; [Surinam (Ar)]
- Miconia demerarensis Gleason** → Kunawaru; [Guyana (Ak)]
- Miconia disparilis (Standley) R.O.Williams** → Oeman barklak; [Surinam (Du)]
- Miconia fallax DC.** → Kunawaru; [Guyana (Ak)]
- Miconia gratissima Benth.** → Kunawaru; [Guyana (Ak)]
- Miconia guianensis (Aublet) Cogniaux** → Apan; [Guyana (Ak)] → Bastaard (basterd-) mispel; [Surinam (Du)] → Basterd mospel (-mispel); [Surinam (Du)] → Ietharoballi; [Caribbean] → Koejaké érépalli; [Caribbean] → Kunawaru; [Guyana (Ak)] → Mispel, bastaard (basterd-); [Surinam (Du)] → Sakau; [Guyana (Ak)] → Tara; [Guyana (Wr)] → Waraia; [Surinam (Ar)]
- Miconia holosericea (L.) DC.** → Kunawaru; [Guyana (Ar)]
- Miconia hypoleuca (Benth.) Triana** → Kunawaru; [Guyana (Ak)] → Wakaradan; [Surinam (Ar)]
- Miconia ibaguensis (Bonpl.) Triana** → Kunawaru; [Guyana (Ak)]
- Miconia kappleri Naudin** → Kunawaru; [Guyana (Ak)] → Lotohout; [Surinam (Du)] → Wakaradan; [Surinam (Ar)]
- Miconia lateriflora Cogniaux** → Boesi smeri wiwirie; [Surinam (Cr)] → Kunawaru; [Guyana (Ak)] → Oeman barklak; [Surinam (Du)]
- Miconia laterifolia Cogniaux** → Wiwirie, boesi smeri; [Surinam (Cr)]
- Miconia lepidota DC.** → Ietharaballi (itaraballi); [Surinam (Ar)] → Jabele tokon; [Surinam (Ar)] → Sakwosepére koeleroe; [Surinam (Ar)]
- Miconia longifolia (Aublet) DC.** → Kunawaru; [Guyana (Ak)] → Mispel; [Surinam (Du)] → Waraia; [Surinam (Ar)]
- Miconia macrophylla (D.Don) Triana** → Kremota; [Surinam]
- Miconia macrothyrza Benth.** → Kunawaru; [Guyana (Ak)]

- Miconia marginata Triana** → Chikö-eno; [Guyana (Ak)] → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia mucronata (Desr.) Naudin** → Itaraballi (ietharaballi); [Surinam (Ar)] → Kunawaru; [Guyana (Ak)] → Mispel; [Surinam (Du)] → Salero khoena; [Surinam (Ar)]
- Miconia myriantha Benth.** → Bakaradanballi; [Surinam (Ar)] → Kopie; [Surinam (Cr)] → Kunawaru; [Guyana (Ak)] → Moesoepoe; [Surinam (Au)] → Pikien tiki; [Surinam (Cr)] → Sangafotoe soela; [Surinam] → Wakaradan; [Surinam (Ar)] → Wakradanni; [Guyana (Ar)]
- Miconia nervosa (Smith) Triana** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia panicularis Gleason** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia plukenetii Naudin** → Kunawaru; [Guyana (Ak)] → Mispel; [Surinam (Du)] → Saipjara; [Caribbean] → Sarero khona; [Surinam (Ar)] → Waraia; [Surinam (Ar)] → Watoewena katopa; [Caribbean]
- Miconia plumosa Gleason** → Waraia; [Surinam (Ar)]
- Miconia polita Gleason** → Kunawaru; [Guyana (Ak)]
- Miconia prasina (Swartz) DC.** → Beletere, selele; [Surinam (Ar)] → Jalipi; [Caribbean] → Konorrépie; [Caribbean] → Kunawaru; [Guyana (Ak)] → Otokoko addakete; [Surinam (Ar)] → Piritjo; [Caribbean] → Santo; [Surinam (Au)] → Selele bélétère; [Surinam (Ar)] → Waraia; [Surinam (Ar)]
- Miconia pteropoda Benth.** → Waraia; [Surinam (Ar)]
- Miconia pubipetala Miquel** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia punctata (Desr.) D.Don** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia racemosa (Aublet) DC.** → Kunawaru; [Guyana (Ak)]
- Miconia rubiginosa (Bonpl.) DC.** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia rufescens (Aublet) DC.** → Besseroe edan; [Surinam (Ar)] → Kunawaru; [Guyana (Ak)] → Seepialala; [Caribbean]
- Miconia ruficalyx Gleason** → Kamarakoyoro; [Caribbean] → Kunawaru; [Guyana (Ak)] → Lotohout; [Surinam (Du)] → Lottohoedoe; [Surinam (Cr)] → Totohout; [Surinam (Du)] → Wakaradan; [Surinam (Ar)]
- Miconia rugosa Triana** → Kunawaru; [Guyana (Ak)] → Waraia; [Surinam (Ar)]
- Miconia rupestris Ule** → Kunawaru; [Guyana (Ak)]
- Miconia serrulata (DC.) Naudin** → Kremoto; [Surinam] → Kunawaru; [Guyana (Ak)] → Mispel; [Surinam (Du)]
- Miconia sp.** → Camasey (-de paloma); [Puerto Rico] → Miconia; [Trinidad] → Mopie; [Surinam (Cr)] → Sardine; [Trinidad]
- Miconia superba Ule** → Kunawaru; [Guyana (Ak)]
- Miconia surinamensis Gleason** → Kamara kojoeroe; [Caribbean] → Lotohoedoe; [Surinam (Cr)] → Wakaradan; [Surinam (Ar)]
- Miconia tinifolia Naudin** → Kunawaru; [Guyana (Ak)]
- Miconia tomentella Cogniaux** → Kaneel, watra; [Surinam (Cr)] → Watra kaneel; [Surinam (Cr)]
- Miconia tomentosa (Rich.) D.Don** → Basterd mispel (-mespel); [Surinam (Du)] → Kunawaru; [Guyana (Ak)] → Mispel, basterd (bastaard-); [Surinam (Du)] → Salero khoena; [Surinam (Ar)] → Sarerokono; [Surinam (Ar)] → Wakaradan; [Surinam (Ar)]
- Miconia tschudyoides Cogniaux** → Jeseredan; [Surinam (Ar)] → Jorokan pomoire; [Surinam] → Maiporan; [Surinam]
- Miconia virgulata Gleason** → Sakwasepére bibéro; [Surinam (Ar)]
- Micrandra brownsbergensis Lanjouw** → Bartabalieballi; [Surinam (Ar)] → Koedi bioséballi; [Surinam (Ar)] → Moereidam; [Caribbean] → Topoeloe alomé; [Caribbean]
- Micrandra spruceana (Baillon) R.E.Schultes** → Bartabalieballi; [Surinam (Ar)] → Koedi bioséballi; [Surinam (Ar)] → Moereidam; [Caribbean] → Ruri; [Surinam (Ar)] → Topoeloe alomé; [Caribbean]
- Micropholis burchelliana Pierre** → Depiaratan; [Guyana (W)]
- Micropholis guianensis (A.DC.) Pierre** → Acoma; [Trinidad] → Asepokoballi; [Surinam (Ar)] → Awapau (awapan); [Surinam (Sa)] → Balata blanc (-moiré); [French Guiana] → Balata indien; [Surinam] → Balata jaune d'oeuf (faux balata); [French Guiana] → Balata moiré (-blanc); [French Guiana] → Bisatokon; [Surinam (Ar)] → Blaka lohoedoe (weti-); [Surinam (Cr)] → Bobi waata; [Surinam (Sa)] → Boerowin, selele (serere-); [Surinam (Ar)] → Boerwin (borwin), seloeloe; [Surinam (Ar)] → Borowin, sererö; [Surinam (Ar)] → Borwin (boerwin), seloeloe; [Surinam (Ar)] → Bowi waata; [Surinam] → Coopey; [Trinidad] → Faux balata; [French Guiana] → Hoesiri (koesirie) paratare; [Surinam] → Koesiri (-palatali, -

paratare); [Surinam] → Koesiri balatarie; [Surinam] → Koni konihoedoe; [Surinam (Cr)] → Konoko; [Surinam (Ar)] → Kudibutshi; [Guyana (Ak)] → Lemo epo; [Surinam] → Lohoedoe, weti; [Surinam (Cr)] → Lohoedoe, zwarte (blaka-); [Surinam (Cr)] → Moraballi; [Guyana (Ar)] → Remoe épo(e); [Caribbean] → Riemhout, wit (zwart-); [Surinam (Du)] → Riemhout, zwart (wit-); [Surinam (Du)] → Selele boerowin (serere-); [Surinam (Ar)] → Seloeloe boerwin (-borwin); [Surinam (Ar)] → Seloe(lo) borwin (-boerwin); [Surinam (Ar)] → Serere boerwin (selele-); [Surinam (Ar)] → Sererö borowin; [Surinam (Ar)] → Suikerhout; [Surinam (Du)] → Topee; [Trinidad] → Vogelkop; [Surinam (Du)] → Wasepoekoe; [Surinam] → Weti lohoedoe; [Surinam (Cr)] → Wit riemhout; [Surinam (Du)] → Wokowokoeloe; [Caribbean] → Zwart riemhout; [Surinam (Du)] → Zwarte lohoedoe; [Surinam (Cr)]

Micropholis melinoniana Pierre → Bois crapaud; [French Guiana]

Micropholis porphyrocarpa (Baehni) Monach. → Depiaratan; [Guyana (W)]

Micropholis venulosa (C.Martius & Eichler) Pierre → Balata indien; [French Guiana] → Balata jaune d'oeuf; [French Guiana] → Balata moiré; [French Guiana] → Faux balata; [French Guiana] → Kowai; [Guyana (W)] → Kudibiushi (kudibutshi); [Surinam (Ar)] → Kudibutshi; [Surinam (Ar)] → Lohoedoe; [Surinam (Cr)] → Riemhout; [Surinam (Du)] → Sarama-kushi; [Surinam (Ar)] → Vogelkop; [Surinam (Du)]

Microtea debilis Swartz → Fladdiot; [Surinam]

Mikania congesta DC. → Koeroebakkeleballi; [Surinam (Ar)] → Wotamba téra; [Caribbean]

Mikania cordifolia (L.f.) Willd. → Brokobaka; [Surinam (Cr)]

Mikania hookeriana DC. → Bitter tally; [Guyana (Cr)] → Irawaran; [Guyana (M)]

Mikania scabra DC. → Kaboeiakoro mibikoro; [Surinam (Ar)] → Mananari; [Caribbean]

Mikania trinitaria DC. → Kakoetoroe; [Surinam (Ar)] → Karoebakerloballi; [Surinam (Ar)] → Pépétjo; [Caribbean] → Tonolo epoerlele; [Caribbean]

Mimosa acacioides Benth. → Parika; [Guyana (Cr)]

Mimosa cyclocarpa Jacq. → Devil's ear; [Guyana (Cr)]

Mimosa microcephala Humbert & Bonpl. ex Willd. → Kararapo; [Guyana (Ak)]

Mimosa myriadena (Benth.) Benth. → Iguana tail; [Guyana (Cr)] → Tan pikien so; [Surinam (Cr)]

→ Yuwana-hi; [Surinam (Ar)]

Mimosa polydactyla Kunth → Seeng; [Surinam (Cr)]

Mimosa pudica L. → Sien sien; [Surinam (Cr)]

Mimosa saman Jacq. → Alawatta moelerie; [Surinam]

Mimosa schomburgkii Benth. → Parkia; [Surinam (Cr)]

Mimusops sp. → Badwood; [Surinam (Cr)]

Minquartia guianensis Aublet → Alata weri (pianalin-); [Caribbean] → Alatahoedoe; [Surinam (Cr)] → Allatahout; [Surinam (Du)] → Aratahoehoe; [Surinam (Cr)] → Arataweri (pianalin-); [Caribbean] → Aratta (arrata, arata); [Surinam (Cr)] → Arratawerie; [Surinam (Cr)] → Baggie-baggie; [Surinam] → Black manwood; [Surinam (Cr)] → Bois agouti; [French Guiana] → Bois incorruptible; [French Guiana] → Jewelidanni; [Guianas] → Kon(t)hout; [Surinam (Du)] → Konthout; [Surinam (Du)] → Kontoehoe; [Surinam (Cr)] → Makka; [Surinam (Ar)] → Manwood (black-); [Surinam (Cr)] → Mincoa; [Guyana] → Mincouart; [French Guiana] → Minquart; [French Guiana] → Pianalin alata weri; [Caribbean] → Tomopio; [Surinam] → Wananin; [Surinam (Ar)] → Yuwartu; [Guyana (M)]

Mitracarpus discolor Miquel → Kerepipjo; [Caribbean] → Wooi toela lali; [Caribbean]

Mollia lepidota Spruce ex Benth. → Yawahuballi; [Guyana (Ar)] → Yawahuballi; [Guyana (Ar)]

Mollia sphaerocarpa Gleason ex Rec. → Yawahuballi; [Guyana (Ar)]

Momisia iguanaea (Jacq.) Rose & Standley → Azufaifo; [Puerto Rico] → Cockspur; [Puerto Rico] → Gallito; [Dominican Republic]

Monotagma parkeri (Roscoe) Schumann → Aumanabana; [Guyana (Ar)]

Monotagma plurispicatum (Körnigke) K.Schumann → Warimbo (kleine-); [Surinam (Cr)]

Monotagma spicatum (Aublet) Macbr. → Aumanabana; [Guyana (Ar)] → Hauna banna; [Surinam] → Kleine warimbo; [Surinam (Cr)] → Mosai; [Guyana (Ak)]

Monotagma spicatum (Aublet) Macbr. → Warimbo, kleine; [Surinam (Cr)]

Monstera pertusa (L.) de Vriese → Halakwabana; [Surinam (Ar)] → Sietjoebie; [Caribbean]

Monstera sagotiana Engl. → Ajé wiwirie; [Surinam (Ar)] → Pukina tayer; [Surinam (Cr)] → Wiwirie, ajé; [Surinam (Ar)]

Montezuma speciosissima Sessé & Mociño →

- Maga(r); [Puerto Rico]
Montrichardia aculeata Crueger → Yurika; [Surinam (Ar)]
Montrichardia arborescens (L.) Schott → Mokko mokko (moko moko); [Surinam (Cr)] → Moko moko; [Surinam (Cr)]
Montrichardia linifera (Arr.) Schott → Mokko mokko (moko moko); [Surinam (Cr)]
Moquilea pallida Hook.f. → Kauta; [Surinam (Ar)]
Moquilea surinamensis → Couépi; [Surinam]
Moquilea utilis Hook. → Maho; [French Guiana]
Mora excelsa Benth. → Dakama; [Surinam (Ar)] → Mahot rouge; [French Guiana] → Mora (rode-); [Surinam (Du)] → Moraballi (redi-); [Surinam (Ar)] → Mora-yek; [Guyana (Ak)] → Muro; [Trinidad] → Palakowa (palaloea); [Caribbean] → Palaloea; [Caribbean] → Palaloea (palakowa); [Caribbean] → Parakaua; [Caribbean] → Peto (-prakowa); [Surinam (Sa)] → Pracuuba; [Caribbean] → Prakowa; [Caribbean] → Rode mora; [Surinam (Du)]
Mora gonggrijpii (Kleinhoonte) Sandwith → Mora boekea (-boejeja); [Surinam (Ar)] → Mora bucquia; [Surinam (Ar)] → Mora bukea; [Surinam (Ar)] → Parakwai; [Guyana (Ak)]
Morinda sp. → Egg, wild; [Guyana (Cr)] → Turkey victuals; [Guyana (Cr)] → Wild egg; [Guyana (Cr)]
Morisonia americana L. → Bois decree; [Dominican Republic] → Bois doré; [Dominican Republic] → Mespili, wild; [Puerto Rico] → Sapodilla, wild; [Trinidad] → Toco; [Trinidad] → Wild mespili; [Puerto Rico] → Wild sapodilla; [Trinidad] → Zorrocloco; [Guyana]
Moronobea coccinea Aublet → Maniballi; [Surinam (Ar)] → Manniballi; [Surinam (Ar)] → Morombo-rai; [Guyana (Ak)] → Paletuvier; [French Guiana]
Moronobea globulifera L.f. → Manni; [Guyana (Ar)]
Moronobea jenmanii Engl. → Maitakin; [Guyana (Ak)]
Mouriri spp. → Mamuriballi; [Surinam (Ar)]
Mouriria acutiflora Naudin → Mamuriballi; [Guyana (Ar)] → Orokaikoballi; [Surinam] → Spijkerhout; [Surinam (Du)] → Spikrihoedoe; [Surinam (Cr)]
Mouriria anomala Pulle → Spijkerhout; [Surinam (Du)]
Mouriria brevipes Gardner → Mamuriballi; [Guyana (Ar)] → Piritjalaipio; [Surinam]
Mouriria crassifolia Sagot → Ameraé amoeloe; [Surinam] → Amerauw; [Caribbean] → Bois de fer; [French Guiana] → Kammotolie; [Caribbean] → Komotolie; [Surinam (Ar)] → Komotori; [Surinam (Ar)] → Mopie; [Surinam (Cr)] → Spijkerhout; [Surinam (Du)] → Spikrihoedoe; [Surinam (Cr)] → Topi(e); [Surinam (Sa)]
Mouriria grandiflora A.DC. → Kimoto; [Caribbean] → Komotoriballi oenilokodikoro; [Surinam (Ar)] → Mamoeriballi (mamuriballi); [Surinam (Ar)] → Mamuriballi (mamoeriballi); [Surinam] → Pauwies mofo; [Surinam (Cr)] → Spijkerhout; [Surinam (Du)] → Spikrihoedoe; [Surinam (Cr)] → Waka popi (wako-, woko-); [Surinam] → Wakopopi; [Caribbean] → Woko popi (waka-, woko-); [Surinam]
Mouriria guianensis Aublet → Mamuriballi; [Guyana (Ar)]
Mouriria huberi Cogniaux → Amarau; [Caribbean] → Ironwood; [Surinam (Cr)] → Kakorokhondi; [Guyana (Cr)] → Mamuriballi; [Guyana (Ar)]
Mouriria parvifolia Benth. → Bois lisette; [Trinidad]
Mouriria plasschaertii Pulle → Kamotoeli; [Caribbean] → Kers, wilde; [Surinam (Du)] → Komotoriballi; [Surinam (Ar)] → Mopie; [Surinam (Cr)] → Spijkerhout; [Surinam (Du)] → Spikrihoedoe; [Surinam (Cr)] → Toppie; [Surinam (Sa)] → Wilde kers; [Surinam (Du)]
Mouriria princeps Naudin → Mamuriballi; [Surinam (Ar)]
Mouriria sagotiana Triana → Paroekoeroepe; [Caribbean] → Shimarashiri; [Surinam (Ar)] → Siemorowi; [Surinam (Ar)] → Spijkerhout; [Surinam (Du)] → Spikrihoedoe; [Surinam (Cr)]
Mouriria sideroxylon Sagot ex Triana → Amarau; [Caribbean] → Iluwaru; [Guyana (Ak)] → Ironwood; [Surinam (Cr)] → Mamuriballi; [Guyana (Ar)]
Mouriria sp. → Caimitillo; [Puerto Rico] → Guasavara; [Puerto Rico] → Jawaraballi hohorodikoro; [Surinam (Ar)] → Mameyuelo; [Puerto Rico] → Monkey bone; [Trinidad] → Mouriricheira; [French Guiana] → Murta; [Puerto Rico]
Mouriria spp. → Mamuriballi; [Surinam (Ar)]
Mouriria vernicosa Naudin → Kromokoe; [Surinam] → Mamuriballi; [Guyana (Ar)] → Marakanakoewa; [Surinam]
Moutabea guianensis Aublet → Aymoutabou; [Surinam]
Moutabea longifolia Poeppig & Endl. → Graine macaque; [French Guiana]
Moutabea sp. → Caracolillo; [Puerto Rico] → Palo de tortuga; [Puerto Rico] → Violet tree;

[Puerto Rico]

Mucuna sloanei Fawcett & Rendle → Cow-eye (kau ai); [Surinam (Cr)] → Kau ai (cow-eye); [Surinam (Cr)]

Mucuna urens (L.) DC. → Cow itch; [Surinam (Cr)] → Horse-eye; [Guyana (Cr)] → Ox-eye; [Guyana (Cr)]

Muellera frutescens (Aublet) Standley → Genip, wild; [Guyana (Cr)] → Wild genip; [Guyana (Cr)]

Muellera moniliformis L.f. → Siritjolang; [Caribbean]

Muntingia calabura L. → Memiso; [Dominican Republic]

Murraya exotica L. → Limonia; [Surinam]

Murraya paniculata (L.) Jack var. exotica (L.) Huang → Limonia; [Surinam]

Musa paradisea L. → Pratna; [Surinam (Ar)]

Musa sapientum L. → Kokoriti; [Caribbean]

Mussatia hyacinthina (Standley) Sandwith → Kamoro; [Guyana (Ar)]

Mussatia prieurei (DC.) Bureau ex

K.Schumann → Kamoro; [Guyana (Ar)]

Myrcia amazonica DC. → Boesi goejaba, redi; [Surinam (Cr)] → Bois goyave; [French Guiana] → Bosgujave, rode; [Surinam (Du)] → Goejaba, redi boesi; [Surinam (Cr)] → Goyavier; [French Guiana] → Kakerijoe koeleroe; [Surinam (Ar)] → Kakrieo koeréro; [Surinam (Ar)] → Redi boesi goejaba; [Surinam (Cr)] → Rode bosgujave; [Surinam (Du)] → Saitjabbe; [Caribbean]

Myrcia berberis DC. → Kole alin; [Surinam (Ar)]

Myrcia calycampa Amshoff → Pikirang; [Caribbean]

Myrcia coumeta (Aublet) DC. → Koenakaballi; [Surinam (Ar)] → Meerkihoedoe; [Surinam (Cr)] → Tapoelioepio; [Caribbean] → Wondohoedoe; [Surinam (Au)]

Myrcia fallax (Rich.) DC. → Banda; [Surinam (Au)] → Ibibanaro; [Guyana (Ar)] → Kolehe alin; [Surinam (Ar)]

Myrcia kegeliana O.Berg → Ibibanaro; [Guyana (Ar)]

Myrcia leptoclada DC. → Guayabacón; [Puerto Rico]

Myrcia rufipila McVaugh → Guava, wild; [Surinam (Cr)] → Kakirio; [Surinam (Ar)] → Kakürio; [Surinam (Ar)] → Wild guava; [Surinam (Cr)]

Myrcia schomburgkiana O.Berg → Ibibanaro; [Surinam (Ar)]

Myrcia servata McVaugh → Ibibanaro; [Surinam (Ar)] → Tawatti; [Guyana]

Myrcia sp. → Ausú; [Puerto Rico] → Banda, basra; [Surinam (Au)] → Basra banda; [Surinam (Au)] → Cieneguillo; [Puerto Rico] → Coumété; [Surinam] → Guepois; [Guadeloupe] → Gujave, zwamp; [Surinam (Cr)] → Huesito; [Dominican Republic] → Jawariballi; [Surinam (Ar)] → Mine; [Surinam] → Rama menuda; [Puerto Rico] → Zwamp gujave; [Surinam (Du)]

Myrcia speciosa (Amshoff) McVaugh → Ibibanaro; [Surinam (Ar)]

Myrcia splendens (Swartz) DC. → Arraijan; [Dominican Republic] → Arrayán; [Dominican Republic] → Berry, birch; [Puerto Rico] → Berry, punch; [Puerto Rico] → Birch berry; [Puerto Rico] → Escobóncito; [Dominican Republic] → Hoja menuda; [Puerto Rico] → Merilang; [Caribbean] → Punch berry; [Puerto Rico] → Red rodwood; [British West Indies] → Rodwood, red; [British West Indies]

Myrcia sylvatica (G.Meyer) DC. → Bosguave; [Surinam (Du)] → Ibibanaro; [Surinam (Ar)] → Kakrieo bibéro; [Surinam (Ar)]

Myrciaria floribunda (West ex Willd.) O.Berg → Bosguave, rode; [Surinam (Du)] → Ibibanaro; [Surinam (Ar)] → Kakirio; [Surinam (Ar)] → Kakrieo hariraroe tataroe; [Surinam (Ar)] → Rode bosguave; [Surinam (Du)] → Saitjaberan; [Caribbean]

Myrciaria tenella (DC.) O.Berg → Murta de campo; [Puerto Rico]

Myrciaria verticillata O.Berg → Kakirio; [Surinam (Ar)]

Myrciaria vismeifolia (Benth.) O.Berg → Saparau; [Guyana (Ak)] → Taparau; [Guyana (Ar)]

Myrica cerifera L. → Arrayán; [Puerto Rico] → Bay berry; [Puerto Rico] → Berry, wax; [Puerto Rico] → Cerero; [Puerto Rico] → Palo de cera; [Dominican Republic] → Wax berry; [Puerto Rico]

Myrica cerifolia L. → Berry, bay; [Puerto Rico]

Myristica surinamensis Rolander ex Rottb. → Baboentrie; [Surinam (Du)]

Myrocarpus frondosus Allemao → Braziliaans slangenhout; [Surinam (Du)] → Bruine cabreuva; [Surinam (Du)] → Cabreuva, bruine (-parda); [Surinam (Du)] → Cabreuva parda; [Surinam] → Slangenhout, Braziliaans; [Surinam (Du)]

Myroxylon balsamum (L.) Harms → Cabreuva, rode (-vermelha); [Surinam (Du)] → Cabreuva vermelha; [Surinam] → Rode cabreuva; [Surinam (Du)]

Myroxylon peruiferum L.f. → Balsam of Peru; [Guyana (Cr)] → Chirchirkadana; [Guyana (W)] → Pua; [Guyana (M)]

Myroxylon toluiferum Kunth → Rode cabreuva; [Surinam (Du)]

Naucleopsis guianensis (Mildbr.) C.C.Berg → Sokoné firiberoe; [Surinam (Ar)]

Nectandra ambigua Meisner → Kanoaballi; [Surinam (Ar)] → Pisi; [Surinam (Cr)] → Shirua; [Guyana (Ar)] → Waitjara; [Caribbean] → Wajaaka; [Caribbean]

Nectandra cuspidata (C.Martius ex Nees) Nees → Pisi; [Surinam (Cr)] → Shirua; [Guyana (Ar)]

Nectandra grandis (Mez) Kosterm. → Blaka pisi (zwarte-); [Surinam (Cr)] → Bougarie; [Surinam (Ar)] → Buradiye; [Guyana (Ar)] → Burajie; [Surinam (Ar)] → Grootbladige pisi (zachte-, zwarte-); [Surinam (Du)] → Pisi (grootbladige-, zachte-, zwarte-); [Surinam (Du)] → Watjarang; [Caribbean] → Zachte pisi; [Surinam (Du)] → Zwarte pisi (blaka-); [Surinam (Du)]

Nectandra guianensis Meisner → Shirua; [Guyana (Ar)]

Nectandra kunthiana (Nees) Kosterm. → Pisi (-oema); [Surinam (Cr)]

Nectandra lanceolata Nees & Martius ex Nees → Laurel canela; [Surinam (Cr)]

Nectandra lucida Nees → Shirua; [Guyana (Ar)]

Nectandra pisi Miquel → Kereti wadili; [Surinam (Ar)] → Kwawi; [Guyana (W)] → Kwawiye; [Guyana (M)] → Pisi; [Surinam (Cr)] → Shirua; [Guyana (Ar)]

Nectandra rodiei R.H.Schomb. → Demerara groenhart; [Surinam (Du)]

Nectandra rubra (Mez) Allen → Baka wana (blaka wana); [Surinam (Sa)] → Bewana; [Surinam (Sa)] → Blaka wana (baka wana); [Surinam (Sa)] → Cèdre noir; [French Guiana] → Demma mata indold; [Surinam (Ar)] → Determa; [Guyana (Cr)] → Grignon (-franc, -rouge); [French Guiana] → Louro vermelho; [Dominican Republic] → Tamarin (-woneo); [Caribbean] → Tapirin (-woneo); [Caribbean] → Tapoenoe wane; [Surinam] → Teleloema (teteroma, tétéloema); [Surinam (Ar)] → Tétéloema (tétéroma, teleloema); [Surinam (Ar)] → Teteroema (-hariraroe); [Surinam (Ar)] → Teteroema (-haroraroe, -kharemeroe); [Surinam (Ar)] → Teteroma (tétéloema, teleloema); [Surinam (Ar)] → Teteruma (teteroema, tetruma); [Surinam (Ar)] → Tetroema; [Surinam (Ar)] → Tetruma; [Surinam (Ar)] → Toopoonoo woneo; [Caribbean] → Topoeroe; [Caribbean] → Wana (-iesie-amain-domaala-andola); [Surinam (Sa)] → Wana, blaka; [Surinam (Sa)] → Wane lisie amain; [Surinam (Sa)] → Wane (witte-, blaka-); [Surinam (Du)] →

Wano wewe topooloo; [Caribbean] → Wanoé (tapoenoe-); [Surinam] → Wanu (wana, wane, wano, wane); [Surinam] → Witte wane (-wana, -wano, -wane); [Surinam (Du)] → Woneo (tapirin-); [Surinam] → Woneo (toopoonoo-); [Caribbean]

Nectandra sanguinea Rolander ex Rottb. → Shirua; [Guyana (Ar)]

Nectandra sp. → Bouragie; [Guyana] → Broad-leaved silverballi; [Guyana (Cr)] → Cèdre gris; [French Guiana] → Laurel; [Dominican Republic] → Laurier (-cypre); [Trinidad] → Laurier mattack; [Trinidad] → Mainap; [Guyana] → Myers, sweet; [Trinidad] → Sassafras; [French Guiana] → Sawari-skin silverballi; [Guyana (Cr)] → Sigua blanco; [Dominican Republic] → Silverballi, broad-leaved; [Guyana (Cr)] → Silverballi, sawari-skin; [Guyana (Cr)] → Silverballi, white; [Guyana (Cr)] → Silverballi, yellow; [Guyana (Cr)] → Siroeaballi; [Surinam (Ar)] → Siroewaballi; [Surinam (Ar)] → Sweet myers; [Trinidad] → Tallifer; [Guyana] → White silverballi; [Guyana (Cr)] → Yellow silverballi; [Guyana (Cr)]

Nectandra surinamensis Mez → Kiroa; [Guyana (W)] → Shirua; [Guyana (Ar)]

Neea cauliflora Heimerl → Humatuba; [Guyana (Wr)] → Mamudan; [Surinam (Ar)]

Neea constricta Spruce ex Schmidt → Mamudan; [Surinam (Ar)]

Neea sp. → Kassoroballi; [Surinam (Ar)]

Nemaluma engleri (Eyma) Aubrév. → Konoko; [Surinam (Ar)]

Neopometia ptychandra (Eyma) Aubrév. → Kiemboto; [Surinam (Cr)]

Neopometia sp. → Kimboto (kiemboto); [Surinam (Cr)]

Neoxythece cladantha (Sandwith) Aubrév. & Pellegr. → Moraballi (-diamaro, -koeleroe); [Surinam (Ar)]

Neoxythece dura (Eyma) Aubrév. & Pellegrin → Kokoritiballi; [Surinam (Ar)]

Neoxythece robusta (Mart. & E.) Aubrév. & Pellegr. → Djoe bolletrie, witte; [Surinam (Du)]

Nepsera aquatica (Aublet) Audin → Bosvergeet-mij-nietjes; [Surinam (Du)]

Nepsera aquatica (Aublet) Naudin → Boesi speldekop; [Surinam (Cr)] → Boesi vergeet-mij-niet; [Surinam (Cr)] → Speldekop, boesi; [Surinam (Cr)] → Vergeet-mij-nietjes (bos-, boesi-); [Surinam (Du)]

Newtonia suaveolens (Miquel) Brenan → Ipana harikaroe; [Surinam (Ar)] → Koesa; [Surinam (Du)] → Pikien misikie; [Surinam (Au)] → Shirimai; [Guyana (Ak)]

Niopa peregrina (L.) Britton & Rose →

Cojobillo; [Puerto Rico]

Nonatelia racemosa Aublet → Awakonda; [Caribbean]

Norantea guianensis Aublet → Buke; [Guyana (Ak)] → Caracalla; [Surinam (Ar)] → Djabra tere; [Surinam (Au)] → Karagalla; [Surinam (Ar)] → Karakara; [Surinam (Ar)] → Karrakarra (karakara); [Surinam (Ar)] → Konopo jolokolo (-jolokoli); [Caribbean] → Nopojorogorli; [Caribbean] → Piriwö; [Guyana (Ak)] → Raфроetéré; [Surinam (Cr)] → Saran; [Guyana (Ak)] → Scot hugging Creole; [Guyana (Cr)] → Scots attorney; [Guyana (Cr)]

Notopora schomburgkii Hook.f. → Tokwit-manko; [Guyana (Ak)]

Ochroma bicolor Rowlee → Balsa; [Puerto Rico]

Ochroma grandiflora Rowlee → Balsa; [Puerto Rico]

Ochroma lagopus Swartz → Balsa; [Puerto Rico] → Bois flot; [Martinique] → Corkwood; [Puerto Rico] → Guano; [Puerto Rico] → Palo de lana; [Caribbean] → Patte de lièvre; [Martinique] → Tacarigue; [Caribbean]

Ochroma pyramidale (Cav. ex Lam.) Urban → Balsa; [Puerto Rico]

Ocimum micranthum Willd. → Basiloko; [Surinam (Au)] → Smeri wiwirie; [Surinam (Cr)] → Wiwirie, smeri; [Surinam (Cr)]

Ocimum sanctum L. → Curaçao smeroe wiwirie; [Surinam (Cr)]

Ocimum tenuiflorum L. → Curaçao smeroe wiwirie; [Surinam (Cr)] → Wiwirie, Curaçao smeroe; [Surinam (Cr)]

Ocotea acutangula (Miquel) Mez → Pear-leaf silverballi; [Surinam (Cr)] → Silverballi, pear-leaf; [Surinam (Cr)] → Toraro; [Surinam (Ar)]

Ocotea barcellensis (Meisner) Mez → Bamba pisi; [Surinam (Cr)] → Pisi, bamba; [Surinam (Cr)] → Rozenhout; [Surinam (Du)]

Ocotea canaliculata (Rich.) Mez → Hariraro shiruaballi; [Surinam (Ar)] → Heburu; [Guyana (Wr)] → Ileng; [Guyana (Ak)] → Sawari-skin silverballi; [Guyana (Cr)] → Shiruaballi, hariraro; [Surinam (Ar)] → Silverballi, sawari-skin; [Guyana (Cr)] → Silverballi, white; [Guyana (Cr)] → Sweetwood, white; [Surinam (Cr)] → White silverballi; [Guyana (Cr)] → White sweetwood; [Surinam (Cr)]

Ocotea catharinensis Mez → Canela bicha; [Surinam]

Ocotea caudata (Meisner) Mez → Apisie-ie; [Surinam (Sa)] → Keretiballi; [Surinam (Ar)] → Kopie; [Surinam (Cr)] → Kras pisi; [Surinam (Cr)] → Pisi (kras-); [Surinam (Cr)] → Wawe eran;

[Caribbean] → Yekoro; [Surinam (Ar)]

Ocotea globifera Mez → Koeroekai; [Surinam (Ar)] → Pisi (wane-, weti-, witte-); [Surinam (Cr, Du)] → Shiruaballi; [Surinam (Ar)] → Siroewaballi kereti djamara; [Surinam (Ar)] → Sirowaballi; [Surinam (Ar)] → Wane pisi; [Surinam (Cr)] → Weti pisi (witte pisi); [Surinam (Cr)] → Witte pisi (wane-, weti-); [Surinam (Du)]

Ocotea glomerata (Nees) Benth. → Pisi (blaka-, harde-, kras-, zwarte-); [Surinam (Du)]

Ocotea glomerata (Nees) Mez → Ajoeroe; [Surinam] → Apisie-a-blaak-man; [Surinam (Sa)] → Blaka (harde-,kras-, zwarte-) pisi; [Surinam (Cr)] → Dollypear silverballi; [Guyana (Cr)] → Harde (blaka-, kras-, zwarte-) pisi; [Surinam (Du)] → Kras(si) pisi (blaka-, harde-, zwarte-); [Surinam (Cr)] → Kurahara silverballi; [Surinam (Cr)] → Laurel; [Surinam (Du)] → Pisi (blaka-, harde-, kras-, zwarte-); [Surinam (Du)] → Silverballi, dollypear; [Guyana (Cr)] → Silverballi, kurahara; [Surinam (Cr)] → Siroeaballi; [Surinam (Ar)] → Siroewaballi kereti djamara; [Surinam (Ar)] → Wae; [Surinam] → Wajaka; [Caribbean] → Wane; [Caribbean] → Warilipipio; [Caribbean] → Yanéau; [Guyana (Ak)] → Zwarte (blaka-, harde-, kras-) pisi; [Surinam (Du)]

Ocotea guianensis Aublet → Beradié (beradije, beradye); [Surinam (Ar)] → Beradije hororodikoro (beradye-); [Surinam (Ar)] → Beradye hororodikoro (beradije-); [Surinam (Ar)] → Jorojoro pisi; [Surinam (Cr)] → Mania potano tokowe; [Caribbean] → Pisi; [Surinam (Cr)] → Pisi, jorojoro (zilver-); [Surinam (Cr)] → Shiruaballi; [Surinam (Ar)] → Tetero sierwaballi; [Caribbean] → Tokené mania potano wewe; [Surinam] → Tokkéwé (tokowe, tokené); [Surinam] → Tokowe (tokkéwé, tokené); [Caribbean] → Wai; [Guyana (Ak)] → Zilver pisi; [Surinam (Du)]

Ocotea neesiana (Miquel) Kosterm. → Pisi; [Surinam (Cr)]

Ocotea oblonga (Meisner) Mez → Kereti, soft; [Surinam (Ar)] → Soft kereti; [Surinam (Cr)]

Ocotea odorifera (Vellozo) Rohwer → Sassafras amarelo; [Puerto Rico]

Ocotea petalanthra (Meisner) Mez → Ajoeroe; [Caribbean] → Pisi (witte-, weti-, zachte-); [Surinam (Du)] → Siroeaballi (-kharemeroe, -ojokto); [Surinam (Ar)] → Siroeaballi kheretie wadili diamaro; [Surinam (Ar)] → Tamoené wajaka; [Caribbean] → Topoporin wéwé; [Caribbean] → Wawe eran; [Surinam] → Wawerjan; [Caribbean] → Weti pisi (witte pisi); [Surinam (Cr)] → Witte pisi (weti pisi); [Surinam

- (Du)] → Zachte pisi; [Surinam (Du)]
- Ocotea porosa (Mez) Barroso** → Imbuia (imbuya); [Surinam]
- Ocotea puberula (A.Rich.) Nees** → Kereti wadili; [Surinam (Ar)] → Keretiballi; [Surinam (Ar)] → Pisi; [Surinam (Cr)] → Sipoeroelan; [Caribbean] → Siroeaballi kheretie diamaro; [Surinam (Ar)] → Spiroerian; [Caribbean] → Wajaaka; [Caribbean]
- Ocotea punctulata Mez** → Yekoro; [Surinam (Ar)]
- Ocotea rhynchophylla Mez** → Pandara; [Guyana (Ak)] → Silverballi, yellow; [Guyana (Cr)] → Yellow silverballi; [Guyana (Cr)]
- Ocotea rodiei (R.H.Schomb.) Mez** → Demerara groenhart; [Surinam (Du)]
- Ocotea rubra Mez** → Teteruma (teteroema, tetruma); [Surinam (Ar)]
- Ocotea schomburgkiana (Nees) Benth. & Hook.f.** → Apisie-ie (blaka-); [Surinam (Sa)] → Blaka apisie-ie; [Surinam (Sa)] → Cèdre gris; [French Guiana] → Harde pisi; [Surinam (Du)] → Jekoeroe; [Surinam (Ar)] → Joekoejapo(e) (joekoejapi); [Caribbean] → Jokoro; [Surinam (Ar)] → Loliehoedoe; [Caribbean] → Pisi (harde, savanne, wana-, zachte-); [Surinam (Du)] → Sabana pisi; [Surinam (Cr)] → Savanne pisi; [Surinam (Du)] → Silverballi; [Surinam (Cr)] → Siroeaballi; [Surinam (Cr)] → Wana pisi; [Surinam (Cr)] → Yapui; [Caribbean] → Yekoro; [Surinam (Ar)] → Zachte pisi; [Surinam (Du)]
- Ocotea schomburgkiana (Nees) Mez** → Yekoro; [Surinam (Ar)]
- Ocotea sp.** → Bastard torch (black-); [British West Indies] → Black candlewood; [British West Indies] → Black sweetwood; [British West Indies] → Black torch (bastard-); [British West Indies] → Bouragie; [Guyana] → Brown silverballi; [Guyana (Cr)] → Candlewood, black; [British West Indies] → Canelón; [Puerto Rico] → Granadillo; [Puerto Rico] → Joroha (jorokan) pomoire; [Surinam] → Jorokan pomoire; [Surinam] → Laurel blanco; [Dominican Republic] → Laurel sassafras; [Puerto Rico] → Lignum dorum; [British West Indies] → Loblolly sweetwood; [British West Indies] → Nagre pisi; [Surinam (Cr)] → Nemoca cimarrón; [Puerto Rico] → Pisi, nagre; [Surinam (Cr)] → Silverballi, brown; [Guyana (Cr)] → Siroeaballi ibikoro tataro; [Surinam (Ar)] → Spicewood; [British West Indies] → Sweet torchwood; [British West Indies] → Sweetwood, black (loblolly-); [British West Indies] → Torch, black (bastard-); [British West Indies] → Torchwood, sweet; [British West Indies] → Waramia; [Guyana (Ar)] →
- Whitewood; [British West Indies]
- Ocotea splendens (Meisner) Baillon** → Pisi; [Surinam (Cr)]
- Ocotea splendens (Meisner) Mez** → Pisi; [Surinam (Cr)]
- Ocotea tomentella Sandwith** → Baradan; [Surinam (Ar)] → Yanéau; [Guyana (Ak)]
- Ocotea wachenheimii Benoist** → Akuwakö; [Guyana (Ak)] → Bastard pisi; [Surinam (Cr)] → Hard kereti; [Surinam (Cr)] → Ingi siri; [Caribbean] → Kereti (hard-); [Surinam (Ar)] → Koeratarie; [Surinam (Cr)] → Maipaima; [Guyana (M)] → Mawirtan; [Guyana (W)] → Pisi (bastard-); [Surinam (Cr)] → Salie; [Surinam (Cr)] → Wae; [Caribbean]
- Odontadenia grandiflora (G.F.W.Meyer) Kuntze** → Kierapolang; [Caribbean] → Topoe kéng (-king); [Surinam]
- Odontadenia nitida (Vahl) Müll.Arg.** → Topoe king (-kèng); [Caribbean]
- Oenocarpus bacaba C.Martius var. xanthocarpa Trail** → Kum; [Guyana (M)] → Kum-waia; [Guyana (Ak)] → Lu; [Guyana (Ar)]
- Oenocarpus bataua C.Martius** → Zwarte palm (chocolate-); [Surinam (Du)]
- Ogcodeia guianensis Mildbr.** → Sokoné firiberoe; [Surinam (Ar)]
- Oldenlandia corymbosa L.** → Tieta wiwirie (atieta-); [Surinam]
- Oldenlandia herbacea (L.) DC.** → Atieta wi(wi)rie; [Surinam]
- Olyra caudata Trinius** → Bossaparra; [Surinam (Cr)] → Leroe; [Surinam (Ar)]
- Olyra latifolia L.** → Bamboe, wilde; [Surinam (Du)] → Tamakoesji; [Caribbean] → Wilde bamboe; [Surinam (Du)]
- Omphalea diandra L.** → Ana; [Caribbean] → Baboenoot; [Surinam (Du)] → Baboenotto; [Surinam (Cr)] → Liane à l'anse; [Martinique] → Liane papaya; [Martinique] → Mekoekwaire; [Caribbean] → Omphalier; [French Guiana] → Ouabé; [French Guiana] → Papaya, liane; [Martinique]
- Ophiocaryon paradoxum Schomb.** → Nut, snake; [Guyana (Cr)] → Snake nut; [Guyana (Cr)] → Uridan; [Guyana (Ar)]
- Oplismenus hirtellus (L.) P.Beauvois** → Tamakoesji; [Caribbean]
- Opuntia curassavica (L.) Miller** → Kaka die poesjie (kakie poesjie); [Curaçao] → Kakie poesjie (kaka die poesjie); [Curaçao] → Libra; [Curaçao]
- Opuntia elatior Miller** → Toena spanjool; [Curaçao]
- Opuntia wentiana Britton & Rose** → Juffrouw;

- [Curaçao] → Toena; [Curaçao]
Orbignya sagotii Trail ex Thurn → Kurua; [Surinam (Ar)]
Oreodoxa oleracea Masters → Sawarama; [Surinam (Ar)]
Oreopanax argentatus (Kunth) Decaisne & Planchon → Palo de viento; [Dominican Republic] → Viroba; [Dominican Republic]
Ormosia coarctata B.D.Jackson → Barakaro; [Surinam (Ar)]
Ormosia coccinea (Aublet) B.D.Jackson → Barakaro; [Surinam (Ar)] → Egron kokriki; [Surinam (Cr)] → Epik rik; [Guyana (Ak)] → Hoogland kokriki; [Surinam (Du)] → Jumbi bead tree; [Guyana (Cr)] → Kokriki, hoogland (egron-); [Surinam (Du)] → Lucky seed; [Guyana (Cr)]
Ormosia costulata (Miquel) Kleinhoonte → Anakoko; [Caribbean] → Barakaro (-ibiberoe); [Surinam (Ar)] → Barakaroe; [Surinam (Ar)] → Epik rik; [Guyana (Ak)] → Kokriki, savanne (sabana); [Surinam (Du)] → Sabana kokriki; [Surinam (Cr)] → Savanne kokriki; [Surinam (Du)]
Ormosia coutinhoi Ducke → Crook; [Guyana (Cr)] → Horse-eye; [Guyana (Cr)] → Korokororo; [Surinam (Ar)] → Korongpinbiu; [Guyana (Ak)] → Kurukoruru; [Surinam (Ar)] → Nekoehoedoe; [Surinam (Cr)] → Petit panacoco; [French Guiana] → Wanaka; [Guyana (M)] → Warabokkadan; [Surinam (Ar)]
Ormosia fastigiata Tulasne → Agipau; [Surinam (Sa)] → Barakaroe (-firiberoe, -fieboreroe); [Surinam (Ar)] → Basakanda (basikanda); [Surinam (Sa)] → Basikanda (basakanda); [Surinam (Sa)] → Itjoeranano anakoko; [Caribbean] → Kokriki; [Surinam (Du)]
Ormosia melanocarpa Kleinhoonte → Agipau; [Surinam (Sa)] → Anakoko; [Caribbean] → Barakaro korero ibibero iwi; [Surinam (Ar)] → Kokriki; [Surinam (Du)] → Palo de matos; [Puerto Rico]
Ormosia paraensis Ducke → Agipau; [Surinam (Sa)] → Anakoko (itjoeroe-, wootjano-); [Surinam] → Awakoko (anakoko); [Caribbean] → Baracara; [Guyana (Ar)] → Barakaro (-ibikoro); [Surinam (Ar)] → Barakaro firiberoebana ibikoro iwi; [Surinam (Ar)] → Barakaroe (-korero ibibero iwi); [Surinam (Ar)] → Itjoeroe anakoko; [Surinam] → Kokriki; [Surinam (Du)] → Sewejoballi; [Surinam (Ar)] → Walakabandan; [Surinam] → Wootjano anakoko; [Caribbean]
Ormosia sp. → Mato; [Puerto Rico] → Mosongo; [Puerto Rico] → Peronía; [Puerto Rico]
Ormosiopsis flava Ducke → Arieshie-ie; [Caribbean] → Tatebojotok; [Surinam (Ar)]
Orthomene schomburgkii (Miers) Barneby & Krukoff → Ituri-ishi-lokodo; [Surinam (Ar)] → Kanarie wiwirie; [Surinam (Cr)] → Koelatawe wete; [Caribbean] → Schlaunko-loko-loko; [Surinam (Cr)] → Tama kalemoe; [Caribbean] → Wiwirie, kanarie; [Surinam (Cr)]
Ottoschulzia domingensis Urban → Palomino; [Dominican Republic]
Ottoschulzia rhodoxylon Urban → Palo de rosa; [Puerto Rico] → Palomino; [Dominican Republic]
Ouratea decagyna Maguire → Boroborolia djamaro; [Surinam (Ar)]
Ouratea racemiformis Ule → Kairiballi; [Surinam (Ar)] → Pakirallang; [Caribbean] → Tawararoeballi; [Surinam (Ar)]
Ouratea roraimae Engl. → Morokwai; [Guyana (Ak)]
Ouratea schomburgkii (Planchon) Engl. → Karaikarai; [Guyana (Ak)] → Kotakadan; [Surinam (Ar)]
Ouratea sp. → Avououyra; [Guianas] → Gonfia lustrosa; [Puerto Rico] → Oura-ara; [Guianas]
Ouratea surinamensis (Planchon) Wehlburg → Kotakadan; [Surinam (Ar)]
Oxalis barrelieri L. → Oedasjabina; [Surinam (Ar)] → Poli; [Caribbean]
Oxalis schomburgkiana Progel → Ewale; [Caribbean]
Oxandra asbeckii (Pulle) R.E.Fries → Echte pikapika; [Surinam (Du)] → Foedidan; [Surinam (Ar)] → Hansoe mattoe; [Surinam (Sa)] → Karishiri; [Surinam (Ar)] → Koewai epo; [Caribbean] → Lancewood; [Surinam (Cr)] → Manba; [Surinam (Sa)] → Pikapika, echte; [Surinam (Du)] → Piliripio (pitjiripio); [Caribbean] → Pisi; [Surinam (Cr)] → Pitjiripio (piliripio); [Caribbean] → Schopsteelhout; [Surinam (Du)] → Siroeaballi fediedan (-foelidan); [Surinam (Ar)]
Oxandra lanceolata (Swartz) Baillon → Bois de lance; [French Guiana] → Haya; [Puerto Rico] → Lancewood; [West Indies] → Yaya (-boba); [Puerto Rico]
Oxythece ambelaniifolia (Sandwith) Cronquist → Kokoritiballi; [Surinam (Ar)] → Maruk supai; [Guyana (Ak)]
Oxythece dura (Eyma) Gilly → Kokoritiballi; [Surinam (Ar)]
Oxythece elegans (A.DC.) Baehni → Kokoritiballi; [Surinam (Ar)]
Oxythece guianensis Lec. → Kokoritiballi; [Surinam (Ar)]
Oxythece leptocarpa Miquel → Kokoritiballi; [Guyana (Ar)]

Pachira aquatica Aublet → Bastard cocoa; [Surinam (Cr)] → Boscacao (water-); [Surinam (Du)] → Cacao, bos (bastard-, water-); [Surinam (Du)] → Chataigne, wild; [Trinidad] → Châtaignier; [French Guiana] → Cocoa, water (bastard-, bos-); [Surinam (Cr)] → Kaneriballi (kanihiri); [Surinam (Ar)] → Kanihiri; [Surinam (Ar)] → Kobel; [Guyana (Wr)] → Mammo; [Surinam (Cr)] → Maumau; [Guyana (Ak)] → Momo(w); [Surinam (Cr)] → Water cacao (bos-); [Surinam (Du)] → Watra kakaw; [Surinam (Cr)] → Webiaku; [Guyana (Ak)] → Wild chataigne; [Trinidad]

Pachira insignis (Swartz) Savatier → Bastard cocoa; [Surinam (Cr)] → Boesi momow; [Surinam (Cr)] → Bosmomouw; [Surinam (Du)] → Cocoa, water (bastard-); [Surinam (Cr)] → Kanihiri firiberoe; [Surinam (Ar)] → Momow, boesi (bos-); [Surinam (Cr)] → Water cocoa; [Surinam (Cr)]

Pachira macrocarpa Walpers → Santo Domingo; [Puerto Rico]

Pacourina edulis Aublet → Ojodiballi; [Surinam (Ar)] → Sierietjo; [Caribbean]

Paepalanthus bifidus (Schradler) Kunth → Waroe koemakoebia; [Surinam (Ar)] → Warokoma-kubia; [Surinam (Ar)] → Woka; [Caribbean]

Paepalanthus congestus (Kunth) Kunth → Speldekussens; [Surinam (Du)]

Paepalanthus polytrichoides Kunth → Waroe koemakoebia diamaroe; [Surinam (Ar)] → Woka; [Caribbean]

Pagamea capitata Benth. ssp. capitata → Kaiakaiadan; [Guyana (Ar)] → Kirischok; [Guyana (Ak)]

Pagamea guianensis Aublet → Akoekwairepare; [Caribbean] → Doifie njan-njan; [Surinam (Cr)] → Koeroepa; [Caribbean] → Kowariroman; [Surinam (Ar)] → Kwariroman; [Surinam (Ar)] → Njan-njan, doifie (poonba-); [Surinam (Cr)] → Poonba njan-njan; [Surinam (Sa)]

Pagamea guianensis Aublet var. guianensis → Kaiakaiadan; [Guyana (Ar)] → Kirichak; [Guyana (Ak)]

Palicourea crocea (Swartz) DC. → Bakioe wiwirie; [Surinam (Cr)] → Bosvlier; [Surinam (Du)] → Diabitta; [Surinam (Cr)] → Wiwirie, bakioe; [Surinam (Cr)]

Palicourea guianensis Aublet → Apple monkey; [Surinam (Cr)] → Bofroe kosabatiekie; [Surinam (Cr)] → Buckwood; [Surinam (Ar)] → Imoro; [Surinam (Ar)] → Kamadan(ni); [Surinam (Ar)] → Marpjoeli (-ekerepore, -kerapale); [Caribbean] →

Marpjoeli kierabelle (-kerapale); [Caribbean] → Pahéwé awhamoejihoenda; [Surinam (Sa)] → Paloera; [Caribbean] → Panga panga; [Surinam (Sa)] → Penpen; [Surinam] → Pinpin; [Surinam] → Wajamoe sansamoeroe; [Caribbean]

Palicourea sp. → Balsamo, real; [Puerto Rico] → Cachimbo; [Puerto Rico] → Carpel, wild; [Puerto Rico] → Real balsamo; [Puerto Rico] → Soribibidan; [Surinam (Ar)] → Tafetán; [Dominican Republic] → Wild carpel; [Puerto Rico]

Panicum elephantipes Nees → Mosuri; [Surinam (Ar)]

Panicum hirtum Lam. → Kasapa palli; [Caribbean]

Panicum magnum Hitchc. → Rero; [Caribbean]

Panicum polycomum Trinius → Savanne speldekop; [Surinam (Du)] → Speldeknop, savanne; [Surinam (Du)]

Panicum trichoides Swartz → Speldekop; [Surinam (Du)]

Panopsis rubescens (Pohl) Pittier → Mahoballi; [Guyana (Ar)]

Panopsis sessilifolia (Rich.) Sandwith → Foedi iwidale; [Surinam (Ar)] → Idaballi; [Surinam (Ar)] → Kaikai; [Guyana (Ak)] → Mahoballi; [Surinam (Ar)]

Paragonia pyramidata (Rich.) Bureau → Japepeokoe; [Caribbean]

Parahancornea amapa (Huber) Ducke → Dukali (doekali, dokali); [Surinam (Ar)]

Parahancornea fasciculata (Lam.) Benoist → Amapa; [Caribbean] → Doekali (dukali, dokali); [Surinam (Ar)] → Dokalli (doekali, dukali); [Surinam (Ar)] → Dukali (doekali, dokali); [Surinam (Ar)] → Kleinbladige map(p)a; [Surinam (Du)] → Mampa; [Surinam (Cr)] → Map(p)a, kleinbladige; [Surinam (Du)]

Parahancornea fasciculata (Poiret) Benoist → Dukali (doekali, dokali); [Surinam (Ar)]

Paralabatia fuertesii Urban → Cuero de puerco; [Dominican Republic] → Cuyá; [Dominican Republic]

Parathesis macrantha D.S. → Manchador; [Puerto Rico] → Rasca garganta; [Puerto Rico]

Parathesis sp. → Japelón; [Dominican Republic] → Seca garganta; [Puerto Rico]

Pariana sp. → Reroballi; [Surinam (Ar)]

Parinari barbatum Ducke → Burada; [Guyana (Ar)]

Parinari campestre Aublet → Beherada (behoerada); [Surinam (Ar)]

Parinari campestris Aublet → Beherada (behoerada); [Surinam (Ar)] → Beurata (buirata, boeirata); [Surinam (Ar)] → Boehoerada

(buhurada, boehoeroedoe); [Surinam (Ar)] → Boehoeroedoe (boehoerada, buhurada); [Surinam (Ar)] → Boeirata (buirata, beurata); [Surinam (Ar)] → Bohowoda; [Surinam (Ar)] → Boohoorada; [Guyana (Cr)] → Broad-leaved burada; [Guyana (Cr)] → Buhurada (boehoerada, boehoeroedoe); [Surinam (Ar)] → Buirata (boeirata, beurata); [Surinam (Ar)] → Burada (broad-leaved-); [Surinam (Ar)] → Candlewood; [Guyana (Cr)] → Cautoro; [Trinidad] → Cauturo; [Trinidad] → Echte foengoe; [Surinam (Du)] → Foengoe, echte (-pau); [Surinam (Du, Sa)] → Foengoe pau; [Surinam (Sa)] → Foengoehoedoe; [Surinam (Cr)] → Kakarai (makarai); [Guyana (Ak)] → Koebésini (kupisini, koepesjini); [Surinam] → Koepésini (koepesjini, kupisini); [Surinam] → Koepesjini (kupisini, koebésini); [Surinam] → Kupisini (koepesjini, koebésini); [Surinam] → Mahaicaballi; [Surinam (Ar)] → Makarai (kakarai); [Guyana (Ak)] → Nefle; [French Guiana] → Ouroucou-merepa; [French Guiana] → Parinari; [French Guiana] → Tajamama; [Surinam (Cr)] → Vonkhout; [Surinam (Du)] → Wamuk(u); [Guyana (M, W)]

Parinari excelsa Sabine → Rozenkwarie; [Surinam (Du)]

Parinari montana Aublet → Burada (buhurada); [Surinam (Ar)] → Candlewood; [Surinam (Cr)] → Kupisini; [Caribbean] → Makarai; [Guyana (Ak)] → Wamuk(u); [Guyana (M, W)]

Parinari parvifolia Sandwith → Boohoorada; [Guyana (Cr)] → Buhurada (burada); [Surinam (Ar)] → Burada (buhurada); [Surinam (Ar)] → Candlewood; [Surinam (Cr)]

Parinari rodolphii Huber → Burada (buhurada); [Surinam (Ar)]

Parkia nitida Miquel → Acacia mâle; [French Guiana] → Agrobigi; [Surinam] → Ajoewa; [Surinam (Cr, Du)] → Black manariballi; [Surinam (Ar)] → Bostamarinde; [Surinam (Du)] → Kosing; [Guyana (Ak)] → Loeloe-oe (oeloeloe-oe, ululu); [Caribbean] → Manariballi, black; [Surinam (Ar)] → Oeja (uya, oja); [Surinam (Ar)] → Oeloeloe-oe (loeloe-oe, ululu); [Caribbean] → Oeroeroe-oe (oeloeloe-oe, loeloe-oe); [Caribbean] → Oja (oeja, uya); [Surinam (Ar)] → Plokonie; [Surinam (Cr, Du)] → Tamarinde, bos; [Surinam (Du)] → Tamoéné oeloeloe; [Caribbean] → Tontoeawha; [Surinam (Sa)] → Ululu (oeloeloe-oe, loeloe-oe); [Caribbean] → Uya (oeja, oja); [Surinam (Ar)]

Parkia oppositifolia Spruce ex Benth. → Uya (oeja, oja); [Surinam (Ar)]

Parkia pendula (Willd.) Benth. ex Walpers →

Apa akamiran (apa kanilan); [Caribbean] → Apa kanilan (apa kanirian); [Caribbean] → Apa kanirian (apa kanilan); [Caribbean] → Darina; [Surinam (Ar)] → Grignon fou; [French Guiana] → Hipanai; [Surinam (Ar)] → Ipana; [Surinam (Ar)] → Koejari itabatje (-tapatje, -topaitje); [Caribbean] → Koejari tapatje (-itabatje, -topaitje); [Caribbean] → Kwata kama (kwata kamo); [Surinam (Cr)] → Kwata kamo (kwata kama); [Surinam (Cr)] → Lialiadan (-koeleroe, -tataroe); [Surinam (Ar)] → Reejoeloelan; [Caribbean] → Saandoe; [Surinam (Sa)]

Parkia sylvatica Pulle → Ajoewa; [Surinam]

Parkia ulei (Harms) Kuhlmann → Basra ajoewa; [Surinam (Cr)] → Basra tontoawha; [Surinam (Sa)] → Koejari topaitje (-tapatje, -itabatje); [Caribbean] → Kojalidan; [Surinam (Ar)] → Kwata kama; [Surinam (Cr)] → Lialiadan harilaroe; [Surinam (Ar)] → Uya (oeja, oja); [Surinam (Ar)]

Parkinsonia aculeata L. → Cambrón;

[Dominican Republic] → Espinillo; [Puerto Rico] → Flor de rayo; [Puerto Rico] → Jerusalem thorn; [Puerto Rico]

Paspalum densum Poiret → Stoelgras; [Surinam (Du)]

Paspalum distichum L. → Watergras; [Surinam (Du)]

Paspalum vaginatum Swartz → Watergras; [Surinam (Du)]

Paspalum virgatum L. → Baboen gras (-nefi); [Surinam (Du)] → Baboen nefi (-gras); [Surinam (Cr)] → Sniijgras; [Surinam (Du)]

Passiflora auriculata Kunth → Sasoboro; [Caribbean]

Passiflora capparidifolia Killip → Passion flower; [Surinam (Cr)]

Passiflora ceratocarpa F.Silveira → Passion flower; [Surinam (Cr)]

Passiflora cirrhiflora Jussieu → Horotoballi; [Surinam (Ar)] → Passion flower; [Surinam (Cr)]

Passiflora coccinea Aublet → Dadamar; [Guyana (W)] → Markoesa, snekie; [Surinam (Cr)] → Marudiyure; [Surinam (Ar)] → Passion flower; [Surinam (Cr)] → Snekie markoesa; [Surinam (Cr)]

Passiflora coerulea L. → Passion flower; [Surinam (Cr)]

Passiflora costata Masters → Marcusa; [Surinam (Cr)] → Passion flower; [Surinam (Cr)]

Passiflora deficiens Masters → Passion flower; [Surinam (Cr)]

Passiflora foetida L. → Markoesa, snekie; [Surinam (Cr)] → Snekie markoesa; [Surinam (Cr)]

- Passiflora fuchsiiflora Hemsley** → Horotoballi; [Surinam (Ar)] → Passion flower; [Surinam (Cr)]
- Passiflora garckeii Masters** → Passion flower; [Surinam (Cr)]
- Passiflora glandulosa Cav.** → Bimititokon; [Surinam (Ar)] → Bosmarkoesa; [Surinam (Du)] → Jawohe méroekoejang; [Surinam (Ar)] → Kalawiroe; [Caribbean] → Losabolo; [Caribbean] → Markoesa, rode (wilde-, bos-); [Surinam (Du)] → Passion flower; [Surinam (Cr)] → Rode markoesa; [Surinam (Du)] → Wilde markoesa; [Surinam (Du)]
- Passiflora laurifolia L.** → Marietambour; [Guyana (Cr)] → Markoesa (para-); [Surinam (Du)] → Para markoesa; [Surinam (Cr)] → Passion flower; [Guyana (Cr)] → Simitho (simitu); [Surinam (Ar)] → Simitu (simito); [Surinam (Ar)] → Soroporo; [Caribbean]
- Passiflora lonchophora Harms** → Passion flower; [Surinam (Cr)]
- Passiflora longiracemosa Ducke** → Passion flower; [Surinam (Cr)]
- Passiflora maguirei Killip** → Passion flower; [Surinam (Cr)]
- Passiflora misera Kunth** → Noenonjinopo; [Caribbean] → Sjimio; [Caribbean]
- Passiflora nitida Kunth** → Apple, bel; [Guyana (Cr)] → Bel apple; [Guyana (Cr)] → Merekuya; [Surinam (Cr)] → Passion flower; [Guyana (Cr)]
- Passiflora pachyantha Killip** → Passion flower; [Guyana (Cr)]
- Passiflora quadrangularis L.** → Grote markoesa; [Surinam (Du)] → Markoesa, grote; [Surinam (Du)] → Mereëkoeja (-fireberoe); [Surinam (Ar)] → Merekuya ferobero; [Surinam (Ar)]
- Passiflora quadriglandulosa Rodschied** → Bimititokon; [Surinam (Ar)] → Passion flower; [Surinam (Cr)]
- Passiflora retipetala Masters** → Passion flower; [Surinam (Cr)]
- Passiflora riparia Masters** → Passion flower; [Surinam (Cr)]
- Passiflora sclerophylla Harms** → Passion flower; [Surinam (Cr)]
- Passiflora vespertilio L.** → Anjoemara koesjilikodo; [Surinam (Ar)] → Blaka markoesa; [Surinam (Cr)] → Jorka markoesa; [Surinam (Au)] → Markoesa, jorka (blaka-); [Surinam (Au)] → Noenonjinopo; [Caribbean]
- Paullinia pinnata L.** → Feifi fienga; [Surinam (Cr)] → Jesikoesji; [Surinam (Ar)] → Kamasoeli; [Caribbean] → Koetoepoe; [Caribbean] → Liane carrée; [French Guiana] → Vijfvinger; [Surinam (Du)]
- Paullinia rufescens Rich. ex Jussieu** → Abuya bokoloko; [Surinam (Ar)]
- Paullinia sp.** → Bejuco de costilla; [Puerto Rico] → Bread-and-cheese; [British West Indies]
- Paullinia sphaerocarpa Rich.** → Feifi fienga; [Surinam (Cr)]
- Pausandra martinii Baillon** → Masawi; [Guyana (Ak)]
- Pavonia typhalaea Cav.** → Agrahoe torman; [Caribbean] → Kromantie; [Surinam (Cr)] → Polatatai; [Surinam (Cr)] → See gotro; [Caribbean] → Tebejoe fierebéroe; [Surinam]
- Paypayrola guianensis Aublet** → Akaradan; [Surinam (Ar)] → Tajahoedoe; [Surinam (Bn)] → Visibia; [Surinam (Bn)]
- Paypayrola longifolia Tulasne** → Adebero; [Surinam (Ar)]
- Pedilanthus tithymaloides (L.) Poiteau** → Melksapblad; [Surinam (Du)]
- Peirania biflora (L.) Pittier** → Carga agua; [Dominican Republic] → Hediondilla; [Puerto Rico] → Retama prieta; [Puerto Rico]
- Peltogyne confertiflora Benth.** → Hoepelhout; [Surinam (Du)]
- Peltogyne paniculata Benth.** → Alastan (lastan); [Surinam] → Bastard purpleheart; [Guyana (Cr)] → Daba; [Guyana (W)] → Dastan; [Surinam (Sa)] → Kanau; [Guyana (Ak)] → Koeburelli; [Guyana (Ar)] → Koeroeballi hariraroe; [Surinam (Ar)] → Koeroeboeralli (kuruburelli); [Surinam (Ar)] → Kokolorelli (koroborelli, kuruburelli); [Surinam (Ar)] → Koroborelli (kokolorelli, kuruburelli); [Surinam (Ar)] → Kuruburelli (kokolorelli, koroborelli); [Surinam (Ar)] → Lastan (alastan); [Surinam] → Malako; [Caribbean] → Maraka; [Caribbean] → Mu; [Guyana (M)] → Pinyaukun; [Guyana (W)] → Poeprehati; [Surinam] → Porpratti; [Surinam] → Purperhart (bastaard-, rood-, wit-); [Surinam (Du)] → Purpleheart, bastard; [Guyana (Cr)] → Rood purperhart; [Surinam (Du)] → Sapater; [Trinidad] → Simirirang; [Caribbean] → Tamoéné malako; [Caribbean] → Wit puperhart; [Surinam (Du)] → Zapatero; [Trinidad]
- Peltogyne porphyrocardia Griseb. ex Benth.** → Barawad; [Guyana (W)] → Daba; [Guyana (W)] → Kanau; [Guyana (Ak)] → Purpleheart; [Surinam (Cr)]
- Peltogyne pubescens Benth.** → Koroborelli (kokolorelli, kuruburelli); [Surinam (Ar)]
- Peltogyne venosa (Vahl) Benth.** → Amarante (bois d'-); [French Guiana] → Bois d'amarante; [French Guiana] → Bois pourpre; [French Guiana]

- Bois violet; [French Guiana] → Daba; [Guyana (W)] → Danstan (dastan); [Surinam (Sa)] → Dastan (danstan); [Surinam (Sa)] → Hoepelhout; [Surinam (Du)] → Karawai; [Guyana (Ak)] → Korobelli (koroborelli); [Surinam (Ar)] → Koroborelli (korobelli); [Surinam (Ar)] → Kowato jongairi; [Caribbean] → Mala oko (malako); [Surinam] → Malako (mala oko); [Surinam] → Maraka; [Caribbean] → Marawinazoo; [Surinam] → Mok (mök); [Guyana (Ak)] → Popo-ati (popohatti, popoharti); [Surinam] → Popoharti (popohatti, popo-ati); [Surinam] → Popohatti (popoharti, popo-ati); [Surinam] → Purperhart; [Surinam (Du)] → Purpleheart; [Surinam (Cr)] → Sakaballi; [Surinam (Ar)] → Simirirang; [Caribbean] → Violetwood; [Guyana (Cr)]
- Peltogyne venosa (Vahl) Benth. ssp. venosa** → Kukwi; [Guyana (Ak)] → Purpleheart; [Surinam (Cr)] → Saka; [Surinam (Ar)]
- Pentaclethra filamentosa Benth.** → Koeroeballi (koroballi koerahara); [Surinam (Ar)]
- Pentaclethra macroloba (Willd.) Kuntze** → Awaragaik; [Guyana (P)] → Barawakashi; [Guyana (Ak)] → Bois mulatre; [French Guiana] → Gavilan; [Surinam] → Koeroebahara; [Surinam (Sa)] → Koeroeballi (koroballi koerahara); [Surinam (Ar)] → Koroballi koerahara (koeroeballi); [Surinam (Ar)] → Kroebara; [Surinam (Cr)] → Parawajaji; [Guyana (Ak)] → Trysil; [Guyana (Cr)]
- Pentaclethra sp.** → Fine-leaf; [Trinidad]
- Peperomia pellucida (L.) Kunth** → Konsaka wiwirie; [Surinam (Cr)] → Wiwirie, konsaka; [Surinam (Cr)]
- Peperomia rotundifolia (L.) Kunth** → Foeroe sopo, pikien; [Surinam (Cr)] → Pikien fouroe sopo; [Surinam (Cr)] → Silvicensie wiwirie; [Surinam (Cr)] → Tibrie wiwirie; [Surinam (Cr)] → Wiwirie, silvicensie (tibrie-); [Surinam (Cr)]
- Pera bicolor (Klotzsch) Müll.Arg.** → Atopale; [Guyana (Ak)] → Hachiballi (hatsiballi); [Surinam (Ar)] → Hatsiballi (hatchiballi); [Surinam (Ar)] → Koen boevienga; [Surinam (Sa)] → Peprehoedoe; [Surinam (Cr)] → Pirikraipio; [Caribbean] → Watopari; [Guyana (Ak)]
- Pera ferruginea (Schott) Müll.Arg.** → Hachiballi; [Surinam (Ar)]
- Pera glabrata (Schott) Baillon** → Hachiballi (-koeleroe); [Surinam (Ar)]
- Pera glabratum Schott** → Hachiballi (-koeleroe); [Surinam (Ar)]
- Pera schomburgkiana (Benth.) Müll.Arg.** → Hachiballi; [Surinam (Ar)] → Ur; [Guyana (W)]
- Pera sp.** → Palo damaso; [Dominican Republic] → Ruri; [Surinam (Ar)]
- Perebea laurifolia Trécul** → Letr'oedoe (man-); [Surinam (Cr)] → Manletterhout; [Surinam (Du)] → Sokonéballi djamaro; [Surinam (Ar)]
- Perebea sp.** → Aberemou; [French Guiana] → Kapiteinshout; [Surinam (Du)] → Vive éperou; [French Guiana] → Zonderhart; [Surinam (Du)]
- Pereskia guamacho Weber** → Goemaatsjoe; [Curaçao] → Guamacho; [Surinam (Cr)]
- Persea americana Miller** → Advocaat; [Surinam (Du)] → Ahuaca; [French Guiana] → Aouacate; [French Guiana] → Bois d'anis; [French Guiana] → Larier avocat; [French Guiana] → Morako; [Surinam (Ar)]
- Persea benthamiana Meisner** → Basra pisi (bastard-); [Surinam (Cr)]
- Persea coriacea Kosterm.** → Hegron pisi; [Surinam (Cr)] → Pisi, hegron; [Surinam (Cr)]
- Persea gratissima Gaertner f.** → Advocaat; [Surinam (Du)]
- Persea nivea Mez** → Apisie-ie; [Surinam (Sa)] → Basra pisi (bastard-); [Surinam (Cr)] → Bastard pisi; [Surinam (Cr)] → Boeradie(-è); [Surinam (Ar)] → Canela; [Puerto Rico] → Kiesie-ma; [Surinam (Cr)] → Koesapoi; [Caribbean] → Pisi, basra (bastard-); [Surinam (Cr)] → Wonojen-panda; [Caribbean]
- Persea nubigena L. Williams** → Advocaat; [Surinam (Du)]
- Peschiera sp.** → Borache; [Trinidad]
- Petitia domingensis Jacq.** → Bastard stopper; [British West Indies] → Capá amarillo; [Puerto Rico] → Capá blanco; [Dominican Republic] → Capá sabana; [Puerto Rico]
- Petrea bracteata Steudel** → Hajariballi saléroe; [Surinam (Ar)] → Hajauballi saléroe; [Surinam (Ar)] → Lilac; [Trinidad] → Parapo; [Caribbean] → Purple wreath; [Surinam (Cr)] → Sandpaper vine; [Surinam (Cr)] → Vine, sandpeper; [Surinam (Cr)] → Wreath, purple; [Surinam (Cr)]
- Petrea macrostachya Benth.** → Purple wreath; [Surinam (Cr)] → Sandpaper vine; [Surinam (Cr)] → Vine, sandpeper; [Surinam (Cr)] → Wreath, purple; [Surinam (Cr)]
- Pfaffia glauca (Martius) Sprengel** → Kaloeba kele; [Surinam (Ar)] → Oubelt; [Caribbean]
- Phaeosphaerion persicariaefolius (DC.) Clarke** → Apaa-kani; [Caribbean] → Gado dede (-mi-sa-dede); [Surinam (Cr)] → Oelearie; [Surinam (Ar)] → Oeloelaroe koen koedikoro; [Surinam (Ar)] → Tamakoesji; [Caribbean]
- Phaseolus campestris Martius ex Benth.** → Soematalan; [Caribbean]

- Philodendron acutatum Schott** → Asijupé; [Caribbean] → Dolobona; [Surinam (Ar)] → Mokko mokko tété; [Surinam (Cr)]
- Philodendron scandens Koch & Sello** → Hanakwabla; [Surinam (Cr)] → Itana; [Surinam (Ar)]
- Philodendron sp.** → Marudi-hi; [Caribbean]
- Phoebe ambigens Blake** → Sigua blanco; [Dominican Republic]
- Phoebe elongata Nees** → Avispillo; [Puerto Rico] → Bois doux; [French Guiana] → Laurel; [Surinam (Du)]
- Phoebe montana (Swartz) Griseb.** → Avispillo; [Puerto Rico] → Bois doux; [Guadeloupe] → Doux cypre; [Guadeloupe] → Laurel (-bobo, -gegeo); [Puerto Rico] → Laurier mama d'enfants; [Trinidad]
- Phoebe porosa (Nees & Martius) Mez** → Embuia; [Surinam] → Imbuia; [Surinam] → Laurel; [Surinam (Du)]
- Phragmites communis Trinius** → Riet; [Surinam (Du)] → Struisriet; [Surinam (Du)]
- Phyllanthus acuminatus Vahl** → Conaparoo; [Surinam] → Parapara; [Surinam (Ar)]
- Phyllanthus brasiliensis (Aublet) Poitet** → Mawanting; [Guyana (P)] → Parapara; [Surinam (Ar)] → Tikum; [Guyana (W)]
- Phyllanthus fraternus Webster** → Pomitji; [Caribbean]
- Phyllanthus niruri L.** → Bitá, finie; [Caribbean] → Bitá wiwirie; [Caribbean] → Finie bitá; [Caribbean] → Pomitji; [Caribbean] → Walaballi; [Surinam (Ar)] → Wiwirie, bitá; [Caribbean]
- Phyllanthus nobilis (L.f.) Müll.Arg.** → Boesi kofi tiki; [Surinam (Cr)] → Kofi tiki, boesi; [Surinam (Cr)] → Millo (palo de-); [Puerto Rico] → Palo de millo; [Puerto Rico] → Siete cueros; [Puerto Rico]
- Phyllanthus orbiculatus Rich.** → Hikoelitokong; [Surinam (Ar)] → Popóno; [Caribbean]
- Phyllanthus piscatorum Kunth** → Parapara; [Surinam (Ar)]
- Phyllanthus sp.** → Amortiguado; [Puerto Rico] → Bitá, djari (man-); [Surinam (Cr)] → Djari bitá; [Surinam (Cr)] → Higuillo; [Puerto Rico] → Karkidaki; [Dutch West Indies] → Konaparo; [Caribbean] → Kunaparu; [Guyana] → Lokki-lokki; [Dutch West Indies] → Man bitá; [Surinam (Cr)] → Perico; [Dominican Republic] → Surinam bitter; [Dutch West Indies] → Yaquillo; [Puerto Rico] → Yerba de la nina; [Virgin Islands]
- Phyllanthus urinaria L.** → Ajakéballi; [Surinam (Ar)]
- Phyllocactus phyllanthus Link** → Kaiyuchi-hi; [Surinam (Ar)]
- Phyllostylon brasiliensis Capanema** → Baito(a); [West Indies] → Bois blanc; [Dominican Republic] → Boxwood, San Domingo; [West Indies] → San Domingo boxwood; [West Indies]
- Phytolacca rivinoides Kunth & Bouché** → Blaka wiwirie; [Surinam (Cr)] → Gogomago; [Surinam] → Wiwirie, blaka; [Surinam (Cr)]
- Picrasma excelsa (Swartz) Planchon** → Bitter ash; [British West Indies] → Bitterwood; [Guyana (Cr)] → Bois amer; [French Guiana] → Bois de Saint Martin; [French West Indies] → Peste à poux; [French Guiana] → Quachi; [French West Indies]
- Pictetia aculeata (Vahl) Urban** → Carrasbesu; [Puerto Rico] → Fustic; [Virgin Islands] → Palo tobacco; [Dominican Republic] → Tachuelo; [Puerto Rico]
- Pimenta dioica (L.) Merrill** → Bois d'Inde; [Guadeloupe] → Malagueta; [Virgin Islands] → Pimento; [West Indies]
- Pimenta officinalis (Lindley) Berg** → Pimento; [West Indies]
- Pimenta racemosa (Miller) Moore** → Ausú (aúzú); [Puerto Rico] → Auzú (ausú); [Puerto Rico] → Bay rum; [Surinam (Cr)] → Bayboom; [Surinam (Du)] → Beerum; [Surinam (Cr)] → Girofle; [French West Indies] → Guayavita; [Puerto Rico] → Limoncillo (-de monte); [Puerto Rico] → Malagueta; [Virgin Islands] → Malagueta; [Virgin Islands]
- Pimenta racemosa (Miller) Moore.** → Giroflier; [French West Indies]
- Pinus cubensis Griseb. non Sargent** → Pino; [Dominican Republic]
- Pinus occidentalis Swartz** → Pino; [Dominican Republic]
- Pinzona coriacea C.Martius & Zucc.** → Kabuduli; [Surinam (Ar)] → Katuwaiye; [Guyana (W)]
- Piper aduncum L.** → Anijs, man; [Surinam (Du)] → Esekomwari; [Guyana (Ak)] → Kakoro; [Surinam (Ar)] → Kupo; [Guyana (Ak)] → Man anijs; [Surinam (Du)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan (waramatan); [Guyana (W)] → Warakabakoro; [Surinam (Ar)] → Waramatan (waramatan); [Guyana (W)]
- Piper anonaefolium Kunth** → Warakabakoro; [Surinam (Ar)]
- Piper arboreum Aublet** → Aneisi, man; [Surinam (Cr)] → Aneisi wiwirie; [Surinam (Cr)] → Kupo; [Guyana (Ak)] → Man aneisi; [Surinam (Cr)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)] → Wiwirie, aneisi; [Surinam (Cr)]

- Piper asperifolium Rich.** → Warakabakoro; [Surinam (Ar)]
- Piper avellanum (Miquel) C.DC.** → Krè krè; [Caribbean] → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper bartlingianum (Miquel) C.DC.** → Man aneisi wiwirie; [Surinam (Cr)] → Wiwirie, man aneisi; [Surinam (Cr)]
- Piper berbicense Miquel** → Warakabakoro; [Surinam (Ar)]
- Piper brachystachyum Miquel** → Warakabakoro; [Surinam (Ar)]
- Piper citrifolium Lam.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper citrifolium Lam. var. citrifolium** → Anijsie, man; [Surinam (Cr)] → Kupo; [Guyana (Ak)] → Man anijsie; [Surinam (Cr)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper corylifolium Kunth** → Warakabakoro; [Surinam (Ar)]
- Piper demeraranum (Miquel) C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper dilatatum Rich.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper divaricatum G.Meyer** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper flexicaule (Miquel) C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper flexuosum Rudge** → Warakabakoro; [Surinam (Ar)]
- Piper glabrescens (Miquel) C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper gleasonii Yuncker** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper hispidum Swartz** → Granman hannahoedoe; [Surinam] → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper hostmannianum (Miquel) C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper kappleri C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper kegelianum (Miquel) C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper marginatum Jacq.** → Aneisi (boesi-, weti-, oema-); [Surinam (Cr)] → Aneisi wiwirie; [Surinam (Cr)] → Anijsie wiwirie; [Surinam (Cr)] → Boesi aneisi; [Surinam (Cr)] → Oema aneisi; [Surinam (Cr)] → Oeman aneisi wiwirie; [Surinam (Cr)] → Weti aneisi; [Surinam (Cr)] → Wiwirie, aneisi (anijsie-); [Surinam (Cr)]
- Piper marowinianum C.DC.** → Warakabakoro; [Surinam (Ar)]
- Piper miquelii C.DC.** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper moraballianum Trelease** → Warakabakoro; [Surinam (Ar)]
- Piper nitidum Vahl** → Warakabakoro; [Surinam (Ar)]
- Piper obliquum Ruiz & Pavón** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper parkerianum (Miquel) C.DC.** → Warakabakoro; [Surinam (Ar)]
- Piper peltatum L.** → Doboribanaro; [Surinam (Ar)]
- Piper pulleanum Yuncker** → Ojana; [Surinam] → Petpe; [Surinam]
- Piper rupunianum Trelease & Yuncker** → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
- Piper scabrum Swartz** → Warakabakoro; [Surinam (Ar)]
- Piper sp.** → Anisillo; [Dominican Republic] → Baquiña; [Puerto Rico] → Basquiña; [Puerto Rico] → Black jointer; [British West Indies] → Guayuyo; [Dominican Republic] → Higuillo (-de limón, -oloroso); [Puerto Rico] → Jointer, black; [British West Indies] → Jointwood; [British West Indies] → Jointy benna; [British West Indies] → Pepper

- elder; [British West Indies]
Piper wachenheimii Trelease → Kupo; [Guyana (Ak)] → Takau; [Guyana (M)] → Tona; [Caribbean] → Wamaratan; [Guyana (W)] → Warakabakoro; [Surinam (Ar)]
Piptadenia communis Benth. → Zarza colorada; [Puerto Rico]
Piptadenia peregrina (L.) Benth. → Parika; [Guyana (Cr)]
Piptadenia polystachya Miquel → Hiakantaballi; [Surinam (Ar)]
Piptadenia suaveolens Miquel → Ipana harikaroe; [Surinam (Ar)]
Piratinera guianensis Aublet → Letterhout (gespikkeld-, man-); [Surinam (Du)]
Piratinera scabridula Blake → Letterhout; [Surinam (Du)]
Piratinera velutina Blake → Letterhout; [Surinam (Du)]
Piscidia piscipula (L.) Sargent → Bois à éniwrer; [Guadeloupe] → Dogwood; [Puerto Rico] → Fish poison; [Puerto Rico] → Ventiera; [Puerto Rico]
Pisonia cuspidata Heimerl → Mamudan; [Surinam (Ar)]
Pisonia eggersiana Heimerl → Parwruwaka; [Guyana (Ak)]
Pisonia glabra Heimerl → Bakabakaro; [Surinam (Cr)] → Mafo; [Surinam (Ar)] → Mamudan; [Surinam (Ar)]
Pisonia graciliflora C.Martius → Mamudan; [Surinam (Ar)]
Pisonia inermis Jacq. → Mamudan; [Surinam (Cr)]
Pisonia salicifolia Heimerl → Mamudan; [Surinam (Ar)]
Pisonia sp. → Amourette; [Guadeloupe] → Cockspur; [British West Indies] → Corcho; [Puerto Rico] → Croc-à-chien; [Guadeloupe] → Escambrón; [Puerto Rico] → Goodbread; [British West Indies] → Hold-black; [British West Indies] → Kassoroballi; [Surinam (Ar)] → Kassoroballi; [Surinam (Ar)] → Labra; [Dutch West Indies] → Loblolly; [Puerto Rico] → Mahoebari; [Dutch West Indies] → Mampoo (prickly-, water-); [British West Indies] → Mapoa gris; [Guadeloupe] → Mappoo (mampoo); [Dutch West Indies] → Masjiboeri; [Dutch West Indies] → Moesti sámbo; [Dutch West Indies] → Prasara kabbes; [Surinam] → Prickly mampoo; [British West Indies] → Pull-back; [British West Indies] → Rondeisji; [Dutch West Indies] → Salt; [British West Indies] → Uña de gato; [Puerto Rico] → Water mampoo; [Puerto Rico]
Pisonia zapallo Griseb. → Blolly; [British West Indies] → Cat claw; [British West Indies] → Palo bobo; [Puerto Rico]
Pitcairnia caricifolia Martius → Kaliya; [Caribbean]
Pithecellobium adiantifolium (Kunth) Benth. → Alieskii; [Caribbean] → Aramiloerang; [Caribbean] → Imirimia; [Surinam (Ar)] → Swampoe tamaren; [Surinam (Cr)] → Tamaren, swampoe; [Surinam (Cr)] → Zwamptamarinde; [Surinam (Du)]
Pithecellobium arboreum (L.) Urban → Cojoba(na); [Puerto Rico]
Pithecellobium cauliflorum (Willd.) Martius → Alikyu (aliku. aliki); [Surinam (Ar)]
Pithecellobium collinum Sandwith → Uriridan; [Surinam (Ar)]
Pithecellobium corymbosum (Rich.) Benth. → Bostamarinde; [Surinam (Du)]
Pithecellobium crucigerum (L.) A.H.Gentry → Barudaballi; [Surinam (Ar)]
Pithecellobium echinatum (Jacq.) Baillon → Barudaballi; [Surinam (Ar)]
Pithecellobium glomeratum (DC.) Benth. → Alikyu; [Guyana (Ar)] → Benda; [Guyana (Wr)]
Pithecellobium gonggrijpii Kleinhoonte → Water tamarinde; [Surinam (Du)]
Pithecellobium huberi Ducke → Alekojo; [Surinam (Ar)]
Pithecellobium jupunba (Willd.) Urban → Caracoli; [Dominican Republic] → Fijnbladige sopohoedoe; [Surinam (Du)] → Horowassa (oeroewassa, huruasa); [Surinam (Ar)] → Horowassie (horowassa); [Surinam (Ar)] → Huruasa (oeroewassa, horowassa); [Surinam (Ar)] → Ingi sopo; [Surinam (Cr)] → Itoeloetana klepoe; [Caribbean] → Karaipjoo; [Caribbean] → Klaipio (kleipjo, klepoe); [Caribbean] → Klaipiroe; [Caribbean] → Kleipjo (klaipjo, klepoe); [Caribbean] → Klepoe, itoeloetane; [Caribbean] → Kwatapuna (kwatupana); [Guyana (M)] → Kwatpain; [Guyana (W)] → Kwatupana (kwatupana); [Guyana (M)] → Oeroewassa (huruasa, horowassa); [Surinam (Ar)] → Orükorong; [Guyana (Ak)] → Soapwood; [Guyana (Cr)] → Sopo, ingi; [Surinam (Cr)] → Sopohoedoe, fijnbladige; [Surinam (Du)] → Water tamarinde; [Surinam (Du)]
Pithecellobium latifolium (L.) Benth. → Alikyu; [Guyana (Ar)] → Benda; [Guyana (Wr)]
Pithecellobium multiflorum (Kunth) Benth. → Alieskii; [Caribbean]
Pithecellobium pedicellare (DC.) Benth. → Manariballi koeréroe; [Surinam (Ar)]
Pithecellobium polycephalum Benth. →

- Aimiala makarale; [Caribbean]
Pithecellobium racemosum Ducke → Bostamarinde (gevlamde-); [Surinam (Du)]
Pithecellobium saman Benth. & Hook. → Alawatta moelerie; [Surinam]
Pithecellobium sp. → Dabarouida; [Dutch West Indies] → Rolón; [Puerto Rico] → Sinaso; [Dominican Republic] → Uña de gato; [Puerto Rico]
Pithecoctenium crucigerum (L.) A.H.Gentry → Kapellendoos; [Surinam (Du)] → Kees-keesiekam-kam; [Surinam (Cr)]
Pithecoctenium echinatum (Jacq.) Baillon → Kapellendoos; [Surinam (Du)]
Planchonella elegans (A.DC.) Baehni → Kokoritiballi; [Surinam (Ar)]
Platonia esculenta (Arruda) Rickett & Stafleu → Geelhart, Surinaams; [Surinam (Du)]
Platonia insignis C.Martius → Apakwie(-ie); [Surinam (Sa)] → Apple, wild mammee; [Guyana (Cr)] → Bacury; [Surinam (Ar)] → Bakoeri; [Surinam (Ar)] → Geelhart, Surinaams; [Surinam (Du)] → Ger'ati; [Surinam (Cr)] → Mammee apple, wild; [Guyana (Cr)] → Maniepau; [Surinam (Sa)] → Manil (-parcouri); [French Guiana] → Pahoorie; [Guyana (Ar)] → Pakoelie (papoelie); [Surinam (Ar)] → Pakori (pakuri); [Surinam (Ar)] → Pakuri (pakori); [Guyana (Ar)] → Papoelie (pakoelie); [Surinam (Ar)] → Parcouri (-jaune, -soufré); [French Guiana] → Seraphhout; [Surinam (Du)] → Surinaams geelhart; [Surinam (Du)] → Wild mammee apple; [Guyana (Cr)]
Platymiscium paraense Huber → Konatepi; [Surinam (Ar)]
Platymiscium polystachyum Benth. → Doekaliballi; [Surinam] → Dukalaballi; [Guyana] → Roble; [Trinidad]
Platymiscium trinitatis Benth. → Coenatepi (koenatepi); [Surinam (Ar)] → Hishirudan; [Surinam (Ar)] → Koenatepi (coenatepi); [Surinam (Ar)]
Platymiscium ulei Harms → Koenatepi (koenatepi); [Surinam (Ar)] → Konatepi (koenatepi); [Surinam (Ar)] → Macacauba; [Surinam] → Trebol; [Surinam]
Pleonotoma clematis (Kunth) Miers → Koetoepoetoe; [Caribbean]
Plinia pinnata L. → Kakirio; [Guyana (Ar)]
Plumeria acutifolia Poiret → Frangipanier; [French Guiana] → Frangipan(n)i; [British West Indies]
Plumeria alba L. → Frangipanier blanc; [French Guiana] → Tabeiba; [Puerto Rico]
Plumeria articulata Vahl → Mabwa; [Surinam (Ar)]
Plumeria rubra L. → Alelí (-cimarrón); [Puerto Rico] → Frangipanier rouge; [French Guiana] → Jasmine, red; [British West Indies] → Jessamine, red; [British West Indies] → Paucipán, red; [Puerto Rico] → Red jasmine (-jessamine); [British West Indies] → Red paucipán; [Puerto Rico]
Plumeria sp. → Jasmine, Spanish; [British West Indies] → Spanish jasmine; [British West Indies] → Tabaiba (tapaiba); [Puerto Rico] → Tapaiba (tapaiba); [Puerto Rico]
Plumeria sucuba Spruce → Mabwa; [Surinam (Ar)]
Poecilandra retusa Tulasne → Kume-warai; [Guyana (Ak)]
Poecilanthe hostmannii (Benth.) Amshoff → Nekoehoedoe; [Surinam (Cr)]
Poecilanthe ovalifolia Kleinhoonte → Kloemansingi; [Surinam]
Pogonophora schomburgkiana Miers ex Benth. → Curry tree; [Guyana (Cr)] → Faifai noroko; [Surinam (Ar)] → Goudmambit; [Surinam (Du)] → Hajokantoballi; [Surinam (Ar)] → Hojokantoballi; [Surinam (Ar)] → Kopie, kromantie; [Surinam (Cr)] → Kromantie kopie; [Surinam (Cr)] → Pauarangdja; [Surinam (Sa)] → Poripio; [Caribbean] → Sibadan (sibidan); [Surinam (Ar)] → Sibidan (sibidan); [Surinam (Ar)] → Tapirin pipio; [Caribbean]
Polygala longicaulis Kunth → Wansiri wokoeloe; [Caribbean]
Polygonum acuminatum Kunth → Jalawa pomejde; [Caribbean] → Koejoemoeloe bimé; [Surinam (Ar)]
Polygonum punctatum Elliot → Pikien fouroe pepré; [Surinam (Cr)]
Poponax sp. → Acacia bush; [Puerto Rico] → Casha, stink; [Puerto Rico] → Hoebada (hubada); [Curaçao] → Hubada (hoebada); [Curaçao] → Stink casha; [Puerto Rico] → Tamarind, wild; [Puerto Rico] → Wild tamarind; [Puerto Rico]
Poraqueiba guianensis Aublet → Jakanta; [French Guiana] → Marisiballi ojoto; [Surinam (Ar)]
Poraqueiba sericea Tulasne → Poraquebé; [French Guiana]
Porophyllum ellipticum (L.) Cassini → Tebejoeballi; [Surinam (Ar)]
Portulaca oleracea L. → Gron-porsen; [Surinam (Du)] → Piendjalang; [Caribbean]
Posoqueria latifolia (Rudge) Roemer & Schultes → Atalijjaka; [Caribbean] → Boesi mammi; [Surinam (Cr)] → Erepare, koejakin;

[Surinam] → Kamadan; [Surinam (Ar)] → Koejakinerépare; [Caribbean] → Kokeritjiballi (kokoritiballi, kororitiballi); [Surinam (Ar)] → Kokoritiballi (kororitiballi, kokeritjiballi); [Surinam (Ar)] → Kororitiballi (kokoritiballi, kokeritjiballi); [Surinam (Ar)] → Mammi, boesi; [Surinam (Cr)] → Pipahoedoe; [Surinam] → Spikrietiekie; [Surinam (Cr)] → Tamara; [Caribbean]

Posoqueria longiflora Aublet → Aimiala posowepo; [Caribbean] → Dagoekoko; [Surinam (Cr)] → Dagoeston; [Surinam (Cr)] → Hondenpitten; [Surinam (Du)] → Kamadan; [Surinam (Ar)] → Koekoelitjiballi; [Surinam (Ar)] → Koeroeritjiballi (kororitiballi); [Surinam (Ar)]

Pothomorphe peltata (L.) Miquel → Aneisi wiwirie; [Surinam (Cr)] → Anijsblad; [Surinam (Du)] → Boesi pepre; [Surinam (Cr)] → Cow foot (-hoof); [Guyana (Cr)] → Cow hoof (-foot); [Guyana (Cr)] → Doboribanaro; [Surinam (Ar)] → Pepre, boesi; [Surinam (Cr)] → Swietie aneisi wiwirie; [Surinam (Cr)] → Wiwirie, swietie aneisi (aneisi-); [Surinam (Cr)]

Pourouma aspera Trécul → Granboesi papaja; [Surinam (Cr)] → Papaja, granboesi; [Surinam (Cr)]

Pourouma asperata Benoist → Congo pump; [Guyana (Cr)]

Pourouma digitata Trécul → Boroma (buruma); [Surinam (Ar)] → Buruma (boroma); [Surinam (Ar)] → Poeroema (puruma); [Caribbean]

Pourouma essequiboensis Standley → Buruma; [Surinam (Ar)]

Pourouma guianensis Aublet → Amitha; [Guyana (M)] → Badkorinina; [Guyana (W)] → Buruma; [Surinam (Ar)] → Coulequin; [French Guiana] → Mikwa; [Guyana (P)] → Pourouma; [French Guiana] → Pratakik; [Guyana (Ak)] → Puruma (poeroema); [Caribbean] → Trumpet tree; [Guyana (Cr)] → Wanasoro; [Guyana (Ar)]

Pourouma laevis Benoist → Granboesi papaja; [Surinam (Cr)] → Papaja, granboesi; [Surinam (Cr)]

Pourouma mollis Trécul → Papaja, granboesi; [Surinam (Cr)]

Pourouma mollis Trécul → Granboesi papaja; [Surinam (Cr)]

Pourouma tomentosa Miquel → Buruma; [Surinam (Ar)]

Pouteria burchelliana (Pierre) Baehni → Depiaratan; [Guyana (W)]

Pouteria caimito (Ruiz & Pavón) Radlk. → Asepokoballi; [Surinam (Ar)] → Atakamara(-balli); [Surinam (Ar)] → Attak(k)amara; [Surinam (Ar)] →

lengiehoedoe; [Surinam (Cr)] → Kosierie paratare; [Caribbean] → Kwat(t)abobi; [Surinam (Sa)] → Laurierkers; [Surinam (Du)]

Pouteria cladantha Sandwith → Aiomorakushi; [Surinam (Ar)] → Basra kokonihoedoe; [Surinam (Sa)] → Jan boka; [Surinam (Sa)] → Koesariejeppo; [Caribbean] → Kokonihoedoe, basra; [Surinam (Sa)] → Koni koni waata (konni konnihoedoe); [Surinam (Cr)] → Konni konnihoedoe (koni koni waata); [Surinam (Cr)] → Kramo; [Guyana (M)] → Lohoedoe; [Surinam (Cr)] → Moraballi (-diamaro, -koeleroe); [Surinam (Ar)] → Pavi-eno; [Guyana (Ak)] → Piento bolletrie; [Surinam (Cr, Du)] → Pinto bortri; [Surinam (Cr)] → Porkun; [Guyana (W)] → Topie a bakawan; [Surinam (Sa)]

Pouteria cuspidata (A.DC.) Baehni → Akwasiba; [Surinam (Cr)] → Bastard kokoritiballi; [Surinam (Cr)] → Kokoritiballi (bastard-); [Surinam (Ar)] → Kwassini; [Caribbean] → Moraballi koeleroe; [Surinam (Ar)] → Sagwenkihoedoe; [Surinam] → Sulparatarie; [Surinam]

Pouteria dissepala Ducke → Kamahora; [Surinam (Ar)]

Pouteria dura Eyma → Kokoritiballi; [Surinam (Ar)]

Pouteria egregia Sandwith → Kiemboto; [Surinam (Sa)] → Kodisioballi; [Surinam (Ar)] → Kokoritiballi; [Surinam (Ar)] → Oeloemeran; [Caribbean]

Pouteria engleri Eyma → Aroumé; [Caribbean] → Asepoko konoko; [Surinam (Ar)] → Awapau; [Surinam (Sa)] → Blaka lohoedoe; [Surinam (Cr)] → Bobi waata; [Surinam (Sa)] → Diavoetoe; [Surinam (Cr)] → Eukele; [Caribbean] → Koesierie paratare; [Caribbean] → Koni konihoedoe; [Surinam (Cr)] → Konoko(e-balli); [Surinam (Ar)] → Lemoepoe; [Caribbean] → Lohoedoe, zwarte (blaka-); [Surinam (Cr)] → Mamanten (mamantin); [Surinam (Ar, Au)] → Mamantin (mamanten); [Surinam (Ar, Au)] → Remoe epo; [Caribbean] → Riemhout (zwart-); [Surinam (Du)] → Samalung; [Guyana (Ak)] → Serere boerowin; [Surinam (Ar)] → Tapoekoe; [Caribbean] → Tapoeloe koesiri palatali; [Caribbean] → Tepjori pporikin; [Caribbean] → Tipopolipoli kinwèwè; [Caribbean] → Toepoewe; [Caribbean] → Warrossieran; [Caribbean] → Zwart riemhout; [Surinam (Du)] → Zwarte lohoedoe; [Surinam (Cr)]

Pouteria filipes Eyma → Kamahora; [Surinam (Ar)] → Moraballi firobero; [Surinam (Ar)] → Tometome kjiu kwatere; [Caribbean]

Pouteria gonggrijpii Eyma → Aprahoedoe;

[Surinam (Cr)] → Aroomé; [Caribbean] → Asepoko (-moraballi); [Surinam (Ar)] → Kokonihoe; [Surinam (Sa)] → Kokorietjeballi; [Surinam (Cr)] → Kokoritiballi; [Surinam (Ar)] → Koni konihoe; [Surinam (Cr)] → Moraballi(-asepoko); [Surinam (Ar)] → Oro oromé; [Caribbean] → Wokko moloko tëllè; [Caribbean] **Pouteria grandis Eyma** → Bakupar; [Guyana (W)] → Yau; [Guyana (M)] **Pouteria guianensis Aublet** → Abenbele njambokka; [Surinam (Sa)] → Asé poekoe (asse-, wassé-); [Surinam (Ar)] → Asepoko, common; [Guyana (Cr)] → Asepoko (hariraro-, common-); [Surinam (Ar)] → Assepoe (hariraro-); [Surinam (Ar)] → Assopokoballi; [Guyana (Ar)] → Biesatokon; [Surinam (Ar)] → Bois cochon; [French Guiana] → Bullet tree (male-); [Guyana (Cr)] → Common asepoko (hariraro-); [Guyana (Cr)] → Hariraro asepeko; [Surinam (Ar)] → Jamboka (janbokka); [Surinam (Bn)] → Jan snijder; [Surinam (Du)] → Janbok(k)a; [Surinam (Bn)] → Jaune d'oeuf; [French Guiana] → Kororietjeballi; [Surinam (Ar)] → Lohoe; [Surinam (Cr)] → Marapas(a)mukri; [Guyana (M)] → Njambok(k)a (-topie); [Surinam (Sa)] → Piento botrie; [Surinam (Cr)] → Poekoe, wase (wassé-, asé-, asse-); [Surinam (Ar)] → Poekoe, wese (wase-, wesse-, kessi-); [Surinam (Ar)] → Poyak; [Guyana (Ak)] → Topie (-njambokka); [Surinam (Sa)] → Wase poekoe (wese-, wesse-, kessi-); [Surinam] → Wassé poekoe (asé-, asse-); [Surinam (Ar)] → Wesse poekoe kessipoeloe; [Caribbean] **Pouteria hispida Eyma** → Toewonoele; [Caribbean] **Pouteria izabalensis (Standley) Baehni** → Acana; [Puerto Rico] → Barata; [Guyana (Ar)] → Jacana; [Puerto Rico] **Pouteria jenmanii (Pittier) Sandwith** → Asepoko (-balli, -moraballi); [Surinam (Ar)] → Kabu; [Caribbean] → Porok; [Guyana (Ak)] **Pouteria melanopoda Eyma** → Asepo(e)koe, hariraro; [Surinam (Ar)] → Assé poekoe; [Caribbean] → Bobi waata; [Surinam (Sa)] → Hariraro asepoekoe; [Surinam (Ar)] → Kwatasi; [Surinam (Ar)] → Lohoe; [Surinam (Cr)] → Riemhout; [Surinam (Du)] → Wase poekoerian (-poekoelan); [Caribbean] → Wessé poekoelan (wase-); [Caribbean] **Pouteria minutiflora (Britton) Sandwith** → Arada-kwaiko; [Guyana (Ak)] → Karami; [Guyana (Ak)] → Moraballi; [Surinam (Ar)] **Pouteria multiflora (A.DC.) Eyma** → Asepoko;

[Surinam (Ar)] → Jacana; [Puerto Rico] → Koni konihoe; [Surinam (Ar)] → Lohoe; [Surinam (Ar)] → Wesepoe; [Surinam (Ar)] **Pouteria ptychandra Eyma** → Kiemboto (kiemboto); [Surinam (Cr)] → Kimboto (kiemboto); [Surinam (Cr)] **Pouteria reticulata (Engl.) Eyma** → Akwasiba; [Surinam (Cr)] → Kodibiosiballi; [Surinam (Ar)] → Kokoritiballi; [Surinam (Ar)] → Logoesoe fehoeta; [Surinam (Sa)] → Oeroemerian; [Caribbean] → Olémélan; [Caribbean] **Pouteria robusta (C.Martius & Eichler) Eyma** → Ajapoekoe; [Caribbean] → Akawasiba; [Surinam (Cr)] → Apakwi, weti; [Surinam (Sa)] → Aretoboma; [Caribbean] → Basa botie-ie; [Surinam (Sa)] → Basterd bolletrie (djoe-); [Surinam (Du)] → Boeloewéballi; [Surinam (Ar)] → Bolletrie, piento (basterd-, witte djoe-); [Surinam (Du)] → Borowéballi; [Surinam (Ar)] → Botrie, pinto (witti djoe-); [Surinam (Cr)] → Djoe bolletrie, witte; [Surinam (Du)] → Djoe botrie (witti-); [Surinam (Cr)] → Hariraro moraballi; [Surinam (Ar)] → Kiemboto; [Surinam (Sa)] → Koesali epo; [Caribbean] → Koesiri (-paratare, -pialatare); [Caribbean] → Lucuma; [Surinam (Ar)] → Moraballi (hariraro-); [Surinam (Ar)] → Moraballi khalé meroe; [Surinam (Ar)] → Piento bolletrie; [Surinam (Cr, Du)] → Piento botrie; [Surinam (Cr)] → Saffoe ka; [Surinam (Sa)] → Tamoéné koesali epo (-paratare); [Caribbean] → Tamoéné parata(re) (-koesali epo); [Surinam (Ar)] → Warekopo; [Caribbean] → Weti apakwi; [Surinam (Sa)] → Witte djoe bolletrie; [Surinam (Du)] → Wittie djoe botrie; [Surinam (Cr)] **Pouteria sagotiana (Baillon) Eyma** → Aprahoedoe; [Surinam (Cr)] **Pouteria sapota (Jacq.) H.E. Moore & Stearn** → Apple, mamee; [British West Indies] → Grosse zapotte; [French West Indies] → Mamee apple (-sapote); [British West Indies] → Mamee sapote (-apple); [British West Indies] → Marmalade fruit; [British West Indies] → Sapote (mamee-); [British West Indies] → Zapotte (-à crème, grosse-); [French West Indies] **Pouteria scytalophora Eyma** → Konokoballi; [Surinam (Ar)] → Remoe epo; [Caribbean] **Pouteria sericea (Aiton) Baehni** → Bakupar; [Guyana (W)] → Yau; [Guyana (M)] **Pouteria sp.** → Balata indien; [French Guiana] → Balata singe, rouge; [French Guiana] → Halchiballi; [Surinam (Ar)] → Limonaballi; [Guyana (Ar)] → Mambiara; [Surinam] → Pain d'épice; [French Guiana] → Penny piece; [Trinidad] →

Pomme de pin; [French Guiana] → Rouge balata
singe; [French Guiana] → Sororo (-borieng);
[Guyana] → Sueparatarie; [Surinam] → Wapi;
[French Guiana] → Wapo; [Surinam] → Wokoeloe
allowe; [Surinam]

Pouteria speciosa (Ducke) Baehni → Chuya;
[Guyana (M)] → Durban pine; [Guyana (Cr)] →
Pine, durban; [Guyana (Cr)] → Por; [Guyana (W)]
→ Suya; [Surinam (Cr)]

Pouteria surinamensis Eyma → Kimboto
(kimboto); [Surinam (Cr)] → Kimboto (kimboto);
[Surinam (Cr)] → Kodibiesie (kodibiosie);
[Surinam (Ar)] → Orromé; [Caribbean]

Pouteria trigonosperma Eyma → Abenbele;
[Surinam (Sa)] → Boesi koesoewé; [Surinam (Cr)]
→ Boskoesoewé; [Surinam (Du)] → lawéhe
papaja; [Surinam (Ar)] → Janboka; [Surinam (Sa)]
→ Jawahe pakoelia (-papaja); [Surinam (Ar)] →
Jawahe papaja (-pakoelia); [Surinam (Ar)] →
Jawohe paikoelia (jawahe pakoelia); [Surinam
(Ar)] → Kamahora; [Surinam (Ar)] → Koesoewé,
boesi (bos-); [Surinam (Cr)] → Mabiara
(mambiara), sabana; [Surinam (Cr)] → Mabijara
(mabi jara, mapijara); [Surinam (Ar)] → Mambiara
(mabiara); [Surinam (Cr)] → Mapijara (mabijara,
mabi jara); [Surinam (Ar)] → Mapilan; [Caribbean]
→ Mapiran (-hariroro, -warian); [Surinam] →
Mapiran khalé-meroe; [Surinam] → Mapirian;
[Caribbean] → Mapiwalan; [Caribbean] → Papaja,
iawéhe (jawahe-); [Surinam (Ar)] → Sabana
mabiara (-mambiara); [Surinam (Cr)]

Pouteria venosa (C.Martius) Baehni →
Kamahora; [Surinam (Ar)] → Porok; [Guyana (Ak)]
→ Shuin; [Guyana (W)] → Watharapoboye;
[Guyana (M)]

Pradosia schomburgkiana (A.DC.) Cronquist
→ Kaka; [Guyana (Ak)] → Kakarua; [Surinam (Ar)]
→ Liquorice tree; [Guyana (Cr)]

Priva lappulacea (L.) Persoon → Voekoe
voekoe tolman; [Surinam (Cr)]

Prosopis chilensis (Molina) Stuntz → Indjoe;
[Curaçao]

Prosopis dubia Kunth → Devil's ear; [Guyana
(Cr)]

Prosopis juliflora (Swartz) DC. → Bayahonda;
[Dominican Republic] → Bohahonda; [Dominican
Republic] → Cambrón; [Puerto Rico] → Indjoe;
[Curaçao] → Vallahonda; [Dominican Republic] →
Wawahi; [Curaçao]

Prosopis sp. → Coji; [Curaçao]

Protium alstonii Sandwith → Haiawa; [Surinam
(Ar)] → Salie; [Surinam (Cr)]

Protium aracouchini (Aublet) Marchand →

Aloekoeseri; [Surinam (Ar)] → Haiawa; [Surinam
(Ar)] → Tiengimonie (tingimonomie); [Surinam (Du)]
→ Tingimonomie (tiengimonomie); [Surinam (Cr)]

Protium attenuatum (Rose) Urban → Gommier
blanc; [French West Indies]

Protium crenatum Sandwith → Kurokai;
[Guyana (Ar)] → Panatro; [Guyana (M)]

Protium decandrum (Aublet) Marchand → Bois
encens; [French Guiana] → Common kurokai;
[Guyana (Cr)] → Kurana; [Surinam (Ar)] →
Kurokai (common-); [Guyana (Cr)] → Maruwa;
[Guyana (Ak)] → Porokai; [Surinam (Ar)] →
Waruwai; [Guyana (Ak)]

Protium giganteum Engl. → Tiengimonomie;
[Surinam (Cr)]

Protium glabrescens Swart → Salie, witte;
[Surinam (Cr)] → Witte salie; [Surinam (Cr)]

Protium guianense (Aublet) Marchand →
Haiawa (hayawa); [Surinam (Ar)] → Incense tree;
[Guyana (Cr)]

Protium heptaphyllum (Aublet) Marchand →
Ajawa; [Caribbean] → Incense tree; [Guyana (Cr)]
→ Olo; [Surinam (Ar)] → Siewa arna; [Caribbean]
→ Sipio; [Caribbean] → Tiengimonomie (tingimoni);
[Surinam (Du)] → Tingimoni (tiengimonomie);
[Surinam (Cr)]

Protium hostmannii (Miquel) Engl. → Ajawa;
[Surinam (Ar)] → Haiawa(-balli hororodikoro);
[Surinam (Ar)] → Hajawaballi; [Surinam (Ar)] →
Incense tree; [Guyana (Cr)] → Joeliballi
ibiberoebana; [Surinam (Ar)] → Koesewe iekolju;
[Caribbean] → Miejoelwa; [Caribbean] → Pakiria
sipiolo; [Caribbean] → Tiengimonomie; [Surinam
(Du)] → Tingimoni; [Surinam (Cr)]

Protium insigne (Triana & Planchon) Engl. →
Tiengimonomie; [Surinam (Cr)]

Protium neglectum Swart → Haiawa(-balli);
[Surinam (Ar)]

Protium octandrum Swart → Ibjawa; [Surinam
(Ar)] → Siepio; [Caribbean] → Tapoekjan ajawa;
[Caribbean] → Tiengimonomie; [Surinam (Cr)]

Protium plagiocarpum Benoist → Haiawa;
[Surinam (Ar)]

Protium polybotryum (Turcz.) Engl. →
Ajawaballi; [Surinam (Ar)] → Gommier rouge;
[French West Indies] → Jooliballi belero(e);
[Surinam (Ar)] → Jorieballi kolero; [Surinam (Ar)]
→ Salie (witte-); [Surinam (Du)] → Tamoéné
poeleka; [Caribbean] → Tiengimonomie; [Surinam
(Du)] → Tingimoni; [Surinam (Cr)] → Witte salie;
[Surinam (Du)]

Protium sagotianum Marchand → Haiawa(-balli
hororodikoro); [Surinam (Ar)] → Hajawaballi;

- [Surinam (Ar)] → Imjawara motapo ajawa;
 [Caribbean] → Kurokai; [Guyana (Ar)] → Olo;
 [Surinam (Ar)] → Panatro; [Guyana (M)] →
 Porokai; [Surinam (Ar)] → Salie, witte; [Surinam
 (Du)] → Tiengimonie (tiengimonomie); [Surinam
 (Cr)] → Tingimoni; [Surinam (Cr)] → Witte salie;
 [Surinam (Du)]
- Protium sp.** → Baradaballi; [Guyana] → Bois
 gommier; [French West Indies] → Carange blanc;
 [French Guiana] → Gommier juane des carrière;
 [French West Indies] → Icariba; [French Guiana]
 → Icienso; [French Guiana]
- Protium tenuifolium (Engl.) Engl.** →
 Aloemansingi; [Surinam] → Fiere bewe banna;
 [Surinam (Ar)] → Haiawa(-balli); [Surinam (Ar)] →
 Joeliballi; [Surinam (Cr)] → Karababalli; [Surinam
 (Ar)] → Tiengimonomie (tiengimonie); [Surinam
 (Du)] → Tingimoni; [Surinam (Cr)] → Troesian;
 [Caribbean]
- Prunus myrtifolia (L.) Urban** → Amandelhout;
 [Surinam (Du)] → Amandier des bois; [Martinique]
 → Amandrahoedoe; [Surinam (Cr)] → Membrillito;
 [Dominican Republic] → Noyeau; [Guyana (Cr)] →
 Walimiaballi; [Surinam (Ar)]
- Prunus occidentalis Swartz** → Almendrillo
 (almendrón); [Puerto Rico] → Almendrón
 (almendrillo); [Puerto Rico] → Membrillo;
 [Dominican Republic]
- Pseudima frutescens (Aublet) Radlk.** → Pauis
 biaun; [Guyana (W)]
- Pseudocalymma alliaceum (Lam.) Sandwith** →
 Garlic rope; [Surinam (Cr)]
- Pseudocladia scytalophora (Eyma) Aubrév.** →
 Konokoballi; [Surinam (Ar)]
- Pseudolmedia laevis (Ruiz & Pavón) Macbr.** →
 Sokoné ibiberoe; [Surinam (Ar)]
- Pseudolmedia sagotii Benoist** → Sokoné
 ibiberoe; [Surinam (Ar)]
- Pseudolmedia sp.** → Macao; [Dominican
 Republic]
- Pseudolmedia spuria (Swartz) Griseb.** → Negra
 lora; [Puerto Rico]
- Psidium aquaticum Benth.** → Arisa; [Surinam
 (Ar)] → Bosguave (water-); [Surinam (Du)] →
 Guave, bos (water-); [Surinam (Du)] → Koejapa;
 [Caribbean] → Mariababalli; [Surinam (Ar)] →
 Warad; [Guyana (W)]
- Psidium benthamianum O.Berg** → Brazilian
 guava; [Guyana (Cr)]
- Psidium cattleianum Sabine** → Guava cherry;
 [Guyana]
- Psidium guajava L.** → Bosguave; [Surinam (Du)]
 → Goejaba (gujave, gouaba); [Surinam (Cr)] →
 Gouaba, watra; [Surinam (Cr)] → Goyavier
 commun; [French Guiana] → Goyavier porte-pois
 (-commun); [French Guiana] → Guava, wild;
 [Guyana (Cr)] → Guave, water (bos-, wilde-);
 [Surinam (Du)] → Guave (wilde-); [Surinam (Du)]
 → Gujave (goejaba, gouaba); [Surinam (Cr)] →
 Kakirio; [Guyana (Ar)] → Pela; [French Guiana] →
 Water guave; [Surinam (Du)] → Watra gouaba;
 [Surinam (Cr)] → Wild guava; [Guyana (Cr)] →
 Wilde guave; [Surinam (Du)]
- Psidium guianense Swartz** → Alasa liban
 goebaja; [Surinam] → Djoeka; [Surinam (Cr)] →
 Guave, bos (water-, wilde-); [Surinam (Du)] →
 Gujave, soela; [Surinam (Cr)] → Soela gujave;
 [Surinam (Du)]
- Psidium guineense Swartz** → Brazilian guava;
 [Guyana (Cr)] → Goejaba; [Surinam (Cr)] →
 Guajave; [Surinam (Cr)] → Guave, Brazilian;
 [Guyana (Cr)]
- Psidium ovatifolium O.Berg var. glabrum
 Amshoff** → Arisa; [Surinam (Ar)] → Warad;
 [Guyana (W)]
- Psidium parviflorum Benth.** → Arisa; [Surinam
 (Ar)]
- Psidium sp.** → Kakirio; [Guyana (Ar)]
- Psidium striatum DC.** → Arisa; [Surinam (Ar)]
 → Warad; [Guyana (W)]
- Psychotria alstonii (Sandwith) Steyerl.** →
 Wagukwa-eba; [Guyana (Ak)]
- Psychotria apoda Steyerl.** → Kamejoeroe;
 [Surinam] → Koyarakushi; [Surinam (Ar)]
- Psychotria barbiflora A.DC.** → Akami enoeloe;
 [Caribbean] → Poelinari; [Surinam (Ar)]
- Psychotria carthaginensis Jacq.** → Manjala
 kopie; [Surinam (Cr)]
- Psychotria cuspidata Bredem. ex Roemer &
 Schultes** → Bosvlier; [Surinam (Du)]
- Psychotria involucreta Swartz** → Koyarakushi;
 [Surinam (Ar)]
- Psychotria officinalis (Aublet) Raeusch** →
 Akuomu; [Guyana (Ak)]
- Psychotria officinalis (Aublet) Raeusch.** →
 Akokoapo; [Caribbean] → Boelinali
 oeneberadikoro; [Surinam (Ar)] → Koyarakushi;
 [Surinam (Ar)]
- Psychotria poeppigiana Müll.Arg.** → Soldier's
 cap; [Guyana (Cr)]
- Psychotria poeppigiana Müll.Arg. ssp.
 poeppigiana** → Kai-eno-mio; [Guyana (Ak)] →
 Koejatta enaka; [Caribbean] → Paipayodapiri;
 [Caribbean] → Pakira ponapiri; [Caribbean] →
 Soldier's cap; [Guyana (Cr)]
- Psychotria rudgei Bremek.** → Akami ekoenale;
 [Caribbean]
- Psychotria sp.** → Asier à l'asthme; [French

Guiana] → Cachimbo; [Puerto Rico] → Ipeca annalé; [French Guiana] → Kill-cow bird's foot; [Guyana (Cr)] → Manmantrie; [Surinam (Cr)] → Simira; [French Guiana] → Wasiliwo koeroe; [Caribbean]

Pterocarpus draco L. → Bebehout; [Surinam (Du)]

Pterocarpus officinalis Jacq. → Bebe, water (watra-); [Surinam (Cr, Du)] → Bebe(-hoedoe); [Surinam (Cr)] → Bebehout; [Surinam (Du)] → Bois de corail tendre; [Guadeloupe] → Corkwood, swamp; [Guyana (Cr)] → Gwe-gwe (waata-); [Surinam (Sa)] → Itikiboeroe; [Surinam (Ar)] → Itikiboro (-beleroe, -hororodikoro); [Surinam (Ar)] → Lagunero; [Trinidad] → Matosirian; [Surinam] → Moetoesi (-ran); [Caribbean] → Moutouchi de savanne; [French Guiana] → Moutouchi grand bois; [French Guiana] → Mutushi (matoesi, moetoesi); [Caribbean] → Otoshimik; [Guyana (Ak)] → Palo de pollo; [Puerto Rico] → Swamp corkwood; [Guyana (Cr)] → Teabotano matoesi; [Caribbean] → Waata gwe-gwe; [Surinam (Sa)] → Water bebe; [Surinam (Du)] → Watra bebe; [Surinam (Cr)]

Pterocarpus rohrii Vahl → Bebe (djoeka-, egron-, hegron-); [Surinam (Cr)] → Bebe, hoogland; [Surinam (Du)] → Bigbe; [Surinam] → Bois chatousieux; [French Guiana] → Corkwood, hill; [Guyana (Cr)] → Djoeka bebe; [Surinam (Cr)] → Egron bebe; [Surinam (Cr)] → Gwe-gwe, mattoe; [Surinam (Sa)] → Hegron bebe; [Surinam (Cr)] → Hill corkwood; [Guyana (Cr)] → Hoogland bebe; [Surinam (Du)] → Itchikiboura (itiki boura, itikiboro); [Surinam (Ar)] → Itiki boura (itikiboro, itchikiboura); [Surinam (Ar)] → Itikiboro (-hororodikoro); [Surinam (Ar)] → Itjoeroe tano moetoesi; [Surinam] → Matosirian (moetoesirian); [Caribbean] → Mattoe gwe-gwe; [Surinam (Sa)] → Moetoesi (-ran); [Surinam] → Moetoesirian (matosirian); [Caribbean] → Moutouchi; [French Guiana] → Mutushi (moetoesi, matoesi); [Surinam]

Pterocarpus rufescens Benth. → Corkwood; [Guyana (Cr)] → Itikiboro; [Surinam (Ar)]

Pterocarpus santalinoides L'Héritier ex DC. → Bébé, hoogland (egron-); [Surinam (Du)] → Corkwood; [Guyana (Cr)] → Egron bebe (hoogland-); [Surinam (Du)] → Hoogland bébé (egron-); [Surinam (Du)] → Itikiboro; [Surinam (Ar)] → Konomeroelang; [Caribbean] → Masiroe; [Caribbean]

Pterocarpus santalinus L.f. → Konomeroelang; [Caribbean]

Pterocarpus sp. → Bois l'étang; [Trinidad]

Pterocarpus vernalis Pittier → Hiburu; [Guyana] → Itjoeroe tano moetoesi; [Surinam] → Lagunero; [Trinidad] → Liège du pays; [French Guiana] → Matosirian; [Surinam] → Moetoesi (-ran); [Surinam] → Warau; [Guyana]

Ptychopetalum olacoides Benth. → Bande (bois-); [French Guiana] → Tatabedi-eh bina; [Surinam (Ar)]

Punica granatum L. → Granaatappel; [Surinam (Du)]

Pycnus polystacheus P.Beauvois → Yawahü yadala; [Surinam (Ar)]

Qualea albiflora Warming → Berg gronfoelo; [Surinam (Du)] → Bikiti; [Surinam (Ar)] → Couari cèdre gris; [French Guiana] → Egron gronfoelo (hoogland-); [Surinam (Du)] → Goenfoloe (granfolo, gronfoloe); [Surinam (Sa)] → Grignon fou rouge; [French Guiana] → Gronfoelo, berg; [Surinam (Du)] → Gronfoeloe, hoogland (egron-, berg-); [Surinam (Du)] → Hoogland gronfoeloe (egron-); [Surinam (Du)] → Iria kopi (ira kopi), trapotanoe-; [Surinam] → Jakopi (jakoppi) taparin; [Caribbean] → Jeria kopi; [Surinam] → Jokopi (jakopi, jakoppi, yakopi); [Surinam] → Khalemeroe (kharremeroe); [Surinam (Ar)] → Kharremeroe (khalemeroe); [Surinam (Ar)] → Kopi, iria (ira-, jeria-, watra-); [Surinam (Cr)] → Kwaleli (kwarie, kwalie); [Surinam (Cr)] → Kwaleli (kwaleli, kwarie); [Surinam (Cr)] → Kwarie (kwaleli, kwaleli); [Surinam (Cr)] → Manau; [Guyana (Ak)] → Meniridan (-hororodikoro, -kholeméroe); [Surinam (Ar)] → Meniridan hororadi korso; [Surinam (Ar)] → Meniriolan; [Surinam (Ar)] → Tiapotano; [Surinam] → Trapotanoe iriakopi; [Caribbean] → Yakopi (jakopi, jakoppi, jokopi); [Caribbean]

Qualea coerulea Aublet → Couaie; [French Guiana] → Couari cèdre gris; [French Guiana] → Granfolo (gronfoloe, goenfoloe); [Surinam (Sa)] → Grignon fou (-rouge); [French Guiana] → Gronfo(e)loe (granfolo); [Surinam (Du)] → Iria kopi (tomoené-); [Surinam] → Jakopi; [Surinam] → Kwaleli (woto-); [Surinam (Cr)] → Kwerli, woto; [Surinam] → Mantie kwarie; [Surinam (Cr)] → Meniridan (-oeweberabandikoro); [Surinam (Ar)] → Meniridan hororodikoro; [Surinam (Ar)] → Meniridan oeni bere bandikoro; [Surinam (Ar)] → Meniridanballi; [Surinam (Ar)] → Menirodan (menirodan, meniridan); [Surinam (Ar)] → Menirolan (menirodan, meniridan); [Surinam (Ar)] → Moeneridang; [Surinam (Ar)] → Pamoené iria kopje; [Caribbean] → Qualé; [French Guiana] → Qualier bleu; [French Guiana] → Tiapotano;

[Surinam] → Tomoené ira (iria) kopi; [Surinam (Cr)] → Water kwarie; [Surinam (Du)] → Watra kopi; [Surinam (Cr)] → Woto kwaleli (-kwarie, -kwerli); [Surinam (Cr)]

Qualea courulea Aublet → Kwarie, water (watra-, mantie-, woto-); [Surinam (Du)]

Qualea dinizii Ducke → Be kwai(-ie); [Surinam (Sa)] → Goejaba kwarie; [Surinam (Cr)] → Grignon fou; [French Guiana] → Guarapo; [Dominican Republic] → Gujave kwar(r)ie (-kwalei); [Surinam (Cr)] → Iteballi, koeleberoe; [Surinam (Ar)] → Koeleberoe iteballi; [Surinam (Ar)] → Konore erepare (koenore-); [Caribbean] → Kwa-ie (be kwa-ie); [Surinam (Sa)] → Kwaleli, woto; [Surinam (Cr)] → Kwalie (guave-); [Surinam (Du)] → Kwarie, goejaba (gujave-, watra-); [Surinam (Cr)] → Kwarie, wassi-wassi (woto-); [Surinam (Cr)] → Kwarie, water (wiswis-, wassi-wassi-); [Surinam (Cr, Du)] → Maoranaballi (maoraniballi); [Surinam (Ar)] → Mawaranaballi; [Surinam (Ar)] → Saniki (-pisi); [Surinam (Cr)] → Wassi-wassi kwarie (wajie-wasjie-); [Surinam (Cr)] → Water kwarie; [Surinam (Du)] → Watra kwarie; [Surinam (Cr)] → Wiswis kwar(r)ie; [Surinam (Du)] → Wossie-jossie; [Caribbean] → Wossie-wossie; [Surinam (Cr)] → Woto kwarie (-kwaleli); [Surinam (Cr)] → Yakopi (jakopi, jokopi); [Caribbean]

Qualea paraensis Ducke → Berg gronfoeloe; [Surinam (Du)] → Gronfoeloe, berg; [Surinam (Du)] → Mandio(-queira); [Surinam]

Qualea rosea Aublet → Be kwai; [Surinam (Sa)] → Berg gronfoeloe (-gronfelo); [Surinam (Du)] → Berg kwarie; [Surinam (Du)] → Bergi gronfoeloe (birgi-); [Surinam (Cr)] → Bergi iria kopi; [Surinam (Cr)] → Birgi gronfoeloe (bergi-); [Surinam (Cr)] → Cèdre gris (couari-); [French Guiana] → Cèdre jaune; [French Guiana] → Couari cèdre gris; [French Guiana] → Grignon fou (-rouge); [French Guiana] → Gronfoeloe, berg (bergi-, birgi-); [Surinam (Cr, Du)] → Iria kopi, bergi (tamoené-); [Surinam (Cr)] → Iria kopirang; [Caribbean] → Kwarie, berg; [Surinam (Du)] → Moeniridang; [Surinam (Ar)] → Tomoené ira (iria) kopi; [Surinam (Cr)] → Yakopi (jakopi, jokopi); [Caribbean]

Qualea schomburgkiana Warming → Manaw; [Guyana (Ak)]

Quararibea guianensis Aublet → Apezoeloe; [Caribbean] → Cacao-oelie; [Caribbean] → Garrocho; [Puerto Rico] → Kibiwara ishi-lokodo; [Guyana (Ak)] → Kibiwara wesjlikodo; [Surinam (Ar)] → Kirikiri; [Surinam (Au)] → Maipoelie;

[Caribbean] → Swizzlestick; [Puerto Rico] → Tagahoedoe; [Caribbean]

Quassia amara L. ex Blom → Acajou blanc; [French Guiana] → Aceitillo; [Puerto Rico] → Adonisi-do-o; [Surinam (Ar)] → Adonisidora (adonisidoro); [Surinam (Ar)] → Adonisidoro (adonisidora); [Surinam (Ar)] → Adoonsidero; [Guyana] → Aruba; [Guyana] → Bitter ash (-bush, -wood); [Guyana (Cr)] → Bitter bush (-ash, -wood); [Guyana (Cr)] → Bitterwood; [Guyana (Cr)] → Bois amer; [French Guiana] → Bois blanc; [French Guiana] → Bois cayan; [French Guiana] → Bois de frêne; [French Guiana] → Bois de quassie; [French Guiana] → Coache (coachi); [French Guiana] → Coachi (coache); [French Guiana] → Daguillo; [Dominican Republic] → Kabodan; [Surinam] → Kwassie (-bita, -hout); [Surinam (Cr)] → Maruba; [Guyana] → Marupa; [French Guiana] → Olivo amargo; [Dominican Republic] → Peste à poux; [French Guiana] → Quashi bitters; [Guyana (Cr)] → Quina de Cayenne; [French Guiana] → Quinquina de Cayenne; [French Guiana] → Samboera; [Surinam] → Siemaroepa (sjiemaroepa); [Surinam (Cr)] → Simaroepa (simarupa, simarouba); [Surinam (Ar)] → Simarouba (simarupa, simaroepa); [Surinam (Ar)] → Simarupa (simaroepa, simarouba); [Surinam (Ar)] → Sjiemaroepa (siemaroepa); [Surinam (Cr)] → Soemaroeba (soemaroepa); [Surinam (Cr)] → Soemaroepa (soemaroeba); [Surinam (Cr)]

Quassia cedron (Planchon) Baillon → Hijuri bianda (kikuri-); [Surinam (Ar)] → Hikuri bianda (hijuri-); [Surinam (Ar)] → Kartabac plum; [Guyana (Cr)] → Pakoeliballi; [Surinam (Ar)] → Plum, kartabac; [Guyana (Cr)] → Turtle food; [Guyana (Cr)]

Quassia glauca DC. → Bitterwood; [Guyana (Cr)] → Bois amer; [French Guiana]

Quassia guianensis (Aublet) D.Dietrich → Hijuri bianda (hikuri-); [Surinam (Ar)] → Kanaboeli;

[Surinam (Ar)] → Noja-njanjan; [Surinam (Bn)]

Quassia multiflora (A.Jussieu) Nootboom →

Hachiballi; [Surinam (Ar)] → Hueso de pescado;

[Puerto Rico] → Imitokon; [Surinam (Ar)] →

Kanaboeli; [Surinam (Ar)] → Noianjang (nonja-

njanjan, noja); [Surinam (Bn)] → Noja; [Surinam

(Bn)] → Nonja-njanjan (noianjang, noja); [Surinam

(Bn)] → Watuwai; [Guyana (Ak)]

Quassia simarouba L.f. → Aku; [Guyana (Ak)] → Aruba; [Guyana] → Ash, bitter; [Guyana (Cr)] → Bitter ash (-bark); [Guyana (Cr)] → Bitter bark (-ash); [Guyana (Cr)] → Bitterwood; [Guyana (Cr)]

- Daguillo; [Dominican Republic] → Olivo amargo; [Dominican Republic] → Shirima; [Guyana (M)] → Simarupa; [Guyana (Ar)] → Simere; [Guyana (W)] → Stavewood; [British West Indies] → Walkara; [Surinam] → Yaku; [Guyana (Ar)]
- Quassia sp.** → Samalombo; [Surinam]
- Quiina albiflora A.C.Smith** → Okokonshi; [Surinam (Ar)]
- Quiina guianensis Aublet** → Muruk; [Guyana (Ak)] → Okokonshi; [Surinam (Ar)]
- Quiina indigofera Sandwith** → Kakahaut; [Surinam (Cr)] → Maruk; [Guyana (Ak)] → Okokonshi; [Surinam (Ar)] → Velvet seed tree; [Guyana (Cr)] → Wargamieho; [Guyana (Ak)]
- Quiina oblanceolata Sandwith** → Hitsi-ti; [Surinam (Ar)]
- Quiina obovata Tulasne** → Hitsi-ti; [Surinam (Ar)] → Okokonshi; [Surinam (Ar)]
- Quiina sp.** → Blackheart; [Guyana (Cr)] → Himirimia; [Guyana]
- Radlkofereella trigonosperma (Eyma) Aubrév.** → Kamahora; [Surinam (Ar)]
- Randia aculeata L.** → Berry, ink; [Puerto Rico] → Box brier; [Puerto Rico] → Croc-à-chien; [Guadeloupe] → Escambrón; [Puerto Rico] → Ink berry; [Puerto Rico] → Palo de cotorra; [Puerto Rico] → Tintillo; [Puerto Rico]
- Randia armata (Swartz) DC.** → Aremie kieran; [Caribbean] → Boesi droifi; [Surinam (Cr)] → Droifi, boesi; [Surinam (Cr)] → Jamahi sarapan; [Surinam (Ar)] → Skorowarewarin; [Guyana (W)]
- Randia asperifolia (Sandwith) Sandwith** → Yawahü sarapan; [Surinam (Ar)]
- Randia formosa (Jacq.) K.Schumann** → Marmeldoosje; [Surinam (Du)]
- Randia sp.** → Azota criollo; [Dominican Republic] → Bird seed; [Guyana (Cr)] → Cabai nagte; [Puerto Rico] → Dogwood; [Puerto Rico]
- Rapanea guianensis Aublet** → Botie-ie, mannie; [Surinam (Sa)] → Dakara; [Surinam (Ar)] → Konaparan; [Caribbean] → Mannie botie-ie; [Surinam (Sa)]
- Rapanea laetevirens Mez** → Badula; [Puerto Rico]
- Rapanea sp.** → Arrayán bobo; [Puerto Rico] → Cabra; [Puerto Rico] → Coca ravet; [French West Indies] → Cucubano; [Puerto Rico] → Manglillo; [Trinidad] → Memeyuelo; [Puerto Rico]
- Rapatea paludosa Aublet** → Katuburi; [Surinam (Ar)]
- Rauwolfia nitida Jacq.** → Cachimbo (cachinho); [Puerto Rico] → Cachinho (cachimbo); [Puerto Rico] → Palo amargo; [Puerto Rico] → Palo de leche chiquito; [Dominican Republic]
- Rauwolfia sp.** → Milk bush; [Puerto Rico]
- Rauwolfia spp.** → Palo amargo; [Puerto Rico]
- Renealmia floribunda K.Schumann** → Berry, ink; [Guyana (Cr)] → Ink berry; [Guyana (Cr)] → Kuruati; [Surinam (Ar)]
- Renealmia pedicellaris Gleason** → Kuruati; [Surinam (Ar)]
- Retinophyllum schomburgkii (Benth.) Müll.Arg.** → Kaiakaiadan(ni); [Guyana (Ar)] → Karaneru; [Guyana (Ak)] → Tauwaweru; [Guyana (Ak)]
- Reynosia sp.** → Chicharrón; [Puerto Rico] → Guama; [Puerto Rico]
- Rhacoma latifolia Swartz** → Cherry, poison (wild-); [Puerto Rico] → Cherry, wild (poison-); [Puerto Rico] → Cocorruncito; [Puerto Rico] → Coral; [Puerto Rico] → Mala mujer; [Puerto Rico] → Manto; [Puerto Rico] → Maravedi; [Puerto Rico] → Poison cherry; [Puerto Rico] → Wild cherry; [Puerto Rico]
- Rheedia acuminata (Ruiz & Pavón) Planchon & Triana** → Apakwie(-ie); [Surinam (Sa)] → Aroome; [Caribbean] → Asasie (-hororodikoro); [Surinam (Ar)] → Assasi koeleroe (asashi); [Surinam (Ar)] → Baaha manie pau; [Surinam (Sa)] → Manier(i)an; [Surinam] → Matakkie; [Surinam (Cr)] → Nopi(e)tja; [Surinam (Cr)] → Nopikorian; [Caribbean] → Pakoeli(e), swamp(oe) (zwamp-); [Surinam (Cr)] → Swamp(oe) pakoeli(e); [Surinam (Cr)] → Tapoekim mopiekjo; [Caribbean] → Zwamppakoelie; [Surinam (Du)]
- Rheedia benthamiana Planchon & Triana** → Achedan; [Guyana (W)] → Arawindru; [Guyana (M)] → Asashi; [Surinam (Ar)] → Assasi koeleroe (asashi); [Surinam (Ar)] → Awarintaru; [Guyana (An)] → Nopitja; [Caribbean] → Pakoeli (-ibiberoe); [Surinam (Cr)]
- Rheedia kappleri Eyma** → Asashi (-hororodikoro); [Surinam (Ar)]
- Rheedia macrophylla (C.Martius) Planchon & Triana** → Asashi; [Surinam (Ar)] → Bigi boesi(e) pakoeri(e); [Surinam (Cr)] → Pakoerian (pakori ibibero, pakorian); [Surinam (Ar)] → Pakoeri(e), bigi boesi(e); [Surinam (Cr)] → Pakori ibibero (pakoerian, pakorian); [Surinam (Ar)] → Pakorian (pakori ibibero, pakoerian); [Surinam (Ar)]
- Rheedia sp.** → Geelhart; [Surinam (Du)]
- Rhizophora harrisonii Leechman** → Mangrove; [Surinam (Cr)]
- Rhizophora mangle L.** → Apareibo; [French Guiana] → Bu; [Guyana (Wr)] → Duizendbeenboom; [Surinam (Du)] → Kahoetjiroe (kakoetjiroe, kakutiru); [Surinam (Cr)] →

Kakoetjioe (kakutiru, kahoetjioe); [Surinam (Ar)] → Kakutiru (kakoetjioe, kahoetjioe); [Surinam (Ar)] → Konapo (konopo); [Surinam] → Konopo (konapo); [Caribbean] → Mangero; [Guyana (Ak)] → Manggel tan; [Curaçao] → Mangle rouge; [French Guiana] → Mangle zapatero; [Puerto Rico] → Manglier (-chandelle); [Martinique] → Mangrove, zwamp (red-); [Surinam (Cr)] → Palétuvier noir (-rouge); [French Guiana] → Palétuvier rouge (-noir); [French Guiana] → Red mangrove; [Guyana (Cr)] → Wortelboom; [Surinam (Du)] → Zwamp mangro(ve) (red-); [Surinam (Cr)]

Rhizophora racemosa G.Meyer → Mangrove; [Surinam (Cr)]

Rhodospatha venosa Gleason → Akhara-mibia; [Surinam (Ar)]

Rhynchanthera grandiflora (Aublet) DC. → Ponji (pönji); [Guyana (Ak)]

Rhynchosia phaseoloides (Swartz) DC. → Kleine kokriki; [Surinam (Du)] → Kokriki, kleine; [Surinam (Du)]

Rhynchospora barbata Kunth → Waaka; [Surinam]

Rhynchospora cephalotes Vahl → Baboen nefi kwasie; [Surinam (Cr)] → Moelesjirang; [Caribbean]

Rhynchospora gigantea Link → We; [Surinam (Ar)]

Rhynchospora hirsuta Grisebach → Piri piriang; [Caribbean] → Warakana kobie (-koebia); [Surinam (Ar)]

Rhynchospora pubera Boeckeler → Warakana koebia (-kobie); [Surinam (Ar)]

Richardella trigonosperma (Eyma) Baehni → Abenbele; [Surinam (Sa)]

Ricinus communis L. → Krapata; [Surinam] → Wonderolieboon; [Surinam (Du)]

Rinorea brevipes (Benth.) Blake → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea endotricha Sandwith → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea flavescens (Aublet) Kuntze → Baridikutshi; [Guyana] → Bariri koti; [Surinam (Ar)] → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea guatemalensis (Watson) Bartling → Lèlè (-tikie); [Surinam]

Rinorea lindeniana (Tulasne) Kuntze → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea pubiflora (Benth.) Sprague & Sandwith → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea riana (DC.) Kuntze → Mamusare; [Surinam (Ar)] → Shero; [Guyana (W)] → Shipiye; [Guyana (M)]

Rinorea sp. → Conohorié; [French Guiana] → Jasmin; [French Guiana]

Rochefortia acanthophora (DC.) Griseb. → Juzo; [Puerto Rico]

Rochefortia sp. → Bois vert; [Guadeloupe]

Rolandra fruticosa (L.) Kuntze → Bokokosoe; [Surinam]

Rollinia broadwayi R.E.Fries → Koyechi (kojetsjé, kojetsie); [Surinam (Ar)]

Rollinia deliciosa Safford → Candongo; [Dominican Republic]

Rollinia elliptica R.E.Fries → Barroedaballi; [Surinam (Ar)] → Boszuurzak; [Surinam (Du)]

Rollinia exsucca (DC. ex Dunal) A.DC. → Baaha pau; [Surinam (Sa)] → Black maho; [Guyana (Cr)] → Ekekewai; [Guyana (Ak)] → Emoshe; [Caribbean] → Iremda; [Guyana (W)] →

Jamoselli; [Caribbean] → Kankan pau; [Surinam (Sa)] → Kasaba pau; [Surinam (Sa)] → Koejeti;

[Surinam (Ar)] → Kojetsie (kojetsjé, koyechi); [Surinam (Ar)] → Kojetsjé (kojetsie, koyechi);

[Surinam (Ar)] → Koyechi (kojetsjé, kojetsie); [Surinam (Ar)] → Maho, black; [Guyana (Cr)] →

Maipoeli jamoselli; [Caribbean] → Omosé(ran); [Caribbean] → Papajahoedoe; [Surinam (Cr)] →

Shirik; [Guyana (M)] → Tahoerewe; [Caribbean]

Rollinia mucosa (Jacq.) Baillon → Anón; [Dominican Republic] → Candongo; [Dominican Republic]

Rollinia orthopetala A.DC. → Candongo; [Dominican Republic]

Rondeletia sp. → Cordobancillo; [Puerto Rico]

Rouliniella guianensis (Decaisne) Jonker → Kakheroe diamaroe; [Surinam (Ar)]

Roupala brasiliensis Klotzsch → Faiera; [Surinam] → Guatapaná; [Trinidad]

Roupala montana Aublet → Beefwood; [Trinidad] → Warirodan; [Surinam (Ar)]

Rourea frutescens Aublet → Supple Jack; [Surinam (Cr)]

Rourea ligulata Baker → Supple Jack; [Surinam (Cr)]

Rourea revoluta Planchon → Supple Jack; [Surinam (Cr)]

Rourea sp. → Juan caliente; [Puerto Rico] → Luis Gomez; [Dominican Republic]

Rourea surinamensis Miquel → Supple Jack; [Surinam (Cr)]

- Roystonea oleracea (Jacquin) O.F.Cook** → Sawarama; [Surinam (Ar)]
- Rudgea cornigera Bremek.** → Kamahballi; [Surinam (Ar)] → Maipjorie kera porre; [Caribbean] → Tajahoedoe; [Surinam (Cr)]
- Rudgea hostmanniana Benth.** → Agoeston; [Surinam (Cr)] → Kamakha-ie; [Surinam (Ar)] → Koenaporang; [Caribbean] → Kwalelang; [Surinam]
- Ruellia tuberosa L.** → Waterkanon; [Surinam (Du)]
- Ruizterania albiflora (Warming) Marcano-Berti** → Meniridan (-hororodikoro, -kholeméroe); [Surinam (Ar)]
- Ryania pyrifera (Rich.) Uittien & Sleumer** → Kibihidan; [Surinam (Ar)]
- Ryania sagotiana Eichler** → Kibihidan; [Surinam (Ar)]
- Ryania speciosa Vahl** → Kibihidan; [Surinam (Ar)]
- Ryania speciosa Vahl var. tomentosa (Miquel) Monach.** → Kibihidan; [Surinam (Ar)]
- Sabinea florida (Vahl) DC.** → Caracolillo; [Puerto Rico] → Retama; [Puerto Rico] → Wattapana; [Puerto Rico]
- Saccharum officinarum L.** → Shikaro; [Surinam (Ar)] → Suikerriet; [Surinam (Du)]
- Sacoglottis cydonioides Cuatrec.** → Auarraballi; [Surinam (Ar)] → Bofroehoedoe; [Surinam (Cr)] → Dukuria; [Surinam (Ar)] → Peroeroe; [Caribbean]
- Sacoglottis densiflora (Benth.) Urban** → Dukuria; [Surinam (Ar)]
- Sacoglottis guianensis Benth.** → Bofroehoedoe; [Surinam (Cr)] → Bofroehoedoe; [Surinam (Cr)] → Dukuria (sand-); [Surinam (Ar)] → Kotore (kötöre); [Guyana (Ak)] → Puire; [Guyana (M)] → Sand dukuria; [Surinam (Ar)] → Yapopari; [Caribbean]
- Sacoglottis guianensis Benth. var. guianensis** → Apesia; [Surinam (Cr)] → Awarraballi; [Surinam (Ar)] → Basie prinsie merie; [Surinam (Cr)] → Behie; [Surinam (Sa)] → Bofroehoedoe; [Surinam (Cr)] → Doekoelia (dukuria); [Surinam (Ar)] → Dukuria (doekoelia); [Surinam (Ar)] → Ganmasagon; [Surinam (Bn)] → Japopalli; [Caribbean] → Wirimiridja uara; [Surinam (Ar)]
- Sacoglottis obovata (Benth.) Urban** → Hurihi; [Surinam (Ar)]
- Sagotia racemosa Baillon** → Cacaoballi; [Surinam (Ar)]
- Samanea arborea (L.) Ricker** → Cojoba(na); [Puerto Rico]
- Samanea pedicellaris (DC.) Killip** → Aboonkini; [Surinam (Sa)]
- Samanea polycephala (Benth.) Pittier** → Aimiala makarale; [Caribbean]
- Samanea saman (Jacq.) Merrill** → Alawatta moelerie; [Surinam] → Carabali; [Caribbean] → Carreto; [West Indies] → Cow tamarind; [Trinidad] → Moelerie, alawatta; [Surinam] → Saman; [Surinam (Cr)] → Tabaca; [Surinam] → Tamarind, cow; [Trinidad]
- Samyda sp.** → Cimarrón, rosa; [Dominican Republic] → Rosa cimarrón; [Dominican Republic] → Wild guava; [Virgin Islands]
- Sandwithia guianensis Lanjouw** → Makang; [Guyana (Ak)]
- Sandwithiodoxa egregia (Sandwith) Aubrév. & Pellegr.** → Kiemboto; [Surinam (Sa)]
- Sapindus microcarpa Radlk.** → Sopo sirie; [Surinam (Cr)]
- Sapindus saponaria L.** → Jaboncillo; [Puerto Rico] → Savonetier (savonette, savonnier); [French West Indies] → Savonnier (savonetier, savonette); [French West Indies] → Sopo sirie; [Surinam (Cr)]
- Sapium aubletianum (Müll.Arg.) Huber** → Alekosine; [Caribbean] → Gomhoedoe; [Surinam] → Komakaran; [Caribbean] → Mabowaballi; [Surinam (Ar)]
- Sapium aucuparium Jacq.** → Gum tree; [Guyana (Cr)] → Haiahaia; [Surinam (Ar)] → Milkwood; [Guyana (Cr)]
- Sapium caribaeum** → Bois lait; [Grenada]
- Sapium cladogyne Hutch.** → Gum tree; [Guyana (Cr)] → Haiahaia; [Surinam (Ar)] → Milkwood; [Guyana (Cr)]
- Sapium hippomane G.Meyer** → Bird-lime tree; [Guyana (Cr)] → Haiahaia; [Surinam (Ar)]
- Sapium jenmanii Hemsley** → Haia-haia (hya-hya); [Surinam (Ar)] → Hya-hya (haia-haia); [Surinam (Ar)] → Kaichir (ky-cher); [Guyana (An)] → Kuina-(y)ek; [Guyana] → Kwina; [Guyana (Ak)] → Ky-cher (kaichir); [Guyana (An)] → Pandarak; [Guyana (Ak)] → Shirint; [Guyana (W)] → Touckpong (tukpong); [Guyana (P)] → Tukpong (touckpong); [Guyana (P)] → Wakapu; [Guyana (M)]
- Sapium klotzschianum (Müll.Arg.) Huber** → Jarre nona; [Caribbean] → Jawahedan; [Surinam (Ar)] → Maboeaballi; [Surinam (Ar)] → Mirkihoedoe; [Surinam]
- Sapium microdentatum Lanjouw** → Maboea djamaro; [Surinam (Ar)]
- Sapium montanum Lanjouw** → Amanopora; [Caribbean]
- Sapium obtusilobium** → Mirkihoedoe; [Surinam]

- Sapium paucinervum Hemsley** → Gum tree; [Guyana (Cr)] → Haiahaia (hya-hya); [Surinam (Ar)] → Milkwood; [Guyana (Cr)]
- Sapium sp.** → Hinchahuevos; [Puerto Rico] → Lechesillo; [Puerto Rico] → Lengua de vaca; [Dominican Republic] → Mabua (mabwa), swamp; [Guyana (Ar)] → Mabwa (mabua), swamp; [Guyana (Ar)] → Manzanillo; [Puerto Rico] → Swamp mabua (-mabwa); [Guyana] → Tabeiba; [Puerto Rico]
- Sapota sideroxylon Griseb.** → Sapotille; [Surinam (Cr)]
- Sarcomphalus domingensis Krug & Urban** → Saona; [Dominican Republic] → Sopaipo; [Dominican Republic]
- Sarcomphalus reticulatus (Vahl) Urban** → Cacao rojo; [Puerto Rico] → Espejuelo; [Puerto Rico]
- Sassafras albidum (Nuttall) Nees** → Sassafras; [French Guiana]
- Sassafras officinale Nees & Ebermaier** → Sassafras; [French Guiana]
- Sassafras sassafras L.** → Sassafras; [French Guiana]
- Sassafras variifolium (Salisbury) Kuntze** → Sassafras; [French Guiana]
- Satyria panurensis (Benth.) Benth. & Hook.f.** → Aporuma; [Guyana (Ak)]
- Sauvagesia sprengelii St.-Hil.** → Tamaoele; [Caribbean] → Walaballi ibikoro (-ibikoro); [Surinam (Ar)]
- Saxofridericia aculeata (Rich.) Körnicke** → Phoboe; [Surinam]
- Schaefferia frutescens Jacq.** → Cabra; [Dominican Republic] → Jiba; [Puerto Rico]
- Schefflera decaphylla (Seemann) Harms** → Adonképau; [Surinam (Sa)] → Atapé; [Surinam (Sa)] → Bigi boesi (-papajahoedoe); [Surinam (Cr)] → Blunt-leaf karohoro; [Guyana (Cr)] → Bois canon bâtard; [French Guiana] → Bois de Mai; [French Guiana] → Bois de St. Jean; [French Guiana] → Karoeroe; [Surinam (Ar)] → Karohoro (-ilihikoro), blunt-leaf; [Surinam (Ar, Cr)] → Karohoro, blunt-leaf; [Guyana (Cr)] → Mallototo-oe (moretoto-oe); [Surinam] → Matchwood; [Guyana (Cr)] → Moelototo-oe, perewa (poelewa-); [Surinam] → Mollototo-oe; [Caribbean] → Moretoto-oe (mallototo-oe); [Surinam] → Morototo; [Caribbean] → Papajahoedoe, bigi boesi; [Surinam (Cr)] → Papajahout; [Surinam (Du)] → Perewa moeroetoeto-oe; [Caribbean] → Poelewa moelototo-oe; [Caribbean] → Tobi toetoe; [Surinam (Sa)]
- Schefflera morototoni (Aublet) Maguire, St. & Frodin** → Bigi boesi papajahoedoe; [Surinam (Cr)] → Cassavehout; [Surinam (Du)] → Grayume (-macho); [Puerto Rico] → Ilagrumé; [Puerto Rico] → Karohoro (-ilihikoro), pointed-leaf; [Surinam (Ar, Cr)] → Karohoro, pointed-leaf; [Guyana (Cr)] → Karoro; [Caribbean] → Kasabahoedoe (cassavehout); [Surinam (Cr)] → Kassavehout; [Surinam (Du)] → Khobbé; [Surinam (Sa)] → Kobä; [Surinam (Bn)] → Lucifershout; [Surinam (Du)] → Matchwood; [Guyana (Cr)] → Mollototo-oe (moretoto-oe, morototo); [Caribbean] → Moretoto-oe (mollototo-oe, morototo); [Caribbean] → Morototo (moretoto-oe, mollototo-oe); [Caribbean] → Palo de viento; [Dominican Republic] → Pana cimarrona; [Puerto Rico] → Papajahoedoe, bigi boesi; [Surinam (Cr)] → Pi; [Guyana (W)] → Pointed-leaf karohoro; [Guyana (Cr)] → Pornai (pörnai); [Guyana (Ak)] → Puna; [Guyana (M)] → Yagrumo (-macho); [Puerto Rico]
- Schefflera paraensis Huber apud Ducke** → Karohoro (-ilihikoro), blunt-leaf; [Surinam (Ar, Cr)]
- Schistostemon densiflorum (Benth.) Cuatrec.** → Dukuria; [Surinam (Ar)]
- Schlegelia lilacina Miquel** → Bultatakubia; [Surinam (Ar)]
- Schlegelia violacea (Aublet) Griseb.** → Alasoabo; [Surinam (Ar)] → Bultatakubia; [Surinam (Ar)] → Koepai jalang; [Caribbean]
- Sciadodendron excelsum Griseb.** → Juan primero; [Dominican Republic]
- Scleria foliosa C.Wright** → Sawajoe; [Caribbean]
- Scleria microcarpa Nees** → Baboen nefi; [Surinam (Cr)]
- Scleria mitis Berg** → Oema baboen nefi; [Surinam (Cr)]
- Scleria sp.** → Kamanali; [Surinam (Ar)] → Yuruka; [Surinam (Ar)]
- Sclerolobium albiflorum Benoist** → Djakidja; [Surinam] → Djedoe, redi (mattawari ninge-); [Surinam (Cr)] → Djedoe, witte (rode-); [Surinam (Du)] → Gedoe, redi; [Surinam (Cr)] → Jawaredan belero; [Surinam (Ar)] → Juwaredan; [Surinam] → Mattawari ninge djedoe; [Surinam (Sa)] → Redi djedoe (-gedoe); [Surinam (Cr)] → Redi gedoe (-djedoe); [Surinam (Cr)] → Tamoéné araurama; [Caribbean] → Witte djedoe; [Surinam (Du)]
- Sclerolobium guianense Benth.** → Araurama; [Caribbean] → Djakidja; [Surinam] → Djedoe, savanne (sabana-, witte-); [Surinam (Du)] → Djedoe (witte-, witti-); [Surinam (Du)] → Gedoe, sabana (savanne-); [Surinam (Cr)] → Jawaledan beleroe; [Surinam (Ar)] → Jaweridan; [Surinam

- (Ar)] → Kaditiri, thick-skin; [Surinam (Ar)] → Kalili; [Guyana (W)] → Kata; [Guyana (M)] → Sabana gedoe; [Surinam (Cr)] → Savanne djedoe; [Surinam (Du)] → Tamoéné araurama; [Caribbean] → Thick-skin kaditiri; [Surinam (Cr)] → Wamkoam; [Guyana (W)] → Warabari; [Guyana (Ak)] → Witte djedoe; [Surinam (Du)] → Yawaredan; [Surinam (Ar)]
- Sclerolobium melinonii Harms** → Alaoelama; [Caribbean] → Apa kanirian; [Caribbean] → Ararama (aurarama); [Surinam] → Araurama (tamoéné-); [Surinam] → Aaurama; [Caribbean] → Bintola; [Surinam] → Djadjidja (djakidja); [Surinam] → Djedoe, witte (rode-); [Surinam (Du)] → Jawaledan (koeleroe-); [Surinam (Ar)] → Jawalidan (-hottohottokoro); [Surinam (Ar)] → Jawalidan lokolemeroe; [Caribbean] → Jawaredan (jawalidan, jawaledan); [Surinam (Ar)] → Koeleroe jawaledan; [Surinam (Ar)] → Rode djedoe (witte-); [Surinam (Du)] → Tamoéné araurama; [Caribbean] → Tapireng araulama (tapirin araurama); [Caribbean] → Tapirin araurama (tapireng araulama); [Surinam] → Topoeroe (-alaoelama); [Surinam] → Witte djedoe (rode-); [Surinam (Du)] → Yawarridana; [Guyana]
- Sclerolobium micropetalum Ducke** → Araurama; [Caribbean] → Djedoe, zwarte (blaka-); [Surinam (Du)] → Gedoe, blaka (zwarte-); [Surinam (Cr)] → Kaditiri, thick-skin (thin-skin); [Surinam (Ar)] → Kata; [Guyana (M)] → Thick-skin (thin-skin) kaditiri; [Surinam (Ar)] → Wamkoam; [Guyana (W)] → Yawaredan; [Surinam (Ar)] → Zwarte djedoe; [Surinam (Du)]
- Sclerolobium paniculatum Vogel** → Djedoe; [Surinam (Sa)]
- Scleronema guianense Sandwith** → Baromalli; [Surinam (Ar)]
- Sebastiania lucida Müll.Arg.** → Casse hache; [French West Indies]
- Sebastiania brasiliensis Sprengel** → Ibiracambi (ibirakambi); [Guianas]
- Securidaca sp.** → Bejuco de soplá; [Puerto Rico] → Bejuco zalzilla; [Puerto Rico] → Jaboncillo; [Puerto Rico]
- Senegalia greggii (Gray) Britton & Rose** → Cat's claw; [Puerto Rico] → Parika; [Guyana (Cr)] → Uña de gato; [Puerto Rico] → Zarza (-boba); [Puerto Rico]
- Senegalia sp.** → Acacia nudosa; [Puerto Rico] → Acacia, spineless; [Puerto Rico] → Amarat; [Puerto Rico] → Catch-and-keep; [Puerto Rico] → Spineless acacia; [Puerto Rico] → Tamarindo cimarrón; [Puerto Rico]
- Senna bacillaris (L.f.) Irwin & Barneby** → Jorkati; [Surinam] → Lokonanjo; [Surinam (Ar)] → Sjaroen; [Surinam]
- Senna latifolia (G.Meyer) Irwin & Barneby** → Lokonanjo; [Surinam (Ar)]
- Senna multijuga (A.Rich.) Irwin & Barneby** → Iguana tree; [Surinam (Cr)] → Kreke; [Surinam (Cr)] → Palapo; [Caribbean] → Riariadan; [Surinam (Ar)] → Sabana flower; [Surinam (Cr)]
- Senna quinquangulata (A.Rich.) Irwin & Barneby** → Jorka petie; [Surinam] → Lokonanjo (lukonanjo); [Surinam (Ar)] → Lukonanjo (lokonanjo); [Surinam (Ar)]
- Serjania membranacea Splitg.** → Kashiri; [Surinam (Ar)]
- Serjania paucidentata DC.** → Abo(ho); [Surinam (Ar)] → Driekantie; [Surinam (Cr)] → Hebechi-abo; [Surinam (Ar)] → Koetoepoe (moetoepoe); [Caribbean] → Kohire; [Guyana (W)] → Kotupuru; [Caribbean] → Moetoepoe (koetoepoe); [Caribbean]
- Serjania sp.** → Basketwood; [Puerto Rico] → Bejuco de corrales; [Puerto Rico] → Bejuco de costella; [Dominican Republic] → Black withe; [Puerto Rico] → Withe, black; [Puerto Rico]
- Sesamum indicum L.** → Abongra (abonjera); [Surinam (Cr)] → Abonjera (abongra); [Surinam (Cr)]
- Sesamum orientale L.** → Abongra (abonjera); [Surinam (Cr)]
- Setaria geniculata (Lam.) P.Beauvois** → Japé; [Caribbean] → Kalo; [Surinam (Ar)]
- Sida acuta Burman** → Man sisibie wiwirie; [Surinam (Cr)] → Wiwirie, man sisibie; [Surinam (Cr)]
- Sida rhombifolia L. var. surinamensis K.Schumann** → Sabana sisibie wiwirie; [Surinam (Cr)] → Sisibie wiwirie, sabana; [Surinam (Cr)] → Wiwirie, sabana sisibie; [Surinam (Cr)]
- Sida serrata Willd.** → Apaliëlang; [Caribbean]
- Sideroxylon foetidissimum Jacq.** → Acoma båtard; [Guadeloupe] → Caya amarillo; [Dominican Republic] → Mastic; [British West Indies] → Olive, wild; [British West Indies] → Tabloncillo; [Puerto Rico] → Tortugo amarillo; [Puerto Rico] → Wild olive; [British West Indies]
- Sideroxylon guianensis A.DC.** → Riemhout (wit-, zwart-); [Surinam (Du)]
- Simaba cedron Planchon** → Hikuribianda; [Surinam (Ar)]
- Simaba cuspidata Spruce ex Engl.** → Kanaboeli; [Surinam (Ar)]
- Simaba multiflora A.Jussieu** → Hachiballi; [Surinam (Ar)]
- Simarouba amara Aublet var. typica Cronquist**

- Simarupa; [Guyana (Ar)]
- Simarouba sp.** → Samalombo; [Surinam]
- Simaruba amara Aublet** → Simaruba; [Surinam (Ar)]
- Sipanea pratensis Aublet** → Lagaga, water; [Surinam (Du)] → Nepoko; [Caribbean] → Palam balam wokoeloe; [Caribbean] → Warokoma-kubia; [Surinam (Ar)] → Water lagaga; [Surinam (Du)] → Watia lagaga; [Surinam] → Witbaka; [Surinam (Cr)]
- Siparuna cuspidata (Tulasne) A.DC.** → Djamaro, meniridan; [Surinam (Ar)] → Meniridan djamaro; [Surinam (Ar)]
- Siparuna decipiens (Tulasne) A.DC.** → Arakarri wadilikoro; [Surinam (Ar)] → Banjabo djamaro; [Surinam (Ar)] → Djamaro, banjabo; [Surinam (Ar)] → Irek; [Guyana (M)] → Karekarero; [Surinam (Ar)] → Koesariejepoe; [Caribbean] → Koffiewato; [Caribbean] → Manjabo hororodikoro; [Surinam (Ar)] → Pjawaban wewe (pjoewape-); [Caribbean] → Pjoewape wewe (pjawaban-); [Caribbean] → Proewabino wewe; [Caribbean] → Sokonè probero; [Surinam (Ar)] → Waroro; [Caribbean] → Wewe, pjawaban (pjoewape-, proewabino-); [Caribbean] → Wokere apoekoesja; [Caribbean]
- Siparuna guianensis Aublet** → Ant bush (fever-, nimble-); [Guyana (Cr)] → Fajapau; [Surinam] → Fever bush (ant-, nimble-); [Guyana (Cr)] → Injakoppie (jakopie); [Caribbean] → Jakopie (injakoppie); [Caribbean] → Jarakopie; [Surinam (Du)] → Meniridan bojaroe (muniaridan); [Surinam (Ar)] → Muniridan (meniridan bojaroe); [Surinam (Ar)] → Nimble bush (ant-, fever-); [Guyana (Cr)] → Tebepau; [Surinam (Sa)] → Tipoporin (-ieriakopie); [Caribbean]
- Siparuna sp.** → Vulnéraire; [French Guiana]
- Siparuna surinamensis Lanjouw** → Jarakopie; [Surinam (Du)] → Muniridan; [Surinam (Ar)]
- Siphonia brasiliensis Willd. ex A.Jussieu** → Rappa rappa; [Surinam (Ar)]
- Sloanea acutifolia Uittien** → Boesi koesoewé; [Surinam (Ar)] → Koesoewé, boesi (bos-); [Surinam (Cr)]
- Sloanea amplifrons Johnston** → Shirabuliballi (-kibele koeberoebana); [Surinam (Ar)]
- Sloanea berteriana Choisy** → Cacaïllo; [Puerto Rico] → Cacao (-motillo, -roseto); [Puerto Rico] → Châtaignier (-petit) coco; [French West Indies] → Roseta; [Puerto Rico]
- Sloanea bracteosa Ducke** → Aruadan; [Surinam (Ar)] → Kararaburaye; [Guyana (M)] → Wasar; [Guyana (W)]
- Sloanea brevipes Benth.** → Aruadan; [Surinam (Ar)]
- (Ar)]
- Sloanea dentata L.** → Boskoesoewé; [Surinam (Cr)]
- Sloanea echinocarpa Uittien** → Akosai; [Caribbean] → Aruadan; [Surinam (Ar)] → Kararaburaye; [Guyana (M)] → Koeseweran (kusuweran); [Caribbean] → Kusuweran (koeseweran); [Caribbean] → Seweran (seweran); [Caribbean] → Seweran (sewaran), koe-; [Surinam] → Sieraboeloballi (sieraboeliballi); [Surinam (Ar)] → Wasar; [Guyana (W)]
- Sloanea eichleri K.Schumann** → Aruadan; [Surinam (Ar)] → Boskoesoewé; [Surinam (Cr)] → Koeseweran (kusuweran); [Caribbean] → Rafroenjanjan; [Surinam] → Raverienja; [Surinam] → Sieraboeloballi; [Surinam (Ar)]
- Sloanea grandiflora Smith** → Boesi koesoewé; [Surinam (Ar)] → Boskoesoewé; [Surinam (Cr)] → Kassabahoedoe; [Surinam (Cr)] → Koeseweran (kusuweran); [Caribbean] → Koesoewé, boesi (bos-); [Surinam (Cr)] → Koesoeweerjan (koeseweran); [Surinam (Ar)] → Matura; [Guyana (Ak)] → Naidu; [Guyana (Wr)] → Rafroenjanjan; [Surinam] → Raverienja; [Surinam] → Shirabuliballi (-kibele koeberoebana); [Surinam (Ar)]
- Sloanea guianensis Benth.** → Aruadan; [Surinam (Ar)] → Koesoeweerjan (koeseweran); [Surinam (Ar)] → Kusuweran (koeseweran); [Caribbean] → Okoro; [Guyana (Ak)] → Shirabuliballi (sieraboliballi); [Surinam (Ar)] → Sierabolieballi (shirabuliballi); [Surinam (Ar)]
- Sloanea obtusa K.Schumann** → Koeseweran (kusuweran); [Caribbean] → Kusuweran (koeseweran); [Caribbean] → Shirabuliballi (sierabolieballi); [Surinam (Ar)] → Sierabolieballi (shirabuliballi); [Surinam (Ar)]
- Sloanea robusta Uittien** → Firoberobana; [Surinam (Ar)] → Koesoewé pête; [Caribbean] → Shirabuliballi (sierabolieballi); [Surinam (Ar)] → Sieraboeliballi; [Surinam (Ar)] → Sierabolieballi (shirabuliballi); [Surinam (Ar)]
- Sloanea schomburgkii Spruce ex Benth.** → Ubudiballi; [Surinam (Ar)]
- Sloanea sp.** → Châtaignier (-franc); [French Guiana] → Chicharrón; [Dominican Republic] → Goulougou-albani; [French Guiana] → Kwassi kwassihoedoe; [Surinam (Cr)] → Motillo; [Puerto Rico] → Oulougua-palou; [French Guiana] → Quapalier; [French Guiana]
- Sloanea trichosticha R.O.Williams & Sandwith** → Aruadan; [Surinam (Ar)]
- Sloanea usurpatrix Sprague & Riley** → Aruadan; [Surinam (Ar)] → Kinoto; [Guyana (Ak)]

- Smilax schomburgkiana Kunth** → Dorokwaro-pimpla; [Surinam (Cr)] → Spotai; [Guyana (Ak)]
- Smilax syphilitica Willd.** → Dorokwaro-yuruwan; [Surinam (Ar)]
- Socratea exorrhiza (C.Martius) H.Wendland** → Boba; [Surinam (Ar)]
- Solanum brevipilosum Dunal** → Boboro; [Surinam (Ar)]
- Solanum crinatum Lam.** → Boboro; [Surinam (Ar)]
- Solanum demerarensis Dunal** → Boboro; [Surinam (Ar)]
- Solanum jamaicense Miller** → Boboro; [Surinam (Ar)]
- Solanum juripeba Rich.** → Sobolero; [Surinam (Ar)]
- Solanum macranthum Dunal** → Boboro; [Surinam (Ar)] → Boulanger, wild; [Guyana (Cr)] → Waruidak; [Guyana (W)] → Wild boulanger; [Guyana (Cr)]
- Solanum paludosum Moricand** → Kwiawi; [Guyana (Ak)] → Sobolero; [Surinam (Ar)]
- Solanum rubiginosum Vahl** → Sobolero; [Surinam (Ar)]
- Souroubea guianensis Aublet** → Konopo jolokolo; [Caribbean] → Mangro, watra; [Surinam (Cr)] → Sweetie; [Surinam (Cr)] → Watra mangro; [Surinam (Cr)]
- Souroubea guianensis Aublet ssp. guianensis** → Karakara; [Surinam (Ar)]
- Spachea elegans (G.Meyer) A.Jussieu** → Koerababalli; [Surinam (Ar)] → Koeraballi djamaro; [Surinam (Ar)]
- Sparattanthelium aruakorum Tutin** → Oneka; [Surinam]
- Sparattanthelium macusiorum A.C.Smith** → Oneka; [Caribbean]
- Sparattanthelium wonotoboense Kosterm.** → Oneka; [Caribbean]
- Spathanthus unilateralis Desvaux** → Katuburi; [Surinam (Ar)]
- Spigelia anthelmia L.** → Bongoma; [Surinam (Cr)] → Droengeman; [Surinam (Cr)] → Koroka; [Caribbean] → Tebejoeballi; [Surinam (Ar)]
- Spiranthera guianensis Sandwith** → Iron Mary; [Surinam (Cr)]
- Spiranthera parviflora Sandwith** → Iron Mary; [Surinam (Cr)]
- Spondias cytherea Sonnerat** → Fransi mope; [Surinam] → Pomme de cythère; [French Guiana]
- Spondias dulcis (non Solander ex Forster f.) Blanco** → Jobillo; [Puerto Rico]
- Spondias dulcis Solander ex Forster f.** → Fransi mope; [Surinam]
- Spondias lutea (non L.) Fernández-Villar** → Jobillo; [Puerto Rico]
- Spondias lutea L.** → Hob(b)o; [Surinam (Ar)]
- Spondias mangifera Willd.** → Fransi mope; [Surinam]
- Spondias mombin (non L.) Burck** → Jobillo; [Puerto Rico]
- Spondias mombin L.** → Ciruelo del país; [Puerto Rico] → Hob(b)o (hooboo, hoeboe, hubu); [Surinam (Ar)] → Hoebie; [Surinam (Ar)] → Hoeboe (hubu, hooboo, hobo); [Surinam (Ar)] → Hog plum; [Guyana (Cr)] → Hooboo (hobo, hoeboe, hubu); [Surinam (Cr)] → Hubu (hoeboe, hooboo, hobo); [Guyana (Ar)] → Jamaica plum; [Puerto Rico] → Jobillo; [Puerto Rico] → Jobo francés; [Puerto Rico] → Jobobán; [Puerto Rico] → Mombin; [French Guiana] → Monbé (moonbé); [Surinam (Sa)] → Moonbé (monbé); [Surinam (Sa)] → Mopé (moppé); [Surinam (Cr, Du)] → Moppé (mopé); [Surinam (Cr, Du)] → Plum, hog (Jamaica-); [Guyana (Cr)] → Plum, Jamaica; [Puerto Rico] → Prunier mombin; [French Guiana] → Rup; [Guyana (W)]
- Spondias purpurea L.** → Jobillo; [Puerto Rico]
- Spondogona sp.** → Acamât bâtard; [French West Indies] → Almendrán; [Puerto Rico] → Balata bâtard; [French West Indies] → Bustic; [Puerto Rico] → Caya colorado; [Dominican Republic] → Caya de loma (-rubia); [Dominican Republic] → Caya rubia (-de loma); [Dominican Republic] → Espejuelo; [Puerto Rico] → Tabloncillo; [Puerto Rico] → Varital; [Puerto Rico]
- Sporobolus virginicus (L.) Kunth** → Dabori-yurite; [Surinam (Ar)]
- Stachytarpheta cayennensis (Rich.) Vahl** → Akojoe mála kali; [Caribbean] → Man kaka kankan; [Surinam (Cr)] → Ojédiballi; [Surinam (Ar)]
- Stachytarpheta jamaicensis (L.) Vahl** → Kaka kankan; [Surinam (Cr)]
- Stachytarpheta sp.** → Shikishikidan; [Surinam (Ar)]
- Stemmadenia cerea Woodson** → Awai-emo; [Guyana (Ak)] → Buri; [Guyana (Ar)]
- Stemmadenia grandiflora (Jacq.) Miers** → Skijtnotto; [Surinam (Du)]
- Stenolobium stans (L.) Seemann** → Trumpet flower; [British West Indies]
- Stenosolen heterophyllus (Vahl) Markgraf** → Karinasepare; [Surinam (Ar)]
- Stenostomum sp.** → Tortuguillo; [Puerto Rico]
- Sterculia apetala (Jacq.) Karsten** → Anacagüite; [Puerto Rico]
- Sterculia caribaea Brown** → Anacagüite; [Puerto Rico]

- Rico] → Mahot cochon; [French West Indies]
Sterculia excelsa C.Martius → Anacagüite; [Puerto Rico] → Bofrohoedoe; [Surinam (Cr)] → Jahoballi; [Surinam (Ar)] → Kajoewaballi; [Surinam (Ar)] → Kobèhè (koebèhè); [Surinam (Sa)] → Koebèhè (kobèhè); [Surinam (Sa)] → Koejethie; [Surinam (Ar)] → Kroekroe-amète; [Caribbean] → Maho; [Surinam (Ar)] → Mahot cochon; [French West Indies] → Maipjoerie-ietararè; [Caribbean] → Manmaho; [Guyana] → Manneko; [Surinam (Cr)] → Okrohoedoe; [Surinam] → Patoelapo; [Caribbean] → Tourou tourou; [French Guiana]
- Sterculia guianensis Sandwith** → Maho; [Surinam (Ar)] → Mahot cochon; [French West Indies]
- Sterculia pruriens (Aublet) K.Schumann** → Ajoewoe; [Caribbean] → Kajoewaballi; [Surinam (Ar)] → Kara; [Guyana (M)] → Karabipö; [Guyana (Ak)] → Kobèhè (koebèhè); [Surinam (Sa)] → Maho; [Surinam (Ar)] → Maho, smooth-leaf; [Guyana (Cr)] → Mahot cochon; [French West Indies] → Okrohoedoe; [Surinam] → Ranai; [Guyana (W)] → Saraurai; [Guyana (Ak)] → Smooth-leaf mahoe; [Guyana (Cr)] → Tourou; [French Guiana]
- Sterculia rugosa R.Brown** → Maho, rough-leaf; [Guyana (Cr)] → Ranai; [Guyana (W)] → Rough-leaf mahoe; [Guyana (Cr)]
- Sterculia sp.** → Bois de caca; [French West Indies]
- Sterculia surinamensis Sandwith** → Mahot cochon; [French Guiana] → Tourou tourou; [French Guiana]
- Stigmaphyllon convolvulifolium (Cav.) A.Jussieu** → Cassave, konijnen; [Surinam (Du)] → Koni koni cassaba reiei; [Surinam (Cr)] → Koni koni réré; [Surinam (Cr)] → Konijnen cassave; [Surinam (Du)]
- Stigmaphyllon fulgens (Lam.) A.Jussieu** → Kalia; [Surinam (Ar)]
- Stigmaphyllon hypoleucum Miquel** → Akoeli kjejeré; [Caribbean] → Faja djon; [Surinam] → Kalia; [Surinam (Ar)] → Konijnen cassave; [Surinam (Du)]
- Stilaginella oblonga Tulasne** → Burueballi; [Surinam (Ar)]
- Struchium sparganophora (L.) Kuntze** → Blaka oema; [Surinam (Au)] → Kromantie wiwirie; [Surinam (Cr)] → Oema, blaka; [Surinam (Au)] → Seigotro; [Surinam] → Wiwirie, kromantie; [Surinam (Cr)] → Yalati; [Caribbean]
- Strychnos bredemeyeri (Schultes) Sprague & Sandwith** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos cogens Benth.** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos darienensis Seemann** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos diaboli Sandwith** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos erichsonii M.R.Schomb.** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos guianensis (Aublet) C.Martius** → Devildoer; [Surinam (Cr)] → Kumarawa; [Guyana (Ak)] → Kwabanaro; [Surinam (Ar)]
- Strychnos melinoniana Baillon** → Devildoer; [Surinam (Cr)] → Dobberdoewa (doberdoea); [Surinam (Cr)] → Doberdoea (dobberdoewa); [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)] → Oeraliballi (oerallidang, oeralidan); [Surinam (Ar)] → Oerallidang (oeraliballi, oeralidan); [Surinam (Ar)]
- Strychnos mitscherlichii M.R.Schomb.** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos peckii Robinson** → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos pedunculata (A.DC.) Benth.** → Kwabanaro; [Surinam (Ar)]
- Strychnos rouhamon Benth.** → Rouhahamon; [Caribbean]
- Strychnos sp.** → Bitá, koni koni; [Surinam (Cr)] → Konni konni bitá; [Surinam (Cr)]
- Strychnos tomentosa Benth.** → Apotai; [Caribbean] → Devildoer; [Surinam (Cr)] → Kwabanaro; [Surinam (Ar)]
- Strychnos toxifera M.R.Schomb. ex Benth.** → Curare; [Guyana (Cr)] → Orari; [Surinam (Ar)] → Rouhahamon; [Caribbean] → Urari; [Guyana (Ak)]
- Stryphnodendron angustum Kleinhoonte** → Bostamarinde; [Surinam (Du)]
- Stryphnodendron flammatum Kleinhoonte** → Apa kanirian; [Caribbean] → Boesi tamalin; [Surinam (Cr)] → Bostamarinde; [Surinam (Du)] → Darinaballi; [Surinam (Ar)] → Kadjoesi awaha; [Surinam (Sa)] → Kjèkè awaha; [Surinam] → Kwata werie; [Surinam (Ar)] → Manalliballi; [Surinam (Ar)] → Tamalin, boesi (bos-); [Surinam (Cr)]
- Stryphnodendron polystachyum (Miquel) Kleinhoonte** → Bostamarinde; [Surinam (Du)] → Hiakantaballi; [Surinam (Ar)]
- Stylogyne surinamensis (Miquel) Mez** → Pajaweroe; [Caribbean]
- Stylosanthes viscosa Swartz** → Koebiali; [Surinam (Ar)]

Suriana maritima L. → Giterón; [Puerto Rico] → Jobero; [Dominican Republic] → Palo corra; [Curaçao] → Temporana; [Puerto Rico]
Swartzia apetala Raddi var. acuminata Amshoff → Aroekoe joeroe; [Caribbean] → Serebedan (-djamara); [Surinam (Ar)] → Tataboballi; [Surinam (Ar)]
Swartzia arborescens (Aublet) Pittier → Adokbe matjapan; [Surinam (Sa)] → Alanjahoedoe; [Surinam] → Blaka parihoeedoe; [Surinam (Cr)] → Joekoetoema; [Caribbean] → Oranjehout; [Surinam (Du)] → Parelhout, zwart; [Surinam (Du)] → Parihoeedoe, blaka; [Surinam (Cr)] → Serebedan; [Surinam (Ar)] → Sirioeaballi; [Surinam (Ar)] → Toepoeroe apoekoetja(-rang); [Surinam] → Wasepoekoe; [Caribbean] → Zwart parelhout; [Surinam (Du)]
Swartzia bannia Sandwith → Aliana-oe; [Caribbean] → Bania (banja, banya, bannia); [Guyana (Ar)] → Banja (banya, bania, bannia); [Surinam (Ar)] → Bannia (banja, bania, banya); [Guyana (Ar)] → Banya (banja, bania, bannia); [Surinam (Ar)] → Ebony; [Surinam (Cr)] → Ijzerhart, sabana (savanne-); [Surinam (Cr, Du)] → Isri-ati, sabana; [Surinam (Cr)] → Sabana isri-ati; [Surinam (Cr)] → Savanne ijzerhart; [Surinam (Du)]
Swartzia benthamiana Miquel → Anacoco; [French Guiana] → Bania (banja, banya, bannia); [Guyana (Ar)] → Bebe, bergi; [Surinam (Cr)] → Bergi bebe; [Surinam (Cr)] → Boco; [French Guiana] → Bois de fer; [French Guiana] → Gandoe; [Surinam (Cr)] → Ijzerhart; [Surinam (Du)] → Ironwood; [Guyana (Cr)] → Itikiboeroeballi (itikiboroballi); [Surinam (Ar)] → Itikiboro djamaro; [Surinam (Ar)] → Itikiboroballi (itikiboeroeballi); [Surinam (Ar)] → Kakabroekoe; [Surinam] → Montouchy; [Surinam] → Morompo; [Guyana (M)] → Oelana (oelawa) beta; [Caribbean] → Oelawa (oelana) beta; [Surinam] → Okraprabu; [Guyana (Ak)] → Panacoco; [French Guiana] → Siribidanni; [Guyana] → Wajoewoe; [Surinam (Sa)] → Wayomzo; [Surinam]
Swartzia corrugata Benth. → Parelhout, zwart; [Surinam (Du)] → Parelhout, zwart; [Surinam (Du)] → Zwart parelhout; [Surinam (Du)]
Swartzia davisii Sandwith → Itikiboroballi; [Surinam (Ar)]
Swartzia dipetala Willd. ex Vogel → Itikiboroballi; [Surinam (Ar)] → Takuba; [Guyana (W)]
Swartzia grandiflora Benth. → Itikiboroballi;

[Surinam (Ar)]
Swartzia grandifolia Bongard ex Benth. → Itikiboroballi; [Surinam (Ar)] → Oeranapeti (oronapeta); [Caribbean] → Oronapeta (oeranapeti); [Surinam]
Swartzia guianensis (Aublet) Urban → Itikiboroballi; [Surinam (Ar)]
Swartzia jenmanii Sandwith → Flutewood; [Guyana (Cr)] → Karakusin; [Guyana (P)] → Parakusan; [Surinam (Ar)]
Swartzia laevicarpa Amshoff → Itikiboroballi; [Surinam (Ar)]
Swartzia leiocalycina Benth. → Awartu; [Guyana (M)] → Brown ebony; [Guyana (Cr)] → Clubwood; [Guyana (Cr)] → Ebony, brown; [Guyana (Cr)] → Ferréol; [French Guiana] → Ironwood; [Surinam (Cr)] → Montouchi; [Surinam] → Shiraip; [Guyana (W)] → Wamara (womara); [Surinam (Ar)] → Womara (wamara); [Guyana (Ar)]
Swartzia leiogyne (Sandwith) Cowan → Itikiboroballi; [Surinam (Ar)]
Swartzia longipedicellata Sandwith → Serebedan; [Surinam (Ar)]
Swartzia oblanceolata Sandwith → Serebedan; [Surinam (Ar)]
Swartzia panacoco (Aublet) Cowan → Karwai; [Guyana (P)]
Swartzia polyphylla A.DC. → Parakusan; [Surinam (Ar)]
Swartzia prouacensis (Aublet) Amshoff → Aliana-oeu; [Caribbean] → Gandoe; [Surinam (Cr)] → Iesrihart(i) (isri-ati, isrihati); [Surinam (Cr)] → Ietjoetanoe (jetoetamo) alianao; [Caribbean] → Ietjoetawoe (ietjoetanoë, jetoetamo); [Surinam] → Ijzerhart; [Surinam (Du)] → Isri-ati (isrihati, isriharti); [Surinam (Cr)] → Isrihati (isri-ati, isriharti); [Surinam (Cr)] → Itikiboroballi (-hororodikoro); [Surinam (Ar)] → Jetoetamo (ietjoetanoë) alianao; [Caribbean] → Wajewoe; [Surinam (Sa)] → Wepetano tamoëné; [Caribbean]
Swartzia remiger Amshoff → Blaka parihoeedoe; [Surinam (Cr)] → Boegoe boegoe; [Surinam (Sa)] → Ipitoesia; [Caribbean] → Jaroraballi (jaroroballi); [Surinam (Ar)] → Jaroraballi (jaroraballi); [Surinam (Ar)] → Parelhout, zwart; [Surinam (Du)] → Parihoeedoe, blaka; [Surinam (Cr)] → Tapoekoeroe joepoekoetjale; [Caribbean] → Toepoeroe apoekoetja(ngrang); [Caribbean] → Zwart parelhout; [Surinam (Du)]
Swartzia schomburgkii Benth. var. schomburgkii → Black paddlewood; [Guyana (Cr)] → Blaka parihoeedoe; [Surinam (Cr)] →

Boegoe boegoe; [Surinam (Sa)] → Flutewood; [Guyana (Cr)] → Jarariballi; [Surinam (Ar)] → Kapoekoeroe japoekoetja(re); [Surinam] → Karakusin; [Guyana (P)] → Kharemeroe jaroro; [Surinam (Ar)] → Paddlewood, black; [Guyana (Cr)] → Parakusan; [Surinam (Ar)] → Parelhout, zwart; [Surinam (Du)] → Parihoedoe, blaka; [Surinam (Cr)] → Toepoeroe apoekoetja(rang); [Caribbean] → Wanaitan; [Guyana (W)] → Zwart parelhout; [Surinam (Du)]

Swartzia sp. → Bois à flèches; [French Guiana] → Bois pois; [Trinidad] → Heistère rouge; [French Guiana] → Itjoeroe tanomoetoesie; [Surinam] → Kerunite; [Guyana] → Larakusana; [Guyana] → Matosirian; [Surinam] → Moetoesi (-ran); [Surinam] → Orange, wild; [Trinidad] → Perdix; [French Guiana] → Sepietoena; [Surinam] → Tjabis; [Surinam (Sa)] → Tounou; [French Guiana] → Wanebala; [Guyana] → Wild orange; [Trinidad] → Yakelele; [French Guiana]

Swartzia sprucei Benth. var. tessellata Cowan → Itikiboroballi; [Surinam (Ar)]

Swartzia tomentosa DC. → Akwan siba; [Surinam] → Apoetoe; [Surinam] → Baracara; [Guyana] → Bastaard ijzerhart; [Surinam (Du)] → Bastard yaruru; [Guyana] → Bois de pagai blanc; [French Guiana] → Bois de perdix; [French Guiana] → Boucara; [Surinam] → Ferréol; [French Guiana] → Gandoe; [Surinam (Cr)] → Ijzerhart (bastaard-); [Surinam (Du)] → Itikiboroballi; [Surinam (Ar)] → Karoekoro; [Surinam (Ar)] → Oerana peta; [Caribbean] → Poelewa; [Caribbean] → Wajewoe; [Surinam (Sa)] → Yaruru, bastard; [Guyana]

Swartzia tomentosa DC. var. alstonii Sandwith → Karwai; [Guyana (P)]

Swartzia xanthopetala Sandwith → Itikiboroballi; [Surinam (Ar)]

Sweetia nitens (Vogel) Benth. → Watergroenhart; [Surinam (Du)]

Sweetia panamensis Benth. → Huesillo; [Puerto Rico]

Sweetia praeclara Sandwith → Blackheart; [Guyana (Cr)]

Swietenia belizensis Lundell → Mahonie, Honduras; [Surinam (Du)]

Swietenia krukovii Gleason → Mahonie, Honduras; [Surinam (Du)]

Swietenia macrophylla King → Aguano; [Surinam] → Baywood; [Guyana] → Honduras mahonie; [Surinam (Du)] → Mahonie, Honduras; [Surinam (Du)]

Swietenia mahagoni (L.) Jacq. → Acajou; [French Guiana] → Cuba mahonie; [Surinam (Du)]

→ Cuban mahogany; [West Indies] → Mahogany, Cuban; [West Indies] → Mahonie, Cuba; [Surinam (Du)] → Orura; [Caribbean] → Swietenia; [Surinam (Du)]

Sylvia navalium Benth. → Siroeaballi; [Surinam (Ar)]

Symmeria paniculata Benth. → Bois fourmi; [French Guiana] → Donhoedoe; [Surinam (Sa)] → Dreitin; [Surinam (Cr)] → Drytimehout; [Surinam (Du)] → Jakoma; [Surinam] → Jekoena; [Surinam (Ar)] → Kadaburichi; [Guyana (Ar)] → Long John; [Guyana (Cr)] → Mierahoedoe; [Surinam (Cr)] → Mierenhout; [Surinam (Du)] → Sapahaki apolli; [Guyana] → Tassi (tasie); [Caribbean]

Symphonia gabonensis (Vesque) Pierre → Matakki (hoogland-); [Surinam (Du)]

Symphonia globulifera L.f. → Anani; [Caribbean] → Boarwood; [British West Indies] → Bois cochon; [French Guiana] → Brickwax tree; [Guyana (Cr)] → Buckwax tree; [Guyana (Cr)] → Doctor gum; [British West Indies] → Gum, hog (doctor-); [British West Indies] → Hog gum; [British West Indies] → Hoogland matakki; [Surinam (Du)] → Karamanni; [Guyana (M)] → Maitakin; [Guyana (Ak)] → Mangue, yellow; [Trinidad] → Mani (manni), tapoekan-; [Surinam (Sa)] → Manie; [Surinam (Du)] → Manil (parcouri-); [French Guiana] → Manipau (mannipau); [Surinam (Sa)] → Manni (-hororodikoro, -parcouri, -balli); [Surinam (Ar)] → Mannipau (manipau); [Surinam (Sa)] → Masagrie; [Surinam (Ar)] → Matagrie; [Surinam (Cr)] → Matakki (hoogland-); [Surinam (Du)] → Matatji; [Surinam] → Paraman; [Caribbean] → Parcouri manil; [French Guiana] → Tapoekin mani; [Surinam] → Yellow mangue; [Trinidad]

Symplocos guianensis Aublet → Waikureli; [Surinam (Ar)]

Symplocos martinicensis Jacq. → Aceituna; [Puerto Rico] → Bois graine bleue; [Dominican Republic] → Bois Martinique; [Dominican Republic] → Níspero cimarrón; [Puerto Rico] → Palo de cebra; [Puerto Rico]

Synedrella nodiflora (L.) Gaertner → Bana wetie édé; [Surinam] → Koenamirang; [Caribbean] → Wolifeballi; [Surinam (Ar)]

Syngonanthus umbellatus (Lam.) Ruhland → Gras, savanne; [Surinam (Du)] → Savanne gras; [Surinam (Du)]

Syngonium vellozianum Schott → Oerama toneme; [Caribbean]

Syntherisma digitata Hitchcock → Kakota-shiru; [Surinam (Ar)]

- Systemonodaphne geminiflora Mez** → Pisi; [Surinam (Cr)]
- Systemonodaphne mezii Kosterm.** → Pisi; [Surinam (Cr)]
- Syzygium aromaticum (L.) Merrill & Perry** → Kruidnagels; [Surinam (Du)]
- Syzygium cumini (L.) Skeels** → Djamoë; [Surinam (Du)] → Djowet; [Surinam (Du)] → Grapes, Hindoestan; [Surinam (Cr)] → Hindoestan grapes; [Surinam (Cr)] → Jamoen; [Surinam (Cr)]
- Syzygium jambos (L.) Alston** → Appelroos; [Surinam (Du)] → Pommeroos; [Surinam (Du)]
- Syzygium malaccense (L.) Merrill & Perry** → Pommerak; [Surinam (Du)]
- Syzygium samaragnense (Blume) Merrill & Perry** → Appel, Curaçaosche; [Surinam (Du)] → Curaçaosche appel; [Surinam (Du)]
- Tabebuia aquatilis (E.Meyer) Sprague & Sandwith** → Courali; [Surinam] → Pandarang; [Caribbean] → Panta, swampoe (zwamp-); [Surinam (Cr)] → Swampoe panta; [Surinam (Cr)] → Zwamppanta; [Surinam (Cr)]
- Tabebuia capitata (Bureau & K.Schumann) Sandwith** → Akke(ke)ja; [Surinam] → Akoeje; [Surinam (Ar)] → Arauin (aruain); [Guyana (Ak)] → Arawnig; [Guyana (Ak)] → Arawoné (arowoné, arraoné); [Caribbean] → Arowoné (arawoné, arraoné); [Surinam] → Arraoné (arawoné, arowoné); [Surinam] → Aruain (aruain); [Guyana (Ak)] → Groenhart, makka; [Surinam (Du)] → Hachia; [Surinam] → Hackoeya (hakuya); [Surinam (Ar)] → Hakia (hakuya); [Guyana (Ar)] → Hakuya (hackoeya); [Surinam (Ar)] → Ijzerhart; [Surinam (Du)] → Ironwood; [Surinam (Cr)] → Koenatepi; [Surinam (Ar)] → Konawadranup; [Guyana (W)] → Maka grin; [Surinam (Cr)] → Makka grien (-groenhart); [Surinam (Cr, Du)] → Makka groenhart (-grien); [Surinam (Cr, Du)] → Mangienhatti; [Surinam] → Ranoi; [Guyana (M)]
- Tabebuia heterophylla (DC.) Britton** → Roble (-blanco, -colorado); [Puerto Rico] → Roble (-de mona, -de sierra, -prieto); [Puerto Rico] → Roble prieto; [Puerto Rico]
- Tabebuia insignis (Miquel) Sandwith** → Alas waboe; [Surinam (Ar)] → Alasoabo johoto; [Surinam (Ar)] → Anago-switie; [Surinam (Cr)] → Bois blanchet; [French Guiana] → Cedar, white; [Guyana (Cr)] → Cèdre blanc; [French Guiana] → Courali; [Surinam] → Koepaia; [Surinam] → Mattoe; [Surinam (Sa)] → Panda; [Caribbean] → Pandorana; [Surinam] → Panta, swampoe (zwamp-); [Surinam (Cr)] → Pantahoedoe; [Surinam (Cr)] → Schopsteelhout; [Surinam (Du)] → Swampoe panta; [Surinam (Cr)] → Waloekoelie; [Surinam (Ar)] → Warakuri (warukuri, warokoeri); [Surinam (Ar)] → Waroekoelie (warukuri); [Surinam (Ar)] → Warokoeli (warokorie, warokoeri); [Surinam (Ar)] → Warokoeri (warukuri, warakuri); [Surinam (Ar)] → Warokorie (warokoeli, warokoeri); [Surinam (Ar)] → Warukuri (warakuri, warokoeri); [Surinam (Ar)] → White cedar; [Guyana (Cr)] → Woracoori; [Guyana (Cr)] → Zwamppanta; [Guyana (Cr)]
- Tabebuia pentaphylla (L.) Hemsley** → Cedar, white; [Puerto Rico] → Pink poui; [Trinidad] → Poirier de pays; [Martinique] → Roble blanco; [Puerto Rico] → White cedar; [Puerto Rico]
- Tabebuia serratifolia (Vahl) Nicholson** → Alahorré (alaonni, alaoné); [Surinam] → Alaoné (alaonni, alahorré); [Surinam] → Alaonni (alaoné, alahorré); [Surinam] → Arahoné (arahoni); [French Guiana] → Arahoni (arahoné); [French Guiana] → Arauin (aruain); [Guyana (Ak)] → Arawoné (arawoné); [Caribbean] → Arawne; [Caribbean] → Arawnig(-yek); [Guyana (Ak)] → Arawoné (arawoné); [Caribbean] → Arcwood; [Guyana] → Aruain (aruain); [Guyana (Ak)] → Bethabara; [Surinam] → Black poui (white-, vert-, yellow-); [Trinidad] → Bois d'ébène verte; [French Guiana] → Bois d'evilasse; [French Guiana] → Bowwood; [Guyana (Cr)] → Cogwood; [Tobago] → Ebène (-jaune, -verte); [French Guiana] → Enbotta-koenatjepie; [Surinam] → Flor amarillo; [Caribbean] → Greenheart (whalebone-); [Guyana (Cr)] → Grienharti (griehatti, grin-ati); [Surinam (Cr)] → Griehatti (griehatti, grin-ati); [Surinam (Cr)] → Grin-ati (griehatti, griehatti); [Surinam (Cr)] → Groenhart (Surinaams-); [Surinam (Du)] → Guirapariba; [French Guiana] → Hakia (hakuya); [Surinam (Ar)] → Hakuya (hakia); [Surinam (Ar)] → Ironwood; [Guyana (Cr)] → Konawadranup; [Guyana (W)] → Lapacho; [Puerto Rico] → Makgrien (makka grien); [Surinam (Cr, Du)] → Makka grien (makgrien); [Surinam (Cr, Du)] → Pao d'arco; [Puerto Rico] → Pou (black-, white-, vert-, yellow-); [Trinidad] → Pui (poui); [Trinidad] → Ranoi; [Guyana (M)] → Surinaams groenhart; [Surinam (Du)] → Washiba (wassiba, wasieba); [Surinam (Ar)] → Wasieba (wassiba, washiba); [Surinam (Ar)] → Wassiba (wasieba, washiba); [Surinam (Ar)] → Whalebone greenheart; [Guyana (Cr)] → Whéhètè; [Surinam] → Woité; [Surinam] → Yellow poui; [Trinidad]
- Tabebuia sp.** → Whoua-whoua; [Guyana]
- Tabebuia stenocalyx Sprague & Stapf** → Cedar, white; [Guyana (Cr)] → Sio; [Guyana (W)]

- White cedar; [Guyana (Cr)]
- Tabebuia subtilis Sprague & Sandwith** → Arauin (aruain); [Guyana (Ak)] → Aruain (aruain); [Guyana (Ak)] → Hakia (hakuya); [Guyana (Ar)] → Hakuya (hakia); [Guyana (Ar)]
- Taberna albiflora (Miquel) Markgraf** → Marmeldoosje; [Surinam (Du)]
- Tabernaemontana albiflora (Miquel) Pulle** → Marmeldoosje; [Surinam (Du)] → Oli olirang; [Caribbean]
- Tabernaemontana attenuata (Miers) Urban** → Karinasepare; [Surinam (Ar)]
- Tabernaemontana aubletii Pulle** → Lienka patoe; [Surinam] → Sokko-sokko; [Surinam (Cr)]
- Tabernaemontana citrifolia L.** → Palo de leche; [Dominican Republic]
- Tabernaemontana grandiflora Jacq.** → Skijtnotto; [Surinam (Du)]
- Tabernaemontana heterophylla Vahl** → Fowl cock's comb; [Guyana (Cr)] → Karinasepare; [Surinam (Ar)]
- Tabernaemontana meyeri G.Don** → Buri (beri); [Surinam (Ar)]
- Tabernaemontana pauciflora Blume** → Lienka patoe; [Surinam] → Map(p)a; [Surinam (Ar)] → Roko-roko; [Surinam (Ar)] → Sokko-sokko; [Surinam (Ar)] → Soko soko (sokko-sokko); [Surinam (Ar)] → Warapa; [Guyana (P)]
- Tabernaemontana psychotrifolia Kunth** → Borache; [Trinidad] → Jasmine, wild; [Trinidad] → Melki tiki; [Surinam (Cr)] → Peru-ishi-lukudu; [Surinam (Ar)] → Roi de mapipire; [Trinidad] → Tantarantan; [Surinam (Cr)] → Tiki, melki; [Surinam (Cr)] → Wild jasmine; [Trinidad]
- Tabernaemontana repanda E.Meyer** → Abuti abud; [Surinam]
- Tabernaemontana sp.** → Palo de lechoso; [Puerto Rico]
- Tabernaemontana tetrastachya Kunth** → Abuti abud; [Surinam] → Kapoea kraroen; [Surinam (Cr)] → Melki tiki; [Surinam (Cr)] → Wako; [Caribbean]
- Tabernaemontana undulata Vahl** → Awai-emo; [Guyana (Ak)] → Batti batti; [Surinam (Ar)] → Beri manbatibati; [Surinam (Ar)] → Brinari; [Surinam (Ar)] → Buri (beri); [Surinam (Ar)] → Dog seed; [Guyana (Cr)] → Manbatibati, beri; [Surinam (Ar)] → Mirkie tikie (melki tiki); [Surinam (Cr)] → Pero-ishi-lokodo; [Guyana (Ar)] → Tantarantan; [Guyana (Cr)] → Wagoie ston; [Surinam]
- Tachia schomburgkiana Benth.** → Kunukwai; [Guyana (Ak)]
- Tachigali paniculata Aublet** → Djedoe, mieren; [Surinam (Cr)] → Gedoe; [Surinam (Cr)] → Mieren djedoe; [Surinam (Cr)] → Wenko werik; [Surinam]
- Tachigali pubiflora Benth.** → Tashi; [Guyana (Ak)] → Yawaredan; [Surinam (Ar)]
- Tachigali rusbyi Harms** → Tumoreng; [Guyana (Ak)] → Yawaredan; [Surinam (Ar)]
- Tachigalia spp.** → Yawaredan; [Surinam (Ar)]
- Talauma dodecapetala (Lam.) Urban** → Bois pin; [Martinique]
- Talauma sp.** → Cachiman de montagne; [Martinique]
- Talinum fruticosum (L.) Jussieu** → Bokkolille; [Surinam] → Postelein (surinaamse-); [Surinam (Du)] → Surinaamse postelein; [Surinam (Du)]
- Talinum triangulare (Jacq.) Willd.** → Bokkolille; [Surinam]
- Talisia elephantipes Sandwith** → Hikuribianda; [Surinam (Ar)] → Sweetheart tree; [Guyana (Cr)]
- Talisia furfuracea Sandwith** → Moroballi; [Surinam (Ar)]
- Talisia hemidasya Radlk.** → Soepoepe; [Caribbean] → Tonoloipio; [Caribbean]
- Talisia megaphylla Sagot** → Hodemè; [Surinam (Sa)] → Jan krappa (makka-, man-); [Surinam (Cr)] → Karababalli (-takoro iwi, -tataroe); [Surinam (Ar)] → Karababalli (-ibebero takakakore iawie); [Surinam (Ar)] → Karababalli firobe sabokoro to kaabero; [Surinam (Ar)] → Krappa, makka (man-, jan-); [Surinam (Cr)] → Kraskrastikie; [Surinam (Du)] → Makka krappa (man-, jan-); [Surinam (Cr)] → Man krappa (makka-, jan-); [Surinam (Cr)] → Marai iwokore (-wakoré, -wokoré); [Caribbean] → Marai wakoré (-wakoré, -iwokore); [Caribbean] → Sodimè (sondimè, sondemé); [Surinam (Sa)] → Sohodéwè; [Surinam (Sa)] → Sondemé (sodimè, sondimè); [Surinam (Sa)] → Sondimè (sodimè, sondemé); [Surinam (Sa)] → Tama kalemoe; [Caribbean] → Tamaka(ka)lemoe (tamakolemoe); [Caribbean] → Tamakolemoe (tamakalemoe); [Caribbean] → Toelisi; [Caribbean] → Zodèmè; [Surinam (Sa)]
- Talisia microphylla Uittien** → Sakali; [Surinam (Ar)]
- Talisia pedicellaris (Sagot) Radlk.** → Boesi knepa; [Surinam (Cr)] → Bosknippa; [Surinam (Du)] → Knepa, boesi; [Surinam (Cr)] → Knippa, bos; [Surinam (Cr)] → Mammotokon; [Surinam (Ar)]
- Talisia sp.** → Wayam-cosh; [Guyana]
- Talisia squarrosa Radlk.** → Black moroballi; [Guyana (Ar)] → Candlewood; [Surinam (Cr)] → Karimora(-yek); [Guyana (Ak)] → Mora, sand; [Guyana (Cr)] → Moroballi, black; [Guyana (Ar)]

- Sand mora; [Guyana (Cr)]
- Tamarindus indica L.** → Tamarinde; [Surinam (Du)]
- Tamarindus officinalis Hooker** → Tamarinde; [Surinam (Du)]
- Tapirira guianensis Aublet** → Ana akara; [Caribbean] → Anoema latti; [Surinam (Cr)] → Atapiriri (tapiriri, ata apiriri); [Caribbean] → Basa mopé; [Surinam (Sa)] → Bois tapiré (-tapiriri); [French Guiana] → Dan lieba; [Surinam (Sa)] → Danlieba; [Surinam (Sa)] → Djedoe; [Surinam (Cr)] → Doeka, zwarte (witte-); [Surinam (Du)] → Doka (duka, doeka); [Surinam (Ar)] → Dokka (doka, doeka, duka); [Caribbean] → Duka (doeka, doka); [Surinam (Ar)] → Krappa, man; [Surinam (Cr)] → Krassi pisi (kressi-); [Surinam (Cr)] → Kressi pisi (krassi-); [Surinam (Cr)] → Makarin; [Guyana (Ak)] → Man krappa; [Surinam (Cr)] → Massé; [Caribbean] → Matawari nengidjedoe (-nengé); [Surinam (Sa)] → Pisi, krassi (kressi-); [Surinam (Cr)] → Saprieran; [Caribbean] → Tamoéné nooitjano-atapiriri; [Caribbean] → Tapiriri (tapiré); [French Guiana] → Waramia (warimira); [Guyana (Ar)] → Warimia (waramia); [Surinam (Ar)] → Wetihoedoe (witte hoedoe); [Surinam (Cr)] → Witte doeka; [Surinam (Du)] → Witte hoedoe (wetihoedoe); [Surinam (Cr)] → Zwarte doeka; [Surinam (Du)]
- Tapirira marchandii Engl.** → Atapiriri (tapiriri); [Caribbean] → Duka (doeka, doka); [Surinam (Ar)] → Matchwood; [Guyana (Cr)]
- Tapura capitulifera Baillon** → Sibalidan; [Surinam (Ar)]
- Tapura cubensis (Poeppig & Endl.) Griseb.** → Waiaballi; [Surinam (Ar)]
- Tapura guianensis Aublet** → Boesi kofi; [Surinam (Cr)] → Kofi, boesi; [Surinam (Cr)] → Kriporsan; [Surinam (Ar)] → Sibalidan (-oenabokalidikoro); [Surinam (Ar)] → Waiaballi; [Surinam (Ar)] → Waiadan; [Surinam (Ar)] → Wassoko; [Caribbean]
- Taralea oppositifolia Aublet** → Tarala; [French Guiana]
- Tarena sp.** → Jawohe sarapan; [Surinam (Ar)]
- Tecoma leucoxydon (L.) Martius ex DC.** → Wassiba (wasieba, washiba); [Surinam (Ar)]
- Tecoma stans (L.) Kunth** → Cedar, yellow; [British West Indies] → Elder, yellow; [British West Indies] → Ginger Thomas; [British West Indies] → Roble amarillo; [Puerto Rico] → Ruibarba; [Puerto Rico] → Trumpet flower; [British West Indies] → Yellow cedar (-elder); [British West Indies] → Yellow elder (-cedar); [British West Indies]
- Teliostachya alopecuroidea (Vahl) Nees & Eberm.** → Poesi poesi téré, sabana; [Surinam (Cr)] → Sabana poesi poesi téré; [Surinam (Cr)]
- Telotoxicum inopinatum Mold.** → Waiyu; [Guyana (Cr)]
- Telminostelma guianensis Decaisne** → Fowlোকাকা; [Surinam (Cr)] → Kakheroe diamaroe; [Surinam (Ar)] → Kaléwéro; [Caribbean]
- Tephrosia sinapou (Buc'hoz) A.Chev.** → Ai; [Guyana (W)] → Aiari; [Guyana (Ak)] → Asjikoeni; [Caribbean] → Coenami (kumani); [Surinam (Cr)] → Isikoena wanapoe; [Caribbean] → Jorkoena; [Surinam (Ar)] → Kumani (coenami); [Surinam (Cr)] → Kunapi; [Surinam (Cr)] → Yaurokonan; [Surinam (Ar)]
- Tephrosia toxicaria (Swartz) Persoon** → Yaurokonan; [Surinam (Ar)]
- Terminalia amazonia (J.F. Gmelin) Exell** → Djiendjahoedoe; [Surinam (Cr)] → Foekadi (fukadi), hill; [Surinam (Ar)] → Fukadi (foekadi), hill; [Surinam (Ar)] → Ginjahoedoe; [Surinam (Cr)] → Hill fukadi (-foekadi); [Guyana (Cr)] → Itoetanoe kwai; [Caribbean] → Kalebashout; [Surinam (Du)] → Krabasihoedoe; [Surinam (Cr)] → Kwai (itoetanoe-); [Caribbean] → Matora; [Guyana (M)] → Nangocy (nangossiti); [French Guiana] → Nangossiti (nangocy); [French Guiana] → Olivier, yellow; [Guyana (Cr)] → Sasanhoedoe; [Surinam (Cr)] → Tamarotan; [Guyana (W)] → Tanimbuia; [Surinam] → Yellow olivier; [Guyana (Cr)]
- Terminalia catappa L.** → Amandelboom; [Surinam (Du)] → Amandra; [Surinam (Cr)]
- Terminalia dichotoma G.Meyer** → Alasoabo; [Surinam (Ar)] → Alasuhabu; [Guyana (Ar)] → Boes'amandra; [Surinam (Cr)] → Bosamandel; [Surinam (Du)] → Coffee mortar; [Guyana (Cr)] → Cokerwood; [Guyana (Cr)] → Fukadi (-djamaro, swamp-); [Surinam (Ar)] → Karalawai jakoenepete; [Caribbean] → Naharu; [Guyana (Cr)] → Simia chimi; [Guyana (Ak)] → Swamp fukadi (djamaro-); [Guyana (Cr)]
- Terminalia lucida Hoffmann ex Martius** → Bosamandel; [Surinam (Du)]
- Terminalia mauritiana Blanco** → Amandelboom; [Surinam (Du)]
- Terminalia moluccana Lam.** → Amandelboom; [Surinam (Du)]
- Terminalia obovata (Ruiz & Pavón) Steudel** → Sasanhoedoe; [Surinam]
- Terminalia procera Roxburgh** → Amandelboom; [Surinam (Du)]
- Terminalia quintalata Maguire** → Fukadi, swamp; [Guyana (Ar)] → Kumeyuarai; [Guyana (Ak)]

- Terminalia sp.** → Adamaram; [French Guiana] → Olivier mangué; [Trinidad] → Olivier, white; [Trinidad] → Poirier; [Trinidad] → White olivier; [Trinidad]
- Terminalia tanibouca Smith** → Langoussi; [French Guiana] → Nagossi (nagosse); [French Guiana] → Tanibouca; [French Guiana]
- Ternstroemia browniana Kobuski** → Yeshikushi; [Surinam (Ar)]
- Ternstroemia circumscissilis Kobuski** → Itui; [Guyana (Ak)] → Yeshikushi; [Surinam (Ar)]
- Ternstroemia delicatula Choisy** → Yeshikushi; [Surinam (Ar)]
- Ternstroemia dentata (Aublet) Swartz** → Ka; [Guyana (M)] → Omirir; [Guyana (W)] → Yeshikushi; [Surinam (Ar)]
- Ternstroemia grandiosa Kobuski** → Yeshikushi; [Surinam (Ar)]
- Ternstroemia schomburgkiana Benth.** → Yeshikushi; [Surinam (Ar)]
- Ternstroemia sp.** → Mamey del cura; [Puerto Rico] → Mamusaru; [Guyana] → Palo de colorado; [Puerto Rico]
- Ternstroemia verticillata Klotzsch ex Wawra** → Yeshikushi; [Surinam (Ar)]
- Tetracera asperula Miquel** → Halietsjimanni (halitsimáli); [Surinam (Ar)] → Halitsimáli (halietsjimanni); [Surinam (Ar)] → Kabuduli; [Surinam (Ar)] → Kautété; [Surinam (Cr)] → Tamejoeoe; [Caribbean]
- Tetracera costata C.Martius ex Eichler** → Kabuduli; [Surinam (Ar)] → Kabuduli; [Surinam (Ar)] → Katunai; [Guyana (Ak)]
- Tetracera ovalifolia DC.** → Kabuduli; [Surinam (Ar)]
- Tetracera surinamensis Miquel** → Kabuduli; [Surinam (Ar)]
- Tetracera trinitensis Sprague & Williams** → Kabuduli; [Surinam (Ar)]
- Tetragastris altissima (Aublet) Swart** → Asau; [Guyana (W)] → Encens rouge; [French Guiana] → Haiawaballi; [Surinam (Ar)] → Kamaragwa; [Guyana (M)] → Redi salie; [Surinam (Cr)] → Rode salie; [Surinam (Du)] → Salie (rode-, witte-, redi-); [Surinam (Cr, Du)] → Witte salie; [Surinam (Du)]
- Tetragastris balsamifera (Swartz) Kuntze** → Amacey; [Dominican Republic] → Bois cochon; [French Guiana] → Sucrier des montagnes; [French Guiana]
- Tetragastris hostmannii (Engl.) Kuntze** → Apotona pereká; [Caribbean] → Haiawaballi; [Surinam (Ar)] → Joeliballi tataro(e) (-hororodikoro); [Surinam (Ar)] → Joliballi; [Surinam (Ar)] → Jorieballi tataro; [Surinam (Ar)] → Pakiri(a) sipioli (pakira sipiore); [Caribbean] → Patiara sipioro, pelika; [Surinam (Ar)] → Pelika (-patiara sipioro); [Surinam (Ar)] → Poeleka (pelika, peleka); [Caribbean] → Poelikoh; [Caribbean] → Pooleka; [Caribbean] → Salie, zwarte (rode, witte); [Surinam (Du)] → Wo-oppoetanoepoeleka; [Caribbean] → Zwarte salie (rode-, witte-); [Surinam (Du)]
- Tetragastris panamensis (Engl.) Kuntze** → Haiawaballi; [Surinam (Ar)] → Joeliballi beleroe; [Surinam (Ar)] → Pakira sipiore (pakiria sipioli); [Caribbean] → Peleka (pelika, poeleka), tamoene; [Surinam (Ar)] → Poeleka (peleka, pelika), tamoene; [Surinam (Ar)] → Salie, zwarte (witte-); [Surinam (Du)] → Tabara-hui; [Guyana (Ak)] → Tamoené peleka (-pelika, -poeleka); [Surinam (Ar)] → Witte salie; [Surinam (Du)] → Zebrawood; [Surinam (Cr)] → Zwarte salie; [Surinam (Du)]
- Tetragastris sp.** → Bois gommier rouge; [French Guiana] → Corantijns mahonie; [Surinam (Du)] → Gommier des montagnes; [French Guiana] → Joeliballi fieberoebana; [Surinam (Ar)] → Mahonie, Corantijns; [Surinam (Du)] → Masa; [Puerto Rico] → Palo de aceite; [Puerto Rico]
- Tetragastris stevensonii Standley** → Haiawaballi; [Surinam (Ar)]
- Tetrazygia pallens Cogniaux** → Cenizo; [Puerto Rico] → Granadillo bobo; [Dominican Republic] → Kre-kre; [Puerto Rico] → Verde-seco; [Puerto Rico]
- Thalia trichocalyx Gagnepain** → Papaja, zwampoe; [Surinam (Cr)]
- Thalia trichocalyx Gagnepain** → Zwampoe papaja; [Surinam (Cr)]
- Theobroma bicolor Humbert & Bonpland** → Cacao, wild; [Surinam (Cr)] → Cocoa, wild; [Surinam (Cr)] → Wild cacao (-cocoa); [Surinam (Cr)]
- Theobroma cacao L.** → Cacao; [Surinam (Du)]
- Theobroma guazuma L.** → Siriki; [Guyana (M)]
- Theophrasta sp.** → Guayabo de indio; [Dominican Republic]
- Thespesia grandiflora DC.** → Maga(r); [Puerto Rico]
- Thespesia populnea (L.) Solander ex M.N.Correa** → Bendy tree; [Puerto Rico] → Boskatoen; [Surinam (Du)] → Catalpa; [French West Indies] → Cork tree; [Puerto Rico] → Emajaguilla; [Puerto Rico] → Katoen, bos; [Surinam (Du)] → Mahoe, seaside; [British West Indies] → Otahite; [Puerto Rico] → Palo de jagueca; [Puerto Rico] → Santa Maria; [Puerto Rico] → Seaside mahoe; [British West Indies]

- Thevetia neriifolia** Jussieu → Seweyu; [Surinam (Ar)]
- Thevetia peruviana** (Persoon) K.Schumann → Caballón; [Puerto Rico] → Cabalonga; [Puerto Rico] → Camache; [Guyana] → Caruache; [Guyana] → Jurri jurri; [Surinam] → Lucky nut (-seed); [British West Indies] → Milk tree; [Puerto Rico] → Seweyu; [Surinam (Ar)] → Tawai; [Surinam]
- Thoracocarpus bissectus** (Vell.) Harling → Mamuri; [Surinam (Ar)] → Tibid; [Guyana (W)] → Wakwame; [Guyana (Ak)]
- Thouinia striata** Radlk. → Ceboroquillo; [Puerto Rico] → Guara; [Puerto Rico] → Quebracho; [Puerto Rico] → Quiebrahacha; [Puerto Rico] → Serrasuela; [Puerto Rico]
- Thryallis** sp. → Consulita; [Puerto Rico]
- Thunbergia alata** Bojer ex Sims → Boesi tetei; [Surinam (Cr)]
- Thunbergia erecta** (Benth.) T.Anderson → Karko broomtje; [Surinam (Du)]
- Thunbergia fragrans** Roxburgh → Wettie slinger voe boesi; [Surinam (Cr)]
- Thurnia sphaerocephala** (Rudge) Hook.f. → Salaá; [Caribbean] → We; [Surinam (Ar)]
- Thyrsodium dasytrichum** Sandwith → Oeluballi (uluballi); [Surinam (Ar)] → Uluballi (oeluballi); [Surinam (Ar)]
- Thyrsodium guianense** Sagot ex Marchal → Djedoe; [Surinam (Sa)]
- Thyrsodium schomburgkianum** Benth. → Djedoe; [Surinam (Sa)]
- Tibouchina aspera** Aublet → Badakasai; [Surinam (Ar)]
- Tillandsia pulchella** Hook. → Alurubara; [Surinam (Ar)] → Meliu; [Caribbean]
- Tillandsia usneoides** (L.) L. → Adatima; [Surinam (Ar)] → Moss, Spanish; [Surinam (Cr)] → Old man's beard; [Guyana (Cr)] → Spanish moss; [Surinam (Cr)]
- Tococa aristata** Benth. → Huruereroko; [Surinam (Ar)]
- Tococa** sp. → Ant's plant; [Guyana (Cr)]
- Torrubia olfersiana** (Link, Kl. & Otto) Standley → Jamsihoedoe; [Surinam (Cr)] → Njamsihoedoe; [Surinam (Cr)]
- Torrubia** sp. → Beefwood (cork-, pigeon-, pork-); [British West Indies] → Black mampoo; [Puerto Rico] → Blolly; [British West Indies] → Corcho; [Puerto Rico] → Corkwood (beef-, pigeon-, pork-); [British West Indies] → Majagua que mona; [Puerto Rico] → Mampoo, black; [Puerto Rico] → Muñeco; [Dominican Republic] → Pigeonwood (beef-, cork-, pork-); [British West Indies] → Porkwood (beef-, cork-, pigeon-); [British West Indies]
- Toulicia guianensis** Aublet → Akawaiosope; [Guyana (Ak)] → Bois flambeau; [French Guiana] → Hikuribianda; [Surinam (Ar)] → Pausauwun; [Guyana (W)] → Pauiyeno; [Guyana (M)]
- Toulicia pulvinata** Radlk. → Hikuribianda; [Surinam (Ar)] → Karababalli; [Surinam (Ar)] → Tatoe; [Surinam (Au)] → Toelisi; [Caribbean] → Toulici; [Caribbean] → Walitidan; [Surinam (Ar)]
- Toulicia** sp. → Jan krappa; [Surinam (Cr)]
- Tournefortia argentea** L.f. → Bejuco (-de nigua, -masa); [Puerto Rico]
- Tournefortia bicolor** Swartz var. **calycosa** J.D.Smith → Chiggernit; [Puerto Rico] → Chigoe plant; [Guyana (Cr)]
- Tournefortia** sp. → Mata de nigua; [Puerto Rico] → Nigua (-peluda); [Puerto Rico] → Pringamoza; [Puerto Rico] → Té del mar; [Puerto Rico] → Temporana; [Puerto Rico]
- Touroulia guianensis** Aublet → Fern tree; [Guyana (Cr)] → Tamkun; [Guyana (W)] → Yuroware; [Guyana (M)]
- Tovomita albiflora** A.C.Smith → Awasokule; [Surinam (Ar)] → Wakome; [Guyana (An)]
- Tovomita brasiliensis** (C.Martius) Walpers → Awasokule; [Surinam (Ar)]
- Tovomita brevistaminea** Engl. → Awasokule; [Surinam (Ar)] → Mangue, red; [Trinidad] → Red mangue; [Trinidad]
- Tovomita calodictyos** Sandwith → Awasokule; [Surinam (Ar)]
- Tovomita caloneura** A.C.Smith → Awasokule; [Surinam (Ar)]
- Tovomita cephalostigma** Vesque → Awasokule; [Surinam (Ar)] → Prasara; [Surinam]
- Tovomita choisyana** Planchon & Triana → Alakapoeli; [Caribbean] → Arapori; [Caribbean] → Awasokule (awassokoele); [Surinam (Ar)] → Awassokoele (awasokule); [Surinam (Ar)] → Boesi mangro; [Surinam (Cr)] → Bosmangro; [Surinam (Du)] → Etra kapoeri; [Caribbean] → Koessapoli; [Caribbean] → Konapoe; [Caribbean] → Manbotie-ie; [Surinam (Sa)] → Mango (mangroe, mangro); [Surinam (Sa)] → Mangro, savanne (bos-, boesi-); [Surinam (Cr, Du)] → Sabana mangro; [Surinam (Sa)] → Sapodilla, wild; [Guyana (Cr)] → Savanne mangro; [Surinam (Du)] → Watiepa oepa(d)jarè(rè); [Surinam] → Wild sapodilla; [Guyana (Cr)]
- Tovomita divaricata** Maguire → Awasokule; [Guyana (Ar)]
- Tovomita eggersii** Vesque → Mangue, red;

- [Trinidad] → Red mangue; [Trinidad]
Tovomita fanshawei Maguire → Awasokule; [Surinam (Ar)]
- Tovomita grata Sandwith** → Alakapoeli; [Caribbean] → Awasokule; [Surinam (Ar)] → Bosmangro; [Surinam (Du)] → Mangro, bos; [Surinam (Du)]
- Tovomita guianensis Aublet** → Awasakuli (awasokule); [Surinam (Ar)] → Awasokule (awasakuli); [Surinam (Ar)]
- Tovomita macrophylla (Poeppig & Endl.) Walpers** → Awasokule; [Surinam (Ar)]
- Tovomita obovata Engl.** → Alakapoeli (arakapuri); [Caribbean] → Arakapuri (alakapoeli); [Caribbean] → Awasokule; [Surinam (Ar)] → Koralso; [Guyana (Cr)] → Mangro, wild; [Surinam (Cr)] → Matkinye; [Guyana (M)] → Minkun; [Guyana (W)] → Wakwami; [Guyana (Ak)] → Wild mangro; [Surinam (Cr)]
- Tovomita obscura Sandwith** → Awasokule; [Surinam (Ar)]
- Tovomita schomburgkii Planchon & Triana** → Alakapoeli; [Caribbean] → Awasakole (awasokule); [Surinam (Ar)] → Awasokule (awasakole); [Surinam (Ar)] → Boesi mangro; [Surinam (Cr)] → Bosmangro; [Surinam (Du)] → Kombotasje poté; [Surinam] → Man sabana mangro; [Surinam (Cr)] → Mangro, man sabana (bos-); [Surinam (Cr, Du)] → Manibotie-ie; [Surinam (Sa)] → Sabana mangro (man-, bos-); [Surinam (Cr, Du)] → Watiepa opodjaré; [Caribbean]
- Tovomita secunda Poeppig** → Boesi mangro; [Surinam (Cr)] → Bosmangro; [Surinam (Du)] → Mangro, bos (boesi-); [Surinam (Du)]
- Tovomita sp.** → Palétuvier de montagne; [Martinique]
- Tovomitopsis standleyana (L.O.Williams) D'Arcy** → Tapirero; [Guyana (Ar)]
- Trachypogon plumosus (H.B.) Nees** → Papipiakan; [Caribbean]
- Tradescantia elongata G.Meyer** → Gado dede; [Surinam (Cr)] → Oelearoe khalemeroe; [Surinam (Ar)] → Tamakoesji; [Caribbean]
- Trattinickia burserifolia C.Martius** → Ajawa (ayawa, hajawa, haiawa, ajawe); [Caribbean] → Apoto ajawa; [Surinam] → Awaloe pisi (awaloe-oe); [Surinam] → Awaloe-oe (awaloe pisi); [Surinam] → Ayawa (ajawa, ajawe); [French Guiana] → Bastard cedar; [Guyana (Cr)] → Cedar, bastard; [Guyana (Cr)] → Hajawa (haiawa, ajawe, ayawa, ajawa); [Caribbean] → loelieballi; [Surinam (Ar)] → Oelo (olo, oelu, ulu, ulu); [Surinam (Ar)] → Oelu (ulu, oelo, olo, ulu); [Guyana (Ar)] → Olo (-kaike, -karau-bandikorro); [Surinam (Ar)] → Patjera siepjourie; [Caribbean] → Saly; [Surinam (Cr)] → Tingiemonnie (tingimoni); [Surinam (Cr)] → Tingimoni (tingiemonnie); [Surinam (Cr)] → Ulo (olo, oelo, ulu, oelu); [Surinam (Ar)] → Ulu (oelu, oelo, olo); [Guyana (Ar)] → Wayama; [Guyana (Ak)]
- Trattinickia demararae Sandwith** → Ihoeloe ilanao ajawa; [Caribbean]
- Trattinickia demerarae Sandwith** → Ajawa, apoto (ihoeloe ilanao-); [Caribbean] → Awaloe pisi (awaloe-oe); [Surinam (Cr)] → Awaloe-oe (awaloe pisi); [Surinam (Cr)] → Bois encens; [French Guiana] → Cedar, white; [Surinam (Cr)] → Ceder, witte; [Surinam (Du)] → Cèdre blanc; [French Guiana] → Encens gris; [French Guiana] → Haiawa (hajawa, ajawa, ayawa); [Surinam (Ar)] → Hajawa(-balli hororodikoro); [Surinam (Ar)] → Olo (ulo, ulu, oelo, oelu); [Surinam (Ar)] → Thick-skin ulu; [Surinam (Cr)] → Tingimoni (tiengimonnie); [Surinam (Cr)] → Ulu, thick-skin; [Surinam (Cr)] → Wayama; [Guyana (Ak)] → White cedar; [Surinam (Cr)] → Witte ceder; [Surinam (Du)]
- Trattinickia rhoifolia Willd.** → Ajawa; [Caribbean] → Awaloe pisi (awaloe-ie); [Surinam (Cr)] → Bastard kurokai (-koeroekai); [Guyana (Cr)] → Koeroekai (kurokai), bastard; [Surinam (Cr)] → Kurokai (koeroekai), bastard; [Guyana (Cr)] → Olo (ulo, ulu, oelo, oelu); [Surinam (Ar)] → Thin-skin ulu; [Guyana (Cr)] → Tingimoni; [Surinam (Cr)] → Ulu, thin-skin; [Guyana (Cr)] → Wayama; [Guyana (Ak)]
- Trattinickia sp.** → Ajawa, siwaarwah (tapoekjen-, woitano-); [Surinam] → Gange (-iesè, -pisi); [Surinam] → Khalemeroe; [Surinam (Ar)] → Orokaike; [Surinam] → Pakiria sipioli; [Surinam] → Sipioli; [Surinam] → Siwaarwah ajawa; [Surinam] → Tapoekjen ajawa; [Surinam] → Wooitano ajawa; [Surinam] → Wosiono sipio; [Surinam]
- Trema micrantha (L.) Blume** → Anisillo; [Dominican Republic] → Guacimillo; [Puerto Rico] → Kabuyakoro; [Surinam (Ar)] → Kop'kopi; [Surinam] → Memiso; [Dominican Republic] → Moniki; [Guyana (Ak)] → Pain-in-black; [Puerto Rico] → Palo de cabra; [Puerto Rico]
- Trichanthera gigantea (Kunth) Steudel** → Manebokoro (manibokoro); [Surinam (Ar)] → Manibokoro (manebokorao); [Surinam (Ar)] → Waterhout; [Surinam (Du)]
- Trichilia acariaeantha Harms** → Hiakanta hariraroe; [Surinam (Ar)]
- Trichilia cuneifolia Pulle** → Basra bruinhart;

- [Surinam (Du)] → Bruinhart, basra; [Surinam (Du)]
Trichilia fuscescens Radlk. → Karababalli djamaro; [Surinam (Ar)]
Trichilia guianensis Klotzsch ex C.DC. → Yuriballi; [Surinam (Ar)]
Trichilia micrantha Benth. → Salie; [Surinam (Du)] → Soboleroballi; [Surinam (Ar)] → Sorosali; [Surinam (Du)]
Trichilia oblanceolata Rusby → Acurel; [Trinidad]
Trichilia pleeana (A.Jussieu) C.DC. → Marua(kun); [Guyana (W)]
Trichilia roraimana C.DC. → Soboleroballi; [Surinam (Ar)]
Trichilia rubra C.DC. → Yuriballi; [Surinam (Ar)]
Trichilia schomburgkii C.DC. ssp. schomburgkii → Panamwi; [Guyana (Ak)] → Yuriballi; [Surinam (Ar)]
Trichilia smithii C.DC. → Marua(kun); [Guyana (M)]
Trichilia sp. → Almendrilla; [Dominican Republic] → Broomstick; [Puerto Rico] → Cabo de hacha; [Puerto Rico] → Caracolillo; [Puerto Rico] → Chicharrón; [Dominican Republic] → Gaeta; [Puerto Rico] → Guaita; [Puerto Rico] → Guayavacón; [Puerto Rico] → Molinillo; [Puerto Rico] → Obi; [Trinidad] → Palo de anastasio; [Puerto Rico] → Ramoncillo; [Puerto Rico] → Retamo; [Puerto Rico]
Trichilia subsessilifolia C.DC. → Hiakanta; [Surinam (Ar)]
Trichilia surinamensis (Miquel) C.DC. → Salie (soro-); [Surinam (Du)] → Soro salie; [Surinam (Du)]
Trigonía laevis Aublet → Loapepo; [Caribbean]
Trigonía microcarpa Sagot ex Warming → Loapepo; [Caribbean]
Triplaris americana Aublet → Mierenhout; [Surinam (Du)]
Triplaris surinamensis Chamisso → Mierenhout; [Surinam (Du)]
Triplaris weigeltiana (Rchb.) Kuntze → Bois fourmi; [French Guiana] → Christmas candle; [Guyana (Cr)] → Donhoedoe; [Surinam (Sa)] → Dreitin; [Surinam (Cr)] → Dréten (drytimehout); [Surinam (Cr, Du)] → Drytimehout (dréten); [Surinam (Cr, Du)] → Jekoena (jekuna, yekuna); [Surinam (Ar)] → Jekuna (jekoena, yekuna); [Surinam (Ar)] → Kadaburichi; [Surinam (Ar)] → Long John; [Guyana (Cr)] → Mierenboom; [Surinam (Du)] → Mierenhout; [Surinam (Du)] → Mirahoedoe; [Surinam (Cr)] → Sapahaki apolli; [Guyana] → Tasié (tassi); [Caribbean] → Tassi (tasié); [Caribbean] → Yekuna (jekuna, jekoena); [Surinam (Ar)]
Triumfetta semitriloba Jacq. → Toorban; [Surinam (Cr)] → Toriman; [Surinam (Cr)]
Trymatococcus oligandrus (Benoist) Lanjouw → Beloekoro; [Surinam (Ar)] → Joekoeipio; [Caribbean] → Letterhout; [Surinam (Du)]
Trymatococcus paraensis Ducke → Pasture tree; [Guyana (Cr)] → Satiné, true; [Surinam (Cr)] → Sokonéballi wabo; [Surinam (Ar)] → True satiné; [Surinam (Cr)]
Tryonella sp. → Hoeliaballi; [Surinam (Ar)]
Turnera sp. → Alder, yellow; [Puerto Rico] → Marilópez; [Puerto Rico] → Oreganillo; [Dominican Republic] → Yellow alder; [Puerto Rico]
Turnera ulmifolia L. → Apaali; [Caribbean] → Jahoeballi; [Surinam (Ar)] → Kenolo; [Caribbean]
Typha angustifolia L. → Ara; [Surinam (Cr)] → Biezen; [Surinam (Du)] → Flaggra; [Surinam (Cr)] → Kala (-kalaroe); [Surinam (Ar)]
Uncaria guianensis (Aublet) J.F.Gmelin → Akoekoeleja amosaitjele; [Caribbean] → Boerio bada; [Surinam (Ar)] → Pana pana; [Caribbean] → Popakainangra; [Surinam (Ar)]
Unonopsis glaucopetala R.E.Fries → Arara; [Surinam (Ar)] → Karai; [Guyana (Ak)] → Peperhout; [Surinam (Du)]
Unonopsis guatteroides (A.DC.) R.E.Fries → Akale pomejde; [Caribbean] → Jeseredan oenirefodikoro; [Surinam (Ar)] → Kaaiman peper; [Surinam (Du)] → Kwaranapoiballi; [Surinam (Ar)] → Moerèweran; [Caribbean] → Panta, watra; [Surinam (Cr)] → Peper, kaaiman; [Surinam (Du)] → Watra panta; [Surinam (Cr)]
Unonopsis rufescens (Baillon) R.E.Fries → Amosérian; [Caribbean] → Apotai wéwé; [Caribbean] → Araidja (azaida); [Caribbean] → Azaida (araidja); [Caribbean] → Azonhoedoe; [Surinam (Sa)] → Ganbesie aranhoedoe; [Surinam (Sa)] → Jeseredan (-hororodikoro); [Surinam (Ar)] → Panta; [Surinam (Cr)] → Peperhout; [Surinam (Du)] → Pepre zoitoe; [Surinam (Cr)] → Peprehoedoe; [Surinam (Cr)]
Unonopsis sp. → Black yariyarri; [Guyana (Cr)]
Urera caracasana (Jacq.) Griseb. → Ortiga; [Puerto Rico] → Pringamoza; [Dominican Republic]
Urospatha hostmanii Schott → Oleballi; [Surinam (Ar)]
Uvaria aromatica Lam. → Arroakra; [Surinam (Ar)]
Vandellia diffusa L. → Aionora-da; [Surinam (Ar)]

- Vanilla pompona Schiede** → Vanilla kamaye; [Guyana (Ar)]
- Vantanea sp.** → Louantan; [French Guiana]
- Vatairea guianensis Aublet** → Arakaka(-yek); [Guyana (Ak)] → Arasaru (arisoeroe, arisauro); [Guyana (Ar)] → Arisauro (arisoeroe, arasaru); [Surinam (Ar)] → Arisoeroe (arisauro, arasaru); [Surinam (Ar)] → Arisower (arisoeroe, arisauro, arasaru); [Surinam (Cr)] → Erejoeroe; [Caribbean] → Gele kabbes; [Surinam (Du)] → Geri kabisi (gele kabbes); [Surinam (Cr, Du)] → Kabbes, gele; [Surinam (Du)] → Kadjoesi auka; [Surinam (Sa)] → Ourisoura; [Guyana] → Reejoeloe; [Surinam (Cr)] → Riariadan hororodikoro; [Surinam (Ar)] → Wormbast; [Surinam (Du)] → Yaksa(u)ru; [Guyana]
- Vatairea surinamensis Kleinhoonte** → Arisauro (arisoeroe, arasaru); [Surinam (Ar)]
- Vataireopsis speciosa Ducke** → Gele kabbes; [Surinam (Du)]
- Vernonia cinera (L.) Lesson** → Doifie wiwirie; [Surinam (Cr)] → Khalaosé tokon; [Surinam (Ar)] → Santa Maria; [Puerto Rico] → Tapa camino; [Puerto Rico] → Wiwirie, doifie; [Surinam (Cr)]
- Vetiveria zizanioides (L.) Nash** → Reukgras; [Surinam (Du)] → Vetiver; [Surinam (Du)]
- Vigna luteola (Jacq.) Benth.** → Pesie, wilde; [Surinam (Du)] → Wilde pesie; [Surinam (Du)]
- Vigna unguiculata (L.) Walpers** → Djari pesie; [Surinam (Cr)] → Kosoebantie (kousebantie); [Surinam (Cr)] → Kouseband; [Surinam (Du)] → Kousebantie (kosoebantie); [Surinam (Cr)] → Pesie, djari; [Surinam]
- Viola bicuhyba Warburg** → Guingua madou de monte; [Guianas] → Virola; [Guianas]
- Viola boliviensis Warburg** → Baboenhout; [Surinam (Du)]
- Viola elongata (Benth.) Warburg** → Dalli; [Surinam (Ar)]
- Viola koschnyi Warburg** → Banak; [Surinam]
- Viola melinonii (Benoist) A.C. Smith** → Dalli; [Surinam (Ar)]
- Viola merendonis Pittier** → Banak; [Surinam]
- Viola michelii Heckel** → Baboen, hoogland (egron-); [Surinam (Du)] → Dalli (dari), hill; [Guyana (Cr)] → Dari (dalli); [Surinam (Ar)] → Egron baboen; [Surinam (Du)] → Hill dalli; [Guyana (Cr)] → Hoogland baboen; [Surinam (Du)] → Irikwa; [Guyana (M)]
- Viola mycetis Pulle** → Baboenhoedoe; [Surinam (Cr)]
- Viola sagotiana (Benth.) Warburg** → Mouchigo rouge; [French Guiana]
- Viola sebifera Aublet** → Baboen, hoogland (egron-, bastaard-); [Surinam (Du)] → Baboenhout; [Surinam (Du)] → Babunhudu; [Guianas] → Bastaard baboen; [Surinam (Du)] → Dalli, man (hill-); [Guyana (Cr)] → Egron baboen; [Surinam (Du)] → Hill dalli; [Guyana (Cr)] → Hoogland baboen; [Surinam (Du)] → Man dalli; [Guyana (Cr)] → Pientrie (pintri); [Surinam (Cr)] → Pintri (pientrie); [Surinam (Cr)] → Warokoti; [Surinam (Ar)] → Warosiran; [Caribbean]
- Virola sp.** → Abre à suif; [French Guiana] → Dayopa; [Guianas] → Kilikowa; [Guianas] → Muscadier à suif (-fou); [French Guiana] → Muscadier fou (-à suif); [Guadeloupe] → Voirouchi; [Guianas]
- Virola surinamensis (Rolander ex Rottb.) Warburg** → Acajou; [Trinidad] → Anakin; [Trinidad] → Baboen; [Surinam (Du)] → Baboenhoedoe (-wood, -trie, -hout); [Surinam (Cr)] → Baboenwood (-hoedoe, -trie, -hout); [Surinam (Cr)] → Cajuco (cayuco); [Trinidad] → Cayuco (cajuco); [Trinidad] → Couaie; [French Guiana] → Dalli (swamp-); [Surinam (Ar)] → Dollywood; [Guyana (Cr)] → Gniagnia (madoe); [French Guiana] → Guiagua madoe (guingua-, gniagnia-); [Guianas] → Guingua madou (guiagua-, gniagnia-); [French Guiana] → Irikwa; [Guyana (M)] → Jea (madoe); [Guianas] → Madoe, jea (yaya-, guiagua-, guingua-); [Guianas] → Moonba; [Surinam (Sa)] → Mouchigo (moussigo); [French Guiana] → Moulomba; [French Guiana] → Moussigo (mouchigo); [Guianas] → Moussigot; [French Guiana] → Nutmeg, wild; [Trinidad] → Otoba; [Surinam] → Ouarouchi; [Guianas] → Saint Jean rouge; [Guianas] → Swamp dalli; [Surinam (Cr)] → Virola; [Surinam (Du)] → Warishi (waroesie); [Caribbean] → Waroesie (warishi); [Caribbean] → We; [Guyana (Ak)] → Wild nutmeg; [Trinidad] → Yaya madoe (jea-, guiagua-, guingua-); [Guianas]
- Virola venosa (Benth.) Warburg** → Baboenhoedoe; [Surinam (Cr)] → Baboenhout; [Surinam (Du)] → Madoa (mattoe) moenba; [Surinam (Sa)] → Mattoe (madoa) moenba; [Surinam (Sa)] → Pintri (pientrie); [Surinam (Cr)] → Tarosiepjo; [Caribbean] → Wallololo; [Caribbean] → Waroesierjan; [Caribbean] → Warokoroballi; [Surinam (Ar)] → Warokoti; [Surinam (Ar)]
- Vismia angusta Miquel** → Pienja; [Surinam (Du)]
- Vismia cayennensis (Jacq.) Persoon** → Aliskii sjoewinjani ènèkan; [Caribbean] → Bloodwood; [Guyana (Cr)] → Moejè pienjapau; [Surinam (Sa)] → Oema pienja; [Surinam (Cr)] → Orali; [Surinam

- (Ar)] → Pienja (oema-); [Surinam (Cr, Du)] → Pienjahoedoe; [Surinam (Cr)] → Pienjapau (moejè-); [Surinam (Sa)] → Sjoewinjani (sjoewinjani, soeinjani); [Caribbean] → Soeinjani (sjoewinjani, sjoewinjani); [Caribbean] → Warohaja iebi beroebana; [Surinam (Ar)] → Warohaja iebi korobana; [Surinam (Ar)]
- Vismia confertiflora Spruce ex Reichardt** → Bloodwood; [Guyana (Cr)] → Jassiehoedoe; [Surinam (Cr)] → Oema pienja; [Surinam (Cr)] → Orali; [Surinam (Ar)] → Pienja, oema; [Surinam (Cr)] → Pinja (pienja); [Surinam (Du)]
- Vismia dealbata Kunth** → Lacrae; [Trinidad]
- Vismia falcata Rusby** → Bloodwood; [Guyana (Cr)] → Kiskidee; [Trinidad] → Orali; [Surinam (Ar)]
- Vismia ferruginea Kunth** → Pienja; [Surinam (Du)]
- Vismia guianensis (Aublet) Choisy** → Bloodwood; [Guyana (Cr)] → Fijnbladige pienja (witte-); [Surinam (Du)] → Lacraie (lacre); [Trinidad] → Lacre (lacraie); [Trinidad] → Orali; [Surinam (Ar)] → Pienja, fijnbladige (witte-); [Surinam (Du)] → Pienja, redi bakka (witte-, fijnbladige-); [Surinam (Cr, Du)] → Pienjapau; [Surinam (Sa)] → Pinja, witte (fijnbladige-); [Surinam (Du)] → Redi bakka pienja; [Surinam (Cr)] → Sjoewinjani (soeinjani, sjoewinjani); [Caribbean] → Soewinjani, tamoené (tapirin-, wakare-); [Caribbean] → Tamoené soewinjani (-sjoewinjani); [Caribbean] → Tapirin soewinjani; [Caribbean] → Tawayor; [Guyana (W)] → Waiama; [Guyana (Ak)] → Wakare soewinjani; [Caribbean] → Walama; [Guyana (M)] → Warahaja (warohaja) hariraroe; [Surinam (Ar)] → Witte pinja (-pienja); [Surinam (Du)]
- Vismia latifolia (Aublet) Choisy** → Bloodwood; [Guyana (Cr)] → Bois de sang; [French Guiana] → Fijnbladige pienja; [Surinam (Du)] → Orali; [Surinam (Ar)] → Pienja, fijnbladige; [Surinam (Du)] → Pienjapau (pieniapau); [Surinam (Sa)] → Seebiralala; [Caribbean] → Sjoewinjani (soeinjani, sjoewinjani); [Caribbean] → Wajoelidan; [Caribbean] → Warahaja (warohaja) koeleroe; [Surinam (Ar)]
- Vismia macrophylla Kunth** → Bloodwood; [Guyana (Cr)] → Breedbladige pienja; [Surinam (Du)] → Man pienja (oema-, omi-); [Surinam (Cr)] → Oema pienja (man-); [Surinam (Cr)] → Omi pienjapau; [Surinam (Sa)] → Orali; [Surinam (Ar)] → Pienja, breedbladige (oema-, man-); [Surinam (Du)] → Pienjapau (omi-); [Surinam (Sa)] → Seepjalala (seipjalala, seibrallala); [Surinam] → Seibrallala (seipjalala); [Caribbean] → Seipjalala (seibrallala); [Caribbean] → Sjoewinjani (soeinjani, sjoewinjani); [Caribbean] → Warahaja; [Surinam (Ar)] → Warohaja sarerokoena; [Surinam (Ar)]
- Vismia ramuliflora Miquel** → Taloekwepe; [Caribbean]
- Vismia rufescens (Lam.) Persoon** → Orali; [Guyana (Ar)]
- Vismia sessilifolia (Aublet) DC.** → Bloodwood; [Guyana (Cr)] → Orali; [Guyana (Ar)]
- Vismia sp.** → Bois babtiste; [French Guiana] → Bois cossais; [French Guiana] → Bois d'acossais; [French Guiana] → Bois d'arte; [French Guiana] → Bois de la fièvre; [French Guiana] → Bois sanglant; [French Guiana] → Coaopia; [French Guiana]
- Vitex capitata Vahl** → Bois lézard; [French West Indies]
- Vitex compressa Turcz.** → Alasoabo; [Surinam (Ar)] → Apokotja; [Caribbean] → Boskalebas; [Surinam (Du)] → Hakiaballi; [Surinam (Ar)] → Kalebas, bos; [Surinam (Du)] → Krabasihoedoe; [Surinam (Cr)] → Taroema; [Caribbean] → Waro koeli djamaro; [Surinam (Ar)]
- Vitex divaricata Swartz** → Black fiddlewood; [British West Indies] → Bois lézard; [French West Indies] → Fiddlewood, black; [British West Indies] → Lizardwood; [British West Indies] → Pendulo blanco; [Puerto Rico]
- Vitex guianensis Moldenke** → Hakiaballi; [Surinam (Ar)] → Hakuyaballi (hakiaballi); [Surinam (Ar)]
- Vitex orinocensis Kunth var. multiflora (Miq.) Huber** → Blauw-bloem kalebashout; [Surinam (Du)] → Hakiaballi; [Surinam (Ar)] → Kalebashout, blauw-bloem; [Surinam (Du)] → Krabasihoedoe; [Surinam (Cr)]
- Vitex schomburgkiana Schauer** → Hakiaballi; [Guyana (Ar)]
- Vitex sp.** → Higuerrillo; [Puerto Rico] → Palo perrito; [Dominican Republic]
- Vitex stahelii Moldenke** → Alasoabo; [Surinam (Ar)] → Hakiaballi; [Surinam (Ar)] → Hakuyaballi (hakiaballi); [Surinam (Ar)] → Panda; [Caribbean]
- Vochysia costata Warming** → Iteballi; [Surinam (Ar)]
- Vochysia crassifolia Warming** → Iteballi; [Surinam (Ar)]
- Vochysia curvata Klotzsch** → Iteballi; [Surinam (Ar)]
- Vochysia densiflora Spruce ex Warming** → Appel kwarie (ceder-); [Surinam (Du)] → Apra kwari; [Surinam (Cr)] → Baradan; [Surinam (Ar)] → Ceder kwarie (appel-); [Surinam (Du)] → Fou;

[French Guiana] → Goebaja kwarie (wana-); [Surinam (Cr)] → Grignon (-fou, -gris, -rose, -rouge); [French Guiana] → Iteballi (iteballi); [Surinam (Ar)] → Iteballi (ieteballi); [Surinam (Ar)] → Kouali; [French Guiana] → Koware, parapi; [Caribbean] → Kwalie, tapirin; [Caribbean] → Kwarie, wana (goebaja-, appel-, ceder-); [Surinam (Cr, Du)] → Maypuliedondron; [Caribbean] → Parapi koware; [Caribbean] → Quaruba branca; [Curaçao] → Tapirin kwalie; [Caribbean] → Tin tin; [Curaçao] → Wana kwarie (goebaja-); [Surinam (Cr)] → Wonoe kwarie; [Caribbean] → **Vochysia glaberrima Warming** → Iteballi; [Surinam (Ar)] → **Vochysia guianensis Aublet** → Aetaballi (etaballi, itaballi); [Surinam (Ar)] → Bé kwaie (bé kwa-ie); [Surinam (Sa)] → Etaballi (itaballi, aetaballi); [Surinam (Ar)] → Goewanna kwarie (gwanna-); [Surinam (Cr)] → Gwanna; [Surinam (Cr)] → Gwanna kwarie (goewanna-); [Surinam (Cr)] → Itaballi (etaballi, aetaballi); [Surinam (Ar)] → Itéballi koeleroe (-koréro); [Surinam (Ar)] → Kowalli; [Surinam (Cr)] → Kwaie, bé; [Surinam] → Kwali, wane; [Surinam (Cr)] → Kwalie (kwarie, kowalli, kaw-ie, kwai); [Surinam (Cr)] → Kwana kwarie (goewanna-, gwanna-); [Surinam (Cr)] → Kwarie, goewanna (gwanna-, kwana-); [Surinam (Cr)] → Kwarie, kwana (goewanna-, gwanna-); [Surinam (Cr)] → Kwarie, rode (moti-); [Surinam (Cr, Du)] → Kwarie, was-wassi (wossie-wossie-); [Surinam (Cr)] → Kwarie, wiswis (wies wies-); [Surinam (Cr)] → Moti kwarie; [Surinam (Cr)] → Rode kwarie; [Surinam (Du)] → Wane kwali; [Surinam (Cr)] → Was-wassi kwarie (wossie-wossie-); [Surinam (Cr)] → Wies wies kwarie (wosjie-wosjie-); [Surinam (Cr)] → Wiswis kwarie (wies wies-); [Surinam (Cr)] → Wosjie-wosjie kwarie (wies wies-); [Surinam (Cr)] → Wossie-wossie kwarie (was-wassi-); [Surinam (Cr)] → **Vochysia melinonii Becker** → Kwarie, rode; [Surinam (Du)] → **Vochysia obscura Warming** → Kwarie; [Surinam (Cr)] → **Vochysia schomburgkii Warming** → Iteballi; [Guyana (Ar)] → **Vochysia sp.** → Bois agouti; [French Guiana] → Bois préfontaine; [French Guiana] → Seteballi korero; [Surinam] → **Vochysia surinamensis Stafleu** → Deokunud; [Guyana (W)] → Hill iteballi; [Guyana (Cr)] → Iteballi (hill-); [Surinam (Ar)] → Kwalie, wiswis; [Surinam (Cr)] → Kwarie (watra-); [Surinam (Cr)] → Watra kwarie; [Surinam (Cr)] → Wiswis kwalie;

[Surinam (Cr)]

Vochysia tetraphylla (G.Meyer) DC. → Etaballi (itaballi); [Surinam (Ar)] → Itaballi (etaballi); [Surinam (Ar)] → Iteballi (-hariraroe, -oenirefodikoro); [Surinam (Ar)] → Kuwariri; [Caribbean] → Kwalie; [Surinam (Cr)] → Kwarie, warra (watra-, wana-, -wiwiri); [Surinam (Cr)] → Kwaru; [Guyana (Ak)] → Pisi; [Surinam (Cr)] → Schokkie; [Caribbean] → Warra kwarie (watra-wana-); [Surinam (Cr)] → Watra kwarie (warra-, wana-); [Surinam (Cr)] → **Vochysia tomentosa (G.Meyer) DC.** → Alaan kopie; [Surinam (Sa)] → Echte kwarie; [Surinam (Du)] → Iteballi (iteballi); [Surinam (Ar)] → Iteballi (-hariraroe); [Surinam (Ar)] → Koewalarie, walapa; [Caribbean] → Koewalli; [Caribbean] → Kowaré; [Surinam] → Kwai (kwa-ie); [Surinam] → Kwallie, wana; [Surinam (Du)] → Kwaré; [Surinam (Cr)] → Kwarie, witte (echte-); [Surinam (Du)] → Kwarie wiwiri; [Surinam (Cr)] → Kwariehoedoe; [Surinam (Cr)] → Wachi-wachi blanc; [French Guiana] → Walapa koewalarie; [Caribbean] → Wana kwallie; [Surinam (Du)] → Wana kwarie (warra-, watra-); [Surinam (Cr)] → Witte kwarie; [Surinam (Du)] → **Vouacapoua americana Aublet** → Acapu (wacapou, wakabu, wakaboe); [Surinam (Cr)] → Botonellare; [Caribbean] → Bowhanti (broinharti, broin-ati); [Surinam (Cr)] → Broin-ati (broinharti, bowhanti); [Surinam (Cr)] → Broinharti (bowhanti, broin-ati); [Surinam (Cr)] → Bruinhart (broinharti, bowhanti, broin-ati); [Surinam (Cr, Du)] → Dakamaballi; [Surinam (Ar)] → Epi de blé; [French Guiana] → Kabbi; [Surinam] → Patridgewood; [Guyana (Cr)] → Perdrix; [French Guiana] → Sarabebeballi (sarebebeballi); [Surinam (Ar)] → Sarebebeballi; [Surinam (Ar)] → Tjanaren wakapoe; [Caribbean] → Tjatjaboetja; [Surinam (Cr)] → Wacapou (wakabu, wakaboe, acapu); [Surinam (Cr)] → Wakaboe (wakabu, wacapou, acapu); [Surinam (Cr)] → Wakabu (wakaboe, wacapou, acapu); [Surinam (Cr)] → Wakapoe (tjanaren-); [Caribbean] → **Vouacapoua macropetala Sandwith** → Sarebebeballi (sarabebeballi); [Guyana (Ar)] → **Vouarana guianensis Aublet** → Bigi tiengimonnie; [Surinam (Au)] → Kulishiri; [Surinam (Ar)] → Tiengimonie, bigi; [Surinam (Au)] → **Voyria courulea Aublet** → Alaabo; [Caribbean] → Kakoeshjioe inoko; [Surinam (Ar)] → **Voyria rosea Aublet** → Otokoko sjiri; [Surinam (Ar)] → Wara; [Caribbean] → **Wallenia pendula (Urban) Mez** → Jacanillo; [Puerto Rico] → Memeyuelo; [Puerto Rico] →

- Quiebrahacha; [Puerto Rico] → Uva; [Puerto Rico]
Wallenia sp. → Baibaiba; [Martinique] → Caimon(i); [Dominican Republic]
Waltheria americana L. → Basora prieta; [Puerto Rico] → Friega-plato; [Dominican Republic] → Haro-banaro; [Surinam (Ar)] → Kamferblad; [Surinam (Du)] → Malva (wilde-, -visco); [Surinam (Du)] → Marfa; [Surinam (Du)] → Soldatenthee; [Surinam (Du)] → Wilde malva; [Surinam (Du)]
Waltheria indica L. → Soldatenthee; [Surinam (Du)]
Warszewiczia coccinea (Vahl) Klotzsch → Poinsettia, wild; [Trinidad] → Wild poinsettia; [Trinidad]
Wedelia trilobata (L.) Hitchc. → Oranje désibel; [Surinam (Cr)]
Weinmannia hirta Swartz → Oreganillo; [Puerto Rico]
Weinmannia pinnata L. → Oreganillo; [Puerto Rico]
Wulffia baccata (L.f.) Kuntze → Faja adjansa; [Surinam (Cr)] → Kamalalai; [Caribbean] → Kamasbalai; [Caribbean] → Santo; [Surinam (Au)] → Soebroë djarsa; [Caribbean] → Soekioë kasa; [Surinam] → Warife; [Surinam (Ar)] → Wekoenomie; [Surinam (Au)]
Xanthophyllum sp. → He-he; [Surinam]
Xanthosoma belophyllum (Willd.) Kunth → Tayer; [Surinam]
Xanthosoma sagittifolium (L.) Schott → Bofrofoetoe; [Surinam (Cr)] → Jaba foetoe; [Surinam] → Ole; [Surinam (Ar)] → Tayer; [Surinam]
Xanthoxylum sp. → Geelstekelboom; [Surinam (Du)]
Ximenia americana L. var. americana → Croc; [Dominican Republic] → False sandelwood; [British West Indies] → Hevmassoli; [Guianas] → Hog plum (mountain-, Spanish-); [British West Indies] → Lime, wild (muri-); [Guyana (Cr)] → Mountain plum (hog-, Spanish-); [British West Indies] → Muri lime (wild-); [Guyana (Cr)] → Nut, tallow; [British West Indies] → Olive, wild; [British West Indies] → Oranger de montagne (-des falaises); [Guadeloupe] → Oranger des falaises (-de montagne); [Guadeloupe] → Plum, seaside; [Trinidad] → Plum, Spanish (hog-, mountain-); [British West Indies] → Prunier épineaux; [Guadeloupe] → Sandelwood, false; [British West Indies] → Sanders, yellow; [British West Indies] → Seaside plum; [Trinidad] → Spanish plum; [British West Indies] → Tallow nut; [British West Indies] → Tallowwood; [British West Indies] → Wild lime (muri-); [Guyana (Cr)] → Wild olive; [British West Indies] → Wiri; [Surinam (Ar)] → Yellow sanders; [British West Indies]
Xiphidium coeruleum Aublet → Hebesere-bina; [Surinam (Ar)] → Salalang; [Caribbean] → Waiuriballi; [Surinam (Ar)]
Xylopija aromatica (Lam.) C.Martius → Ammose; [Caribbean] → Arrokra; [Surinam (Ar)] → Awejoen (awiejoe); [Caribbean] → Eriwi-yurai; [Guyana (Ak)] → Koengé; [Surinam (Sa)] → Kuyama; [Surinam (Ar)] → Man pegrekoe; [Surinam (Cr)] → Pegrekoe (-pisi), man; [Surinam (Cr)] → Pisi, pegrekoe; [Surinam (Cr)]
Xylopija benthamii R.E.Fries → Awiejoe (awejoen); [Caribbean] → Weshiraure; [Surinam (Ar)]
Xylopija discreta (L.f.) Sprague & Hutch. → Arara; [Surinam (Ar)] → Pegrekoe; [Surinam (Cr)] → Poppy; [Guyana (Cr)] → Saintia; [Guyana (Cr)]
Xylopija frutescens Aublet → Arare (-koléro, koereroe-, koerroe-); [Surinam (Ar)] → Awiejoe (awijoen, awieoe, awioe); [Caribbean] → Awieoe (awioe), itjoetano; [Surinam (Ar)] → Awijoen (awiejoe, awieoe, awioe); [Caribbean] → Itjoetano (itjanoe) awi(e)oe; [Surinam (Ar)] → Jejerecou (jejereku); [Guyana (Cr)] → Jejereku (jejerecou); [Guyana (Cr)] → Koeliki kokaja; [Surinam (Ar)] → Koengé; [Surinam (Sa)] → Koereroe arara; [Surinam (Ar)] → Koereroe arare (koeroe-); [Surinam (Ar)] → Kuyama, white; [Guyana (Ar)] → Kwiengé; [Surinam (Sa)] → Pajoerian; [Surinam (Ar)] → Pegrekoe; [Surinam (Cr)] → Wajoeli; [Surinam (Ar)] → White kuyama; [Guyana (Ar)]
Xylopija grandiflora A.St.-Hil. → Arrokra; [Surinam (Ar)]
Xylopija longifolia (Sagot) R.E.Fries → Kuyama; [Surinam (Ar)] → Pegrekoe; [Surinam (Cr)]
Xylopija nitida Dunal → Awioe (awiwioe, awijoen, awiejoe); [Caribbean] → Karinero; [Caribbean] → Kobiye; [Guyana (M)] → Kuyama; [Surinam (Ar)] → Pegrekoe (-pisi); [Surinam (Cr)] → Rim; [Guyana (W)]
Xylopija pulcherrima Sandwith → Kuyama; [Surinam (Ar)]
Xylopija sericea A.St.-Hil. → Pebrekou; [Surinam (Cr)]
Xylopija surinamensis R.E.Fries → Arara, koereroe; [Surinam (Ar)] → Awioe, itjanoe (itjoetana-); [Caribbean] → Bospegrekoe; [Surinam (Cr)] → Itjanoe (itjoetano) awioe; [Caribbean] → Koereroe arara; [Surinam (Ar)] → Pegrekoe, bos; [Surinam (Cr)]
Xylosma sp. → Palo colorado; [Puerto Rico] → Palo de candela; [Puerto Rico] → Roseta; [Puerto Rico]

Rico]

Xylosterculia rugosa (R. Brown) Kosterm. → Kara; [Guyana (M)] → Maho, rough-leaf; [Guyana (Cr)] → Ranai; [Guyana (W)] → Rough-leaf maho; [Guyana (Cr)] → Saraurai; [Guyana (Ak)] → Sekerau; [Guyana (Ak)] → Yahu; [Surinam (Ar)]

Zanthoxylum americanum Miller → Clavalier d'amerique; [French Guiana]

Zanthoxylum apiculata (Sandwith)

P.G. Waterman → Ajikerai; [Guyana (Ak)] → Kadeneb; [Guyana (W)] → Sada; [Surinam (Ar)] → Wanikore; [Guyana (M)]

Zanthoxylum caribaea Lam. → Bois épineux jaune; [French West Indies] → Bois piquant; [French Guiana] → Cenizo; [Puerto Rico] → Pritijari; [Guyana (Cr)] → Sada; [Surinam (Ar)]

Zanthoxylum elephantiasis Macfad. → Ayua varia; [Puerto Rico] → Pini macho; [Dominican Republic]

Zanthoxylum flavum Vahl → Aceitillo; [Puerto Rico] → Ayua amarilla; [Puerto Rico] → Bois jaune; [French West Indies] → Espinillo; [Dominican Republic] → Espino rubial; [Puerto Rico] → Sanders, yellow; [British West Indies] → Satijnhout; [Surinam (Du)] → Satiné jaune; [French West Indies] → Satinwood; [West Indies] → Yellow sanders; [British West Indies] → Yellowwood; [British West Indies]

Zanthoxylum martinicense (Lam.) DC. → Ayua; [Puerto Rico] → Cenizo; [Puerto Rico]

Zanthoxylum monophyllum (Lam.) P. Wilson → Carubia (carubio); [Puerto Rico] → Geelstekelboom; [Surinam (Du)] → Mapurito (mopurito); [Puerto Rico] → Mopurito (mapurito); [Puerto Rico] → Prickle, yellow; [Puerto Rico] → Rubia; [Puerto Rico] → Yellow prickle; [Puerto Rico]

Zanthoxylum pentandra (Aublet) R.A. Howard → Awaratarra (awarratarra, awarratalla); [Surinam] → Awarratalla (awaratarra, awarratarra); [Surinam] → Boeboeraballi (boeroeraballi); [Surinam (Ar)] → Boeroeaballi (boeroeraballi); [Surinam (Ar)] → Boeroeraballi (boeboeraballi); [Surinam (Ar)] → Ha pau; [Surinam] → He-he (he-makoa); [Surinam] → He-makoa (he-he); [Surinam] → Karidan (-hariraroe, -kakhekora); [Surinam (Ar)] → Karinadan (karimadan, karidan); [Surinam (Ar)] → Kawarratarra (awarratarra, awarratalla); [Surinam] → Palakoea; [Surinam] → Pieterjarie (pritijari), witte; [Surinam (Du)] → Pritijari (pieterjarie, prit'jari), witte; [Surinam (Cr, Du)] → Prit'jari; [Surinam (Cr)] → Witte pritijari (pieterjarie);

[Surinam (Du)]

Zanthoxylum sp. → Arbre à pain; [French West Indies] → Bois épineux blanc; [French West Indies] → Bosoo; [Trinidad] → Cacatier; [French Guiana] → Clavalier des Antilles; [French Guiana] → Espin de bobo; [French West Indies] → L'épinet, stinking; [Trinidad] → Mana; [Surinam] → Stinking l'épinet; [Trinidad] → Toepoeroe proroem; [Surinam]

Zea mays L. → Mais; [Surinam (Du)]

Ziziphus cinnamomum Triana & Planchon → Irim; [Guyana (W)] → Irimye; [Guyana (M)]

Ziziphus jujuba (L.) Gaertner auct. non Miller → Olijf; [Surinam (Du)]

Ziziphus mauritiana Lam. → Jujubier du pays; [Martinique] → Olijf; [Surinam (Du)]

Ziziphus rhodoxylon Urban → Hojanca prieta; [Dominican Republic] → Yagua; [Dominican Republic]

Zizyphus mauritiana Lam. → Olijf; [Surinam (Du)]

Zornia diphylla (L.) Persoon → Koemataballi; [Surinam (Ar)]

Zschokkea aculeata Ducke → Schopsteelhout; [Surinam (Du)]

Zschokkea sp. → Hya-hya; [Surinam (Ar)]

Zygia cauliflora (Willd.) Killip → Alekojo; [Surinam (Ar)] → Alikyu (aliku, aliki); [Surinam (Ar)] → Benda; [Guyana (Wr)] → Boskalebas; [Surinam (Du)] → Kalebas, bos; [Surinam (Du)] → Moeserki(e); [Surinam (Cr)]

Zygia latifolia (L.) Fawcett & Rendle → Alik (aliku, aliku); [Guyana] → Alikyu (aliku, aliki); [Guyana (Ar)] → Benda; [Guyana (Wr)]

Zygia racemosum (Ducke) Braneby & J.W. Grimes → Angelim rajado; [Surinam] → Apa kamierian (apa kaniran); [Surinam] → Apa kaniran (apa kamierian); [Surinam] → Bois serpent; [French Guiana] → Bois zebra; [French Guiana] → Bostamarinde (gevlamde-); [Surinam (Du)] → Bousi tamarin (-tamaren, -tamalin); [Surinam (Cr)] → Darinaballi; [Surinam (Ar)] → Kadjoesi awha; [Surinam (Sa)] → Kjèkè awha; [Surinam] → Kwata werie; [Surinam (Ar)] → Locus, puta; [Surinam] → Manaliballi (-tataro); [Surinam (Ar)] → Marblewood; [Guyana (Cr)] → Puta locus; [Surinam (Cr)] → Schildpadhout; [Surinam (Du)] → Slangenhout; [Surinam (Du)] → Slanghoedoe; [Surinam (Cr)] → Snakewood; [Guyana (Cr)] → Snekiehoedoe; [Surinam (Cr)] → Tamalin, boesi (bos-); [Surinam (Cr)] → Tamaren (tamarin, tamalin), boesi; [Surinam (Cr)] → Tureli; [Guyana (Ar)]

Zygia racemosum (Ducke) Braneby &

J.W.Grimes → Tamarin (tamaren, tamalin),
boesi; [Surinam (Cr)]