Capacity, flow and values of ecosystem services: finding ways for representation in the cascade model

Presentation at

Joint Workshop Indication, Integration and Application of Ecosystem Services in Decision Making, IALE – D, ESP
University of Kiel (Germany)
May 6 – 8, 2013



Matthias Schröter, Environmental Systems Analysis group, Wageningen University

ECOSPACE project

- Environmental Systems Analysis Group, Wageningen University, The Netherlands
- Funded by European Research Council
- modelling, mapping, economic valuation, accounting of ecosystem services on a provincial level
- three case studies







Telemark (Norway)

Matthias Schröter, ESA, Wageningen University


Limburg (Netherlands)

Central Kalimantan (Indonesia)

Outline

- 1. Representation of capacity and flow
- 2. Representation of different forms of "value"

1. Capacity and flow of ES



1. Capacity and flow of ES

(Schröter et al. 2012, Ecol Indic, Schröter et al. in progress)

- We need to <u>distinguish</u> capacity to provide services and their actual use (Luck et al. 2009; De Groot et al., 2010; Haines-Young and Potschin, 2010; van Oudenhoven et al., 2012; Burkhard et al., 2012).
- Empirical studies often <u>do not consider actual use</u> or use terms interchangeably
- "Capacity and flow" have been referred to (in slightly different meanings)
 as
 - supply and demand (Burkhard et al., 2012; Schröter et al., 2012; Tallis et al., 2012) or
 - ecosystem function and service (Petz and van Oudenhoven, 2012)

Matthias Schröter, ESA, Wageningen

1. Capacity and flow of ES Capacity and flow Ecosystem processes can differ (transfers of energy, matter, information) (sustainability Ecosystem properties notion) (characteristics, e.g. population sizes, growth rates, ecosystem states) 1. Capacity > flow Ecosystem services (contributions to well-being = appreciated Restrictions properties) (accessibility, absence of capacity flow beneficiaries, low actual use, ES potential of management enters utility or ecosystems to pressure) provide ES production function 2. Flow > capacity Overuse sustainability notion (harvest rate > Matthias Schröter, ESA, Wageningen growth rate)

1. Capacity and flow of ES

(Schröter et al. 2012, Ecol Indic, Schröter et al. in progress)


- terms are variously used in economics (Fisher et al., 2008) or ecology (Bastian et al., 2012; Jax, 2005; Wallace, 2007)
- Supply/demand:
 - economic concepts (including potential ability/willingness to pay, price elasticity – supposes marketization)
- Function/service:
 - function in this sense is an anthropocentric abstraction from the ecosystem already
 - difference function and properties, structures, processes? Which functions are meant, how do they relate to other functions?

Matthias Schröter, ESA, Wageningen


1. Capacity and flow of ES: recommendation for cascade model


- ES as subsets of properties that are appreciated by humans
- Two-sidedness of ES: capacity and flow
- Could provide a parsimonious, policy-relevant and operational indicator for sustainability


Matthias Schröter, ESA, Wageningen University



Which values do we economically value? Value (general) "worth, usefulness, importance of something" (Oxford English dictionary) "the contribution to a goal, objective, desired condition"(Farber et al. 2002) Value (economic) measure of scarcity in relation to its ability to fulfil preferences = anthropocentric, instrumental Value (environmental ethics) Anthropocentric (instrumental) vs. physiocentric (for its own sake)








2. Representation of different values: recommendation for cascade model

- no objective run-down the cascade, but feedback loops
- Underlying ethical values (and norms) determine existence of ES
- Inclusion of broader values that are not covered by economic values
- Discussion: openness for broader forms of values beyond utilitarian, instrumental values?

Matthias Schröter, ESA, Wageninger



Thank you for your attention.

Contact: matthias.schroter@wur.nl

Matthias Schröter, ESA, Wageningen University